

2007 Annual Water Quality Report

Stanford University Utilities Division

Top Quality Water

The Stanford Utilities Division is pleased to provide you with the 2007 Annual Water Quality Report. During 2007, the San Francisco Public Utilities Commission (SFPUC) and Stanford University monitored water quality for both source and treated water supplies, and in all cases the water quality was in compliance with the California Department of Public Health (CDPH) and the United States Environmental Protection Agency (US EPA) drinking water requirements. We continue our commitment to provide our customers with safe, high quality drinking water. It is the policy of the Stanford Utilities Division to fully inform its consumers about the water quality standards and typical concentrations.

May 2008

The Utilities Division manages the storage, distribution, maintenance, and monitoring programs for Stanford's drinking water supply.

Stanford routinely collects water quality samples from various locations within the campus distribution system. The most frequently collected samples are analyzed for coliform bacteria, chlorine residual, and general physical parameters. Additional water quality samples are collected to monitor for more constituents in compliance with CDPH requirements. A certified laboratory analyzes all samples. Stanford submits monthly reports that include all monitoring results to the CDPH.

SFPUC also collects daily water quality samples from various locations within their transmission system. The samples are analyzed for primary standards that apply to the protection of public health and secondary standards that refer to the aesthetic qualities of water such as taste and odor.

The Stanford Utilities Division also maintains flushing, cross-connection, and backflow prevention programs to ensure a consistent high quality drinking water supply.

In This Report

Stanford University's Drinking Water Sources	2
SFPUC Watershed Protection	2
Water System Improvements	2
Protecting Our Water Quality	3
Contaminants in Drinking Water	3
<i>Cryptosporidium and Giardia</i>	3
Important Definitions	4
Water Quality Data	5
Emergency Preparedness	6
Water Conservation	6
Contact Information	6

Stanford University's Drinking Water Sources

Water supplied to Stanford by the SFPUC comes from three major sources: Hetch Hetchy Watershed in the Sierra Nevada Mountains, and local watersheds in Alameda and San Mateo Counties.

Hetch Hetchy Reservoir

Hetch Hetchy Reservoir, which is the largest reservoir in the SFPUC system, is located in Yosemite National Park. It provided approximately 87 percent of the total water supply in 2007. Spring snowmelt flows down the Tuolumne River and

fills the Hetch Hetchy reservoir. The high quality Hetch Hetchy water supply meets all federal and state criteria for watershed protection, disin-

fection treatment, bacteriological quality and operational standards. As a result, the US EPA and CDPH granted the Hetch Hetchy water source a filtration exemption. This exemption is contingent upon the Hetch Hetchy water quality continuing to meet all filtration avoidance criteria.

Alameda Watershed

The Alameda watershed, spans more than 35,000 acres in Alameda and Santa Clara Counties. Surface water from rainfall and runoff is collected in the Calaveras and San Antonio Reservoirs. Prior to distribution,


water from the watershed is treated at the Sunol Valley Water Treatment Plant (SVWTP).

San Mateo Watershed

Surface water from rainfall and runoff captured in the 23,000-acre Peninsula Watershed, which is located in San Mateo County, is stored in four reservoirs: Crystal Springs (Lower and Upper), San Andreas, Pilarcitos and Stone Dam. This water source is treated at the Harry Tracy Water Treatment Plant prior to delivery to customers.

to reduce the potential contamination sources. The 2007 sanitary survey concludes that very low levels of contaminants associated with wildlife and human activities exist in these watersheds.

The SFPUC also conducts sanitary surveys of the local water sheds every five years. The potential contamination sources identified in the 2005 survey are similar to the upcountry watersheds. The reports are available through the California Department of Public Health.



Water System Improvements Program

Projects that enhance high water quality are a key component of the multi-billion dollar Water System Improvement Program

The water delivered from the SFPUC to Stanford is both chloraminated and fluoridated.

(WSIP), a program developed to upgrade the SFPUC water delivery system.

Watershed Protection

The SFPUC aggressively protects the natural water resources entrusted to its care. An annual report on the Hetch Hetchy, Priest, and Moccasin watersheds is prepared to evaluate the sanitary conditions, water quality, and potential contamination sources in these watersheds. The report also presents performance results of watershed management activities implemented by the SFPUC

The SFPUC's future Advanced Disinfection Project will use ultraviolet (UV) light to disinfect Hetch Hetchy water to meet new federal requirements to control the waterborne parasite *Cryptosporidium*. The new 20,000-square-foot facility, inside a SFPUC property in San Joaquin County, will be one of the largest drinking-water UV disinfection facilities in North America. For more detailed information visit www.sfwater.org.

Protecting Our Water Quality

Information from the US EPA and the CDPH

In order to ensure that tap water is safe to drink, the US EPA and CDPH prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. CDPH regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

Drinking water (including bottled water) may reasonably be expected to contain at least small amounts of some contaminants, including *Cryptosporidium* and *Giardia*. The presence of small amounts of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the US EPA's Safe Drinking Water Hotline (800) 426-4791.

Contaminants in Drinking Water

The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, which, in some cases, are radioactive and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

Inorganic Contaminants. The SFPUC tests regularly such as salts and metals, for *Cryptosporidium* and which can be naturally *Giardia* in both source and occurring or result from urban treated water supplies. Both storm water runoff, industrial were occasionally found at or domestic wastewater very low levels in the SFPUC's discharge, oil and gas water in 2007. production, mining, or farming.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV-AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. US EPA / Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the US EPA's Safe Drinking Water Hotline (800) 426-4791 or Website: epa.gov/safewater.

Pesticides and Herbicides, that may originate from a variety of sources such as agricultural, urban storm water runoff, and residential uses.

Organic Chemical Contaminants, including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural live stock operations, and wildlife.

Cryptosporidium and *Giardia*,

Cryptosporidium and *Giardia* are parasitic microbes found in most surface water supplies and can pose a potential health threat. If ingested, either may produce symptoms



Important Definitions

The water quality data table (Page 5) summarizes the 2007 sampling results from laboratory analyses of parameters detected in SFPUC's source water supply and Stanford's distribution system. An extensive water sample collection and testing protocol is used at the various water sources throughout the SFPUC transmission system and in the campus distribution system. Both the SFPUC and Stanford monitor for many additional parameters, which were not detected.

The Water Quality Data table contains the name of each substance, the highest level allowed by regulation (MCL), the ideal goals for public health (PHG), the average and range, and the typical sources of such contamination. Footnotes explaining the data and a key to units of measurement are also included.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs or MCLGs (see definitions below) as is economically and technologically feasible. Secondary MCLs (SMCLs) are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water

below which there is no known or expected risk to health. MCLGs are set by the USEPA.

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set by the USEPA.

Primary Drinking Water Standard (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.


Treatment Techniques (TT): A required process intended to reduce the level of a contaminant in drinking water.

Waiver: State permission to decrease the monitoring frequency for a particular contaminant.

Diverse Uses of Campus Domestic Water



Swimming Pools



Drinking Fountains



Laboratories

Water Quality Data

Stanford University's Annual Water Quality Data for 2007 ⁽¹⁾

DETECTED CONTAMINANTS

CONSTITUENTS WITH PRIMARY STANDARDS	Unit	MCL	PHG or (MCLG)	Range or Result	Average or (Maximum)	Typical Sources in Drinking Water
TURBIDITY ⁽²⁾						
Unfiltered Hatch Hetchy Water, max 5 NTU	-	TT	NS	0.22 - 0.48 ⁽³⁾	(1.98) ⁽⁴⁾	Soil run-off
Filtered Water - Sunol Valley WTP, max 1 NTU 95 percentage of time < 0.3 NTU	-	TT	NS	NA 100% ⁽⁵⁾	(0.54) NA	Soil run-off Soil run-off
DISINFECTION BY-PRODUCTS (SFPUC Samples)						
Total Trihalomethanes (TTHMs)	ppb	80	NS	11 - 44	(32) ⁽⁶⁾	By-product of drinking water chlorination
Total Haloacetic Acids (HAAs)	ppb	60	NS	3 - 29	(18) ⁽⁶⁾	By-product of drinking water chlorination
Total Organic Carbon (TOC) ⁽⁷⁾	ppm	TT	NS	0.7 - 2.5	1.94	Various natural and man-made sources
DISINFECTION BY-PRODUCTS (Stanford Samples)						
Total Trihalomethanes (TTHMs)	ppb	80	NS	20 - 33.6	(31) ⁽⁶⁾	By-product of drinking water chlorination
Total Haloacetic Acids (HAAs)	ppb	60	NS	5-22	(24) ⁽⁶⁾	By-product of drinking water chlorination
MICROBIOLOGICAL (Stanford Samples)						
Total Coliform percentage of positives detected in any month	%	≤5	(0)	0	(0)	Naturally present in the environment
INORGANIC CHEMICALS						
Aluminum	ppb	1000	600	<50 - 71	<50	Erosion of natural deposits
Fluoride (source water) ⁽⁸⁾	ppm	2.0	1.0	<0.1 - 0.2	0.13	Erosion of natural deposits
Total Chlorine (Stanford Samples)	ppm	MRDL=4	MRDLG=4	1.4 - 2.5	(2.20) ⁽⁶⁾	Water disinfectant added for treatment

CONSTITUENTS WITH SECONDARY STANDARDS	Unit	SMCL	PHG	Range	Average	Typical Sources in Drinking Water
Chloride	ppm	500	NS	<3 - 17	9	Runoff / leaching from natural deposits
Color (Stanford Samples)	unit	15	NS	<5 - 6	<5	Naturally occurring organic materials
Specific Conductance	μS/cm	1600	NS	32 - 320	185	Substances that form ions when in water
Sulfate	ppm	500	NS	0.8 - 37	17.6	Runoff/leaching from natural deposits
Total Dissolved Solids	ppm	1000	NS	25 - 193	109	Runoff / leaching from natural deposits
Turbidity	NTU	5	NS	0.08 - 0.24	0.15	Soil runoff

LEAD AND COPPER RULE STUDY (Stanford Samples)	Unit	AL	PHG	Range	90th Percentile ⁽⁹⁾	Typical Sources in Drinking Water
Copper (54 samples collected)	ppb	1300	170	<10 - 100	60 ⁽¹⁰⁾	Corrosion of household plumbing systems
Lead (54 samples collected)	ppb	15	2	<2.0 - 2.1	2.0 ⁽¹¹⁾	Corrosion of household plumbing systems

OTHER WATER QUALITY PARAMETERS	Unit	NL	Range	Average
Alkalinity (as CaCO ₃)	ppm	NS	8 - 112	59
Calcium	ppm	NS	3 - 29	15.3
Hardness (as CaCO ₃)	ppm	NS	8 - 116	61
Magnesium	ppm	NS	<0.2 - 9.4	5.4
pH	unit	NS	8.7 - 9.3	9.0
Potassium	ppm	NS	0.3 - 1.5	0.9
Silica	ppm	NS	4.2 - 9.3	6.1
Sodium	ppm	NS	3 - 22	14

Key:	
</≤	= less than / less than equal to
TT	= Treatment Technique
AL	= Action Level
NA	= Not Applicable
NL	= Notification Level
NS	= No Standard
NTU	= Nephelometric Turbidity Unit
ppb	= parts per billion
ppm	= parts per million
μS/cm	= microSiemens/centimeter

- All results met State and Federal drinking water regulations. Sampling performed by SFPUC, unless otherwise specified.
- Turbidity is the water clarity indicator; it also indicates the quality of the water and the treatment system efficiency.
- Turbidity is measured every four hours. These are monthly average turbidity values.
- This is a single, maximum measurement. This elevated turbidity was caused by the startup of the Hatch Hetchy Aqueduct after shutdown for maintenance work. The turbid water was not served to customers.
- This is the minimum percentage of time that the filtered water turbidity is less than 0.3 NTU.
- This is the highest running annual average value.
- TOC is a precursor for disinfection by-product formation. Data are obtained from effluent monitoring at Sunol Valley Water Treatment Plant.
- The SFPUC adds fluoride to the naturally occurring level to help prevent dental caries in consumers. The fluoride levels in the treated water are maintained within a range of 0.8 - 1.5 ppm, as required by CDPH regulations.
- The 90th percentile levels of lead and copper must not be greater than the action levels.
- In 2006, no residences were over the copper Action Level at consumer taps. Customer tap sampling is required again in 2009.
- In 2006, no residences were over the lead Action Level at consumer taps. Customer tap sampling is required again in 2009.

Emergency Preparedness

Although Stanford strives to ensure a reliable supply of water for our customers, a natural disaster such as a major earthquake could interrupt water delivery. Residents are encouraged to store drinking water in case of an emergency. Stanford recommends storing at least three days worth of water (one gallon of water per person, per day, including pets) in food-grade plastic containers, such as two-liter soda bottles, and replacing supplies every six months.

To learn more about emergency preparedness for yourself and your family, visit <http://facilities.stanford.edu/environment/earthquake.htm> or www.72hours.org.

Water Conservation

See how you can make a difference! Visit our web site at facilities.stanford.edu/conervation

Este reporte contiene información muy importante sobre el agua que toma. Llame a Stanford University 650-725-8030 si necesita ayuda en español.

Contact Information

US EPA Drinking Water Homepage:
www.epa.gov/safewater/ or
Safe Drinking Water Hotline
(800) 426-4791

CDPH Drinking Water Program Homepage:
[http://www.cdpb.ca.gov/certlic/drinkingwater/
Pages/default.aspx](http://www.cdpb.ca.gov/certlic/drinkingwater/Pages/default.aspx)

SFPUC's Homepage: sfpuc.org

Stanford's Utilities Water Homepage:
facilities.stanford.edu/environment

If you have questions or need additional information about this report or Stanford's water quality, please contact;
Marty Laporte 650/725-7864
E-mail: martyl@bonair.stanford.edu
Or
Tracy Ingebrigtsen 650/723-9747