

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	50	CO-COLD	5.62	10	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	50	CO-COLD	5.62	10	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	120	CO	0.6	4.2	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	120	HC-NM+NOX-COMP	0.09	0.65	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	120	HCHO	0.0003	0.018	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	120	NMOG	0.06	0.09	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	120	NOX	0.05	0.07	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	50	CO	0.5	3.4	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	50	HCHO	0.0003	0.015	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	50	NMOG	0.044	0.075	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	50	NOX	0.04	0.05	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	120	CO	0.6	4.2	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	120	HC-NM+NOX-COMP	0.09	0.65	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	120	HCHO	0.0003	0.018	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	120	NMOG	0.06	0.09	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	120	NOX	0.05	0.07	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	50	CO	0.5	3.4	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	50	HCHO	0.0003	0.015	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	50	NMOG	0.044	0.075	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	50	NOX	0.04	0.05	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	N/A	50-CO	1.2	3.4	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	N/A	50-HCHO	0.001	0.03	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	N/A	50-NMOG	0.13	0.15	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	N/A	50-NOX	0.02	0.05	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	120	CO-US06	2.3	11.1	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	4	CO-US06	2.14	8	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	4	HC-NM+NOX-US06	0.028	0.14	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	120	CO-US06	2.3	11.1	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	4	CO-US06	2.14	8	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	4	HC-NM+NOX-US06	0.028	0.14	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	120	CO-SC03	0.3	3.7	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	4	CO-SC03	0.12	2.7	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	CA	4	HC-NM+NOX-SC03	0	0.2	L2
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	120	CO-SC03	0.3	3.7	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	4	CO-SC03	0.12	2.7	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	M6	3.15	4500	FA	4	HC-NM+NOX-SC03	0	0.2	B5
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	50	CO-COLD	5.94	10	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	120	CO	2.91	4.2	B7

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	120	HC-NM+NOX-COMP	0.07	0.68	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	120	HCHO	0.0006	0.018	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	120	NMOG	0.08	0.09	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	120	NOX	0.01	0.15	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	50	CO	2.5	3.4	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	50	HCHO	0.0006	0.015	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	50	NMOG	0.071	0.075	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	50	NOX	0.01	0.11	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	120	CO-US06	0.8	11.1	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	4	CO-US06	0.12	8	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	4	HC-NM+NOX-US06	0.042	0.14	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	120	CO-SC03	0.7	3.7	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	4	CO-SC03	0.03	2.7	B7
ASTON MARTIN	ASTON MARTIN	ASTON MARTIN	5935	S6	4.3	4500	FC	4	HC-NM+NOX-SC03	0	0.2	B7
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	50	CO-COLD	3.82	10	N/A
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	50	CO-COLD	3.82	10	N/A
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	120	CO	0.36	4.2	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	120	HCHO	0.0008	0.018	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	120	NMOG	0.0285	0.09	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	120	NOX	0.041	0.07	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	50	CO	0.35	3.4	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	50	HCHO	0.0006	0.015	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	50	NMOG	0.0229	0.075	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	50	NOX	0.038	0.05	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	120	CO	0.36	4.2	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	120	HC-NM+NOX-COMP	0.038	0.65	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	120	HCHO	0.0008	0.018	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	120	NMOG	0.0285	0.09	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	120	NOX	0.041	0.07	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	50	CO	0.35	3.4	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	50	HCHO	0.0006	0.015	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	50	NMOG	0.0229	0.075	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	50	NOX	0.038	0.05	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	N/A	50-CO	0.5	3.4	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	N/A	50-NMOG	0.0576	0.15	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	N/A	50-NOX	0.025	0.05	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	120	CO-ST2500	0	0.5	N/A
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	120	CO-STI	0	0.5	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	120	HC-ST2500	11	100	N/A
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	120	HC-STI	6	100	N/A
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	4	CO-US06	0.87	8	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	4	HC-NM+NOX-US06	0.01	0.14	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	120	CO-US06	0.88	11.1	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	4	CO-US06	0.87	8	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	4	HC-NM+NOX-US06	0.01	0.14	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	4	CO-SC03	0.32	2.7	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	CA	4	HC-NM+NOX-SC03	0.007	0.2	L2
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	120	CO-SC03	0.33	3.7	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	4	CO-SC03	0.32	2.7	B5
AUDI	AUDI	A4 CABRIOLET QUATTRO	2976	L5	3.73	4250	FA	4	HC-NM+NOX-SC03	0.007	0.2	B5
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	CO-COLD	1.18	10	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	CO-COLD	1.18	10	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO	1.13	4.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HC-NM+NOX-COMP	0.111	0.71	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HCHO	0.0002	0.018	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	NMOG	0.0287	0.125	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	NOX	0.043	0.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	CO	0.96	3.4	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	HCHO	0.0002	0.015	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	NMOG	0.0237	0.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	NOX	0.037	0.14	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO	1.13	4.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HC-NM+NOX-COMP	0.111	0.71	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HCHO	0.0002	0.018	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	NMOG	0.0287	0.125	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	NOX	0.043	0.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	CO	0.96	3.4	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	HCHO	0.0002	0.015	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	NMOG	0.0237	0.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	NOX	0.037	0.14	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-ST2500	0	0.5	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-STI	0	0.5	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HC-ST2500	3	100	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HC-STI	2	100	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-ST2500	0	0.5	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-STI	0	0.5	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HC-ST2500	3	100	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HC-STI	2	100	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-US06	6.83	11.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	CO-US06	6.5	8	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	HC-NM+NOX-US06	0.096	0.14	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-US06	6.83	11.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	CO-US06	6.5	8	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	HC-NM+NOX-US06	0.096	0.14	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-SC03	1.59	3.7	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	CO-SC03	1.26	2.7	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	HC-NM+NOX-SC03	0.121	0.2	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-SC03	1.59	3.7	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	CO-SC03	1.26	2.7	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	HC-NM+NOX-SC03	0.121	0.2	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	CO-COLD	1.18	10	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	CO-COLD	1.18	10	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO	1.13	4.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HC-NM+NOX-COMP	0.111	0.71	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HCHO	0.0002	0.018	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	NMOG	0.0287	0.125	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	NOX	0.043	0.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	CO	0.96	3.4	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	HCHO	0.0002	0.015	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	NMOG	0.0237	0.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	NOX	0.037	0.14	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO	1.13	4.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HC-NM+NOX-COMP	0.111	0.71	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HCHO	0.0002	0.018	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	NMOG	0.0287	0.125	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	NOX	0.043	0.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	CO	0.96	3.4	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	HCHO	0.0002	0.015	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	NMOG	0.0237	0.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	NOX	0.037	0.14	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-ST2500	0	0.5	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-STI	0	0.5	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HC-ST2500	3	100	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HC-STI	2	100	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-ST2500	0	0.5	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-STI	0	0.5	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HC-ST2500	3	100	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HC-STI	2	100	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-US06	6.83	11.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	CO-US06	6.5	8	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	HC-NM+NOX-US06	0.096	0.14	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-US06	6.83	11.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	CO-US06	6.5	8	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	HC-NM+NOX-US06	0.096	0.14	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-SC03	1.59	3.7	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	CO-SC03	1.26	2.7	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	HC-NM+NOX-SC03	0.121	0.2	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-SC03	1.59	3.7	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	CO-SC03	1.26	2.7	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	HC-NM+NOX-SC03	0.121	0.2	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	CO-COLD	1.18	10	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	CO-COLD	1.18	10	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO	1.13	4.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HC-NM+NOX-COMP	0.111	0.71	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HCHO	0.0002	0.018	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	NMOG	0.0287	0.125	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	NOX	0.043	0.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	CO	0.96	3.4	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	HCHO	0.0002	0.015	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	NMOG	0.0237	0.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	50	NOX	0.037	0.14	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO	1.13	4.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HC-NM+NOX-COMP	0.111	0.71	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HCHO	0.0002	0.018	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	NMOG	0.0287	0.125	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	NOX	0.043	0.2	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	CO	0.96	3.4	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	HCHO	0.0002	0.015	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	NMOG	0.0237	0.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	50	NOX	0.037	0.14	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-ST2500	0	0.5	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-STI	0	0.5	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HC-ST2500	3	100	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	HC-STI	2	100	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-ST2500	0	0.5	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-STI	0	0.5	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HC-ST2500	3	100	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	HC-STI	2	100	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-US06	6.83	11.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	CO-US06	6.5	8	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	HC-NM+NOX-US06	0.096	0.14	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-US06	6.83	11.1	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	CO-US06	6.5	8	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	HC-NM+NOX-US06	0.096	0.14	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	100	CO-SC03	1.59	3.7	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	CO-SC03	1.26	2.7	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	CA	4	HC-NM+NOX-SC03	0.121	0.2	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	100	CO-SC03	1.59	3.7	B8
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	CO-SC03	1.26	2.7	N/A
AUDI	AUDI	A4 QUATTRO	1781	L5	3.73	3875	FA	4	HC-NM+NOX-SC03	0.121	0.2	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	50	CO-COLD	3.6	10	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	50	CO-COLD	3.6	10	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	100	CO	1.63	4.2	LEV
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	100	NMOG	0.078	0.09	LEV
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	100	NOX	0.03	0.3	LEV
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	50	CO	1.18	3.4	LEV
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	50	NMOG	0.069	0.075	LEV
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	50	NOX	0.02	0.2	LEV
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	100	CO	1.63	4.2	B9
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	100	HC-NM+NOX-COMP	0.082	0.73	B9
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	100	NMOG	0.078	0.09	B9
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	100	NOX	0.03	0.3	B9
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	50	CO	1.18	3.4	B9
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	50	NMOG	0.069	0.075	B9
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	50	NOX	0.02	0.2	B9
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	N/A	50-CO	1.11	3.4	LEV
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	N/A	50-NMOG	0.0924	0.15	LEV
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	N/A	50-NOX	0.01	0.2	LEV
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	100	CO-ST2500	0	0.5	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	100	CO-STI	0	0.5	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	100	HC-ST2500	3	100	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	100	HC-STI	5	100	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	4	CO-US06	1.71	8	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	4	HC-NM+NOX-US06	0.023	0.14	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	100	CO-US06	2.6	11.1	B9
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	4	CO-US06	1.71	8	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	4	HC-NM+NOX-US06	0.023	0.14	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	4	CO-SC03	1.01	2.7	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	CA	4	HC-NM+NOX-SC03	0.039	0.2	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	100	CO-SC03	1.9	3.7	B9
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	4	CO-SC03	1.01	2.7	N/A
AUDI	AUDI	A6 AVANT QUATTRO	3123	L6	3.54	4500	FA	4	HC-NM+NOX-SC03	0.039	0.2	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	CO-COLD	1.8	10	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	CO-COLD	1.8	10	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	CO	0.89	4.2	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	HCHO	0.0003	0.018	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	NMOG	0.0597	0.09	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	NOX	0.01	0.3	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	CO	0.85	3.4	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	HCHO	0.0003	0.015	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	NMOG	0.0507	0.075	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	NOX	0.01	0.2	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO	0.89	4.2	B9
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HC-NM+NOX-COMP	0.051	0.73	B9
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HCHO	0.0003	0.018	B9
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	NMOG	0.0597	0.09	B9
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	NOX	0.01	0.3	B9
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	CO	0.85	3.4	B9
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	HCHO	0.0003	0.015	B9
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	NMOG	0.0507	0.075	B9
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	NOX	0.01	0.2	B9
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	N/A	50-CO	1.19	3.4	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	N/A	50-HCHO	0.0004	0.03	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	N/A	50-NMOG	0.0815	0.15	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	N/A	50-NOX	0.02	0.2	LEV
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-ST2500	0	0.5	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-STI	0	0.5	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HC-ST2500	9	100	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HC-STI	1	100	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	CO-US06	2.54	8	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	HC-NM+NOX-US06	0.039	0.14	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-US06	2.63	11.1	B9
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	CO-US06	2.54	8	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	HC-NM+NOX-US06	0.039	0.14	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	CO-SC03	0.19	2.7	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	HC-NM+NOX-SC03	0.008	0.2	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-SC03	0.28	3.7	B9
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	CO-SC03	0.19	2.7	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	HC-NM+NOX-SC03	0.008	0.2	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	CO-COLD	1.8	10	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	CO-COLD	1.8	10	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	CO	0.89	4.2	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	HC-NM+NOX-COMP	0.051	0.71	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	HCHO	0.0003	0.018	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	NMOG	0.0597	0.125	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	NOX	0.011	0.2	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	CO	0.85	3.4	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	HCHO	0.0003	0.015	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	NMOG	0.0507	0.1	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	NOX	0.011	0.14	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO	0.89	4.2	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HC-NM+NOX-COMP	0.051	0.71	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HCHO	0.0003	0.018	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	NMOG	0.0597	0.125	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	NOX	0.011	0.2	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	CO	0.85	3.4	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	HCHO	0.0003	0.015	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	NMOG	0.0507	0.1	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	NOX	0.011	0.14	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	CO-ST2500	0	0.5	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	CO-STI	0	0.5	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	HC-ST2500	9	100	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	HC-STI	1	100	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-ST2500	0	0.5	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-STI	0	0.5	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HC-ST2500	9	100	N/A



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HC-STI	1	100	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	CO-US06	2.63	11.1	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	CO-US06	2.54	8	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	HC-NM+NOX-US06	0.039	0.14	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-US06	2.63	11.1	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	CO-US06	2.54	8	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	HC-NM+NOX-US06	0.039	0.14	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	CO-SC03	0.28	3.7	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	CO-SC03	0.19	2.7	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	HC-NM+NOX-SC03	0.008	0.2	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-SC03	0.28	3.7	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	CO-SC03	0.19	2.7	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	HC-NM+NOX-SC03	0.008	0.2	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	CO-COLD	1.8	10	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	CO-COLD	1.8	10	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	CO	0.89	4.2	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	HC-NM+NOX-COMP	0.051	0.71	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	HCHO	0.0003	0.018	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	NMOG	0.0597	0.125	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	NOX	0.011	0.2	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	CO	0.85	3.4	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	HCHO	0.0003	0.015	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	NMOG	0.0507	0.1	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	50	NOX	0.011	0.14	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO	0.89	4.2	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HC-NM+NOX-COMP	0.051	0.71	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HCHO	0.0003	0.018	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	NMOG	0.0597	0.125	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	NOX	0.011	0.2	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	CO	0.85	3.4	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	HCHO	0.0003	0.015	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	NMOG	0.0507	0.1	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	50	NOX	0.011	0.14	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	CO-ST2500	0	0.5	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	CO-STI	0	0.5	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	HC-ST2500	9	100	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	HC-STI	1	100	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-ST2500	0	0.5	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-STI	0	0.5	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HC-ST2500	9	100	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	HC-STI	1	100	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	CO-US06	2.63	11.1	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	CO-US06	2.54	8	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	HC-NM+NOX-US06	0.039	0.14	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-US06	2.63	11.1	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	CO-US06	2.54	8	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	HC-NM+NOX-US06	0.039	0.14	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	100	CO-SC03	0.28	3.7	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	CO-SC03	0.19	2.7	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	CA	4	HC-NM+NOX-SC03	0.008	0.2	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	100	CO-SC03	0.28	3.7	B8
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	CO-SC03	0.19	2.7	N/A
AUDI	VOLKSWAGEN	JETTA WAGON	1781	L5	3.45	3625	FA	4	HC-NM+NOX-SC03	0.008	0.2	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	CO-COLD	3.54	10	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	CO-COLD	3.54	10	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	CO	0.82	4.2	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	NMOG	0.0508	0.09	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	NOX	0.07	0.3	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	CO	0.56	3.4	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	NMOG	0.0473	0.075	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	NOX	0.07	0.2	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO	0.82	4.2	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-NM+NOX-COMP	0.105	0.73	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	NMOG	0.0508	0.09	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	NOX	0.07	0.3	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	CO	0.56	3.4	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	NMOG	0.0473	0.075	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	NOX	0.07	0.2	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-CO	0.51	3.4	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-NMOG	0.0759	0.15	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-NOX	0.09	0.2	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-ST2500	0	0.5	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-STI	0	0.5	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-ST2500	1	100	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-STI	1	100	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	CO-US06	2.81	8	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	HC-NM+NOX-US06	0.091	0.14	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-US06	3.33	11.1	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	CO-US06	2.81	8	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	HC-NM+NOX-US06	0.091	0.14	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	CO-SC03	0.4	2.7	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	HC-NM+NOX-SC03	0.088	0.2	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-SC03	0.92	3.7	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	CO-SC03	0.4	2.7	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	HC-NM+NOX-SC03	0.088	0.2	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	CO-COLD	3.54	10	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	CO-COLD	3.54	10	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	CO	0.82	4.2	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	NMOG	0.0508	0.09	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	NOX	0.07	0.3	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	CO	0.56	3.4	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	NMOG	0.0473	0.075	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	NOX	0.07	0.2	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO	0.82	4.2	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-NM+NOX-COMP	0.105	0.73	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	NMOG	0.0508	0.09	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	NOX	0.07	0.3	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	CO	0.56	3.4	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	NMOG	0.0473	0.075	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	NOX	0.07	0.2	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-CO	0.51	3.4	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-NMOG	0.0759	0.15	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-NOX	0.09	0.2	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-ST2500	0	0.5	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-STI	0	0.5	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-ST2500	1	100	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-STI	1	100	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	CO-US06	2.81	8	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	HC-NM+NOX-US06	0.091	0.14	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-US06	3.33	11.1	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	CO-US06	2.81	8	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	HC-NM+NOX-US06	0.091	0.14	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	CO-SC03	0.4	2.7	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	HC-NM+NOX-SC03	0.088	0.2	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-SC03	0.92	3.7	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	CO-SC03	0.4	2.7	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	HC-NM+NOX-SC03	0.088	0.2	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	CO-COLD	3.54	10	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	CO-COLD	3.54	10	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	CO	0.82	4.2	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	NMOG	0.0508	0.09	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	NOX	0.07	0.3	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	CO	0.56	3.4	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	NMOG	0.0473	0.075	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	NOX	0.07	0.2	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO	0.82	4.2	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-NM+NOX-COMP	0.105	0.73	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	NMOG	0.0508	0.09	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	NOX	0.07	0.3	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	CO	0.56	3.4	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	NMOG	0.0473	0.075	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	NOX	0.07	0.2	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-CO	0.51	3.4	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-NMOG	0.0759	0.15	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-NOX	0.09	0.2	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-ST2500	0	0.5	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-STI	0	0.5	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-ST2500	1	100	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-STI	1	100	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	CO-US06	2.81	8	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	HC-NM+NOX-US06	0.091	0.14	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-US06	3.33	11.1	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	CO-US06	2.81	8	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	HC-NM+NOX-US06	0.091	0.14	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	CO-SC03	0.4	2.7	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	HC-NM+NOX-SC03	0.088	0.2	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-SC03	0.92	3.7	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	CO-SC03	0.4	2.7	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	HC-NM+NOX-SC03	0.088	0.2	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	CO-COLD	3.54	10	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	CO-COLD	3.54	10	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	CO	0.82	4.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	NMOG	0.0508	0.09	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	100	NOX	0.07	0.3	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	CO	0.56	3.4	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	NMOG	0.0473	0.075	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	50	NOX	0.07	0.2	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO	0.82	4.2	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-NM+NOX-COMP	0.105	0.73	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	NMOG	0.0508	0.09	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	NOX	0.07	0.3	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	CO	0.56	3.4	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	NMOG	0.0473	0.075	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	50	NOX	0.07	0.2	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-CO	0.51	3.4	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-NMOG	0.0759	0.15	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	N/A	50-NOX	0.09	0.2	LEV
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-ST2500	0	0.5	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-STI	0	0.5	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-ST2500	1	100	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	HC-STI	1	100	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	CO-US06	2.81	8	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	HC-NM+NOX-US06	0.091	0.14	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-US06	3.33	11.1	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	CO-US06	2.81	8	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	HC-NM+NOX-US06	0.091	0.14	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	CO-SC03	0.4	2.7	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	CA	4	HC-NM+NOX-SC03	0.088	0.2	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	100	CO-SC03	0.92	3.7	B9
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	CO-SC03	0.4	2.7	N/A
AUDI	VOLKSWAGEN	PHAETON	4172	L6	3.65	5500	FA	4	HC-NM+NOX-SC03	0.088	0.2	N/A
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	50	CO-COLD	3.39	10	N/A
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	120	CO	0.97	6.4	B10
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	120	NMOG	0.0497	0.23	B10
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	120	NOX	0.04	0.6	B10
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	50	CO	0.59	4.4	B10
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	50	NMOG	0.0377	0.16	B10
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	50	NOX	0.04	0.4	B10
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	120	CO-ST2500	0	0.5	N/A
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	120	CO-STI	0	0.5	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	120	HC-ST2500	0	100	N/A
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	120	HC-STI	0	100	N/A
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	120	CO-US06	10.39	19.3	B10
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	4	CO-US06	9.74	11.8	N/A
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	4	HC-NM+NOX-US06	0.13	0.6	N/A
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	120	CO-SC03	0.91	6.4	B10
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	4	CO-SC03	0.26	4	N/A
AUDI	VOLKSWAGEN	TOUAREG	4172	L6	4.56	5500	FC	4	HC-NM+NOX-SC03	0.043	0.44	N/A
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CA	120	CO	1	4.2	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CA	120	HCHO	0.001	0.018	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CA	120	NMOG	0.016	0.13	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CA	120	NOX	0.2	0.3	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CA	50	CO	0.8	3.4	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CA	50	HCHO	0.001	0.015	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CA	50	NMOG	0.014	0.1	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CA	50	NOX	0.1	0.2	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	120	CO	1	2.8	ULEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	120	CO	1	5.5	ILEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	120	HCHO	0.001	0.013	ULEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	120	HCHO	0.001	0.023	ILEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	120	NMOG	0.016	0.13	ILEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	120	NMOG	0.017	0.07	ULEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	120	NOX	0.2	0.5	ILEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	120	NOX	0.2	0.5	ULEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	50	CO	0.8	4.4	ILEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	50	CO	0.9	2.2	ULEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	50	HCHO	0.001	0.009	ULEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	50	HCHO	0.001	0.018	ILEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	50	NMOG	0.014	0.05	ULEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	50	NMOG	0.014	0.1	ILEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	50	NOX	0.1	0.4	ILEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	CF	50	NOX	0.1	0.4	ULEV
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	FA	120	CO	1	4.2	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	FA	120	HCHO	0.001	0.018	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	FA	120	NMOG	0.016	0.13	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	FA	120	NOX	0.2	0.3	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	FA	50	CO	0.8	3.4	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	FA	50	HCHO	0.001	0.015	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	FA	50	NMOG	0.014	0.1	B9
Baytech Corporation	BAYTECH	ASTRO 2WD (CARGO) CON	4300	L4	3.73	5000	FA	50	NOX	0.1	0.2	B9
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	CO	1.6	6.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	HCHO	0.001	0.027	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NMOG	0.026	0.23	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NOX	0.3	1	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	CO	1.1	4.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	HCHO	0	0.018	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NMOG	0.012	0.16	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NOX	0.2	0.7	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	CO	1.6	6.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	HCHO	0.001	0.027	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NMOG	0.026	0.23	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NOX	0.3	0.6	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	CO	1.1	4.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	HCHO	0	0.018	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NMOG	0.012	0.16	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NOX	0.2	0.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	CO	2.7	6.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	HCHO	0.002	0.027	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NMOG	0.098	0.46	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NOX	0.3	1	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	CO	2.2	4.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	HCHO	0.001	0.018	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NMOG	0.085	0.32	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NOX	0.2	0.7	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	CO	2.7	6.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	HCHO	0.002	0.027	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NMOG	0.098	0.23	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NOX	0.3	0.6	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	CO	2.2	4.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	HCHO	0.001	0.018	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NMOG	0.085	0.16	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NOX	0.2	0.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	CO	1.6	6.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	HCHO	0.001	0.027	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NMOG	0.026	0.23	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NOX	0.3	1	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	CO	1.1	4.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	HCHO	0	0.018	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NMOG	0.012	0.16	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NOX	0.2	0.7	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	CO	1.6	6.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	HCHO	0.001	0.027	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NMOG	0.026	0.23	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NOX	0.3	0.6	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	CO	1.1	4.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	HCHO	0	0.018	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NMOG	0.012	0.16	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NOX	0.2	0.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	CO	2.7	6.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	HCHO	0.002	0.027	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NMOG	0.098	0.46	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NOX	0.3	1	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	CO	2.2	4.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	HCHO	0.001	0.018	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NMOG	0.085	0.32	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NOX	0.2	0.7	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	CO	2.7	6.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	HCHO	0.002	0.027	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NMOG	0.098	0.23	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NOX	0.3	0.6	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	CO	2.2	4.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	HCHO	0.001	0.018	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NMOG	0.085	0.16	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NOX	0.2	0.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	CO	1.6	6.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	HCHO	0.001	0.027	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NMOG	0.026	0.23	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NOX	0.3	1	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	CO	1.1	4.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	HCHO	0	0.018	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NMOG	0.012	0.16	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NOX	0.2	0.7	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	CO	1.6	6.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	HCHO	0.001	0.027	B10



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NMOG	0.026	0.23	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NOX	0.3	0.6	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	CO	1.1	4.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	HCHO	0	0.018	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NMOG	0.012	0.16	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NOX	0.2	0.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	CO	2.7	6.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	HCHO	0.002	0.027	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NMOG	0.098	0.46	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NOX	0.3	1	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	CO	2.2	4.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	HCHO	0.001	0.018	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NMOG	0.085	0.32	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NOX	0.2	0.7	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	CO	2.7	6.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	HCHO	0.002	0.027	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NMOG	0.098	0.23	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NOX	0.3	0.6	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	CO	2.2	4.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	HCHO	0.001	0.018	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NMOG	0.085	0.16	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NOX	0.2	0.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	CO	1.6	6.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	HCHO	0.001	0.027	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NMOG	0.026	0.23	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NOX	0.3	1	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	CO	1.1	4.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	HCHO	0	0.018	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NMOG	0.012	0.16	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NOX	0.2	0.7	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	CO	1.6	6.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	HCHO	0.001	0.027	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NMOG	0.026	0.23	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NOX	0.3	0.6	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	CO	1.1	4.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	HCHO	0	0.018	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NMOG	0.012	0.16	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NOX	0.2	0.4	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	CO	2.7	6.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	HCHO	0.002	0.027	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NMOG	0.098	0.46	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	120	NOX	0.3	1	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	CO	2.2	4.4	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	HCHO	0.001	0.018	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NMOG	0.085	0.32	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	CF	50	NOX	0.2	0.7	LEV
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	CO	2.7	6.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	HCHO	0.002	0.027	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NMOG	0.098	0.23	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	120	NOX	0.3	0.6	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	CO	2.2	4.4	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	HCHO	0.001	0.018	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NMOG	0.085	0.16	B10
Baytech Corporation	BAYTECH	K1500 SILVER 4WD	4300	L4	3.73	5500	FA	50	NOX	0.2	0.4	B10
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CA	120	CO	1.3	7.3	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CA	120	HCHO	0.001	0.032	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CA	120	NMOG	0.01	0.28	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CA	120	NOX	0.2	0.9	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CA	50	CO	1.2	5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CA	50	HCHO	0.001	0.022	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CA	50	NMOG	0.008	0.195	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CA	50	NOX	0.2	0.6	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	CO	1.3	3.7	ULEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	CO	1.3	7.3	ILEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	HCHO	0.001	0.016	ULEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	HCHO	0.001	0.032	ILEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NMOG	0.009	0.167	ULEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NMOG	0.01	0.28	ILEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NOX	0.2	0.8	ILEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NOX	0.2	0.8	ULEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	CO	1.2	2.5	ULEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	CO	1.2	5	ILEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	HCHO	0.001	0.011	ULEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	HCHO	0.001	0.022	ILEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NMOG	0.008	0.117	ULEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NMOG	0.008	0.195	ILEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NOX	0.2	0.6	ILEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NOX	0.2	0.6	ULEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	CO	1.3	7.3	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	HCHO	0.001	0.032	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NMOG	0.01	0.28	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NOX	0.2	0.9	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	CO	1.2	5	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	HCHO	0.001	0.022	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NMOG	0.008	0.195	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NOX	0.2	0.6	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	CO	1.3	7.3	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	HCHO	0	0.032	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NMOG	0.003	0.28	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NOX	0.2	1.5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	CO	1.2	5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	HCHO	0	0.022	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NMOG	0.002	0.195	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NOX	0.2	1.1	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	CO	1.3	7.3	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	HCHO	0	0.032	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NMOG	0.003	0.28	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NOX	0.2	0.9	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	CO	1.2	5	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	HCHO	0	0.022	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NMOG	0.002	0.195	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NOX	0.2	0.6	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	CO	1.8	7.3	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	HC-TOTAL	0.22	0.8	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	HCHO	0.004	0.032	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NMOG	0.16	0.56	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NOX	0.2	1.5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	CO	1.6	5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	HCHO	0.003	0.022	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NMOG	0.138	0.39	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NOX	0.2	1.1	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	CO	1.8	7.3	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	HCHO	0.004	0.032	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NMOG	0.16	0.28	B11

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NOX	0.2	0.9	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	CO	1.6	5	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	HCHO	0.003	0.022	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NMOG	0.138	0.195	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NOX	0.2	0.6	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	CO	1.3	7.3	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	HCHO	0	0.032	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NMOG	0.003	0.28	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NOX	0.2	1.5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	CO	1.2	5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	HCHO	0	0.022	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NMOG	0.002	0.195	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NOX	0.2	1.1	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	CO	1.3	7.3	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	HCHO	0	0.032	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NMOG	0.003	0.28	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NOX	0.2	0.9	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	CO	1.2	5	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	HCHO	0	0.022	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NMOG	0.002	0.195	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NOX	0.2	0.6	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	CO	1.8	7.3	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	HC-TOTAL	0.22	0.8	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	HCHO	0.004	0.032	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NMOG	0.16	0.56	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NOX	0.2	1.5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	CO	1.6	5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	HCHO	0.003	0.022	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NMOG	0.138	0.39	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NOX	0.2	1.1	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	CO	1.8	7.3	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	HCHO	0.004	0.032	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NMOG	0.16	0.28	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NOX	0.2	0.9	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	CO	1.6	5	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	HCHO	0.003	0.022	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NMOG	0.138	0.195	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NOX	0.2	0.6	B11

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	CO	1.3	7.3	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	HCHO	0	0.032	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NMOG	0.003	0.28	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NOX	0.2	1.5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	CO	1.2	5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	HCHO	0	0.022	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NMOG	0.002	0.195	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NOX	0.2	1.1	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	CO	1.3	7.3	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	HCHO	0	0.032	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NMOG	0.003	0.28	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NOX	0.2	0.9	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	CO	1.2	5	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	HCHO	0	0.022	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NMOG	0.002	0.195	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NOX	0.2	0.6	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	CO	1.8	7.3	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	HC-TOTAL	0.22	0.8	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	HCHO	0.004	0.032	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NMOG	0.16	0.56	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	120	NOX	0.2	1.5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	CO	1.6	5	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	HCHO	0.003	0.022	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NMOG	0.138	0.39	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	CF	50	NOX	0.2	1.1	LEV
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	CO	1.8	7.3	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	HCHO	0.004	0.032	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NMOG	0.16	0.28	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	120	NOX	0.2	0.9	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	CO	1.6	5	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	HCHO	0.003	0.022	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NMOG	0.138	0.195	B11
Baytech Corporation	BAYTECH	K3500 UTILITY 4WD	6000	L4	4.1	9000	FA	50	NOX	0.2	0.6	B11
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	50	CO-COLD	5.4	10	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	100	CO	0.82	4.2	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	100	HCHO	0.0022	0.018	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	100	HCHO	0.0025	0.018	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	100	NMOG	0.0528	0.09	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	100	NMOG	0.0534	0.09	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	100	NOX	0.14	0.3	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	50	CO	0.7	3.4	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	50	HCHO	0.0014	0.015	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	50	HCHO	0.0017	0.015	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	50	NMOG	0.0418	0.075	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	50	NMOG	0.0424	0.075	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	50	NOX	0.11	0.2	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	100	CO	0.82	4.2	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	100	HC-NM+NOX-COMP	0.157	0.73	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	100	HCHO	0.0022	0.018	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	100	HCHO	0.0025	0.018	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	100	NMOG	0.0528	0.09	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	100	NMOG	0.0534	0.09	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	100	NOX	0.14	0.3	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	50	CO	0.7	3.4	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	50	HCHO	0.0014	0.015	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	50	HCHO	0.0017	0.015	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	50	NMOG	0.0418	0.075	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	50	NMOG	0.0424	0.075	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	50	NOX	0.11	0.2	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	N/A	50-CO	1.43	3.4	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	N/A	50-HCHO	0.001	0.03	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	N/A	50-NMOG	0.1057	0.15	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	N/A	50-NOX	0.05	0.2	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	100	CO-ST2500	0	0.5	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	100	CO-STI	0	0.5	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	100	HC-ST2500	0	100	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	100	HC-STI	0	100	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	4	CO-US06	0.64	8	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	4	HC-NM+NOX-US06	0.052	0.14	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	4	CO-US06	0.64	8	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	4	HC-NM+NOX-US06	0.052	0.14	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	4	CO-SC03	0.58	2.7	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	CA	4	HC-NM+NOX-SC03	0.061	0.2	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	4	CO-SC03	0.58	2.7	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	ARNAGE	6.7	L4	2.92	6000	FA	4	HC-NM+NOX-SC03	0.061	0.2	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	50	CO-COLD	1.33	10	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	50	CO-COLD	1.33	10	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	100	CO	0.36	4.2	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	100	NMOG	0.0356	0.09	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	100	NOX	0.07	0.3	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	50	CO	0.29	3.4	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	50	NMOG	0.0313	0.075	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	50	NOX	0.06	0.2	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	100	CO	0.36	4.2	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	100	NMOG	0.0356	0.09	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	100	NOX	0.07	0.3	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	50	CO	0.29	3.4	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	50	NMOG	0.0313	0.075	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	50	NOX	0.06	0.2	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	N/A	50-CO	0.46	3.4	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	N/A	50-NMOG	0.07	0.15	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	N/A	50-NOX	0.06	0.2	LEV
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	100	CO-ST2500	0	0.5	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	100	CO-STI	0	0.5	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	100	HC-ST2500	11	100	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	100	HC-STI	10	100	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	4	CO-US06	0.89	8	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	4	HC-NM+NOX-US06	0.045	0.14	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	100	CO-US06	1.04	11.1	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	4	CO-US06	0.89	8	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	4	HC-NM+NOX-US06	0.045	0.14	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	4	CO-SC03	0.04	2.7	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	CA	4	HC-NM+NOX-SC03	0.085	0.2	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	100	CO-SC03	0.19	3.7	B9
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	4	CO-SC03	0.04	2.7	N/A
BENTLEY MOTORS LTD.	BENTLEY MOTORS LTD.	CONTINENTAL GT	5998	L6	3.52	5500	FA	4	HC-NM+NOX-SC03	0.085	0.2	N/A
BMW	BMW	320i	2171	L5	3.38	3500	CA	100	CO	0.62	4.2	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	100	HCHO	0.0004	0.018	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	100	NMOG	0.0293	0.09	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	100	NOX	0.06	0.3	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	50	CO	0.57	3.4	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	50	HCHO	0.0002	0.015	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	50	NMOG	0.0274	0.075	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	50	NOX	0.05	0.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	320i	2171	L5	3.38	3500	FA	100	CO	0.62	4.2	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	100	HC-NM+NOX-COMP	0.074	0.73	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	100	HCHO	0.0004	0.018	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	100	NMOG	0.0293	0.09	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	100	NOX	0.06	0.3	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	50	CO	0.57	3.4	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	50	HCHO	0.0002	0.015	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	50	NMOG	0.0274	0.075	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	50	NOX	0.05	0.2	B9
BMW	BMW	320i	2171	L5	3.38	3500	CA	50	50-CO	0.95	3.4	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	50	50-HCHO	0	0.03	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	50	50-NMOG	0.075	0.15	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	50	50-NOX	0.05	0.2	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	4	CO-US06	2.6	8	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	4	HC-NM+NOX-US06	0.085	0.14	LEV
BMW	BMW	320i	2171	L5	3.38	3500	FA	100	CO-US06	3.18	11.1	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	4	CO-US06	2.58	8	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	4	HC-NM+NOX-US06	0.085	0.14	B9
BMW	BMW	320i	2171	L5	3.38	3500	CA	4	CO-SC03	0.74	2.7	LEV
BMW	BMW	320i	2171	L5	3.38	3500	CA	4	HC-NM+NOX-SC03	0.038	0.2	LEV
BMW	BMW	320i	2171	L5	3.38	3500	FA	100	CO-SC03	0.91	3.7	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	4	CO-SC03	0.74	2.7	B9
BMW	BMW	320i	2171	L5	3.38	3500	FA	4	HC-NM+NOX-SC03	0.038	0.2	B9
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	CA	50	CO-COLD	0.67	10	S2
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	FA	50	CO-COLD	0.67	10	B5
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	CA	150	CO	0.09	1	S2
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	CA	150	HCHO	0	0.004	S2
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	CA	150	NMOG	0.008	0.01	S2
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	CA	150	NOX	0.001	0.02	S2
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	FA	120	CO	0.09	4.2	B5
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	FA	120	HC-NM+NOX-COMP	0.009	0.65	B5
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	FA	120	HCHO	0	0.018	B5
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	FA	120	NMOG	0.0072	0.09	B5
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	FA	120	NOX	0.001	0.07	B5
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	FA	50	CO	0.09	3.4	B5
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	FA	50	HCHO	0	0.015	B5
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	FA	50	NMOG	0.0053	0.075	B5
BMW	BMW	325i SPORT WAGON	2494	L5	3.46	3750	FA	50	NOX	0.001	0.05	B5



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	CA	150	50-CO	0.12	1	S2
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	CA	150	50-HCHO	0	0.08	S2
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	CA	150	50-NMOG	0.012	0.02	S2
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	CA	150	50-NOX	0.005	0.02	S2
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	CA	4	CO-US06	1	8	S2
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	CA	4	HC-NM+NOX-US06	0.003	0.14	S2
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	FA	120	CO-US06	1.09	11.1	B5
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	FA	4	CO-US06	0.98	8	B5
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	FA	4	HC-NM+NOX-US06	0.003	0.14	B5
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	CA	4	CO-SC03	0.02	2.7	S2
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	CA	4	HC-NM+NOX-SC03	0.003	0.2	S2
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	FA	120	CO-SC03	0.02	3.7	B5
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	FA	4	CO-SC03	0.02	2.7	B5
BMW	BMW	325I SPORT WAGON	2494	L5	3.46	3750	FA	4	HC-NM+NOX-SC03	0.003	0.2	B5
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	100	CO	0.57	4.2	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	100	HCHO	0.0002	0.018	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	100	NMOG	0.0188	0.09	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	100	NOX	0.06	0.3	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	CO	0.52	3.4	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	HCHO	0.0002	0.015	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	NMOG	0.0175	0.075	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	NOX	0.06	0.2	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	CO	0.57	4.2	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	HC-NM+NOX-COMP	0.124	0.73	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	HCHO	0.0002	0.018	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	NMOG	0.0188	0.09	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	NOX	0.06	0.3	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	50	CO	0.52	3.4	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	50	HCHO	0.0002	0.015	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	50	NMOG	0.0175	0.075	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	50	NOX	0.06	0.2	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	50-CO	0.39	3.4	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	50-HCHO	0	0.03	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	50-NMOG	0.036	0.15	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	50-NOX	0.05	0.2	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	4	CO-US06	0.7	8	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	4	HC-NM+NOX-US06	0.082	0.14	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	CO-US06	0.87	11.1	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	4	CO-US06	0.72	8	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	4	HC-NM+NOX-US06	0.082	0.14	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	4	CO-SC03	0.43	2.7	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	4	HC-NM+NOX-SC03	0.159	0.2	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	CO-SC03	0.52	3.7	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	4	CO-SC03	0.43	2.7	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	4	HC-NM+NOX-SC03	0.159	0.2	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	100	CO	0.57	4.2	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	100	HCHO	0.0002	0.018	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	100	NMOG	0.0188	0.09	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	100	NOX	0.06	0.3	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	CO	0.52	3.4	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	HCHO	0.0002	0.015	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	NMOG	0.0175	0.075	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	NOX	0.06	0.2	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	CO	0.57	4.2	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	HC-NM+NOX-COMP	0.124	0.73	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	HCHO	0.0002	0.018	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	NMOG	0.0188	0.09	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	NOX	0.06	0.3	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	50	CO	0.52	3.4	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	50	HCHO	0.0002	0.015	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	50	NMOG	0.0175	0.075	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	50	NOX	0.06	0.2	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	50-CO	0.39	3.4	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	50-HCHO	0	0.03	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	50-NMOG	0.036	0.15	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	50	50-NOX	0.05	0.2	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	4	CO-US06	0.7	8	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	4	HC-NM+NOX-US06	0.082	0.14	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	CO-US06	0.87	11.1	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	4	CO-US06	0.72	8	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	4	HC-NM+NOX-US06	0.082	0.14	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	4	CO-SC03	0.43	2.7	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	CA	4	HC-NM+NOX-SC03	0.159	0.2	LEV
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	100	CO-SC03	0.52	3.7	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	4	CO-SC03	0.43	2.7	B9
BMW	BMW	325XI SPORT WAGON	2494	L5	3.46	4000	FA	4	HC-NM+NOX-SC03	0.159	0.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	CO-COLD	1.3	10	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	CO-COLD	1.3	10	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	120	CO	0.54	2.1	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	120	HCHO	0	0.011	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	120	NMOG	0.0094	0.055	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	120	NOX	0.005	0.07	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	CO	0.49	1.7	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	HCHO	0	0.008	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	NMOG	0.008	0.04	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	NOX	0.004	0.05	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	CO	0.54	4.2	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	HC-NM+NOX-COMP	0.009	0.65	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	HCHO	0	0.018	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	NMOG	0.009	0.09	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	NOX	0.005	0.07	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	CO	0.49	3.4	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	HCHO	0	0.015	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	NMOG	0.0082	0.075	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	NOX	0.004	0.05	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	50-CO	0.71	1.7	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	50-HCHO	0	0.016	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	50-NMOG	0.014	0.08	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	50-NOX	0.011	0.05	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	4	CO-US06	1.5	8	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	4	HC-NM+NOX-US06	0.006	0.14	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	CO-US06	1.75	11.1	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	4	CO-US06	1.5	8	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	4	HC-NM+NOX-US06	0.006	0.14	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	4	CO-SC03	0.82	2.7	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	4	HC-NM+NOX-SC03	0	0.2	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	CO-SC03	0.98	3.7	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	4	CO-SC03	0.82	2.7	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	4	HC-NM+NOX-SC03	0	0.2	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	CO-COLD	1.3	10	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	CO-COLD	1.3	10	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	120	CO	0.54	2.1	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	120	HCHO	0	0.011	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	120	NMOG	0.0094	0.055	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	120	NOX	0.005	0.07	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	CO	0.49	1.7	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	HCHO	0	0.008	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	NMOG	0.008	0.04	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	NOX	0.004	0.05	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	CO	0.54	4.2	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	HC-NM+NOX-COMP	0.009	0.65	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	HCHO	0	0.018	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	NMOG	0.009	0.09	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	NOX	0.005	0.07	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	CO	0.49	3.4	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	HCHO	0	0.015	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	NMOG	0.0082	0.075	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	NOX	0.004	0.05	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	50-CO	0.71	1.7	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	50-HCHO	0	0.016	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	50-NMOG	0.014	0.08	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	50-NOX	0.011	0.05	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	4	CO-US06	1.5	8	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	4	HC-NM+NOX-US06	0.006	0.14	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	CO-US06	1.75	11.1	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	4	CO-US06	1.5	8	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	4	HC-NM+NOX-US06	0.006	0.14	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	4	CO-SC03	0.82	2.7	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	4	HC-NM+NOX-SC03	0	0.2	U2
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	120	CO-SC03	0.98	3.7	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	4	CO-SC03	0.82	2.7	B5
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	4	HC-NM+NOX-SC03	0	0.2	B5
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	100	CO	0.87	2.1	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	100	HCHO	0.0002	0.011	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	100	NMOG	0.0125	0.055	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	100	NOX	0.05	0.3	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	50	CO	0.8	1.7	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	50	HCHO	0.0002	0.008	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	50	NMOG	0.012	0.04	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	50	NOX	0.04	0.2	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	100	CO	0.87	4.2	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	100	HC-NM+NOX-COMP	0.044	0.73	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	100	HCHO	0.0002	0.018	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	100	NMOG	0.0125	0.09	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	100	NOX	0.05	0.3	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	50	CO	0.8	3.4	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	50	HCHO	0.0002	0.015	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	50	NMOG	0.0117	0.075	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	50	NOX	0.04	0.2	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	50	50-CO	0.44	1.7	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	50	50-HCHO	0.0001	0.016	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	50	50-NMOG	0.028	0.08	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	50	50-NOX	0.03	0.2	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	4	CO-US06	0.3	8	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	4	HC-NM+NOX-US06	0.03	0.14	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	100	CO-US06	0.33	11.1	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	4	CO-US06	0.27	8	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	4	CO-SC03	0.54	2.7	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	CA	4	HC-NM+NOX-SC03	0.033	0.2	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	100	CO-SC03	0.65	3.7	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	4	CO-SC03	0.54	2.7	B9
BMW	BMW	330CI CONVERTIBLE	2979	L5	3.38	4000	FA	4	HC-NM+NOX-SC03	0.033	0.2	B9
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	CO-COLD	1.3	10	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	CO-COLD	1.3	10	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	100	CO	0.8	2.1	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	100	HCHO	0	0.011	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	100	NMOG	0.0135	0.055	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	100	NOX	0.05	0.3	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	CO	0.75	1.7	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	HCHO	0	0.008	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	NMOG	0.012	0.04	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	NOX	0.05	0.2	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	CO	0.8	4.2	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	HC-NM+NOX-COMP	0.106	0.73	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	HCHO	0	0.018	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	NMOG	0.0135	0.09	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	NOX	0.05	0.3	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	50	CO	0.75	3.4	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	50	HCHO	0	0.015	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	50	NMOG	0.0122	0.075	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	50	NOX	0.05	0.2	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	50-CO	0.72	1.7	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	50-HCHO	0.0007	0.016	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	50-NMOG	0.014	0.08	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	50-NOX	0.05	0.2	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	4	CO-US06	2.4	8	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	4	HC-NM+NOX-US06	0.121	0.14	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	CO-US06	2.72	11.1	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	4	CO-US06	2.4	8	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	4	HC-NM+NOX-US06	0.121	0.14	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	4	CO-SC03	0.8	2.7	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	4	HC-NM+NOX-SC03	0.08	0.2	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	CO-SC03	0.92	3.7	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	4	CO-SC03	0.8	2.7	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	4	HC-NM+NOX-SC03	0.079	0.2	B9
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	CA	50	CO-COLD	1.3	10	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S5	3.38	4000	FA	50	CO-COLD	1.3	10	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	100	CO	0.8	2.1	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	100	HCHO	0	0.011	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	100	NMOG	0.0135	0.055	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	100	NOX	0.05	0.3	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	CO	0.75	1.7	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	HCHO	0	0.008	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	NMOG	0.012	0.04	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	NOX	0.05	0.2	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	CO	0.8	4.2	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	HC-NM+NOX-COMP	0.106	0.73	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	HCHO	0	0.018	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	NMOG	0.0135	0.09	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	NOX	0.05	0.3	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	50	CO	0.75	3.4	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	50	HCHO	0	0.015	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	50	NMOG	0.0122	0.075	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	50	NOX	0.05	0.2	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	50-CO	0.72	1.7	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	50-HCHO	0.0007	0.016	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	50-NMOG	0.014	0.08	ULEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	50	50-NOX	0.05	0.2	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	4	CO-US06	2.4	8	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	4	HC-NM+NOX-US06	0.121	0.14	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	CO-US06	2.72	11.1	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	4	CO-US06	2.4	8	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	4	HC-NM+NOX-US06	0.121	0.14	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	4	CO-SC03	0.8	2.7	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	CA	4	HC-NM+NOX-SC03	0.08	0.2	ULEV
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	100	CO-SC03	0.92	3.7	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	4	CO-SC03	0.8	2.7	B9
BMW	BMW	330CI CONVERTIBLE	2979	S6	3.07	3875	FA	4	HC-NM+NOX-SC03	0.079	0.2	B9
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	CO-COLD	2.39	10	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	FA	50	CO-COLD	2.39	10	B9
BMW	BMW	745LI	4398	L6	3.38	4750	CA	100	CO	0.47	4.2	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	100	HCHO	0.0006	0.018	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	100	NMOG	0.0433	0.09	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	100	NOX	0.1	0.3	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	CO	0.46	3.4	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	HCHO	0.0005	0.015	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	NMOG	0.0365	0.075	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	NOX	0.09	0.2	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	CO	0.47	4.2	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	HC-NM+NOX-COMP	0.158	0.73	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	HCHO	0.0006	0.018	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	NMOG	0.0433	0.09	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	NOX	0.1	0.3	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	50	CO	0.52	3.4	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	50	HCHO	0.0005	0.015	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	50	NMOG	0.0365	0.075	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	50	NOX	0.09	0.2	B9
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	50-CO	0.68	3.4	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	50-HCHO	0.001	0.03	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	50-NMOG	0.042	0.15	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	50-NOX	0.11	0.2	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	4	CO-US06	0.5	8	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	4	HC-NM+NOX-US06	0.113	0.14	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	CO-US06	0.54	11.1	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	4	CO-US06	0.51	8	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	745LI	4398	L6	3.38	4750	FA	4	HC-NM+NOX-US06	0.113	0.14	B9
BMW	BMW	745LI	4398	L6	3.38	4750	CA	4	CO-SC03	0.22	2.7	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	4	HC-NM+NOX-SC03	0.109	0.2	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	CO-SC03	0.23	3.7	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	4	CO-SC03	0.22	2.7	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	4	HC-NM+NOX-SC03	0.109	0.2	B9
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	CO-COLD	2.39	10	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	FA	50	CO-COLD	2.39	10	B9
BMW	BMW	745LI	4398	L6	3.38	4750	CA	100	CO	0.47	4.2	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	100	HCHO	0.0006	0.018	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	100	NMOG	0.0433	0.09	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	100	NOX	0.1	0.3	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	CO	0.46	3.4	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	HCHO	0.0005	0.015	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	NMOG	0.0365	0.075	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	NOX	0.09	0.2	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	CO	0.47	4.2	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	HC-NM+NOX-COMP	0.158	0.73	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	HCHO	0.0006	0.018	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	NMOG	0.0433	0.09	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	NOX	0.1	0.3	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	50	CO	0.52	3.4	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	50	HCHO	0.0005	0.015	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	50	NMOG	0.0365	0.075	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	50	NOX	0.09	0.2	B9
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	50-CO	0.68	3.4	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	50-HCHO	0.001	0.03	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	50-NMOG	0.042	0.15	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	50	50-NOX	0.11	0.2	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	4	CO-US06	0.5	8	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	4	HC-NM+NOX-US06	0.113	0.14	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	CO-US06	0.54	11.1	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	4	CO-US06	0.51	8	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	4	HC-NM+NOX-US06	0.113	0.14	B9
BMW	BMW	745LI	4398	L6	3.38	4750	CA	4	CO-SC03	0.22	2.7	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	CA	4	HC-NM+NOX-SC03	0.109	0.2	LEV
BMW	BMW	745LI	4398	L6	3.38	4750	FA	100	CO-SC03	0.23	3.7	B9
BMW	BMW	745LI	4398	L6	3.38	4750	FA	4	CO-SC03	0.22	2.7	B9



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	745LI	4398	L6	3.38	4750	FA	4	HC-NM+NOX-SC03	0.109	0.2	B9
BMW	BMW	760LI	5972	S6	3.15	5250	CA	50	CO-COLD	1.58	10	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	FA	50	CO-COLD	1.58	10	B9
BMW	BMW	760LI	5972	S6	3.15	5250	CA	100	CO	1.31	4.2	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	100	HCHO	0.0009	0.018	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	100	NMOG	0.059	0.09	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	100	NOX	0.06	0.3	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	50	CO	0.95	3.4	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	50	HCHO	0.0008	0.015	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	50	NMOG	0.0425	0.075	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	50	NOX	0.06	0.2	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	FA	100	CO	1.31	4.2	B9
BMW	BMW	760LI	5972	S6	3.15	5250	FA	100	HC-NM+NOX-COMP	0.085	0.73	B9
BMW	BMW	760LI	5972	S6	3.15	5250	FA	100	HCHO	0.0008	0.018	B9
BMW	BMW	760LI	5972	S6	3.15	5250	FA	100	NMOG	0.0592	0.09	B9
BMW	BMW	760LI	5972	S6	3.15	5250	FA	100	NOX	0.06	0.3	B9
BMW	BMW	760LI	5972	S6	3.15	5250	FA	50	CO	0.95	3.4	B9
BMW	BMW	760LI	5972	S6	3.15	5250	FA	50	HCHO	0.0008	0.015	B9
BMW	BMW	760LI	5972	S6	3.15	5250	FA	50	NMOG	0.0425	0.075	B9
BMW	BMW	760LI	5972	S6	3.15	5250	CA	50	50-CO	0.78	3.4	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	50	50-HCHO	0.002	0.03	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	50	50-NMOG	0.067	0.15	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	50	50-NOX	0.08	0.2	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	4	CO-US06	0.3	8	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	4	HC-NM+NOX-US06	0.016	0.14	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	FA	100	CO-US06	0.75	11.1	B9
BMW	BMW	760LI	5972	S6	3.15	5250	FA	4	CO-US06	0.34	8	B9
BMW	BMW	760LI	5972	S6	3.15	5250	FA	4	HC-NM+NOX-US06	0.016	0.14	B9
BMW	BMW	760LI	5972	S6	3.15	5250	CA	4	CO-SC03	0.63	2.7	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	CA	4	HC-NM+NOX-SC03	0.087	0.2	LEV
BMW	BMW	760LI	5972	S6	3.15	5250	FA	100	CO-SC03	1.38	3.7	B9
BMW	BMW	760LI	5972	S6	3.15	5250	FA	4	CO-SC03	0.63	2.7	B9
BMW	BMW	760LI	5972	S6	3.15	5250	FA	4	HC-NM+NOX-SC03	0.087	0.2	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	50	CO-COLD	2.76	10	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	50	CO-COLD	2.76	10	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	100	CO	0.57	4.2	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	100	HCHO	0.0019	0.018	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	100	NMOG	0.0482	0.09	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	100	NOX	0.12	0.3	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	50	CO	0.56	3.4	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	50	HCHO	0.0014	0.015	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	50	NMOG	0.0445	0.075	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	50	NOX	0.1	0.2	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	100	CO	0.57	4.2	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	100	HC-NM+NOX-COMP	0.183	0.73	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	100	HCHO	0.0019	0.018	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	100	NMOG	0.0482	0.09	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	100	NOX	0.12	0.3	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	50	CO	0.56	3.4	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	50	HCHO	0.0014	0.015	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	50	NMOG	0.0445	0.075	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	50	NOX	0.1	0.2	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	50	50-CO	0.88	3.4	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	50	50-HCHO	0.002	0.03	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	50	50-NMOG	0.104	0.15	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	50	50-NOX	0.08	0.2	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	4	CO-US06	2.1	8	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	4	HC-NM+NOX-US06	0.114	0.14	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	100	CO-US06	2.16	11.1	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	4	CO-US06	2.1	8	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	4	HC-NM+NOX-US06	0.114	0.14	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	4	CO-SC03	1.32	2.7	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	CA	4	HC-NM+NOX-SC03	0.151	0.2	LEV
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	100	CO-SC03	1.37	3.7	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	4	CO-SC03	1.32	2.7	B9
BMW	BMW	M3 CONVERTIBLE	3246	M6	3.64	4000	FA	4	HC-NM+NOX-SC03	0.151	0.2	B9
BMW	BMW	X3	2979	S5	3.64	4250	CA	50	CO-COLD	3.53	10	U2
BMW	BMW	X3	2979	S5	3.64	4250	FA	50	CO-COLD	3.5	10	B5
BMW	BMW	X3	2979	S5	3.64	4250	CA	120	CO	0.6	2.1	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	120	HCHO	0.0005	0.011	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	120	NMOG	0.0094	0.055	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	120	NOX	0.003	0.07	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	50	CO	0.55	1.7	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	50	HCHO	0.0003	0.008	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	50	NMOG	0.008	0.04	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	50	NOX	0.003	0.05	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	X3	2979	S5	3.64	4250	FA	120	CO	0.6	4.2	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	120	HC-NM+NOX-COMP	0.008	0.65	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	120	HCHO	0.0005	0.018	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	120	NMOG	0.009	0.09	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	120	NOX	0.003	0.07	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	50	CO	0.55	3.4	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	50	HCHO	0.0003	0.015	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	50	NMOG	0.0082	0.075	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	50	NOX	0.003	0.05	B5
BMW	BMW	X3	2979	S5	3.64	4250	CA	50	50-CO	0.73	1.7	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	50	50-HCHO	0.0005	0.016	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	50	50-NMOG	0.019	0.08	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	50	50-NOX	0.021	0.05	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	4	CO-US06	2.6	8	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	4	HC-NM+NOX-US06	0.007	0.14	U2
BMW	BMW	X3	2979	S5	3.64	4250	FA	120	CO-US06	3.03	11.1	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	4	CO-US06	2.6	8	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	4	HC-NM+NOX-US06	0.007	0.14	B5
BMW	BMW	X3	2979	S5	3.64	4250	CA	4	CO-SC03	0.62	2.7	U2
BMW	BMW	X3	2979	S5	3.64	4250	CA	4	HC-NM+NOX-SC03	0	0.2	U2
BMW	BMW	X3	2979	S5	3.64	4250	FA	120	CO-SC03	0.73	3.7	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	4	CO-SC03	0.62	2.7	B5
BMW	BMW	X3	2979	S5	3.64	4250	FA	4	HC-NM+NOX-SC03	0	0.2	B5
BMW	BMW	X3	2979	M6	3.64	4250	CA	50	CO-COLD	1.34	12.5	LEV
BMW	BMW	X3	2979	M6	3.64	4250	FA	50	CO-COLD	1.34	12.5	B9
BMW	BMW	X3	2979	M6	3.64	4250	CA	100	CO	0.41	5.5	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	100	HCHO	0.0007	0.023	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	100	NMOG	0.019	0.13	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	100	NOX	0.11	0.5	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	50	CO	0.38	4.4	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	50	HCHO	0.0005	0.018	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	50	NMOG	0.017	0.1	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	50	NOX	0.11	0.4	LEV
BMW	BMW	X3	2979	M6	3.64	4250	FA	100	CO	0.41	4.2	B9
BMW	BMW	X3	2979	M6	3.64	4250	FA	100	HC-NM+NOX-COMP	0.089	1.04	B9
BMW	BMW	X3	2979	M6	3.64	4250	FA	100	HCHO	0.0007	0.018	B9
BMW	BMW	X3	2979	M6	3.64	4250	FA	100	NMOG	0.019	0.13	B9
BMW	BMW	X3	2979	M6	3.64	4250	FA	100	NOX	0.11	0.3	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	X3	2979	M6	3.64	4250	FA	50	CO	0.38	3.4	B9
BMW	BMW	X3	2979	M6	3.64	4250	FA	50	HCHO	0.0005	0.015	B9
BMW	BMW	X3	2979	M6	3.64	4250	FA	50	NMOG	0.017	0.1	B9
BMW	BMW	X3	2979	M6	3.64	4250	FA	50	NOX	0.11	0.2	B9
BMW	BMW	X3	2979	M6	3.64	4250	CA	50	50-CO	0.56	4.4	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	50	50-HCHO	0.0008	0.036	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	50	50-NMOG	0.033	0.2	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	50	50-NOX	0.15	0.4	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	4	CO-US06	1.49	10.5	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	4	HC-NM+NOX-US06	0.071	0.25	LEV
BMW	BMW	X3	2979	M6	3.64	4250	FA	100	CO-US06	1.8	14.6	B9
BMW	BMW	X3	2979	M6	3.64	4250	FA	4	CO-US06	1.49	10.5	B9
BMW	BMW	X3	2979	M6	3.64	4250	FA	4	HC-NM+NOX-US06	0.071	0.25	B9
BMW	BMW	X3	2979	M6	3.64	4250	CA	4	CO-SC03	1.18	3.5	LEV
BMW	BMW	X3	2979	M6	3.64	4250	CA	4	HC-NM+NOX-SC03	0.044	0.27	LEV
BMW	BMW	X3	2979	M6	3.64	4250	FA	100	CO-SC03	1.43	4.9	B9
BMW	BMW	X3	2979	M6	3.64	4250	FA	4	CO-SC03	1.18	3.5	B9
BMW	BMW	X3	2979	M6	3.64	4250	FA	4	HC-NM+NOX-SC03	0.044	0.27	B9
BMW	BMW	X5	2979	L5	4.1	5000	CA	4	CO-US06	0.58	10.5	ULEV
BMW	BMW	X5	2979	L5	4.1	5000	CA	4	HC-NM+NOX-US06	0.02	0.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5000	FA	120	CO-US06	0.73	16.9	B8
BMW	BMW	X5	2979	L5	4.1	5000	FA	50	CO-US06	0.64	11.6	B8
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	CO-COLD	2.15	12.5	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO-COLD	2.15	12.5	B8
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	CO	1.15	6.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	NOX	0.11	0.6	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	CO	1.02	4.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	NOX	0.1	0.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	CO	1.15	4.2	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	HC-NM+NOX-COMP	0.075	1.44	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	NOX	0.11	0.2	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO	1.02	3.4	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	HC-NM+NOX-COMP	0.068	1.02	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	NOX	0.102	0.14	B8
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	CO	0.94	6.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	HCHO	0.0005	0.013	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	NMOG	0.0181	0.143	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	NOX	0.11	0.6	ULEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	CO	0.83	4.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	HCHO	0.0003	0.009	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	NMOG	0.0164	0.1	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	NOX	0.1	0.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	CO	0.94	4.2	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	HCHO	0.0005	0.018	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	NMOG	0.0181	0.156	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	NOX	0.11	0.2	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO	0.83	3.4	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	HCHO	0.0003	0.015	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	NMOG	0.0164	0.125	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	NOX	0.104	0.14	B8
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	50-CO	0.68	4.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	50-HCHO	0.0001	0.018	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	50-NMOG	0.04	0.2	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	50-NOX	0.05	0.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	4	CO-SC03	0.38	3.5	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	4	HC-NM+NOX-SC03	0.047	0.31	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	CO-SC03	0.48	5.6	B8
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO-SC03	0.42	3.9	B8
BMW	BMW	X5	2979	M6	4.1	5000	CA	4	CO-US06	1.24	10.5	ULEV
BMW	BMW	X5	2979	M6	4.1	5000	CA	4	HC-NM+NOX-US06	0.11	0.4	ULEV
BMW	BMW	X5	2979	M6	4.1	5000	FA	120	CO-US06	1.56	16.9	B8
BMW	BMW	X5	2979	M6	4.1	5000	FA	50	CO-US06	1.38	11.6	B8
BMW	BMW	X5	2979	M6	4.1	5000	CA	4	CO-SC03	0.65	3.5	ULEV
BMW	BMW	X5	2979	M6	4.1	5000	CA	4	HC-NM+NOX-SC03	0.078	0.31	ULEV
BMW	BMW	X5	2979	M6	4.1	5000	FA	120	CO-SC03	0.81	5.6	B8
BMW	BMW	X5	2979	M6	4.1	5000	FA	50	CO-SC03	0.72	3.9	B8
BMW	BMW	X5	2979	L5	4.1	5000	CA	4	CO-US06	0.58	10.5	ULEV
BMW	BMW	X5	2979	L5	4.1	5000	CA	4	HC-NM+NOX-US06	0.02	0.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5000	FA	120	CO-US06	0.73	16.9	B10
BMW	BMW	X5	2979	L5	4.1	5000	FA	50	CO-US06	0.64	11.6	B10
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	CO-COLD	2.15	12.5	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO-COLD	2.15	12.5	B10
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	CO	1.15	6.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	NOX	0.11	0.6	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	CO	1.02	4.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	NOX	0.1	0.4	ULEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	CO	1.15	6.4	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	HC-NM+NOX-COMP	0.075	1.44	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	NOX	0.11	0.6	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO	1.02	4.4	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	HC-NM+NOX-COMP	0.068	1.02	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	NOX	0.1	0.4	B10
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	CO	0.94	6.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	HCHO	0.0005	0.013	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	NMOG	0.0181	0.143	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	120	NOX	0.11	0.6	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	CO	0.83	4.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	HCHO	0.0003	0.009	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	NMOG	0.0164	0.1	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	NOX	0.1	0.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	CO	0.94	6.4	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	HCHO	0.0005	0.027	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	NMOG	0.018	0.23	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	NOX	0.11	0.6	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO	0.83	4.4	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	HCHO	0.0003	0.018	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	NMOG	0.016	0.16	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	NOX	0.1	0.4	B10
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	50-CO	0.68	4.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	50-HCHO	0.0001	0.018	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	50-NMOG	0.04	0.2	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	50-NOX	0.05	0.4	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	4	CO-SC03	0.38	3.5	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	CA	4	HC-NM+NOX-SC03	0.047	0.31	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	FA	120	CO-SC03	0.48	5.6	B10
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO-SC03	0.42	3.9	B10
BMW	BMW	X5	2979	M6	4.1	5000	CA	4	CO-US06	1.24	10.5	ULEV
BMW	BMW	X5	2979	M6	4.1	5000	CA	4	HC-NM+NOX-US06	0.11	0.4	ULEV
BMW	BMW	X5	2979	M6	4.1	5000	FA	120	CO-US06	1.56	16.9	B10
BMW	BMW	X5	2979	M6	4.1	5000	FA	50	CO-US06	1.38	11.6	B10
BMW	BMW	X5	2979	M6	4.1	5000	CA	4	CO-SC03	0.65	3.5	ULEV
BMW	BMW	X5	2979	M6	4.1	5000	CA	4	HC-NM+NOX-SC03	0.078	0.31	ULEV
BMW	BMW	X5	2979	M6	4.1	5000	FA	120	CO-SC03	0.81	5.6	B10
BMW	BMW	X5	2979	M6	4.1	5000	FA	50	CO-SC03	0.72	3.9	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	CO-COLD	2.22	10	LEV
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO-COLD	2.22	10	B9
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	CO-COLD	2.15	10	LEV
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO-COLD	2.15	10	B9
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	CO-COLD	2.15	10	LEV
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO-COLD	2.15	10	B9
BMW	BMW	X5	2979	L5	4.1	5250	CA	50	CO-COLD	2.15	10	ULEV
BMW	BMW	X5	2979	L5	4.1	5250	FA	50	CO-COLD	2.15	10	B9
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	50	CO-COLD	2.52	12.5	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	50	CO-COLD	2.52	12.5	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	120	CO	0.85	6.4	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	120	HCHO	0.0024	0.027	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	120	NMOG	0.131	0.23	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	120	NOX	0.09	0.6	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	50	CO	0.82	4.4	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	50	HCHO	0.0019	0.018	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	50	NMOG	0.104	0.16	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	50	NOX	0.07	0.4	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	120	CO	0.85	6.4	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	120	HC-NM+NOX-COMP	0.159	1.44	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	120	HCHO	0.0024	0.027	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	120	NMOG	0.131	0.23	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	120	NOX	0.09	0.6	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	50	CO	0.82	4.4	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	50	HC-NM+NOX-COMP	0.126	1.02	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	50	HCHO	0.0019	0.018	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	50	NMOG	0.104	0.16	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	50	NOX	0.07	0.4	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	50	50-CO	1.18	4.4	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	50	50-HCHO	0.0017	0.036	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	50	50-NMOG	0.138	0.32	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	50	50-NOX	0.33	0.4	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	4	CO-US06	1.61	10.5	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	4	HC-NM+NOX-US06	0.06	0.4	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	120	CO-US06	1.7	16.9	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	50	CO-US06	1.65	11.6	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	4	CO-SC03	0.43	3.5	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	CA	4	HC-NM+NOX-SC03	0.091	0.31	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	120	CO-SC03	0.45	5.6	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5250	FA	50	CO-SC03	0.44	3.9	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5500	CA	4	CO-SC03	0.57	3.5	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5500	CA	4	HC-NM+NOX-SC03	0.078	0.31	LEV
BMW	BMW	X5 4.8IS	4798	S6	3.91	5500	FA	120	CO-SC03	0.61	5.6	B10
BMW	BMW	X5 4.8IS	4798	S6	3.91	5500	FA	50	CO-SC03	0.59	3.9	B10
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	100	CO	1.18	4.2	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	100	HCHO	0.0011	0.018	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	100	NMOG	0.0801	0.09	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	100	NOX	0.05	0.3	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	50	CO	1.16	3.4	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	50	HCHO	0.0009	0.015	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	50	NMOG	0.0675	0.075	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	50	NOX	0.04	0.2	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	100	CO	1.18	4.2	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	100	HC-NM+NOX-COMP	0.127	0.73	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	100	HCHO	0.0011	0.018	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	100	NMOG	0.0801	0.09	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	100	NOX	0.05	0.3	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	50	CO	1.16	3.4	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	50	HCHO	0.0009	0.015	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	50	NMOG	0.0675	0.075	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	50	NOX	0.04	0.2	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	50	50-CO	1.82	3.4	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	50	50-HCHO	0	0.03	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	50	50-NMOG	0.116	0.15	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	50	50-NOX	0.03	0.2	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	4	CO-US06	4.68	8	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	4	HC-NM+NOX-US06	0.078	0.14	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	100	CO-US06	4.91	11.1	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	4	CO-US06	4.68	8	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	4	HC-NM+NOX-US06	0.078	0.14	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	4	CO-SC03	1.78	2.7	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	CA	4	HC-NM+NOX-SC03	0.092	0.2	LEV
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	100	CO-SC03	1.87	3.7	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	4	CO-SC03	1.78	2.7	B9
BMW	MINI	MINI COOPER S CONV	1598	M6	4.24	3125	FA	4	HC-NM+NOX-SC03	0.092	0.2	B9
BMW	MINI	X5 4.8IS	4798	S6	3.91	5250	CA	50	CO-COLD	2.52	10	LEV



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
BMW	MINI	X5 4.8IS	4798	S6	3.91	5250	FA	50	CO-COLD	2.52	10	B9
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	CO-COLD	1.3	10	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	CO-COLD	1.3	10	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO	0.3	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO	0.4	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	HC-NM+NOX-COMP	0.16	0.71	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	NMOG	0.072	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	NMOG	0.082	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	NOX	0.1	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	NOX	0.13	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	CO	0.3	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	CO	0.4	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	NMOG	0.072	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	NMOG	0.082	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	NOX	0.1	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	NOX	0.13	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO	0.3	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO	0.4	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	HC-NM+NOX-COMP	0.16	0.71	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	NMOG	0.072	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	NMOG	0.082	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	NOX	0.1	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	NOX	0.13	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	CO	0.3	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	CO	0.4	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	NMOG	0.072	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	NMOG	0.082	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	NOX	0.1	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	NOX	0.13	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO-US06	0.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO-US06	3.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	CO-US06	0.6	8	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	CO-US06	3	8	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	HC-NM+NOX-US06	0.08	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	HC-NM+NOX-US06	0.14	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO-US06	0.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO-US06	3.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	CO-US06	0.6	8	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	CO-US06	3	8	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	HC-NM+NOX-US06	0.08	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	HC-NM+NOX-US06	0.14	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO-SC03	0.3	3.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO-SC03	0.4	3.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	CO-SC03	0.3	2.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	HC-NM+NOX-SC03	0.08	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	HC-NM+NOX-SC03	0.16	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO-SC03	0.3	3.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO-SC03	0.4	3.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	CO-SC03	0.3	2.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	HC-NM+NOX-SC03	0.08	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	HC-NM+NOX-SC03	0.16	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	50	CO-COLD	4.6	10	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	50	CO-COLD	4.6	10	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	CO	1.3	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	HC-NM+NOX-COMP	0.07	0.71	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	NMOG	0.099	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	NOX	0.03	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	50	CO	1.2	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	50	NMOG	0.099	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	50	NOX	0.03	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	CO	1.3	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	HC-NM+NOX-COMP	0.07	0.71	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	NMOG	0.099	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	NOX	0.03	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	50	CO	1.2	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	50	NMOG	0.099	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	50	NOX	0.03	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	CO-US06	1.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	4	CO-US06	1.4	8	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	4	HC-NM+NOX-US06	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	CO-US06	1.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	4	CO-US06	1.4	8	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	4	HC-NM+NOX-US06	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	CO-SC03	0.5	3.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	4	CO-SC03	0.4	2.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	4	HC-NM+NOX-SC03	0.03	0.2	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	CO-SC03	0.5	3.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	4	CO-SC03	0.4	2.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	4	HC-NM+NOX-SC03	0.03	0.2	B8
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	50	CO-COLD	2.3	12.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	50	CO-COLD	2.3	12.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	50	CO-COLD	2.3	12.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	CO	0.5	5.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	HC-NM+NOX-COMP	0.27	1.04	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	NMOG	0.088	0.13	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	NOX	0.14	0.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	50	CO	0.4	4.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	50	NMOG	0.088	0.1	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	50	NOX	0.14	0.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	CO	0.5	5.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	HC-NM+NOX-COMP	0.27	1.04	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	NMOG	0.088	0.13	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	NOX	0.14	0.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	50	CO	0.4	4.4	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	50	NMOG	0.088	0.1	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	50	NOX	0.14	0.4	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	CO	0.5	4.2	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	HC-NM+NOX-COMP	0.27	1.04	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	NMOG	0.088	0.13	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	NOX	0.14	0.3	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	50	CO	0.4	3.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	50	NMOG	0.088	0.1	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	50	NOX	0.14	0.2	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	CO-US06	8.5	14.6	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	CO-US06	8.5	14.6	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	CO-US06	8.5	14.6	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	CO-SC03	0.4	4.9	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	4	CO-SC03	0.3	3.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	4	HC-NM+NOX-SC03	0.24	0.27	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	CO-SC03	0.4	4.9	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	4	CO-SC03	0.3	3.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	4	HC-NM+NOX-SC03	0.24	0.27	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	CO-SC03	0.4	4.9	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	4	CO-SC03	0.3	3.5	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	4	HC-NM+NOX-SC03	0.24	0.27	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	50	CO-COLD	2	12.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	50	CO-COLD	2	12.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	50	CO-COLD	2	12.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	100	CO	0.5	5.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	100	NMOG	0.09	0.13	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	100	NOX	0.14	0.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	50	CO	0.5	4.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	50	NMOG	0.09	0.1	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	50	NOX	0.14	0.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	100	CO	0.5	5.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	100	NMOG	0.09	0.13	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	100	NOX	0.14	0.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	50	CO	0.5	4.4	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	50	NMOG	0.09	0.1	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	50	NOX	0.14	0.4	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	100	CO	0.5	4.2	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	100	NMOG	0.09	0.13	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	100	NOX	0.14	0.3	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	50	CO	0.5	3.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	50	NMOG	0.09	0.1	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	50	NOX	0.14	0.2	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	100	CO-SC03	0.3	4.9	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	4	CO-SC03	0.3	3.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	4	HC-NM+NOX-SC03	0.24	0.27	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	100	CO-SC03	0.3	4.9	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	4	CO-SC03	0.3	3.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	4	HC-NM+NOX-SC03	0.24	0.27	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	100	CO-SC03	0.3	4.9	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	4	CO-SC03	0.3	3.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	4	HC-NM+NOX-SC03	0.24	0.27	B9
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	50	CO-COLD	1.8	10	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	120	CO	1.3	2.1	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	120	NMOG	0.036	0.055	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	120	NOX	0.02	0.07	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	50	CO	1.1	1.7	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	50	NMOG	0.036	0.04	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	50	NOX	0.02	0.05	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	4	CO-US06	0.8	8	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	4	HC-NM+NOX-US06	0.01	0.14	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	4	CO-SC03	0.3	2.7	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	4	HC-NM+NOX-SC03	0.01	0.2	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	50	CO-COLD	2.1	10	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	50	CO-COLD	2.1	10	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	50	CO	0.8	3.4	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	50	CO	0.8	3.4	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	100	CO-US06	5.8	11.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	4	CO-US06	1.9	8	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	4	HC-NM+NOX-US06	0.07	0.14	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	100	CO-US06	5.8	11.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	4	CO-US06	1.9	8	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	4	HC-NM+NOX-US06	0.07	0.14	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	100	CO-US06	5.8	11.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	4	CO-US06	1.9	8	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	4	HC-NM+NOX-US06	0.07	0.14	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	100	CO-SC03	0.8	3.7	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	4	HC-NM+NOX-SC03	0.02	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	100	CO-SC03	0.8	3.7	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	4	HC-NM+NOX-SC03	0.02	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	50	CO-COLD	1.9	10	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	50	CO-COLD	1.9	10	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	50	NOX	0.05	0.14	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	50	NOX	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO-COLD	1.1	10	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	CO	0.4	4.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NMOG	0.039	0.09	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NOX	0.03	0.07	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO	0.4	3.4	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NMOG	0.039	0.075	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NOX	0.03	0.05	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NOX	0	0.3	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NOX	0	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NOX	0.03	0.07	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NOX	0.03	0.05	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-US06	2.8	8	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-US06	0.1	0.14	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-US06	2.8	8	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-US06	0.1	0.14	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-US06	2.8	8	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-US06	0.1	0.14	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-SC03	0.2	2.7	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO-COLD	1.1	10	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	CO	0.4	4.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NMOG	0.039	0.09	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NOX	0.03	0.07	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO	0.4	3.4	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NMOG	0.039	0.075	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NOX	0.03	0.05	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NOX	0	0.3	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NOX	0	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NOX	0.03	0.07	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NOX	0.03	0.05	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-US06	2.8	8	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-US06	0.1	0.14	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-US06	2.8	8	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-US06	0.1	0.14	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-US06	2.8	8	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-US06	0.1	0.14	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-SC03	0.2	2.7	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO-COLD	1.1	10	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	CO	0.4	4.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NMOG	0.039	0.09	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NOX	0.03	0.07	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO	0.4	3.4	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NMOG	0.039	0.075	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NOX	0.03	0.05	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NOX	0	0.3	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NOX	0	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NOX	0.03	0.07	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NOX	0.03	0.05	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-US06	2.8	8	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-US06	0.1	0.14	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-US06	2.8	8	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-US06	0.1	0.14	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-US06	2.8	8	B5



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-US06	0.1	0.14	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-SC03	0.2	2.7	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO-COLD	1.9	10	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO-COLD	1.9	10	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO-COLD	1.9	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	CO	0.8	4.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NMOG	0.044	0.09	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NOX	0.02	0.07	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	CO	0.8	4.2	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NMOG	0.044	0.09	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NOX	0	0.3	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO	0.8	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NMOG	0.044	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NOX	0.02	0.07	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-US06	2.7	8	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-US06	6.3	8	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-US06	0.01	0.14	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-US06	0.08	0.14	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-US06	3.6	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-US06	8.4	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-SC03	0.5	2.7	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-SC03	0.8	2.7	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-SC03	0.01	0.2	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-SC03	0.06	0.2	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-SC03	0.7	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-SC03	1.1	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	50	CO-COLD	2.1	10	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	50	CO-COLD	2.1	10	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	100	NMOG	0.058	0.125	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	50	CO	0.8	3.4	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	50	CO	0.8	3.4	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	100	CO-US06	5.8	11.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	4	CO-US06	1.9	8	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	4	HC-NM+NOX-US06	0.07	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	100	CO-US06	5.8	11.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	4	CO-US06	1.9	8	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	4	HC-NM+NOX-US06	0.07	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	100	CO-SC03	0.8	3.7	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	4	HC-NM+NOX-SC03	0.02	0.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	100	CO-SC03	0.8	3.7	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	4	HC-NM+NOX-SC03	0.02	0.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	50	CO-COLD	1.9	10	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	50	CO-COLD	1.9	10	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	50	NOX	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	50	NOX	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	150	CO	0.3	1	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	150	NMOG	0.006	0.01	ZEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	150	NOX	0.01	0.02	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	50	CO-COLD	2	10	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	4	CO-US06	1.4	8	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	4	HC-NM+NOX-US06	0.04	0.14	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	4	CO-SC03	0.4	2.7	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	4	HC-NM+NOX-SC03	0	0.2	ZEV
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	CO-COLD	2.9	10	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	CO-COLD	2.9	10	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO	0.6	4.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO	1	4.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	NMOG	0.063	0.125	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	NOX	0.05	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	CO	0.5	3.4	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	NMOG	0.063	0.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	NOX	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO	0.6	4.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO	1	4.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	NMOG	0.063	0.125	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	NOX	0.05	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	CO	0.5	3.4	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	NMOG	0.063	0.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	NOX	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO-US06	6.2	11.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO-US06	7.3	11.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	CO-US06	4.9	8	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	CO-US06	5.7	8	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	HC-NM+NOX-US06	0.11	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	HC-NM+NOX-US06	0.16	0.14	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO-US06	6.2	11.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO-US06	7.3	11.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	CO-US06	4.9	8	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	CO-US06	5.7	8	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	HC-NM+NOX-US06	0.11	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	HC-NM+NOX-US06	0.16	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO-SC03	0.6	3.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	CO-SC03	0.5	2.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	HC-NM+NOX-SC03	0.11	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	HC-NM+NOX-SC03	0.12	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO-SC03	0.6	3.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	CO-SC03	0.5	2.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	HC-NM+NOX-SC03	0.11	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	HC-NM+NOX-SC03	0.12	0.2	B8
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	CO-COLD	2.7	12.5	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	CO-COLD	2.7	12.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	CO-COLD	2.7	12.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	CO	0.9	4.2	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	HCHO	0.001	0.018	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	NMOG	0.073	0.13	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	NOX	0.01	0.3	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	CO	0.8	3.4	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	HCHO	0.001	0.015	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	NMOG	0.073	0.1	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	NOX	0.01	0.2	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	CO	0.9	5.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	HCHO	0.001	0.018	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	NMOG	0.073	0.13	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	NOX	0.01	0.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	CO	0.8	4.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	HCHO	0.001	0.015	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	NMOG	0.073	0.1	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	NOX	0.01	0.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	CO	0.9	4.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	HCHO	0.001	0.018	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	NMOG	0.073	0.13	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	NOX	0	0.3	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	CO	0.8	3.4	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	HCHO	0.001	0.015	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	NMOG	0.073	0.1	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	NOX	0	0.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	CO	0.7	4.2	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	HC-NM+NOX-COMP	0.11	1.04	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	NMOG	0.054	0.13	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	NOX	0.04	0.3	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	CO	0.6	3.4	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	NMOG	0.054	0.1	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	NOX	0.04	0.2	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	CO	0.7	5.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	HC-NM+NOX-COMP	0.11	1.04	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	NMOG	0.054	0.13	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	NOX	0.04	0.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	CO	0.6	4.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	NMOG	0.054	0.1	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	NOX	0.04	0.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	CO	0.7	4.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	HC-NM+NOX-COMP	0.11	1.04	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	NMOG	0.054	0.13	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	NOX	0.04	0.3	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	CO	0.6	3.4	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	NMOG	0.054	0.1	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	NOX	0.04	0.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	CO-US06	3	14.6	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	4	CO-US06	2.6	10.5	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	4	HC-NM+NOX-US06	0.03	0.25	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	CO-US06	3	14.6	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	4	CO-US06	2.6	10.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	4	HC-NM+NOX-US06	0.03	0.25	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	CO-US06	3	14.6	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	4	CO-US06	2.6	10.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	4	HC-NM+NOX-US06	0.03	0.25	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	CO-SC03	2.9	4.9	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	4	CO-SC03	0.6	3.5	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	4	HC-NM+NOX-SC03	0.04	0.27	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	CO-SC03	2.9	4.9	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	4	CO-SC03	0.6	3.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	4	HC-NM+NOX-SC03	0.04	0.27	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	CO-SC03	2.9	4.9	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	4	CO-SC03	0.6	3.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	4	HC-NM+NOX-SC03	0.04	0.27	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	CO-COLD	2.7	12.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	CO-COLD	2.7	12.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	CO-COLD	2.7	12.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	CO	1.1	4.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	HC-NM+NOX-COMP	0.13	1.04	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	NMOG	0.059	0.13	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	NOX	0.08	0.3	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	CO	1	3.4	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	NMOG	0.059	0.1	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	NOX	0.08	0.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	CO	1.1	4.2	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	HC-NM+NOX-COMP	0.13	1.04	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	NMOG	0.059	0.13	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	NOX	0.08	0.3	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	CO	1	3.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	NMOG	0.059	0.1	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	NOX	0.08	0.2	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	CO	1.1	4.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	HC-NM+NOX-COMP	0.13	1.04	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	NMOG	0.059	0.13	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	NOX	0.08	0.3	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	CO	1	3.4	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	NMOG	0.059	0.1	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	NOX	0.08	0.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	CO-US06	5.6	14.6	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	CO-US06	6.9	10.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	HC-NM+NOX-US06	0.1	0.25	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	CO-US06	5.6	14.6	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	CO-US06	6.9	10.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	HC-NM+NOX-US06	0.1	0.25	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	CO-US06	5.6	14.6	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	CO-US06	6.9	10.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	HC-NM+NOX-US06	0.1	0.25	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	CO-SC03	1.3	4.9	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	CO-SC03	0.9	3.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	HC-NM+NOX-SC03	0.2	0.27	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	CO-SC03	1.3	4.9	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	CO-SC03	0.9	3.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	HC-NM+NOX-SC03	0.2	0.27	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	CO-SC03	1.3	4.9	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	CO-SC03	0.9	3.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	HC-NM+NOX-SC03	0.2	0.27	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	CO-COLD	2.2	12.5	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	CO-COLD	2.2	12.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	CO-COLD	2.2	12.5	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	120	CO	0.9	4.2	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	120	NMOG	0.03	0.09	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	120	NOX	0.024	0.07	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	CO	0.8	3.4	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	NMOG	0.03	0.075	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	NOX	0.024	0.05	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	CO	0.9	5.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	NMOG	0.03	0.13	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	NOX	0.02	0.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	CO	0.8	4.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	NMOG	0.03	0.1	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	NOX	0.02	0.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	CO	0.9	4.2	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	HC-NM+NOX-COMP	0.07	0.95	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	NMOG	0.03	0.09	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	NOX	0.02	0.07	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	CO	0.8	3.4	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	NMOG	0.03	0.075	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	NOX	0.02	0.05	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	CO-US06	4.1	10.5	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	CO-US06	4.1	10.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	HC-NM+NOX-US06	0.02	0.24	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	CO-US06	3.7	14.6	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	CO-US06	4.1	10.5	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	CO-SC03	1	3.5	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	HC-NM+NOX-SC03	0.03	0.27	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	CO-SC03	1	3.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	HC-NM+NOX-SC03	0.03	0.27	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	CO-SC03	1.6	4.9	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	CO-SC03	1	3.5	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	HC-NM+NOX-SC03	0.03	0.27	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	CO	1.3	5.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	HC-NM+NOX-COMP	0.16	1.04	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	NMOG	0.062	0.13	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	NOX	0.07	0.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	50	CO	1.2	4.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	50	NMOG	0.062	0.1	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	50	NOX	0.07	0.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	CO	1.3	5.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	HC-NM+NOX-COMP	0.16	1.04	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	NMOG	0.062	0.13	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	NOX	0.07	0.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	50	CO	1.2	4.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	50	NMOG	0.062	0.1	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	50	NOX	0.07	0.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	CO	1.3	4.2	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	HC-NM+NOX-COMP	0.16	1.04	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	NMOG	0.062	0.13	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	NOX	0.07	0.3	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	50	CO	1.2	3.4	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	50	NMOG	0.062	0.1	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	50	NOX	0.07	0.2	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	CO-US06	5.5	14.6	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	CO-US06	4.8	10.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	HC-NM+NOX-US06	0.09	0.25	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	CO-US06	5.5	14.6	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	CO-US06	4.8	10.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	HC-NM+NOX-US06	0.09	0.25	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	CO-US06	5.5	14.6	B9



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	CO-US06	4.8	10.5	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	HC-NM+NOX-US06	0.09	0.25	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	CO-SC03	2.1	4.9	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	CO-SC03	0.3	3.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	HC-NM+NOX-SC03	0.02	0.27	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	CO-SC03	2.1	4.9	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	CO-SC03	0.3	3.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	HC-NM+NOX-SC03	0.02	0.27	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	CO-SC03	2.1	4.9	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	CO-SC03	0.3	3.5	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	HC-NM+NOX-SC03	0.02	0.27	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	50	CO-COLD	1.3	12.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	50	CO-COLD	1.3	12.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	50	CO-COLD	1.3	12.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	120	CO-US06	7.9	14.6	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	CO-US06	3	10.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	HC-NM+NOX-US06	0.08	0.25	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	120	CO-US06	7.9	14.6	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	CO-US06	3	10.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	HC-NM+NOX-US06	0.08	0.25	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	120	CO-US06	7.9	14.6	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	CO-US06	3	10.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	HC-NM+NOX-US06	0.08	0.25	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	120	CO-SC03	0.7	4.9	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	CO-SC03	0.4	3.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	HC-NM+NOX-SC03	0.03	0.27	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	120	CO-SC03	0.7	4.9	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	CO-SC03	0.4	3.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	HC-NM+NOX-SC03	0.03	0.27	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	120	CO-SC03	0.7	4.9	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	CO-SC03	0.4	3.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	HC-NM+NOX-SC03	0.03	0.27	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	50	CO-COLD	1.5	12.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	50	CO-COLD	1.5	12.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	50	CO-COLD	1.5	12.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	CO	0.5	4.2	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	HC-NM+NOX-COMP	0.12	0.95	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	NMOG	0.041	0.09	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	NOX	0.04	0.07	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	50	CO	0.5	3.4	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	50	NMOG	0.041	0.075	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	50	NOX	0.04	0.05	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	CO	0.5	5.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	HC-NM+NOX-COMP	0.12	0.95	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	NMOG	0.041	0.13	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	NOX	0	0.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	50	CO	0.5	4.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	50	NMOG	0.041	0.1	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	50	NOX	0	0.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	CO	0.5	4.2	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	HC-NM+NOX-COMP	0.12	0.95	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	NMOG	0.041	0.09	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	NOX	0.04	0.07	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	50	CO	0.5	3.4	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	50	NMOG	0.041	0.075	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	50	NOX	0.04	0.05	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	CO-US06	5.6	14.6	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	4	CO-US06	1.4	10.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	4	HC-NM+NOX-US06	0.22	0.25	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	CO-US06	5.6	14.6	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	4	CO-US06	1.4	10.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	4	HC-NM+NOX-US06	0.22	0.25	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	CO-US06	5.6	14.6	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	4	CO-US06	1.4	10.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	4	HC-NM+NOX-US06	0.22	0.25	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	CO-SC03	0.7	4.9	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	4	CO-SC03	0.4	3.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	4	HC-NM+NOX-SC03	0.06	0.27	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	CO-SC03	0.7	4.9	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	4	CO-SC03	0.4	3.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	4	HC-NM+NOX-SC03	0.06	0.27	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	CO-SC03	0.7	4.9	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	4	CO-SC03	0.4	3.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	4	HC-NM+NOX-SC03	0.06	0.27	B5
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	50	CO-COLD	3.1	12.5	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	50	CO-COLD	3.1	12.5	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	CO	1.6	4.2	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	HC-NM+NOX-COMP	0.17	1.06	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	NMOG	0.096	0.156	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	NOX	0.09	0.2	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	50	CO	1.4	3.4	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	50	NMOG	0.096	0.125	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	50	NOX	0.09	0.14	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	CO	1.6	4.2	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	HC-NM+NOX-COMP	0.17	1.06	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	NMOG	0.096	0.156	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	NOX	0.09	0.2	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	50	CO	1.4	3.4	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	50	NMOG	0.096	0.125	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	50	NOX	0.09	0.14	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	CO-US06	2.5	16.9	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	4	CO-US06	1.3	10.5	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	4	HC-NM+NOX-US06	0.1	0.4	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	CO-US06	2.5	16.9	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	4	CO-US06	1.3	10.5	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	4	HC-NM+NOX-US06	0.1	0.4	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	CO-SC03	2.1	5.6	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	4	CO-SC03	0.8	3.5	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	4	HC-NM+NOX-SC03	0.08	0.31	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	CO-SC03	2.1	5.6	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	4	CO-SC03	0.8	3.5	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	4	HC-NM+NOX-SC03	0.08	0.31	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	50	CO-COLD	1.6	10	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	50	CO-COLD	1.6	10	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	CO	0.3	4.2	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	HC-NM+NOX-COMP	0.14	0.71	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	NMOG	0.068	0.125	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	NOX	0.08	0.2	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	50	CO	0.3	3.4	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	50	NMOG	0.068	0.1	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	50	NOX	0.08	0.14	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	CO	0.3	4.2	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	HC-NM+NOX-COMP	0.14	0.71	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	NMOG	0.068	0.125	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	NOX	0.08	0.2	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	50	CO	0.3	3.4	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	50	NMOG	0.068	0.1	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	50	NOX	0.08	0.14	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	CO-US06	1.2	11.1	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	4	CO-US06	0.9	8	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	4	HC-NM+NOX-US06	0.11	0.14	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	CO-US06	1.2	11.1	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	4	CO-US06	0.9	8	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	4	HC-NM+NOX-US06	0.11	0.14	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	4	CO-SC03	0.5	2.7	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	4	HC-NM+NOX-SC03	0.12	0.2	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	4	CO-SC03	0.5	2.7	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	4	HC-NM+NOX-SC03	0.12	0.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	50	CO-COLD	1.5	10	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	50	CO-COLD	1.5	10	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	100	CO	1	4.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	100	NMOG	0.062	0.125	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	100	NOX	0.07	0.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	50	CO	0.8	3.4	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	50	NMOG	0.062	0.1	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	50	NOX	0.07	0.14	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	100	CO	1	4.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	100	NMOG	0.062	0.125	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	100	NOX	0.07	0.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	50	CO	0.8	3.4	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	50	NMOG	0.062	0.1	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	50	NOX	0.07	0.14	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	4	CO-US06	1.2	8	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	4	HC-NM+NOX-US06	0.03	0.14	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	4	CO-US06	1.2	8	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	4	HC-NM+NOX-US06	0.03	0.14	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	4	CO-SC03	0	2.7	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	4	HC-NM+NOX-SC03	0.01	0.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	4	CO-SC03	0	2.7	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	NOX	0.18	0.98	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	NOX	0.18	0.7	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	NOX	0.18	0.98	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	NOX	0.18	0.7	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	50	CO-COLD	7.3	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	50	CO-COLD	7.3	12.5	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	120	CO	3.7	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	120	HC-NM+NOX-COMP	1.29	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	120	NMOG	0.107	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	120	NOX	0.4	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	50	CO	2.1	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	50	NMOG	0.091	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	50	NOX	0.3	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	120	CO	3.7	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	120	HC-NM+NOX-COMP	1.29	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	120	NMOG	0.107	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	120	NOX	0.4	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	50	CO	2.1	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	50	NMOG	0.091	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	50	NOX	0.3	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	120	CO-US06	0.2	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	120	CO-US06	0.2	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	CO-COLD	5.8	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	CO-COLD	5.8	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	CO	3.1	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	NMOG	0.112	0.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	NOX	0.2	0.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	CO	2.7	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	NMOG	0.112	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	NOX	0.2	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO	3.1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	NMOG	0.112	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	NOX	0.2	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	CO	2.7	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	NMOG	0.112	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	NOX	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	4	HC-NM+NOX-US06	0.3	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO-US06	3	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	4	CO-US06	0.8	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	4	HC-NM+NOX-US06	0.3	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO-SC03	2.3	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	CO-COLD	5.8	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	CO-COLD	5.8	12.5	B10



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	CO	3.1	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	NMOG	0.112	0.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	NOX	0.2	0.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	CO	2.7	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	NMOG	0.112	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	NOX	0.2	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO	3.1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	NMOG	0.112	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	NOX	0.2	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	CO	2.7	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	NMOG	0.112	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	NOX	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	4	HC-NM+NOX-US06	0.3	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO-US06	3	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	4	CO-US06	0.8	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	4	HC-NM+NOX-US06	0.3	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO-SC03	2.3	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO-COLD	5	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO	2.8	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	HC-NM+NOX-COMP	0.18	1.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NMOG	0.127	0.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NOX	0.1	0.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO	2.3	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NMOG	0.127	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NOX	0.1	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-US06	1.1	16.9	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-US06	0.1	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	16.9	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-SC03	2.5	5.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-SC03	1.9	3.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-SC03	0.2	0.31	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO-COLD	5	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO	2.8	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	HC-NM+NOX-COMP	0.18	1.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NMOG	0.127	0.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NOX	0.1	0.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO	2.3	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NMOG	0.127	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NOX	0.1	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-US06	1.1	16.9	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-US06	0.1	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-SC03	2.5	5.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-SC03	1.9	3.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-SC03	0.2	0.31	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	CO	0.4	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	HCHO	0.003	0.027	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	NMOG	0.124	0.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	NOX	0.1	1	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	CO	0.4	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	HCHO	0.003	0.018	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	NMOG	0.124	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	NOX	0.1	0.7	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	CO	0.4	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	HCHO	0.003	0.027	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	NMOG	0.124	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	CO	0.4	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	HCHO	0.003	0.018	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	NMOG	0.124	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO-COLD	5	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO	2.8	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	HC-NM+NOX-COMP	0.18	1.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NMOG	0.127	0.46	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NOX	0.1	1	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO	2.3	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NMOG	0.127	0.32	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NOX	0.1	0.7	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-US06	1.1	16.9	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-US06	0.1	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-SC03	2.5	5.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-SC03	1.9	3.5	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-SC03	0.2	0.31	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	CO	0.4	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	HCHO	0.003	0.027	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	NMOG	0.124	0.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	NOX	0.1	1	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	CO	0.4	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	HCHO	0.003	0.018	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	NMOG	0.124	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	NOX	0.1	0.7	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	CO	0.4	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	HCHO	0.003	0.027	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	NMOG	0.124	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	CO	0.4	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	HCHO	0.003	0.018	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	NMOG	0.124	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO-COLD	5	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO	2.8	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	HC-NM+NOX-COMP	0.18	1.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NMOG	0.127	0.46	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NOX	0.1	1	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO	2.3	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NMOG	0.127	0.32	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NOX	0.1	0.7	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-US06	1.1	16.9	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-US06	0.8	10.5	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-US06	0.1	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-SC03	2.5	5.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-SC03	1.9	3.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-SC03	0.2	0.31	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	HC-NM+NOX-COMP	0.18	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	NMOG	0.127	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	NMOG	0.127	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO-US06	1.1	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	CO-US06	0.8	11.8	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	HC-NM+NOX-US06	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	11.8	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO-SC03	2.5	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	CO-SC03	1.9	4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	HC-NM+NOX-SC03	0.2	0.44	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.44	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	HC-NM+NOX-COMP	0.18	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	NMOG	0.127	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	NMOG	0.127	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO-US06	1.1	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	CO-US06	0.8	11.8	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	HC-NM+NOX-US06	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	11.8	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO-SC03	2.5	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	CO-SC03	1.9	4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	HC-NM+NOX-SC03	0.2	0.44	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.44	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	CO-US06	0.3	10.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	HC-NM+NOX-US06	0.2	0.4	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	CO-US06	0.3	10.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	CO-SC03	0.3	3.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	HC-NM+NOX-SC03	0.05	0.31	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	CO-SC03	0.3	3.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	HC-NM+NOX-SC03	0.05	0.31	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	CO-US06	0.3	10.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	HC-NM+NOX-US06	0.2	0.4	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	CO-US06	0.3	10.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	CO-SC03	0.3	3.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	HC-NM+NOX-SC03	0.05	0.31	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	CO-SC03	0.3	3.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	HC-NM+NOX-SC03	0.05	0.31	B8
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	7500	CA	120	CO	1.6	6.4	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	7500	CA	120	NMOG	0.131	0.195	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	7500	CA	120	NOX	0.2	0.2	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	CO	1.6	7.3	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	NMOG	0.129	0.23	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	NOX	0.2	0.4	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	CO	1.6	7.3	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	NMOG	0.129	0.28	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	NOX	0.2	0.9	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	50	CO	1.3	5	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	50	NMOG	0.129	0.195	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	50	NOX	0.2	0.6	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	FA	120	CO	1.6	7.3	HDV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	FA	120	NMOG	0.129	0.28	HDV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	FA	120	NOX	0.2	0.9	HDV
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	CO-COLD	2.6	10	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	CO-COLD	2.6	10	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO	0.8	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	HC-NM+NOX-COMP	0.17	0.71	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NMOG	0.078	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NOX	0.07	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	CO	0.7	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NMOG	0.078	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NOX	0.07	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO	0.8	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	HC-NM+NOX-COMP	0.17	0.71	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NMOG	0.078	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NOX	0.07	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	CO	0.7	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NMOG	0.078	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NOX	0.07	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO-US06	1.2	11.1	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO-US06	7.2	11.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO-US06	1.2	11.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO-US06	7.2	11.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO-SC03	1.3	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO-SC03	1.3	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	CO-COLD	2.4	10	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	CO-COLD	2.4	10	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO	0.4	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO	0.5	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	HC-NM+NOX-COMP	0.13	0.71	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NMOG	0.039	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NMOG	0.056	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NOX	0.04	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	CO	0.3	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	CO	0.5	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NMOG	0.039	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NOX	0.04	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NOX	0.06	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO	0.4	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO	0.5	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	HC-NM+NOX-COMP	0.13	0.71	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NMOG	0.039	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NMOG	0.056	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NOX	0.04	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	CO	0.3	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	CO	0.5	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NMOG	0.039	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NOX	0.04	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NOX	0.06	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO-US06	2.5	11.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO-US06	2.5	11.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	100	CO	1.1	4.2	B8



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	100	NMOG	0.062	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	50	CO	0.9	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	50	NMOG	0.062	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	50	NOX	0.06	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	100	CO	1.1	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	100	NMOG	0.062	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	50	CO	0.9	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	50	NMOG	0.062	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	50	NOX	0.06	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	4	CO-US06	1.9	8	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	4	HC-NM+NOX-US06	0.1	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	4	CO-US06	1.9	8	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	4	HC-NM+NOX-US06	0.1	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	100	CO-SC03	2.9	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	4	CO-SC03	1.3	2.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	4	HC-NM+NOX-SC03	0.13	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	100	CO-SC03	2.9	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	4	CO-SC03	1.3	2.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	4	HC-NM+NOX-SC03	0.13	0.2	B8
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	50	CO-COLD	5.6	10	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	50	CO-COLD	5.6	10	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	100	CO	2.1	4.2	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	100	NMOG	0.07	0.09	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	100	NOX	0	0.3	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	50	CO	1.9	3.4	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	50	NMOG	0.07	0.075	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	50	NOX	0	0.2	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	CO	2.1	4.2	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	HC-NM+NOX-COMP	0.1	0.73	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	NMOG	0.07	0.09	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	NOX	0	0.3	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	50	CO	1.9	3.4	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	50	NMOG	0.07	0.075	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	50	NOX	0	0.2	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	4	CO-US06	0.6	8	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	4	CO-US06	1.1	8	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	CO-US06	0.8	11.1	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	CO-US06	1.4	11.1	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	4	CO-US06	0.6	8	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	4	CO-US06	1.1	8	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	4	CO-SC03	0.1	2.7	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	4	CO-SC03	0.2	2.7	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	CO-SC03	0.1	3.7	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	CO-SC03	0.3	3.7	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	4	CO-SC03	0.1	2.7	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	4	CO-SC03	0.2	2.7	B9
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	50	CO-COLD	3	12.5	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	50	CO-COLD	3	12.5	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	50	CO-COLD	3	12.5	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	120	CO-US06	6.8	14.6	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	4	CO-US06	0.8	10.5	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	4	HC-NM+NOX-US06	0.06	0.25	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	120	CO-US06	6.8	14.6	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	4	HC-NM+NOX-US06	0.06	0.25	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	120	CO-US06	6.8	14.6	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	4	CO-US06	0.8	10.5	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	4	HC-NM+NOX-US06	0.06	0.25	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	120	CO-SC03	0.4	4.9	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	4	CO-SC03	0.3	3.5	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	4	HC-NM+NOX-SC03	0.05	0.27	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	120	CO-SC03	0.4	4.9	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	4	CO-SC03	0.3	3.5	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	4	HC-NM+NOX-SC03	0.05	0.27	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	120	CO-SC03	0.4	4.9	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	4	CO-SC03	0.3	3.5	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	4	HC-NM+NOX-SC03	0.05	0.27	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	CO-COLD	2.5	10	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	CO-COLD	2.5	10	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	CO-COLD	2.5	10	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	CO	1.7	4.2	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	NMOG	0.025	0.09	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	NOX	0.03	0.07	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	CO	1.4	3.4	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	NMOG	0.025	0.075	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	NOX	0.03	0.05	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	CO	1.6	4.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	NMOG	0.025	0.09	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	NOX	0	0.3	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	HC-NM+NOX-COMP	0.04	0.65	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	CO	1.4	3.4	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	NMOG	0.025	0.075	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	NOX	0	0.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO	1.7	4.2	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	HC-NM+NOX-COMP	0.04	0.65	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	NMOG	0.025	0.09	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	NOX	0.03	0.07	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	CO	1.4	3.4	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	NMOG	0.025	0.075	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	NOX	0.03	0.05	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	CO-US06	2.3	8	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	HC-NM+NOX-US06	0.04	0.14	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	CO-US06	3	11.1	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	CO-US06	2.3	8	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	HC-NM+NOX-US06	0.04	0.14	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO-US06	3	11.1	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	CO-US06	2.3	8	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	HC-NM+NOX-US06	0.04	0.14	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	CO-SC03	0.8	2.7	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	CO-SC03	1.1	3.7	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	CO-SC03	0.8	2.7	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	HC-NM+NOX-SC03	0.02	0.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO-SC03	1.1	3.7	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	CO-SC03	0.8	2.7	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	CO-COLD	2.5	10	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	CO-COLD	2.5	10	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	CO-COLD	2.5	10	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	CO	1.7	4.2	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	NMOG	0.025	0.09	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	NOX	0.03	0.07	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	CO	1.4	3.4	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	NMOG	0.025	0.075	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	NOX	0.03	0.05	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	CO	1.6	4.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	NMOG	0.025	0.09	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	NOX	0	0.3	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	HC-NM+NOX-COMP	0.04	0.65	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	CO	1.4	3.4	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	NMOG	0.025	0.075	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	NOX	0	0.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO	1.7	4.2	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	HC-NM+NOX-COMP	0.04	0.65	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	NMOG	0.025	0.09	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	NOX	0.03	0.07	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	CO	1.4	3.4	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	NMOG	0.025	0.075	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	NOX	0.03	0.05	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	CO-US06	2.3	8	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	HC-NM+NOX-US06	0.04	0.14	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	CO-US06	3	11.1	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	CO-US06	2.3	8	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	HC-NM+NOX-US06	0.04	0.14	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO-US06	3	11.1	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	CO-US06	2.3	8	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	HC-NM+NOX-US06	0.04	0.14	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	CO-SC03	0.8	2.7	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	CO-SC03	1.1	3.7	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	CO-SC03	0.8	2.7	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	HC-NM+NOX-SC03	0.02	0.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO-SC03	1.1	3.7	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	CO-SC03	0.8	2.7	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	50	CO-COLD	1.5	12.5	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	50	CO-COLD	1.5	12.5	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	50	CO-COLD	1.5	12.5	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	120	CO	0.6	4.2	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	120	NMOG	0.04	0.09	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	120	NOX	0.04	0.07	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	50	CO	0.5	3.4	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	50	NMOG	0.04	0.075	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	50	NOX	0.04	0.05	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	100	CO	0.5	5.5	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	100	NMOG	0.04	0.13	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	100	NOX	0	0.5	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	50	CO	0.5	4.4	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	50	NMOG	0.04	0.1	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	50	NOX	0	0.4	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	120	CO	0.6	4.2	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	120	NMOG	0.04	0.09	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	120	NOX	0.04	0.07	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	50	CO	0.5	3.4	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	50	NMOG	0.04	0.075	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	50	NOX	0.04	0.05	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	120	CO-US06	0.4	14.6	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	4	CO-US06	1.8	10.5	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	4	HC-NM+NOX-US06	0.04	0.25	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	120	CO-US06	0.4	14.6	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	4	CO-US06	1.8	10.5	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	4	HC-NM+NOX-US06	0.04	0.25	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	120	CO-US06	0.4	14.6	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	4	CO-US06	1.8	10.5	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	4	HC-NM+NOX-US06	0.04	0.25	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	120	CO-SC03	0.2	4.9	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	4	CO-SC03	0.6	3.5	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	4	HC-NM+NOX-SC03	0.02	0.27	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	120	CO-SC03	0.2	4.9	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	4	CO-SC03	0.6	3.5	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	4	HC-NM+NOX-SC03	0.02	0.27	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	120	CO-SC03	0.2	4.9	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	4	CO-SC03	0.6	3.5	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	4	HC-NM+NOX-SC03	0.02	0.27	B5
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	CO-COLD	3.5	12.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	CO-COLD	3.5	12.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO	1.6	4.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO	1.7	4.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	NMOG	0.046	0.13	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	NMOG	0.058	0.13	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	NOX	0.1	0.3	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	CO	1.4	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	CO	1.5	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	NMOG	0.046	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	NMOG	0.058	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	NOX	0.1	0.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO	1.6	4.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO	1.7	4.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	NMOG	0.046	0.13	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	NMOG	0.058	0.13	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	NOX	0.1	0.3	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	CO	1.4	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	CO	1.5	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	NMOG	0.046	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	NMOG	0.058	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	NOX	0.1	0.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO	1.5	4.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	HC-NM+NOX-COMP	0.09	1.04	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	NMOG	0.052	0.13	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	NOX	0.1	0.3	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	CO	1.3	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	NMOG	0.052	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	NOX	0.1	0.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO	1.5	4.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	HC-NM+NOX-COMP	0.09	1.04	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	NMOG	0.052	0.13	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	NOX	0.1	0.3	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	CO	1.3	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	NMOG	0.052	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	NOX	0.1	0.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO-US06	5.2	14.6	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO-US06	9.4	14.6	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	CO-US06	4.1	10.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	CO-US06	7.4	10.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	HC-NM+NOX-US06	0.05	0.25	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	HC-NM+NOX-US06	0.12	0.25	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO-US06	5.2	14.6	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO-US06	9.4	14.6	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	CO-US06	4.1	10.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	CO-US06	7.4	10.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	HC-NM+NOX-US06	0.05	0.25	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	HC-NM+NOX-US06	0.12	0.25	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO-SC03	0	4.9	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO-SC03	0.9	4.9	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	CO-SC03	0	3.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	CO-SC03	0.7	3.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	HC-NM+NOX-SC03	0.01	0.27	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	HC-NM+NOX-SC03	0.04	0.27	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO-SC03	0	4.9	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO-SC03	0.9	4.9	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	CO-SC03	0	3.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	CO-SC03	0.7	3.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	HC-NM+NOX-SC03	0.01	0.27	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	HC-NM+NOX-SC03	0.04	0.27	B9
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	50	CO-COLD	0.37	10	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	50	CO-COLD	0.37	10	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	50	CO-COLD	0.37	10	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	CO	0.18	4.2	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	HCHO	0.0007	0.018	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	NMOG	0.0244	0.125	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	NOX	0.078	0.2	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	50	CO	0.16	3.4	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	50	HCHO	0.0005	0.015	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	50	NMOG	0.0214	0.1	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	50	NOX	0.078	0.14	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	CO	0.18	4.2	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	HCHO	0.0007	0.018	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	NMOG	0.0244	0.125	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	NOX	0.078	0.2	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	50	CO	0.16	3.4	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	50	HCHO	0.0005	0.015	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	50	NMOG	0.0214	0.1	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	50	NOX	0.078	0.14	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	CO	0.18	4.2	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	HCHO	0.0007	0.018	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	NMOG	0.0244	0.125	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	NOX	0.078	0.2	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	50	CO	0.16	3.4	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	50	HCHO	0.0005	0.015	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	50	NMOG	0.0214	0.1	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	50	NOX	0.078	0.14	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	CO-US06	1.74	11.1	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	4	CO-US06	1.71	8	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	4	HC-NM+NOX-US06	0.048	0.14	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	CO-US06	1.74	11.1	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	4	CO-US06	1.71	8	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	4	HC-NM+NOX-US06	0.048	0.14	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	CO-US06	1.74	11.1	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	4	CO-US06	1.71	8	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	4	HC-NM+NOX-US06	0.048	0.14	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	CO-SC03	0.34	3.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	4	CO-SC03	0.31	2.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	4	HC-NM+NOX-SC03	0.12	0.2	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	CO-SC03	0.34	3.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	4	CO-SC03	0.31	2.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	4	HC-NM+NOX-SC03	0.12	0.2	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	CO-SC03	0.34	3.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	4	CO-SC03	0.31	2.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	4	HC-NM+NOX-SC03	0.12	0.2	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	50	CO-COLD	3.19	10	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	50	CO-COLD	3.19	10	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	100	CO	0.48	4.2	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	100	HCHO	0.0005	0.018	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	100	NMOG	0.0352	0.09	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	100	NOX	0.067	0.3	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	50	CO	0.32	3.4	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	50	HCHO	0.0004	0.015	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	50	NMOG	0.0237	0.075	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	50	NOX	0.062	0.2	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	CO	0.48	4.2	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	HCHO	0.0005	0.018	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	NMOG	0.0352	0.09	B9



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	NOX	0.067	0.3	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	50	CO	0.32	3.4	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	50	HCHO	0.0004	0.015	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	50	NMOG	0.0237	0.075	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	50	NOX	0.062	0.2	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	50-CO	0.96	3.4	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	50-HCHO	0.0004	0.03	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	50-NMOG	0.0364	0.15	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	50-NOX	0.12	0.2	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	CO-US06	5.77	8	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	HC-NM+NOX-US06	0.07	0.14	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	CO-US06	6.08	11.1	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	4	CO-US06	5.77	8	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	4	HC-NM+NOX-US06	0.07	0.14	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	CO-SC03	1.32	2.7	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	HC-NM+NOX-SC03	0.015	0.2	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	CO-SC03	1.64	3.7	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	4	CO-SC03	1.32	2.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	4	HC-NM+NOX-SC03	0.015	0.2	N/A
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	CA	50	CO-COLD	4.4	10	N/A
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	FA	50	CO-COLD	4.4	10	N/A
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	CA	100	CO	0.3	4.2	LEV
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	CA	100	HCHO	0.001	0.018	LEV
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	CA	100	NMOG	0.065	0.09	LEV
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	CA	100	NOX	0.2	0.3	LEV
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	CA	50	CO	0.2	3.4	LEV
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	CA	50	HCHO	0.001	0.015	LEV
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	CA	50	NMOG	0.05	0.075	LEV
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	CA	50	NOX	0.2	0.2	LEV
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	FA	100	CO	0.3	4.2	B9
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	FA	100	HCHO	0.001	0.018	B9
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	FA	100	NMOG	0.065	0.09	B9
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	FA	100	NOX	0.2	0.3	B9
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	FA	50	CO	0.2	3.4	B9
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	FA	50	HCHO	0.001	0.015	B9
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	FA	50	NMOG	0.05	0.075	B9
FERRARI	FERRARI	360	3586.1	A6	4.44	3625	FA	50	NOX	0.2	0.2	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	CA	100	CO	0.2	4.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	CA	100	NMOG	0.045	0.09	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	CA	100	NOX	0.1	0.3	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	CA	50	CO	0.1	3.4	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	CA	50	NMOG	0.035	0.075	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	CA	50	NOX	0.1	0.2	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	100	CO	0.2	4.2	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	100	HC-NM+NOX-COMP	0.1	0.73	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	100	NMOG	0.045	0.09	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	100	NOX	0.1	0.3	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	50	CO	0.1	3.4	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	50	NMOG	0.035	0.075	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	50	NOX	0.1	0.2	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	CA	4	CO-US06	1.2	8	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	100	CO-US06	2.9	11.1	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	4	CO-US06	1.2	8	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	CA	4	CO-SC03	0	2.7	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	CA	4	HC-NM+NOX-SC03	0.07	0.2	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	100	CO-SC03	0	3.7	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	4	CO-SC03	0	2.7	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3375	FA	4	HC-NM+NOX-SC03	0.07	0.2	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	100	CO	0.3	4.2	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	100	HCHO	0.001	0.018	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	100	NMOG	0.063	0.09	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	100	NOX	0.1	0.3	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	50	CO	0.2	3.4	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	50	HCHO	0.001	0.015	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	50	NMOG	0.049	0.075	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	50	NOX	0.1	0.2	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	100	CO	0.3	4.2	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	100	HCHO	0.001	0.018	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	100	NMOG	0.063	0.09	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	100	NOX	0.1	0.3	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	50	CO	0.2	3.4	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	50	HCHO	0.001	0.015	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	50	NMOG	0.049	0.075	B9
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	50	NOX	0.1	0.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	50	50-CO	0.2	3.4	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	50	50-HCHO	0	0.03	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	50	50-NMOG	0.042	0.15	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	50	50-NOX	0.1	0.2	LEV
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	N/A	CO-ST2500	0	1.2	N/A
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	N/A	CO-STI	0	1	N/A
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	N/A	HC-ST2500	2	220	N/A
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	CA	N/A	HC-STI	1	100	N/A
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	N/A	CO-ST2500	0	0.5	N/A
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	N/A	CO-STI	0	0.5	N/A
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	N/A	HC-ST2500	2	100	N/A
FERRARI	FERRARI	360	3586.1	S6	4.44	3625	FA	N/A	HC-STI	1	100	N/A
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	50	CO-COLD	4.7	10	N/A
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	50	CO-COLD	4.7	10	N/A
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	100	CO	0.4	4.2	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	100	NMOG	0.075	0.09	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	100	NOX	0	0.3	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	50	CO	0.3	3.4	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	50	NMOG	0.058	0.075	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	50	NOX	0	0.2	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	100	CO	0.4	4.2	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	100	HC-NM+NOX-COMP	0.08	0.73	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	100	NMOG	0.075	0.09	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	100	NOX	0	0.3	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	50	CO	0.3	3.4	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	50	NMOG	0.058	0.075	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	50	NOX	0	0.2	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	100	CO	0.3	4.2	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	100	HCHO	0.001	0.018	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	100	NMOG	0.053	0.09	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	100	NOX	0.1	0.3	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	50	CO	0.2	3.4	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	50	HCHO	0.001	0.015	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	50	NMOG	0.041	0.075	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	50	NOX	0.1	0.2	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	100	CO	0.3	4.2	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	100	HCHO	0.001	0.018	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	100	NMOG	0.053	0.09	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	100	NOX	0.1	0.3	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	50	CO	0.2	3.4	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	50	HCHO	0.001	0.015	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	50	NMOG	0.041	0.075	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	50	NOX	0.1	0.2	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	4	CO-US06	0.8	8	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	4	HC-NM+NOX-US06	0.05	0.14	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	100	CO-US06	1.8	11.1	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	4	CO-US06	0.8	8	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	4	HC-NM+NOX-US06	0.05	0.14	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	4	CO-SC03	0	2.7	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	CA	4	HC-NM+NOX-SC03	0.05	0.2	LEV
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	100	CO-SC03	0	3.7	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	4	CO-SC03	0	2.7	B9
FERRARI	FERRARI	575MM	5748	A6	3.91	4250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B9
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	100	CO	0.4	4.2	LEV
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	100	NOX	0	0.3	LEV
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	50	CO	0.3	3.4	LEV
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	50	NOX	0	0.2	LEV
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	FA	100	CO	0.4	4.2	B9
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	FA	100	NOX	0	0.3	B9
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	FA	50	CO	0.3	3.4	B9
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	FA	50	NOX	0	0.2	B9
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	50	50-CO	0.8	3.4	LEV
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	50	50-HCHO	0.001	0.03	LEV
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	50	50-NMOG	0.07	0.15	LEV
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	50	50-NOX	0	0.2	LEV
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	N/A	CO-ST2500	0	1.2	N/A
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	N/A	CO-STI	0	1	N/A
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	N/A	HC-ST2500	8	220	N/A
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	CA	N/A	HC-STI	5	100	N/A
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	FA	N/A	CO-ST2500	0	0.5	N/A
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	FA	N/A	CO-STI	0	0.5	N/A
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	FA	N/A	HC-ST2500	8	100	N/A
FERRARI	FERRARI	575MM	5748	M6	3.91	4250	FA	N/A	HC-STI	5	100	N/A
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	CA	100	CO	0.3	4.2	LEV
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	CA	100	HCHO	0.001	0.018	LEV
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	CA	100	NMOG	0.086	0.09	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	CA	100	NOX	0.1	0.3	LEV
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	CA	50	CO	0.2	3.4	LEV
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	CA	50	HCHO	0.001	0.015	LEV
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	CA	50	NMOG	0.067	0.075	LEV
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	CA	50	NOX	0.1	0.2	LEV
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	FA	100	CO	0.3	4.2	B9
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	FA	100	HCHO	0.001	0.018	B9
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	FA	100	NMOG	0.086	0.09	B9
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	FA	100	NOX	0.1	0.3	B9
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	FA	50	CO	0.2	3.4	B9
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	FA	50	HCHO	0.001	0.015	B9
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	FA	50	NMOG	0.067	0.075	B9
FERRARI	FERRARI	575MM	5748	S6	3.91	4250	FA	50	NOX	0.1	0.2	B9
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	CO-COLD	3	12.5	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	50	CO-COLD	3	12.5	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	CO-COLD	3	12.5	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	CO	3.1	4.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	HC-NM+NOX-COMP	0.2	2.09	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	NMOG	0.118	0.156	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	NOX	0.1	0.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	CO	1.9	3.4	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	HC-NM+NOX-COMP	0.1	1.49	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	NMOG	0.073	0.125	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	NOX	0.04	0.14	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	120	CO	3.1	7.3	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	120	NMOG	0.118	0.28	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	120	NOX	0.1	1.5	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	50	CO	1.9	5	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	50	NMOG	0.073	0.195	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	50	NOX	0.04	1.1	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	CO	3.1	4.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.2	2.09	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	NMOG	0.118	0.156	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	NOX	0.1	0.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	CO	1.9	3.4	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	HC-NM+NOX-COMP	0.1	1.49	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	NMOG	0.073	0.125	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	NOX	0.04	0.14	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	CO-US06	5.3	19.3	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	CO-US06	4.1	13.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	CO-US06	5.3	19.3	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	CO-US06	4.1	13.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	CO-SC03	3.4	6.4	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	CO-SC03	2.1	4.4	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	CO-SC03	3.4	6.4	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	CO-SC03	2.1	4.4	B8
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	CO-COLD	5.17	12.5	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	CO-COLD	5.17	12.5	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	CO-COLD	5.17	12.5	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	CO	3.41	6.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	HC-NM+NOX-COMP	0.629	2.09	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	NMOG	0.166	0.28	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	NOX	0.39	0.6	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	CO	1.98	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	HC-NM+NOX-COMP	0.409	1.49	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	NMOG	0.118	0.195	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	NOX	0.22	0.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	CO	3.41	7.3	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	NMOG	0.166	0.28	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	NOX	0.39	1.5	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	CO	1.98	5	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	NMOG	0.118	0.195	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	NOX	0.22	1.1	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	CO	3.41	6.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	HC-NM+NOX-COMP	0.629	2.09	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	NMOG	0.166	0.28	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	NOX	0.39	0.6	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	CO	1.98	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	HC-NM+NOX-COMP	0.409	1.49	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	NMOG	0.118	0.195	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	NOX	0.22	0.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	CO-US06	9.99	19.3	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	CO-US06	8.57	13.2	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	CO-US06	9.99	19.3	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	CO-US06	8.57	13.2	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	CO-SC03	3.06	6.4	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	CO-SC03	1.63	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	CO-SC03	3.06	6.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	CO-SC03	1.63	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	CO	3.41	6.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	NMOG	0.166	0.28	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	NOX	0.39	0.6	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	CO	1.98	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	NMOG	0.118	0.195	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	NOX	0.22	0.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	CO	3.41	7.3	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	NMOG	0.166	0.28	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	NOX	0.39	1.5	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	CO	1.98	5	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	NMOG	0.118	0.195	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	NOX	0.22	1.1	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	CO	3.41	6.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	NMOG	0.166	0.28	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	NOX	0.39	0.6	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	CO	1.98	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	NMOG	0.118	0.195	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	NOX	0.22	0.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NMOG	0.148	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NOX	0.39	0.9	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NOX	0.17	0.6	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NMOG	0.148	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NOX	0.39	1.5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NOX	0.17	1.1	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	CO	5.2	7.3	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	HC-NM	0.146	0.28	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	NOX	0.39	0.9	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NMOG	0.148	0.28	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NOX	0.39	0.9	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NOX	0.17	0.6	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NMOG	0.148	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NOX	0.39	1.5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NOX	0.17	1.1	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	CO	5.2	7.3	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	HC-NM	0.146	0.28	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	NOX	0.39	0.9	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NMOG	0.148	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NOX	0.39	0.9	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NOX	0.17	0.6	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NMOG	0.148	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NOX	0.39	1.5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NOX	0.17	1.1	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	CO	5.2	7.3	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	HC-NM	0.146	0.28	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	NOX	0.39	0.9	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	120	CO	4.4	6.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	120	NMOG	0.137	0.28	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	120	NOX	0.37	0.6	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	50	CO	2.4	4.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	50	NMOG	0.094	0.195	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	50	NOX	0.15	0.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	120	CO	4.4	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	120	NMOG	0.137	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	120	NOX	0.4	1.5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	50	CO	2.4	5	LEV



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	50	NMOG	0.094	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	50	NOX	0.1	1.1	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	120	CO	4.4	6.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	120	NMOG	0.137	0.28	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	120	NOX	0.37	0.6	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	50	CO	2.4	4.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	50	NMOG	0.094	0.195	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	50	NOX	0.15	0.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	120	CO	3.54	6.4	L2
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	120	NMOG	0.085	0.195	L2
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	120	NOX	0.1	0.2	L2
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	120	CO	3.5	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	120	NMOG	0.085	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	120	NOX	0.1	1.5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	50	CO	2.6	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	50	NMOG	0.065	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	50	NOX	0	1.1	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	120	CO	3.54	6.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	120	NMOG	0.085	0.28	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	120	NOX	0.1	0.6	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	50	CO	2.56	4.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	50	NMOG	0.065	0.195	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	50	NOX	0.05	0.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	50	50-CO	1.75	6.4	L2
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	50	50-NMOG	0.17	0.39	L2
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	50	50-NOX	0.02	0.2	L2
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	120	CO	2.47	4.2	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	120	NMOG	0.1181	0.156	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	120	NOX	0.116	0.2	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	50	CO	1.24	3.4	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	50	NMOG	0.0728	0.125	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	50	NOX	0.059	0.14	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	120	CO	2.47	7.3	LEV
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	120	NMOG	0.1181	0.28	LEV
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	120	NOX	0.12	1.5	LEV
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	50	CO	1.24	5	LEV
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	50	NMOG	0.0728	0.195	LEV
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	50	NOX	0.06	1.1	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	120	CO	2.47	4.2	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	120	NMOG	0.1181	0.156	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	120	NOX	0.12	0.2	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	50	CO	1.24	3.4	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	50	NMOG	0.0728	0.125	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	50	NOX	0.06	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO-COLD	2.11	10	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO-COLD	2.11	10	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO	0.78	4.2	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	HC-NM+NOX-COMP	0.108	0.65	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NMOG	0.061	0.09	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NOX	0.052	0.07	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO	0.44	3.4	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NMOG	0.04	0.075	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NOX	0.028	0.05	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	CO	0.78	4.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NMOG	0.061	0.09	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	CO	0.44	3.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NMOG	0.04	0.075	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NOX	0.03	0.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO	0.78	4.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	HC-NM+NOX-COMP	0.108	0.65	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NMOG	0.061	0.09	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NOX	0.052	0.07	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO	0.44	3.4	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NMOG	0.04	0.075	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NOX	0.028	0.05	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-US06	6.61	11.1	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-US06	6.05	8	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-US06	0.011	0.14	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-US06	6.61	11.1	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-US06	6.05	8	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-US06	0.011	0.14	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-SC03	1.68	3.7	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-SC03	1.12	2.7	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-SC03	1.68	3.7	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-SC03	1.12	2.7	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO-COLD	2.11	10	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO-COLD	2.11	10	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO	0.78	4.2	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	HC-NM+NOX-COMP	0.108	0.65	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NMOG	0.061	0.09	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NOX	0.052	0.07	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO	0.44	3.4	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NMOG	0.04	0.075	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NOX	0.028	0.05	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	CO	0.78	4.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NMOG	0.061	0.09	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	CO	0.44	3.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NMOG	0.04	0.075	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NOX	0.03	0.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO	0.78	4.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	HC-NM+NOX-COMP	0.108	0.65	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NMOG	0.061	0.09	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NOX	0.052	0.07	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO	0.44	3.4	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NMOG	0.04	0.075	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NOX	0.028	0.05	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-US06	6.61	11.1	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-US06	6.05	8	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-US06	0.011	0.14	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-US06	6.61	11.1	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-US06	6.05	8	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-US06	0.011	0.14	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-SC03	1.68	3.7	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-SC03	1.12	2.7	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-SC03	1.68	3.7	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-SC03	1.12	2.7	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	CO-COLD	2.31	10	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	CO-COLD	2.31	10	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	CO-COLD	2.31	10	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	120	CO	0.97	2.1	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	120	NMOG	0.0498	0.055	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	120	NOX	0.046	0.07	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	CO	0.64	1.7	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	NMOG	0.028	0.04	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	NOX	0.022	0.05	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	100	CO	0.88	4.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	100	NMOG	0.044	0.09	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	100	NOX	0.04	0.3	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	CO	0.64	3.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	NMOG	0.0284	0.075	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	CO	0.97	4.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	HC-NM+NOX-COMP	0.091	0.65	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	NMOG	0.05	0.09	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	NOX	0.046	0.07	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	CO	0.64	3.4	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	NMOG	0.0284	0.075	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	NOX	0.022	0.05	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	CO-US06	1.06	8	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	HC-NM+NOX-US06	0.008	0.14	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	CO-US06	1.62	11.1	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	CO-US06	1.06	8	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	HC-NM+NOX-US06	0.008	0.14	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	CO-SC03	0.59	2.7	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	HC-NM+NOX-SC03	0.019	0.2	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	CO-SC03	1.15	3.7	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	CO-SC03	0.59	2.7	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	HC-NM+NOX-SC03	0.019	0.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO-COLD	1.7	10	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO-COLD	1.7	10	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO	0.47	4.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	HC-NM+NOX-COMP	0.141	0.71	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NMOG	0.0608	0.125	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NOX	0.07	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO	0.37	3.4	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0517	0.1	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NOX	0.045	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	CO	0.47	4.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NMOG	0.061	0.09	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NOX	0.07	0.3	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	CO	0.37	3.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NMOG	0.0517	0.075	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NOX	0.04	0.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO	0.47	4.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	HC-NM+NOX-COMP	0.141	0.71	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NMOG	0.0608	0.125	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NOX	0.07	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO	0.37	3.4	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0517	0.1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NOX	0.045	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-US06	4.69	11.1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-US06	4.51	8	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.079	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-US06	4.69	11.1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-US06	4.51	8	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.079	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-SC03	0.37	3.7	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.19	2.7	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.084	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-SC03	0.37	3.7	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.19	2.7	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.084	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO-COLD	1.7	10	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO-COLD	1.7	10	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO	0.47	4.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	HC-NM+NOX-COMP	0.141	1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NMOG	0.0608	0.125	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NOX	0.07	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO	0.37	3.4	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0517	0.1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NOX	0.045	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	CO	0.47	5.5	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NMOG	0.061	0.13	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NOX	0.07	0.5	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	CO	0.37	4.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NMOG	0.052	0.1	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NOX	0.04	0.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO	0.47	4.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	HC-NM+NOX-COMP	0.141	1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NMOG	0.0608	0.125	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NOX	0.07	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO	0.37	3.4	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0517	0.1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NOX	0.045	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-US06	4.69	14.6	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-US06	4.51	10.5	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.079	0.25	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-US06	4.69	14.6	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-US06	4.51	10.5	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.079	0.25	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-SC03	0.37	4.9	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.19	3.5	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.084	0.27	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-SC03	0.37	4.9	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.19	3.5	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.084	0.27	B8
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	50	CO-COLD	1.08	12.5	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	50	CO-COLD	1.08	12.5	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	150	CO	0.09	1	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	150	NMOG	0.0088	0.01	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	150	NOX	0.008	0.02	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	100	CO	0.06	5.5	LEV
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	100	NMOG	0.0083	0.13	LEV
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	100	NOX	0.01	0.5	LEV
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	50	CO	0.03	4.4	LEV
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	50	NMOG	0.0078	0.1	LEV
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	50	NOX	0.01	0.4	LEV
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	CO	0.07	2.1	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	HC-NM+NOX-COMP	0.009	0.93	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	NMOG	0.0085	0.07	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	NOX	0.008	0.04	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	50-CO	0.06	1	S2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	50-HCHO	0.0001	0.008	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	50-NMOG	0.0075	0.02	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	50-NOX	0.009	0.02	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	CO-US06	7.08	10.5	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	HC-NM+NOX-US06	0.005	0.25	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	CO-US06	7.15	14.6	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	4	CO-US06	7.08	10.5	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	4	HC-NM+NOX-US06	0.005	0.25	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	CO-SC03	0.03	3.5	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	HC-NM+NOX-SC03	0	0.27	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	CO-SC03	0.1	4.9	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	4	CO-SC03	0.03	3.5	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	4	HC-NM+NOX-SC03	0	0.27	B4
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	120	CO	1.5	7.3	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	120	HCHO	0.0023	0.032	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	120	NMOG	0.139	0.28	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	120	NOX	0.39	0.9	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	50	CO	0.96	5	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	50	HCHO	0.0016	0.022	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	50	NMOG	0.1	0.195	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	50	NOX	0.24	0.6	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	120	CO	1.5	7.3	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	120	HCHO	0.0023	0.032	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	120	NMOG	0.139	0.28	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	120	NOX	0.39	0.9	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	50	CO	0.96	5	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	50	HCHO	0.0016	0.022	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	50	NMOG	0.1	0.195	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	50	NOX	0.24	0.6	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	120	CO	1.5	7.3	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	120	HCHO	0.0023	0.032	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	120	NMOG	0.139	0.28	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	120	NOX	0.39	0.9	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	50	CO	0.96	5	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	50	HCHO	0.0016	0.022	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	50	NMOG	0.1	0.195	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	50	NOX	0.24	0.6	B11
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	CO	3.51	4.2	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	HC-NM+NOX-COMP	0.246	1.44	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	NMOG	0.12	0.156	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	NOX	0.16	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	CO	2.27	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	HC-NM+NOX-COMP	0.134	1.02	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	NMOG	0.0862	0.125	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	NOX	0.08	0.14	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	CO	3.51	6.4	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	NMOG	0.12	0.23	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	NOX	0.16	1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	CO	2.27	4.4	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	NMOG	0.0862	0.16	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	NOX	0.08	0.7	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	CO	3.51	4.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	HC-NM+NOX-COMP	0.246	1.44	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	NMOG	0.12	0.156	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	NOX	0.16	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	CO	2.27	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	HC-NM+NOX-COMP	0.134	1.02	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	NMOG	0.0862	0.125	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	NOX	0.08	0.14	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	CO-SC03	4.1	5.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	CO-SC03	2.87	3.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	CO-SC03	4.1	5.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	CO-SC03	2.87	3.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	50	CO-COLD	7.6	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	50	CO-COLD	7.6	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	120	CO-US06	6.64	16.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	50	CO-US06	5.4	11.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	120	CO-US06	6.64	16.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	50	CO-US06	5.4	11.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	CO	3.51	4.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	HC-NM+NOX-COMP	0.246	1.44	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	NMOG	0.12	0.156	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	NOX	0.16	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	CO	2.27	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	HC-NM+NOX-COMP	0.134	1.02	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	NMOG	0.0862	0.125	B8



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	NOX	0.08	0.14	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	CO	3.51	6.4	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	NMOG	0.12	0.23	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	NOX	0.16	1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	CO	2.27	4.4	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	NMOG	0.0862	0.16	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	NOX	0.08	0.7	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	CO	3.51	4.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	HC-NM+NOX-COMP	0.246	1.44	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	NMOG	0.12	0.156	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	NOX	0.16	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	CO	2.27	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	HC-NM+NOX-COMP	0.134	1.02	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	NMOG	0.0862	0.125	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	NOX	0.08	0.14	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	CO-SC03	4.1	5.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	CO-SC03	2.87	3.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	CO-SC03	4.1	5.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	CO-SC03	2.87	3.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	50	CO-COLD	7.6	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	50	CO-COLD	7.6	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	120	CO-US06	6.64	16.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	50	CO-US06	5.4	11.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	120	CO-US06	6.64	16.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	50	CO-US06	5.4	11.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-COLD	5.77	12.5	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	CO-COLD	5.77	12.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-COLD	5.77	12.5	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO	5.08	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	HC-NM+NOX-COMP	0.301	2.09	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	NMOG	0.1478	0.28	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	NOX	0.124	0.6	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO	4.06	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	HC-NM+NOX-COMP	0.22	1.49	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	NMOG	0.1204	0.195	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	NOX	0.07	0.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	CO	5.08	7.3	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	NMOG	0.1478	0.28	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	NOX	0.12	1.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	CO	4.06	5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	NMOG	0.1204	0.195	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	NOX	0.07	1.1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO	5.08	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	HC-NM+NOX-COMP	0.301	2.09	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	NMOG	0.1478	0.28	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	NOX	0.124	0.6	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO	4.06	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	HC-NM+NOX-COMP	0.22	1.49	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	NMOG	0.1204	0.195	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	NOX	0.07	0.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO-US06	6.12	19.3	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-US06	5.09	13.2	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO-US06	6.12	19.3	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-US06	5.09	13.2	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO-SC03	3.4	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-SC03	2.38	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO-SC03	3.4	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-SC03	2.38	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-COLD	5.77	12.5	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	CO-COLD	5.77	12.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-COLD	5.77	12.5	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO	5.08	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	HC-NM+NOX-COMP	0.301	2.09	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	NMOG	0.1478	0.28	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	NOX	0.124	0.6	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO	4.06	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	HC-NM+NOX-COMP	0.22	1.49	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	NMOG	0.1204	0.195	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	NOX	0.07	0.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	CO	5.08	7.3	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	NMOG	0.1478	0.28	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	NOX	0.12	1.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	CO	4.06	5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	NMOG	0.1204	0.195	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	NOX	0.07	1.1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO	5.08	6.4	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	HC-NM+NOX-COMP	0.301	2.09	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	NMOG	0.1478	0.28	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	NOX	0.124	0.6	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO	4.06	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	HC-NM+NOX-COMP	0.22	1.49	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	NMOG	0.1204	0.195	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	NOX	0.07	0.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO-US06	6.12	19.3	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-US06	5.09	13.2	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO-US06	6.12	19.3	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-US06	5.09	13.2	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO-SC03	3.4	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-SC03	2.38	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO-SC03	3.4	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-SC03	2.38	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	CO-COLD	4.22	12.5	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	CO-COLD	4.22	12.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-COLD	4.22	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	120	CO	2.35	4.2	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	120	NMOG	0.079	0.09	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	120	NOX	0.04	0.07	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	CO	2.16	3.4	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	NMOG	0.073	0.075	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	NOX	0.022	0.05	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	CO	2.35	7.3	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	NMOG	0.0822	0.28	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	NOX	0.04	1.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	CO	2.16	5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	NMOG	0.0763	0.195	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	NOX	0.02	1.1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO	2.35	4.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	HC-NM+NOX-COMP	0.074	2.09	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	NMOG	0.0822	0.156	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	NOX	0.04	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO	2.16	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	HC-NM+NOX-COMP	0.051	1.49	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	NMOG	0.0763	0.125	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	NOX	0.022	0.14	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	CO-US06	6.1	11.8	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	HC-NM+NOX-US06	0.018	0.6	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO-US06	6.42	19.3	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-US06	6.23	13.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	CO-SC03	1.15	4	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	HC-NM+NOX-SC03	0.006	0.44	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO-SC03	1.46	6.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-SC03	1.28	4.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	CO-COLD	4.22	12.5	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	CO-COLD	4.22	12.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-COLD	4.22	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	120	CO	2.35	4.2	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	120	NMOG	0.079	0.09	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	120	NOX	0.04	0.07	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	CO	2.16	3.4	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	NMOG	0.073	0.075	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	NOX	0.022	0.05	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	CO	2.35	7.3	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	NMOG	0.0822	0.28	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	NOX	0.04	1.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	CO	2.16	5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	NMOG	0.0763	0.195	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	NOX	0.02	1.1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO	2.35	4.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	HC-NM+NOX-COMP	0.074	2.09	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	NMOG	0.0822	0.156	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	NOX	0.04	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO	2.16	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	HC-NM+NOX-COMP	0.051	1.49	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	NMOG	0.0763	0.125	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	NOX	0.022	0.14	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	CO-US06	6.1	11.8	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	HC-NM+NOX-US06	0.018	0.6	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO-US06	6.42	19.3	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-US06	6.23	13.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	CO-SC03	1.15	4	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	HC-NM+NOX-SC03	0.006	0.44	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO-SC03	1.46	6.4	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-SC03	1.28	4.4	B8
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	CO	5.2	8.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NMOG	0.11	0.33	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NOX	0.5	1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	CO	3.7	5.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NMOG	0.095	0.23	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NOX	0.2	0.7	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	CO	5.2	8.1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	HC-NM	0.108	0.33	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	NOX	0.5	1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NMOG	0.11	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NOX	0.5	0.9	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	CO	3.7	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NMOG	0.095	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NOX	0.2	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	NMOG	0.11	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	NOX	0.5	1.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	CO	3.7	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	NMOG	0.095	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	NOX	0.2	1.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	CO	5.2	7.3	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	HC-NM	0.108	0.28	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	NOX	0.5	0.9	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-CO	4.3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-NMOG	0.288	0.39	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-NOX	0.1	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NMOG	0.11	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NOX	0.5	0.9	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	CO	3.7	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NMOG	0.095	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NOX	0.2	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	NMOG	0.11	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	NOX	0.5	1.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	CO	3.7	5	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	NMOG	0.095	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	NOX	0.2	1.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	CO	5.2	7.3	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	HC-NM	0.108	0.28	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	NOX	0.5	0.9	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-CO	4.3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-NMOG	0.288	0.39	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-NOX	0.1	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	0.9	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NOX	0.4	1.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	CO	3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NOX	0.2	1.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	7.3	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.28	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	0.9	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	0.9	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NOX	0.4	1.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	CO	3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NOX	0.2	1.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	7.3	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.28	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	0.9	HDV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	0.9	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NOX	0.4	1.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	CO	3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NOX	0.2	1.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	7.3	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.28	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	0.9	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	8.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.33	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.23	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.7	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	8.1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.33	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	8.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.33	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.23	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.7	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	8.1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.33	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	8.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.33	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.23	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.7	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	8.1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.33	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	1	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	CO	5.14	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NMOG	0.0917	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NOX	0.48	0.9	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	CO	3.6	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NMOG	0.077	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NOX	0.22	0.6	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	CO	5.1	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	NMOG	0.092	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	NOX	0.48	1.5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	CO	3.6	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	NMOG	0.077	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	NOX	0.22	1.1	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	CO	5.14	7.3	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	HC-NM	0.0907	0.28	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	NOX	0.48	0.9	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	CO	5.14	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NMOG	0.0917	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NOX	0.48	0.9	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	CO	3.6	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NMOG	0.077	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NOX	0.22	0.6	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	CO	5.1	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	NMOG	0.092	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	NOX	0.48	1.5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	CO	3.6	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	NMOG	0.077	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	NOX	0.22	1.1	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	CO	5.14	7.3	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	HC-NM	0.0907	0.28	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	NOX	0.48	0.9	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	CO	5.14	8.1	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NMOG	0.0917	0.33	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NOX	0.48	1	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	CO	3.6	5.5	LEV



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NMOG	0.077	0.23	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NOX	0.22	0.7	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	CO	5.14	8.1	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	HC-NM	0.0907	0.33	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	NOX	0.48	1	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	4	50-CO	4.46	5.5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	4	50-HCHO	0.0011	0.056	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	4	50-NMOG	0.2985	0.46	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	4	50-NOX	0.11	0.7	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	120	CO	1.7	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	120	NMOG	0.1448	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	120	NOX	0.38	0.9	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	50	CO	1.16	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	50	NMOG	0.1058	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	50	NOX	0.23	0.6	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	120	CO	1.7	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	120	NMOG	0.145	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	120	NOX	0.38	1.5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	50	CO	1.2	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	50	NMOG	0.106	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	50	NOX	0.23	1.1	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	120	CO	1.7	7.3	B11
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	120	NMOG	0.1448	0.28	B11
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	120	NOX	0.38	0.9	B11
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	50	CO	1.16	5	B11
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	50	NMOG	0.1058	0.195	B11
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	50	NOX	0.23	0.6	B11
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	CO-COLD	2.8	10	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	CO-COLD	2.8	10	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	CO-COLD	2.8	10	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	CO	2.17	4.2	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	CO	2.01	4.2	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	NMOG	0.06	0.09	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	NMOG	0.053	0.09	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	NOX	0.052	0.07	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	NOX	0.053	0.07	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	CO	1.39	3.4	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	CO	1.24	3.4	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	NMOG	0.0387	0.075	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	NMOG	0.0324	0.075	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	NOX	0.027	0.05	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	NOX	0.028	0.05	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	CO	2.17	4.2	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	CO	2.01	4.2	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	NMOG	0.0597	0.09	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	NMOG	0.0534	0.09	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	CO	1.39	3.4	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	CO	1.24	3.4	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	NMOG	0.0387	0.075	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	NMOG	0.0324	0.075	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	NOX	0.03	0.2	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	NOX	0.03	0.2	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	CO	2.17	4.2	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	CO	2.01	4.2	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	CO-COMP	3.54	4.2	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	HC-NM+NOX-COMP	0.117	0.65	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	NMOG	0.0597	0.09	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	NMOG	0.0534	0.09	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	NOX	0.052	0.07	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	NOX	0.053	0.07	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	CO	1.39	3.4	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	CO	1.24	3.4	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	NMOG	0.0387	0.075	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	NMOG	0.0324	0.075	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	NOX	0.027	0.05	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	NOX	0.028	0.05	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	CO-ST2500	0	0.5	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	CO-STI	0	0.5	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	HC-ST2500	1	100	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	HC-STI	0	100	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	4	CO-US06	3.48	8	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	4	HC-NM+NOX-US06	0.021	0.14	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	4	CO-US06	3.48	8	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	4	HC-NM+NOX-US06	0.021	0.14	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	4	CO-SC03	2.25	2.7	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	4	HC-NM+NOX-SC03	0.038	0.2	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	4	CO-SC03	2.25	2.7	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	4	HC-NM+NOX-SC03	0.038	0.2	B5
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	CO	0.23	1	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	NMOG	0.0074	0.01	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	NOX	0.005	0.02	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO	0.21	2.1	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	HC-NM+NOX-COMP	0.009	0.62	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	NMOG	0.0067	0.055	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	NOX	0.004	0.03	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	CO	0.23	1	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	NMOG	0.01	0.01	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	NOX	0.005	0.02	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO	0.21	2.1	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	NMOG	0.0093	0.055	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	NOX	0.004	0.03	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	CO-US06	3.1	8	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	HC-NM+NOX-US06	0.006	0.14	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO-US06	3.19	11.1	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	CO-US06	3.1	8	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	HC-NM+NOX-US06	0.006	0.14	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	CO-US06	4.63	8	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	HC-NM+NOX-US06	0.002	0.14	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO-US06	4.73	11.1	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	CO-US06	4.63	8	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	HC-NM+NOX-US06	0.002	0.14	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	CO-SC03	0.38	2.7	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	HC-NM+NOX-SC03	0.002	0.2	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO-SC03	0.48	3.7	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	CO-SC03	0.38	2.7	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	HC-NM+NOX-SC03	0.002	0.2	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	CO-SC03	0.52	2.7	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	HC-NM+NOX-SC03	0.005	0.2	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO-SC03	0.61	3.7	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	CO-SC03	0.52	2.7	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	HC-NM+NOX-SC03	0.005	0.2	B3
Ford Motor Company	FORD	FOCUS SW	2	M5	3.73	3125	CA	50	CO-COLD	4.1	10	S2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	FOCUS SW	2	M5	3.73	3125	FA	50	CO-COLD	4.1	10	B3
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	CO-COLD	2.7	10	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	50	CO-COLD	2.7	10	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	50	CO-COLD	2.7	10	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	CO	0.86	4.2	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	NMOG	0.0759	0.09	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	NOX	0.052	0.07	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	CO	0.56	3.4	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	NMOG	0.06	0.075	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	NOX	0.031	0.05	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	CO	0.86	4.2	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	NMOG	0.0759	0.09	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	NOX	0.052	0.07	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	50	CO	0.56	3.4	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	50	NMOG	0.06	0.075	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	50	NOX	0.031	0.05	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	CO	0.86	4.2	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	HC-NM+NOX-COMP	0.097	0.65	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	NMOG	0.0759	0.09	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	NOX	0.052	0.07	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	50	CO	0.56	3.4	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	50	NMOG	0.06	0.075	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	50	NOX	0.031	0.05	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	50-CO	0.57	3.4	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	50-HCHO	0.0011	0.03	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	50-NMOG	0.1163	0.15	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	50-NOX	0.022	0.05	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	CO-ST2500	0	0.5	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	CO-STI	0	0.5	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	HC-ST2500	3	100	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	HC-STI	4	100	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	CO-ST2500	0	0.5	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	CO-STI	0	0.5	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	HC-ST2500	3	100	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	HC-STI	4	100	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	CO-ST2500	0	0.5	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	CO-STI	0	0.5	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	HC-ST2500	3	100	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	HC-STI	4	100	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	4	CO-US06	3.17	8	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	4	HC-NM+NOX-US06	0.023	0.14	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	CO-US06	3.66	11.1	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	4	CO-US06	3.17	8	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	4	HC-NM+NOX-US06	0.023	0.14	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	4	CO-SC03	0.12	2.7	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	4	HC-NM+NOX-SC03	0.017	0.2	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	CO-SC03	0.61	3.7	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	4	CO-SC03	0.12	2.7	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	4	HC-NM+NOX-SC03	0.017	0.2	B5
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	50	CO-COLD	3.6	10	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	CO	0.59	4.2	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	HC-NM+NOX-COMP	0.198	0.71	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	NMOG	0.0952	0.125	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	NOX	0.166	0.2	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	50	CO	0.4	3.4	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	50	NMOG	0.0714	0.1	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	50	NOX	0.129	0.14	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	CO-US06	0.74	11.1	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	4	CO-US06	0.37	8	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	4	HC-NM+NOX-US06	0.038	0.14	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	CO-SC03	0.399	3.7	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	4	CO-SC03	0.02	2.7	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	4	HC-NM+NOX-SC03	0.05	0.2	B8
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	50	CO-COLD	1.54	10	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	50	CO-COLD	1.5	10	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	50	CO-COLD	1.5	10	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	120	CO	0.75	4.2	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	120	NMOG	0.033	0.09	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	120	NOX	0.036	0.07	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	50	CO	0.59	3.4	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	50	NMOG	0.0265	0.075	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	50	NOX	0.014	0.05	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	100	CO	0.7	4.2	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	100	NMOG	0.0312	0.09	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	100	NOX	0.03	0.3	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	50	CO	0.59	3.4	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	50	NMOG	0.0265	0.075	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	CO	0.75	4.2	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	NMOG	0.0331	0.09	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	NOX	0.036	0.07	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	50	CO	0.59	3.4	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	50	NMOG	0.0265	0.075	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	50	NOX	0.014	0.05	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	50-CO	0.75	3.4	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	50-HCHO	0.0003	0.03	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	50-NMOG	0.065	0.15	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	50-NOX	0.004	0.05	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	CO-US06	0.31	8	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	HC-NM+NOX-US06	0.02	0.14	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	CO-US06	0.57	11.1	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	4	CO-US06	0.31	8	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	4	HC-NM+NOX-US06	0.02	0.14	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	CO-SC03	0.23	2.7	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	HC-NM+NOX-SC03	0.004	0.2	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	CO-SC03	0.49	3.7	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	4	CO-SC03	0.23	2.7	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	4	HC-NM+NOX-SC03	0.004	0.2	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	50	CO-COLD	4.6	10	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	50	CO-COLD	4.6	10	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	50	CO-COLD	4.6	10	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	100	NOX	0.046	0.07	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	120	CO	1.45	4.2	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	120	NMOG	0.056	0.09	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	50	CO	1.2	3.4	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	50	NMOG	0.0439	0.075	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	50	NOX	0.02	0.05	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	100	CO	1.38	4.2	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	100	NMOG	0.053	0.09	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	100	NOX	0.04	0.3	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	50	CO	1.2	3.4	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	50	HC-TOTAL	0.061	0.41	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	50	NMOG	0.044	0.075	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	CO	1.45	4.2	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	HC-NM+NOX-COMP	0.09	0.65	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	NMOG	0.056	0.09	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	NOX	0.046	0.07	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	50	CO	1.2	3.4	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	50	NMOG	0.0439	0.075	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	50	NOX	0.02	0.05	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	4	CO-US06	1.49	8	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	4	HC-NM+NOX-US06	0.024	0.14	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	CO-US06	1.9	11.1	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	4	CO-US06	1.49	8	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	4	HC-NM+NOX-US06	0.024	0.14	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	4	CO-SC03	0.76	2.7	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	CO-SC03	1.2	3.7	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	4	CO-SC03	0.76	2.7	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	50	CO-COLD	0.8	10	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	50	CO-COLD	0.8	10	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	50	CO-COLD	0.8	10	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	CO	1.36	4.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	HC-NM+NOX-COMP	0.101	0.71	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	NMOG	0.059	0.125	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	NOX	0.07	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	50	CO	1.22	3.4	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	50	NMOG	0.046	0.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	50	NOX	0.06	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	100	CO	1.36	4.2	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	100	NMOG	0.059	0.09	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	100	NOX	0.07	0.3	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	50	CO	1.22	3.4	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	50	NMOG	0.046	0.075	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	50	NOX	0.06	0.2	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	CO	1.36	4.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	HC-NM+NOX-COMP	0.101	0.71	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	NMOG	0.059	0.125	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	NOX	0.07	0.2	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	50	CO	1.22	3.4	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	50	NMOG	0.046	0.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	50	NOX	0.06	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	CO-US06	1.99	11.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	4	CO-US06	1.7	8	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	4	HC-NM+NOX-US06	0.082	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	CO-US06	1.99	11.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	4	CO-US06	1.7	8	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	4	HC-NM+NOX-US06	0.082	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	CO-SC03	0.74	3.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	4	CO-SC03	0.46	2.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	4	HC-NM+NOX-SC03	0.01	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	CO-SC03	0.74	3.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	4	CO-SC03	0.46	2.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	4	HC-NM+NOX-SC03	0.01	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	CA	100	CO-US06	1.7	11.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	CA	4	CO-US06	0.7	8	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	CA	4	HC-NM+NOX-US06	0.034	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	FA	100	CO-US06	1.7	11.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	FA	4	CO-US06	0.7	8	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	FA	4	HC-NM+NOX-US06	0.034	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	100	CO	1.25	4.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	100	HC-NM+NOX-COMP	0.116	0.71	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	100	NMOG	0.07	0.125	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	100	NOX	0.06	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	50	CO	0.76	3.4	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	50	NMOG	0.048	0.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	50	NOX	0.04	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	100	CO	1.25	4.2	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	100	NMOG	0.07	0.09	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	100	NOX	0.06	0.3	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	50	CO	0.76	3.4	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	50	NMOG	0.048	0.075	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	50	NOX	0.04	0.2	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	100	CO	1.25	4.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	100	HC-NM+NOX-COMP	0.116	0.71	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	100	NMOG	0.07	0.125	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	100	NOX	0.06	0.2	B8



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	50	CO	0.76	3.4	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	50	NMOG	0.048	0.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	50	NOX	0.04	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	CA	50	CO-COLD	2.8	10	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	CF	50	CO-COLD	2.8	10	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	FA	50	CO-COLD	2.8	10	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	CA	100	CO-SC03	0.97	3.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	CA	4	CO-SC03	0.01	2.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	CA	4	HC-NM+NOX-SC03	0	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	FA	100	CO-SC03	0.97	3.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	FA	4	CO-SC03	0.01	2.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	FA	4	HC-NM+NOX-SC03	0	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	50	CO-COLD	2.4	12.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	50	CO-COLD	2.42	12.5	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	50	CO-COLD	2.4	12.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	CO	1.26	4.2	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	HC-NM+NOX-COMP	0.123	1.03	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	NMOG	0.08	0.13	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	NOX	0.06	0.3	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	50	CO	0.76	3.4	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	50	NMOG	0.058	0.1	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	50	NOX	0.03	0.2	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	100	CO	1.26	5.5	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	100	NMOG	0.08	0.13	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	100	NOX	0.06	0.5	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	50	CO	0.76	4.4	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	50	NMOG	0.058	0.1	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	50	NOX	0.03	0.4	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	CO	1.26	4.2	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	HC-NM+NOX-COMP	0.123	1.03	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	NMOG	0.08	0.13	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	NOX	0.06	0.3	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	50	CO	0.76	3.4	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	50	NMOG	0.058	0.1	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	50	NOX	0.03	0.2	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	CO-US06	6.42	14.6	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	4	CO-US06	5.46	10.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	4	HC-NM+NOX-US06	0.037	0.25	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	CO-US06	6.42	14.6	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	4	CO-US06	5.46	10.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	4	HC-NM+NOX-US06	0.037	0.25	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	CO-SC03	1.05	4.9	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	4	CO-SC03	0.1	3.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	4	HC-NM+NOX-SC03	0.01	0.27	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	CO-SC03	1.05	4.9	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	4	CO-SC03	0.1	3.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	4	HC-NM+NOX-SC03	0.01	0.27	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	CO-COLD	3.15	12.5	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	CO-COLD	2.02	12.5	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	CO	1.25	5.5	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	HCHO	0.0014	0.023	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	NMOG	0.0593	0.13	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	NOX	0.22	0.5	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	CO	0.94	4.4	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	HCHO	0.0009	0.018	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	NMOG	0.0502	0.1	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	NOX	0.12	0.4	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	CO	1.25	4.2	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	HCHO	0.0014	0.018	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	NMOG	0.0593	0.13	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	NOX	0.22	0.3	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	CO	0.94	3.4	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	HCHO	0.0009	0.015	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	NMOG	0.0502	0.1	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	NOX	0.12	0.2	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	CO	1.09	5.5	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	NMOG	0.0366	0.2	TLEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	NOX	0.14	0.5	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	CO	0.61	4.4	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	NMOG	0.0245	0.16	TLEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	NOX	0.07	0.4	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	CO	1.09	4.2	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	HC-NM+NOX-COMP	0.208	1.05	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	NMOG	0.0366	0.156	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	NOX	0.14	0.3	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	CO	0.61	3.4	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	NMOG	0.0245	0.125	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	NOX	0.07	0.2	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	CO-US06	5.3	14.6	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	4	CO-US06	4.41	10.5	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	4	HC-NM+NOX-US06	0.07	0.25	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	CO-SC03	1.9	4.9	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	4	CO-SC03	0.99	3.5	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	4	HC-NM+NOX-SC03	0.083	0.27	B9
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	50	CO-COLD	2.5	10	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	50	CO-COLD	2.5	10	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	CO	0.95	4.2	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	HC-NM+NOX-COMP	0.162	0.71	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	NMOG	0.0926	0.125	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	NOX	0.076	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	50	CO	0.6	3.4	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	50	NMOG	0.0721	0.1	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	50	NOX	0.05	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	CO	0.95	4.2	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	HC-NM+NOX-COMP	0.162	0.71	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	NMOG	0.0926	0.125	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	NOX	0.076	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	50	CO	0.6	3.4	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	50	NMOG	0.0721	0.1	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	50	NOX	0.05	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	CO-US06	5.08	11.1	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	4	CO-US06	4.4	8	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	4	HC-NM+NOX-US06	0.052	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	CO-US06	5.08	11.1	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	4	CO-US06	4.4	8	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	4	HC-NM+NOX-US06	0.052	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	CO-SC03	1.49	3.7	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	4	CO-SC03	0.82	2.7	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	4	HC-NM+NOX-SC03	0.081	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	CO-SC03	1.49	3.7	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	4	CO-SC03	0.82	2.7	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	4	HC-NM+NOX-SC03	0.081	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	50	CO-COLD	2	10	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	50	CO-COLD	2	10	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	CO	0.84	4.2	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	HC-NM+NOX-COMP	0.113	0.65	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	NMOG	0.067	0.09	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	NOX	0.049	0.07	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	50	CO	0.5	3.4	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	50	NMOG	0.0425	0.075	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	50	NOX	0.03	0.05	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	100	CO	0.74	4.2	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	100	NMOG	0.06	0.09	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	100	NOX	0.04	0.3	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	50	CO	0.5	3.4	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	50	NMOG	0.0425	0.075	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	50	NOX	0.03	0.2	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	CO	0.84	4.2	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	HC-NM+NOX-COMP	0.113	0.65	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	NMOG	0.067	0.09	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	NOX	0.049	0.07	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	50	CO	0.5	3.4	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	50	NMOG	0.0425	0.075	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	50	NOX	0.03	0.05	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	CO-US06	0.84	11.1	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	4	CO-US06	0.27	8	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	4	HC-NM+NOX-US06	0.023	0.14	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	CO-US06	0.84	11.1	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	4	CO-US06	0.27	8	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	4	HC-NM+NOX-US06	0.023	0.14	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	CO-SC03	1.68	3.7	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	4	CO-SC03	1.11	2.7	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	4	HC-NM+NOX-SC03	0.052	0.2	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	CO-SC03	1.68	3.7	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	4	CO-SC03	1.11	2.7	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	4	HC-NM+NOX-SC03	0.052	0.2	B5
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	CO	0.83	4.2	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	HCHO	0.001	0.018	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	NMOG	0.0596	0.125	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	NOX	0.046	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	CO	0.58	3.4	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	HCHO	0.0007	0.015	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	NMOG	0.0471	0.1	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	NOX	0.034	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	CO	1.11	4.2	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	HC-NM+NOX-COMP	0.076	0.72	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	NMOG	0.0613	0.156	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	NOX	0.027	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	CO	0.86	3.4	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	NMOG	0.0488	0.125	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	NOX	0.015	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	CO-US06	1.85	11.1	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	4	CO-US06	1.4	8	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	4	HC-NM+NOX-US06	0.026	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	CO-SC03	0.61	3.7	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	4	CO-SC03	0.14	2.7	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	4	HC-NM+NOX-SC03	0.019	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3975	FC	50	CO-COLD	2.1	10	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3975	FC	50	CO-COLD	2.2	10	B8
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	50	CO-COLD	3.17	12.5	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	CO-COLD	3.17	12.5	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	120	CO	0.38	6.4	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	120	NMOG	0.0966	0.23	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	120	NOX	0.13	1	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	50	CO	0.36	4.4	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	50	NMOG	0.084	0.16	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	50	NOX	0.09	0.7	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	CO	0.38	4.2	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	HC-NM+NOX-COMP	0.169	1.44	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	NMOG	0.0966	0.18	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	NOX	0.13	0.3	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	CO	0.36	3.4	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	HC-NM+NOX-COMP	0.118	1.02	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	NMOG	0.084	0.14	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	NOX	0.09	0.2	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	CO-US06	6.305	16.9	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	CO-US06	6.28	11.6	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	CO-SC03	1.36	5.6	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	CO-SC03	1.33	3.9	B9
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	120	CO	3.6	8.1	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	120	NMOG	0.085	0.33	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	120	NOX	0.1	1	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	50	CO	2.6	5.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	50	NMOG	0.07	0.23	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	50	NOX	0.1	0.7	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	120	CO	3.6	7.3	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	120	NMOG	0.085	0.28	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	120	NOX	0.14	1.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	50	CO	2.58	5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	50	NMOG	0.0702	0.195	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	50	NOX	0.06	1.1	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	FA	120	CO	3.6	7.3	HDV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	FA	120	HC-NM	0.087	0.28	HDV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	FA	120	NOX	0.14	0.9	HDV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	CA	120	CO-US06	9.52	19.3	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	CA	50	CO-US06	8.5	13.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	FA	120	CO-US06	9.52	19.3	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	FA	50	CO-US06	8.5	13.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO-COLD	5.84	12.5	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	CO-COLD	5.84	12.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO-COLD	5.84	12.5	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	CO	3.34	4.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	HC-NM+NOX-COMP	0.22	2.09	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	NMOG	0.1036	0.156	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	NOX	0.135	0.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO	2.32	3.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	HC-NM+NOX-COMP	0.12	1.49	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	NMOG	0.0888	0.125	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	NOX	0.059	0.14	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	CO	3.34	7.3	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	NMOG	0.1036	0.28	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	NOX	0.14	1.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	CO	2.32	5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	NMOG	0.0888	0.195	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	NOX	0.06	1.1	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	CO	3.34	4.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	HC-NM+NOX-COMP	0.216	2.09	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	NMOG	0.1036	0.156	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	NOX	0.135	0.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO	2.32	3.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	HC-NM+NOX-COMP	0.125	1.49	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	NMOG	0.0888	0.125	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	NOX	0.059	0.14	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	CO-SC03	2.94	6.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO-SC03	1.93	4.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	CO-SC03	2.94	6.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO-SC03	1.93	4.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	CA	120	CO-US06	9.52	19.3	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	CA	50	CO-US06	8.5	13.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	FA	120	CO-US06	9.52	19.3	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	FA	50	CO-US06	8.5	13.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO-COLD	5.84	12.5	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	CO-COLD	5.84	12.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO-COLD	5.84	12.5	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	CO	3.34	4.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	HC-NM+NOX-COMP	0.22	2.09	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	NMOG	0.1036	0.156	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	NOX	0.135	0.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO	2.32	3.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	HC-NM+NOX-COMP	0.12	1.49	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	NMOG	0.0888	0.125	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	NOX	0.059	0.14	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	CO	3.34	7.3	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	NMOG	0.1036	0.28	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	NOX	0.14	1.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	CO	2.32	5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	NMOG	0.0888	0.195	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	NOX	0.06	1.1	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	CO	3.34	4.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	HC-NM+NOX-COMP	0.216	2.09	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	NMOG	0.1036	0.156	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	NOX	0.135	0.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO	2.32	3.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	HC-NM+NOX-COMP	0.125	1.49	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	NMOG	0.0888	0.125	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	NOX	0.059	0.14	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	CO-SC03	2.94	6.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO-SC03	1.93	4.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	CO-SC03	2.94	6.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO-SC03	1.93	4.4	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	50	CO-COLD	4.7	10	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	CO	1.29	4.2	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	HC-NM+NOX-COMP	0.064	0.71	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	NMOG	0.0649	0.125	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	NOX	0.022	0.2	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	50	CO	1.05	3.4	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	50	NMOG	0.0617	0.1	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	50	NOX	0.022	0.14	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	CO-US06	2.47	11.1	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	4	CO-US06	2.01	8	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	4	HC-NM+NOX-US06	0.039	0.14	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	CO-SC03	1.2	3.7	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	4	CO-SC03	0.74	2.7	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	4	HC-NM+NOX-SC03	0.052	0.2	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	50	CO-COLD	6.4	10	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	CO	1.54	4.2	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	HC-NM+NOX-COMP	0.164	0.71	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	NMOG	0.0763	0.125	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	NOX	0.1	0.2	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	50	CO	1.23	3.4	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	50	NMOG	0.0636	0.1	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	50	NOX	0.057	0.14	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	CO-US06	2.92	11.1	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	4	CO-US06	2.32	8	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	4	HC-NM+NOX-US06	0.034	0.14	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	CO-SC03	1.1	3.7	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	4	CO-SC03	0.5	2.7	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	4	HC-NM+NOX-SC03	0.05	0.2	B8
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO-COLD	4.5	10	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO-COLD	4.5	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO-COLD	4.5	10	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	HC-NM+NOX-COMP	0.11	0.65	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NOX	0.057	0.07	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	120	CO	0.83	4.2	L2



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	120	NMOG	0.068	0.09	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO	0.59	3.4	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NMOG	0.0436	0.075	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NOX	0.024	0.05	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	CO	0.78	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NMOG	0.061	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO	0.59	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	HC-TOTAL	0.055	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NMOG	0.044	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO	0.83	4.2	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	HC-NM+NOX-COMP	0.11	0.65	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	NMOG	0.068	0.09	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	NOX	0.057	0.07	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO	0.59	3.4	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NMOG	0.0436	0.075	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NOX	0.024	0.05	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-US06	1.1	8	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-US06	0.014	0.14	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-US06	1.1	8	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-US06	0.02	0.14	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO-US06	1.5	11.1	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-US06	1.1	8	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-US06	0.014	0.14	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-SC03	0.78	2.7	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-SC03	0.8	2.7	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-SC03	0	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO-SC03	1.2	3.7	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-SC03	0.78	2.7	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO-COLD	4.5	10	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO-COLD	4.5	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO-COLD	4.5	10	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	HC-NM+NOX-COMP	0.11	0.65	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NOX	0.056	0.07	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	120	CO	0.77	4.2	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	120	NMOG	0.058	0.09	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO	0.54	3.4	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NMOG	0.0337	0.075	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NOX	0.023	0.05	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	CO	0.72	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NMOG	0.051	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO	0.54	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	HC-TOTAL	0.044	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NMOG	0.034	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO	0.77	4.2	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	HC-NM+NOX-COMP	0.11	0.65	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	NMOG	0.058	0.09	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	NOX	0.056	0.07	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO	0.54	3.4	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NMOG	0.0337	0.075	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NOX	0.023	0.05	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-US06	1.1	8	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-US06	0.014	0.14	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-US06	1.1	8	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-US06	0.02	0.14	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO-US06	1.5	11.1	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-US06	1.1	8	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-US06	0.014	0.14	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-SC03	0.78	2.7	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-SC03	0.8	2.7	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-SC03	0	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO-SC03	1.2	3.7	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-SC03	0.78	2.7	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	CO-COLD	5	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	CO-COLD	4.9	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	CO-COLD	4.9	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO	0.8	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	HC-NM+NOX-COMP	0.09	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	NMOG	0.06	0.09	B7

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	CO	0.6	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	NMOG	0.041	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	CO	0.73	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	NMOG	0.039	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	NOX	0.03	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	CO	0.6	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	HC-TOTAL	0.04	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	NMOG	0.032	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO	0.7	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	HC-NM+NOX-COMP	0.06	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	NMOG	0.04	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	NOX	0.03	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	CO	0.6	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	NMOG	0.032	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	HC-NM+NOX-US06	0	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO-US06	1.4	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	HC-NM+NOX-US06	0	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO-SC03	1.1	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	CO-COLD	5	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	CO-COLD	4.9	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	CO-COLD	4.9	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO	0.8	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	HC-NM+NOX-COMP	0.09	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	NMOG	0.06	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	CO	0.6	3.4	B7

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	NMOG	0.041	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	CO	0.73	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	NMOG	0.039	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	NOX	0.03	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	CO	0.6	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	HC-TOTAL	0.04	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	NMOG	0.032	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO	0.7	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	HC-NM+NOX-COMP	0.06	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	NMOG	0.04	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	NOX	0.03	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	CO	0.6	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	NMOG	0.032	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	HC-NM+NOX-US06	0	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO-US06	1.4	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	HC-NM+NOX-US06	0	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO-SC03	1.1	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO-COLD	4.5	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO-COLD	4.5	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO-COLD	4.5	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO	0.8	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	HC-NM+NOX-COMP	0.1	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NMOG	0.06	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO	0.6	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NMOG	0.044	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NOX	0.02	0.11	B7

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	CO	0.76	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NMOG	0.061	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO	0.59	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	HC-TOTAL	0.055	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NMOG	0.044	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO	0.8	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	HC-NM+NOX-COMP	0.1	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	NMOG	0.06	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO	0.6	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NMOG	0.044	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-US06	0.02	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-US06	1.1	8	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-US06	0.02	0.14	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-US06	0.02	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-SC03	0.8	2.7	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-SC03	0	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO-COLD	4.5	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO-COLD	4.5	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO-COLD	4.5	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO	0.7	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	HC-NM+NOX-COMP	0.09	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NMOG	0.05	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO	0.5	3.4	B7

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NMOG	0.034	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	CO	0.71	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NMOG	0.051	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO	0.54	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	HC-TOTAL	0.044	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NMOG	0.034	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO	0.7	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	HC-NM+NOX-COMP	0.09	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	NMOG	0.05	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO	0.5	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NMOG	0.034	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-US06	0.02	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-US06	1.1	8	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-US06	0.02	0.14	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-US06	0.02	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-SC03	0.8	2.7	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-SC03	0	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	50	CO-COLD	5.07	12.5	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	120	CO	0.85	4.2	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	120	NMOG	0.043	0.09	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	120	NOX	0.024	0.07	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	50	CO	0.66	3.4	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	50	NMOG	0.031	0.075	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	50	NOX	0.011	0.05	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	50-CO	1.65	3.4	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	50-HCHO	0.0006	0.03	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	50-NMOG	0.1039	0.15	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	50-NOX	0.006	0.05	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	CO-US06	4.59	10.5	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	HC-NM+NOX-US06	0.066	0.25	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	CO-SC03	0.94	3.5	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	HC-NM+NOX-SC03	0.033	0.27	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	50	CO-COLD	4.73	12.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	50	CO-COLD	4.73	12.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	CO	0.85	4.2	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	HC-NM+NOX-COMP	0.122	1.04	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	NMOG	0.063	0.13	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	NOX	0.07	0.3	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	50	CO	0.68	3.4	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	50	NMOG	0.0456	0.1	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	50	NOX	0.04	0.2	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	100	CO	0.85	5.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	100	NMOG	0.063	0.13	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	100	NOX	0.07	0.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	50	CO	0.68	4.4	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	50	NMOG	0.0456	0.1	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	50	NOX	0.04	0.4	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	CO	0.85	4.2	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	HC-NM+NOX-COMP	0.122	1.04	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	NMOG	0.063	0.13	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	NOX	0.07	0.3	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	50	CO	0.68	3.4	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	50	NMOG	0.0456	0.1	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	50	NOX	0.04	0.2	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	CO-US06	1.96	14.6	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	4	CO-US06	1.64	10.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	4	HC-NM+NOX-US06	0.074	0.25	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	CO-US06	1.96	14.6	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	4	CO-US06	1.64	10.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	4	HC-NM+NOX-US06	0.074	0.25	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	CO-SC03	0.69	4.9	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	4	CO-SC03	0.37	3.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	4	HC-NM+NOX-SC03	0.024	0.27	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	CO-SC03	0.69	4.9	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	4	CO-SC03	0.37	3.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	4	HC-NM+NOX-SC03	0.024	0.27	B9
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO-COLD	2.51	10	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO-COLD	2.51	10.5	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO-COLD	2.51	10	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	CO	0.48	4.2	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NMOG	0.072	0.09	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NOX	0.037	0.07	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO	0.26	3.4	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0424	0.075	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NOX	0.023	0.05	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	CO	0.42	4.2	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NMOG	0.064	0.09	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NOX	0.03	0.3	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO	0.26	3.4	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NMOG	0.0424	0.075	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO	0.48	4.2	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	HC-NM+NOX-COMP	0.115	0.65	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NMOG	0.072	0.09	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NOX	0.037	0.07	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO	0.26	3.4	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0424	0.075	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NOX	0.023	0.05	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-US06	3.27	8	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.094	0.14	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-US06	3.65	11.1	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-US06	3.27	8	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.094	0.14	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.33	2.7	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-SC03	0.71	3.7	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.33	2.7	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO-COLD	2.51	12.5	L2



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO-COLD	2.51	12.5	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO-COLD	2.51	12.5	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	CO	0.48	4.2	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NMOG	0.072	0.09	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NOX	0.037	0.07	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO	0.26	3.4	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0424	0.075	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NOX	0.023	0.05	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	CO	0.42	5.5	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NMOG	0.064	0.13	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NOX	0.03	0.5	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO	0.26	4.4	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NMOG	0.042	0.1	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NOX	0.02	0.4	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO	0.48	4.2	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	HC-NM+NOX-COMP	0.115	0.95	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NMOG	0.072	0.09	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NOX	0.037	0.07	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO	0.26	3.4	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0424	0.075	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NOX	0.023	0.05	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-US06	3.27	10.5	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.094	0.25	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-US06	3.65	14.6	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-US06	3.27	10.5	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.094	0.25	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.33	3.5	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.01	0.27	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-SC03	0.71	4.9	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.33	3.5	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.01	0.27	B5
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	50	CO-COLD	2.25	12.5	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	100	CO	1.24	5.5	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	100	NMOG	0.0677	0.13	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	100	NOX	0.08	0.5	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	120	HC-TOTAL	0.11	0.8	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	50	CO	0.75	4.4	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	50	NMOG	0.0465	0.1	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	50	NOX	0.05	0.4	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	CO	1.24	4.2	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	HC-NM+NOX-COMP	0.156	1	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	NMOG	0.0677	0.125	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	NOX	0.08	0.2	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	50	CO	0.75	3.4	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	50	NMOG	0.0465	0.1	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	50	NOX	0.052	0.14	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	CO-US06	6.29	14.6	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	4	CO-US06	5.36	10.5	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	4	HC-NM+NOX-US06	0.062	0.25	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	CO-SC03	3.47	4.9	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	4	CO-SC03	2.54	3.5	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	4	HC-NM+NOX-SC03	0.069	0.27	B8
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	50	CO-COLD	2.34	12.5	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	50	CO-COLD	2.3	12.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	50	CO-COLD	2.34	12.5	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	120	CO	1.07	4.2	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	120	NMOG	0.0615	0.09	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	120	NOX	0.05	0.07	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	50	CO	0.69	3.4	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	50	NMOG	0.0451	0.075	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	50	NOX	0.02	0.05	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	120	CO	1.07	5.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	120	NMOG	0.0615	0.13	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	120	NOX	0.05	0.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	50	CO	0.69	4.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	50	NMOG	0.045	0.1	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	50	NOX	0.02	0.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	CO	1.07	4.2	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	HC-NM+NOX-COMP	0.09	0.95	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	NMOG	0.0615	0.09	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	NOX	0.05	0.07	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	50	CO	0.69	3.4	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	50	NMOG	0.0451	0.075	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	50	NOX	0.02	0.05	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	4	CO-US06	4.02	10.5	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	4	HC-NM+NOX-US06	0.024	0.25	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	CO-US06	4.6	14.6	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	4	CO-US06	4.02	10.5	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	4	HC-NM+NOX-US06	0.024	0.25	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	4	CO-SC03	1.3	3.5	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	4	HC-NM+NOX-SC03	0.014	0.27	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	CO-SC03	1.9	4.9	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	4	CO-SC03	1.3	3.5	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	4	HC-NM+NOX-SC03	0.014	0.27	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO-COLD	3.35	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO-COLD	3.35	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO-COLD	2.69	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO-COLD	2.69	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO	1.82	4.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	HCHO	0.0016	0.018	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NMOG	0.083	0.13	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NOX	0.22	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO	1.09	3.4	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	HCHO	0.0012	0.015	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NMOG	0.07	0.1	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NOX	0.14	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	CO	1.82	5.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	HCHO	0.002	0.023	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NMOG	0.083	0.13	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NOX	0.22	0.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	CO	1.09	4.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	HCHO	0.001	0.018	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NMOG	0.0697	0.1	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NOX	0.14	0.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO	1.82	4.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	HCHO	0.0016	0.018	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NMOG	0.083	0.13	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NOX	0.22	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO	1.09	3.4	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	HCHO	0.0012	0.015	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NMOG	0.07	0.1	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NOX	0.14	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO	2.16	4.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	HC-NM+NOX-COMP	0.22	1.05	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NMOG	0.0628	0.156	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NOX	0.19	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO	1.42	3.4	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NMOG	0.0495	0.125	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NOX	0.11	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	CO	2.16	5.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NMOG	0.0628	0.2	TLEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NOX	0.19	0.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	CO	1.42	4.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NMOG	0.0495	0.16	TLEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NOX	0.11	0.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO	2.16	4.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	HC-NM+NOX-COMP	0.22	1.05	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NMOG	0.0628	0.156	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NOX	0.19	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO	1.42	3.4	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NMOG	0.0495	0.125	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NOX	0.11	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO-US06	6.6	14.6	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	CO-US06	5.92	10.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	HC-NM+NOX-US06	0.047	0.25	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO-US06	6.6	14.6	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	CO-US06	5.92	10.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	HC-NM+NOX-US06	0.047	0.25	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO-SC03	2.2	4.9	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	CO-SC03	0.82	3.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	HC-NM+NOX-SC03	0.028	0.27	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO-SC03	2.2	4.9	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	CO-SC03	0.82	3.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	HC-NM+NOX-SC03	0.028	0.27	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO-COLD	3.35	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO-COLD	3.35	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO	2.16	4.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	HC-NM+NOX-COMP	0.22	1.04	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NMOG	0.063	0.13	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NOX	0.19	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO	1.42	3.4	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NMOG	0.05	0.1	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NOX	0.11	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	CO	2.16	5.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NMOG	0.0628	0.13	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NOX	0.19	0.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	CO	1.42	4.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NMOG	0.0495	0.1	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NOX	0.11	0.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO	2.16	4.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	HC-NM+NOX-COMP	0.22	1.04	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NMOG	0.063	0.13	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NOX	0.19	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO	1.42	3.4	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NMOG	0.05	0.1	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NOX	0.11	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO-US06	6.6	14.6	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	CO-US06	5.92	10.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	HC-NM+NOX-US06	0.047	0.25	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO-US06	6.6	14.6	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	CO-US06	5.92	10.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	HC-NM+NOX-US06	0.047	0.25	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO-SC03	2.2	4.9	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	CO-SC03	0.82	3.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	HC-NM+NOX-SC03	0.028	0.27	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO-SC03	2.2	4.9	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	CO-SC03	0.82	3.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	HC-NM+NOX-SC03	0.028	0.27	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	50	CO-COLD	2.07	10	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	50	CO-COLD	2.07	10	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	CO	0.72	4.2	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	HC-NM+NOX-COMP	0.079	0.73	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	HCHO	0.0003	0.018	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	NMOG	0.0431	0.09	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	NOX	0.08	0.3	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	50	CO	0.62	3.4	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	50	HCHO	0.0003	0.015	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	50	NMOG	0.0409	0.075	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	50	NOX	0.07	0.2	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	100	CO	1	4.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	100	HCHO	0.0004	0.018	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	100	NMOG	0.0351	0.09	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	100	NOX	0.11	0.3	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	50	CO	0.87	3.4	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	50	HCHO	0.0004	0.015	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	50	NMOG	0.0333	0.075	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	50	NOX	0.09	0.2	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	50-CO	1.05	3.4	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	50-HCHO	0.0005	0.03	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	50-NMOG	0.0639	0.15	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	50-NOX	0.04	0.2	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	CO-US06	2.87	8	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	HC-NM+NOX-US06	0.07	0.14	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	CO-US06	4.93	11.1	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	4	CO-US06	3.67	8	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	4	HC-NM+NOX-US06	0.03	0.14	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	CO-SC03	1.11	2.7	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	HC-NM+NOX-SC03	0.045	0.2	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	CO-SC03	1.83	3.7	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	4	CO-SC03	1.36	2.7	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	4	HC-NM+NOX-SC03	0.05	0.2	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	50	CO-COLD	2.07	10	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	50	CO-COLD	2.07	10	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	CO	0.72	4.2	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	HC-NM+NOX-COMP	0.079	0.73	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	HCHO	0.0003	0.018	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	NMOG	0.0431	0.09	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	NOX	0.08	0.3	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	50	CO	0.62	3.4	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	50	HCHO	0.0003	0.015	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	50	NMOG	0.0409	0.075	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	50	NOX	0.07	0.2	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	100	CO	1	4.2	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	100	HCHO	0.0004	0.018	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	100	NMOG	0.0351	0.09	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	100	NOX	0.11	0.3	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	50	CO	0.87	3.4	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	50	HCHO	0.0004	0.015	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	50	NMOG	0.0333	0.075	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	50	NOX	0.09	0.2	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	50-CO	1.05	3.4	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	50-HCHO	0.0005	0.03	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	50-NMOG	0.0639	0.15	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	50-NOX	0.04	0.2	LEV
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	CO-US06	2.87	8	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	HC-NM+NOX-US06	0.07	0.14	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	CO-US06	4.93	11.1	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	4	CO-US06	3.67	8	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	4	HC-NM+NOX-US06	0.03	0.14	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	CO-SC03	1.11	2.7	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	CA	4	HC-NM+NOX-SC03	0.045	0.2	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	100	CO-SC03	1.83	3.7	B9
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	4	CO-SC03	1.36	2.7	N/A
FUJI HEAVY IND	SUBARU	BAJA AWD	2.5	S4	4.44	4000	FA	4	HC-NM+NOX-SC03	0.05	0.2	N/A
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	50	CO-COLD	3.08	10	N/A
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	FA	50	CO-COLD	3.08	10	B10
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	FA	100	CO	0.73	4.2	B10
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	FA	100	HC-NM+NOX-COMP	0.167	0.86	B10
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	FA	100	HCHO	0.0003	0.018	B10
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	FA	100	NMOG	0.0485	0.156	B10
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	FA	100	NOX	0.17	0.6	B10
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	FA	50	CO	0.63	3.4	B10
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	FA	50	HCHO	0.0003	0.015	B10
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	FA	50	NMOG	0.046	0.125	B10
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	FA	50	NOX	0.15	0.4	B10
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	100	CO	0.64	4.2	LEV
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	100	HCHO	0.0003	0.018	LEV
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	100	NMOG	0.036	0.09	LEV
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	100	NOX	0.14	0.3	LEV
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	50	CO	0.56	3.4	LEV
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	50	HCHO	0.0003	0.015	LEV
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	50	NMOG	0.0344	0.075	LEV
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	50	NOX	0.12	0.2	LEV
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	4	50-CO	0.74	3.4	LEV
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	4	50-HCHO	0.0006	0.03	LEV
FUJI HEAVY IND	SUBARU	IMPREZA AWD	2.5	M6	3.9	3625	CA	4	50-NMOG	0.066	0.15	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
FUJI HEAVY IND	SUBARU	IMPENZA AWD	2.5	M6	3.9	3625	CA	4	50-NOX	0.09	0.2	LEV
FUJI HEAVY IND	SUBARU	IMPENZA AWD	2.5	M6	3.9	3625	CA	4	CO-US06	1.91	8	N/A
FUJI HEAVY IND	SUBARU	IMPENZA AWD	2.5	M6	3.9	3625	CA	4	HC-NM+NOX-US06	0.092	0.14	N/A
FUJI HEAVY IND	SUBARU	IMPENZA AWD	2.5	M6	3.9	3625	FA	100	CO-US06	1.86	11.1	B10
FUJI HEAVY IND	SUBARU	IMPENZA AWD	2.5	M6	3.9	3625	FA	4	CO-US06	1.38	8	N/A
FUJI HEAVY IND	SUBARU	IMPENZA AWD	2.5	M6	3.9	3625	FA	4	HC-NM+NOX-US06	0.079	0.14	N/A
FUJI HEAVY IND	SUBARU	IMPENZA AWD	2.5	M6	3.9	3625	CA	4	CO-SC03	0.13	2.7	N/A
FUJI HEAVY IND	SUBARU	IMPENZA AWD	2.5	M6	3.9	3625	CA	4	HC-NM+NOX-SC03	0.129	0.2	N/A
FUJI HEAVY IND	SUBARU	IMPENZA AWD	2.5	M6	3.9	3625	FA	100	CO-SC03	0.25	3.7	B10
FUJI HEAVY IND	SUBARU	IMPENZA AWD	2.5	M6	3.9	3625	FA	4	CO-SC03	0.18	2.7	N/A
FUJI HEAVY IND	SUBARU	IMPENZA AWD	2.5	M6	3.9	3625	FA	4	HC-NM+NOX-SC03	0.115	0.2	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	50	CO-COLD	1.74	10	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	CO	0.69	4.2	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	HC-NM+NOX-COMP	0.051	0.65	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	NMOG	0.0574	0.09	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	NOX	0.021	0.07	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	50	CO	0.59	3.4	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	50	NMOG	0.0528	0.075	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	50	NOX	0.017	0.05	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	120	CO	0.61	4.2	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	120	HCHO	0.0004	0.018	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	120	NMOG	0.0409	0.09	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	120	NOX	0.022	0.07	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	50	CO	0.52	3.4	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	50	HCHO	0.0003	0.015	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	50	NMOG	0.0376	0.075	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	50	NOX	0.018	0.05	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	50-CO	0.94	3.4	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	50-HCHO	0.0005	0.03	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	50-NMOG	0.1065	0.15	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	50-NOX	0.018	0.05	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	CO-US06	4.72	8	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	HC-NM+NOX-US06	0.064	0.14	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	CO-US06	3.81	11.1	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	4	CO-US06	2.91	8	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	4	HC-NM+NOX-US06	0.033	0.14	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	CO-SC03	0.7	2.7	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	HC-NM+NOX-SC03	0.039	0.2	N/A



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	CO-SC03	1.53	3.7	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	4	CO-SC03	1.17	2.7	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	4	HC-NM+NOX-SC03	0.027	0.2	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	50	CO-COLD	1.74	10	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	CO	0.69	4.2	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	HC-NM+NOX-COMP	0.051	0.65	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	NMOG	0.0574	0.09	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	NOX	0.021	0.07	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	50	CO	0.59	3.4	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	50	NMOG	0.0528	0.075	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	50	NOX	0.017	0.05	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	120	CO	0.61	4.2	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	120	HCHO	0.0004	0.018	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	120	NMOG	0.0409	0.09	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	120	NOX	0.022	0.07	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	50	CO	0.52	3.4	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	50	HCHO	0.0003	0.015	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	50	NMOG	0.0376	0.075	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	50	NOX	0.018	0.05	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	50-CO	0.94	3.4	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	50-HCHO	0.0005	0.03	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	50-NMOG	0.1065	0.15	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	50-NOX	0.018	0.05	L2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	CO-US06	4.72	8	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	HC-NM+NOX-US06	0.064	0.14	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	CO-US06	3.81	11.1	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	4	CO-US06	2.91	8	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	4	HC-NM+NOX-US06	0.033	0.14	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	CO-SC03	0.7	2.7	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	CA	4	HC-NM+NOX-SC03	0.039	0.2	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	120	CO-SC03	1.53	3.7	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	4	CO-SC03	1.17	2.7	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.11	3750	FA	4	HC-NM+NOX-SC03	0.027	0.2	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	50	CO-COLD	1.58	10	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	50	CO-COLD	1.58	10	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	150	CO	0.56	1	S2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	150	HCHO	0.0007	0.004	S2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	150	NMOG	0.0078	0.01	S2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	150	NOX	0.013	0.02	S2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	CO	0.56	4.2	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	HC-NM+NOX-COMP	0.02	0.65	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	HCHO	0.0007	0.018	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	NMOG	0.0088	0.09	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	NOX	0.014	0.07	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	50	CO	0.47	3.4	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	50	HCHO	0.0007	0.015	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	50	NMOG	0.0082	0.075	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	50	NOX	0.012	0.05	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	150	CO	0.44	1	S2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	150	HCHO	0.0004	0.004	S2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	150	NMOG	0.0072	0.01	S2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	150	NOX	0.011	0.02	S2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	CO	0.45	4.2	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	HC-NM+NOX-COMP	0.023	0.65	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	HCHO	0.0004	0.018	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	NMOG	0.0082	0.09	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	NOX	0.012	0.07	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	50	CO	0.36	3.4	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	50	HCHO	0.0004	0.015	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	50	NMOG	0.0076	0.075	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	50	NOX	0.01	0.05	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	50-CO	0.37	1	S2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	50-HCHO	0.0008	0.008	S2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	50-NMOG	0.0115	0.02	S2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	50-NOX	0.004	0.02	S2
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	CO-US06	6.04	8	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	HC-NM+NOX-US06	0.021	0.14	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	CO-US06	6.29	11.1	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	4	CO-US06	6.04	8	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	4	HC-NM+NOX-US06	0.021	0.14	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	CO-US06	5.83	8	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	HC-NM+NOX-US06	0.026	0.14	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	CO-US06	6.08	11.1	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	4	CO-US06	5.83	8	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	4	HC-NM+NOX-US06	0.026	0.14	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	CO-SC03	0.68	2.7	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	HC-NM+NOX-SC03	0.016	0.2	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	CO-SC03	0.92	3.7	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	4	CO-SC03	0.68	2.7	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	4	HC-NM+NOX-SC03	0.016	0.2	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	CO-SC03	0.27	2.7	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	CA	4	HC-NM+NOX-SC03	0.002	0.2	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	120	CO-SC03	0.51	3.7	B5
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	4	CO-SC03	0.27	2.7	N/A
FUJI HEAVY IND	SUBARU	LEGACY WAGON AWD	2.5	S4	4.44	3875	FA	4	HC-NM+NOX-SC03	0.002	0.2	N/A
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	50	CO-COLD	4.6	10	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	150	CO	0.2	1	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	150	NMOG	0.006	0.01	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	150	NOX	0.01	0.02	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	50-CO	0.4	1	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	50-NMOG	0.013	0.02	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	50-NOX	0.01	0.02	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	CO-US06	1.3	8	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	HC-NM+NOX-US06	0.01	0.14	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	CO-SC03	0.1	2.7	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	HC-NM+NOX-SC03	0.03	0.2	SLEV
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	CO-COLD	3.6	10	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO	1	4.2	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	HC-NM+NOX-COMP	0.12	0.71	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	NMOG	0.062	0.125	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	NOX	0.09	0.2	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	CO	1	3.4	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	NMOG	0.057	0.1	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	NOX	0.06	0.14	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO-US06	0.7	11.1	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	CO-US06	0.6	8	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	HC-NM+NOX-US06	0.06	0.14	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO-SC03	0.2	3.7	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	CO-SC03	0.1	2.7	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	HC-NM+NOX-SC03	0.03	0.2	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	CO-COLD	3.6	10	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO	1	4.2	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	HC-NM+NOX-COMP	0.12	0.71	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	NMOG	0.062	0.125	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	NOX	0.09	0.2	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	CO	1	3.4	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	NMOG	0.057	0.1	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	NOX	0.06	0.14	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO-US06	0.7	11.1	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	CO-US06	0.6	8	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	HC-NM+NOX-US06	0.06	0.14	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO-SC03	0.2	3.7	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	CO-SC03	0.1	2.7	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	HC-NM+NOX-SC03	0.03	0.2	B8
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	120	CO	2.3	4.2	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	120	NMOG	0.076	0.09	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	120	NOX	0.05	0.07	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CF	120	CO	2.3	4.2	LEV
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	CO	2.3	4.2	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	HC-NM+NOX-COMP	0.09	0.95	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	NMOG	0.076	0.09	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	NOX	0.05	0.07	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	4	CO-US06	5.9	10.5	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	4	HC-NM+NOX-US06	0.04	0.25	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	CO-US06	3	14.6	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	4	CO-US06	5.9	10.5	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	4	HC-NM+NOX-US06	0.04	0.25	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	4	CO-SC03	1.5	3.5	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	4	HC-NM+NOX-SC03	0.04	0.27	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	CO-SC03	2.1	4.9	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	4	CO-SC03	1.5	3.5	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	4	HC-NM+NOX-SC03	0.04	0.27	B5
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	CO-COLD	3.1	10	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO	0.9	4.2	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	HC-NM+NOX-COMP	0.16	0.71	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	NMOG	0.044	0.125	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	NOX	0.08	0.2	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	CO	0.9	3.4	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	NMOG	0.044	0.1	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	NOX	0.08	0.14	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO-US06	6.8	11.1	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	CO-US06	5.5	8	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	HC-NM+NOX-US06	0.08	0.14	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO-SC03	1.2	3.7	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	CO-SC03	0.6	2.7	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	HC-NM+NOX-SC03	0.06	0.2	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	CO-COLD	3.1	10	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO	0.9	4.2	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	HC-NM+NOX-COMP	0.16	0.71	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	NMOG	0.044	0.125	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	NOX	0.08	0.2	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	CO	0.9	3.4	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	NMOG	0.044	0.1	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	NOX	0.08	0.14	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO-US06	6.8	11.1	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	CO-US06	5.5	8	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	HC-NM+NOX-US06	0.08	0.14	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO-SC03	1.2	3.7	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	CO-SC03	0.6	2.7	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	HC-NM+NOX-SC03	0.06	0.2	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	50	CO-COLD	2.8	10	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	CO	0.4	4.2	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	HC-NM+NOX-COMP	0.11	0.71	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	NMOG	0.044	0.125	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	NOX	0.03	0.2	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	50	CO	0.4	3.4	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	50	NMOG	0.044	0.1	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	50	NOX	0.03	0.14	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	CO-US06	1.2	11.1	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	4	CO-US06	1.2	8	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	4	HC-NM+NOX-US06	0.12	0.14	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	CO-SC03	0.1	3.7	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	4	CO-SC03	0.1	2.7	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	4	HC-NM+NOX-SC03	0.15	0.2	B8
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	50	CO-COLD	4.7	12.5	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	CF	100	CO	1.5	4.2	LEV
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	CO	1.5	4.2	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	HC-NM+NOX-COMP	0.19	1.04	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	NMOG	0.07	0.13	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	NOX	0.1	0.3	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	50	CO	1.1	3.4	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	50	NMOG	0.053	0.1	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	CO-US06	4.4	14.6	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	4	CO-US06	3.7	10.5	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	4	HC-NM+NOX-US06	0.15	0.25	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	CO-SC03	1.8	4.9	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	4	CO-SC03	1.1	3.5	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	4	HC-NM+NOX-SC03	0.07	0.27	B9
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	CO-COLD	2.9	10	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	CO-COLD	2.9	10	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	CO	0.4	4.2	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	NMOG	0.048	0.09	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	CO	0.4	3.4	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	NMOG	0.041	0.075	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	NOX	0.03	0.05	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CF	120	CO	0.4	4.2	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO	0.4	4.2	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	NMOG	0.048	0.09	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	CO	0.4	3.4	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	NMOG	0.041	0.075	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	NOX	0.03	0.05	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-CO	0.9	3.4	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-NMOG	0.121	0.15	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-NOX	0.01	0.05	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	HC-NM+NOX-US06	0.05	0.14	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO-US06	0.9	11.1	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	CO-SC03	0.5	2.7	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO-SC03	0.5	3.7	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	CO-SC03	0.5	2.7	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	CO-COLD	2.9	10	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	CO-COLD	2.9	10	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	CO	0.4	4.2	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	NMOG	0.048	0.09	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	CO	0.4	3.4	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	NMOG	0.041	0.075	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	NOX	0.03	0.05	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CF	120	CO	0.4	4.2	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO	0.4	4.2	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	NMOG	0.048	0.09	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	CO	0.4	3.4	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	NMOG	0.041	0.075	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	NOX	0.03	0.05	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-CO	0.9	3.4	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-NMOG	0.121	0.15	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-NOX	0.01	0.05	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	HC-NM+NOX-US06	0.05	0.14	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO-US06	0.9	11.1	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	CO-SC03	0.5	2.7	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO-SC03	0.5	3.7	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	CO-SC03	0.5	2.7	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	50	CO-COLD	3.8	10	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	50	CO-COLD	3.8	10	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	100	CO	1.6	4.2	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	100	NMOG	0.075	0.09	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	100	NOX	0.1	0.3	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	50	CO	1.2	3.4	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	50	NMOG	0.058	0.075	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	50	NOX	0.1	0.2	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CF	100	CO	1.6	4.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	CO	1.6	4.2	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	HC-NM+NOX-COMP	0.19	0.73	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	NMOG	0.075	0.09	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	NOX	0.1	0.3	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	50	CO	1.2	3.4	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	50	NMOG	0.058	0.075	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	50	NOX	0.1	0.2	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	4	CO-US06	2	8	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	4	HC-NM+NOX-US06	0.09	0.14	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	CO-US06	2.7	11.1	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	4	CO-US06	2	8	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	4	HC-NM+NOX-US06	0.09	0.14	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	4	CO-SC03	1.8	2.7	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	4	HC-NM+NOX-SC03	0.14	0.2	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	CO-SC03	2.5	3.7	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	4	CO-SC03	1.8	2.7	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	4	HC-NM+NOX-SC03	0.14	0.2	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	CO-COLD	3.3	12.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	CF	100	CO	2.6	4.2	LEV
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO	2.6	4.2	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	HC-NM+NOX-COMP	0.15	1.04	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	NMOG	0.087	0.13	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	CO	1.8	3.4	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	NMOG	0.066	0.1	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO-US06	2	14.6	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	CO-US06	0.4	10.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	HC-NM+NOX-US06	0.04	0.25	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO-SC03	1.9	4.9	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	CO-SC03	0.3	3.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	HC-NM+NOX-SC03	0.02	0.27	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	CO-COLD	3.3	12.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	CF	100	CO	2.6	4.2	LEV
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO	2.6	4.2	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	HC-NM+NOX-COMP	0.15	1.04	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	NMOG	0.087	0.13	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	NOX	0.1	0.3	B9



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	CO	1.8	3.4	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	NMOG	0.066	0.1	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO-US06	2	14.6	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	CO-US06	0.4	10.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	HC-NM+NOX-US06	0.04	0.25	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO-SC03	1.9	4.9	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	CO-SC03	0.3	3.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	HC-NM+NOX-SC03	0.02	0.27	B9
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	50	CO-COLD	3.6	12.5	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	50	CO-COLD	3.6	12.5	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	120	CO	2.9	6.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	120	NMOG	0.103	0.23	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	120	NOX	0.1	0.6	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	50	CO	1.8	4.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	50	NMOG	0.074	0.16	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	50	NOX	0.1	0.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CF	120	CO	2.9	6.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	CO	2.9	6.4	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	HC-NM+NOX-COMP	0.18	1.23	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	NMOG	0.103	0.23	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	NOX	0.1	0.6	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	50	CO	1.8	4.4	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	50	NMOG	0.074	0.16	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	50-CO	0.9	4.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	50-NMOG	0.097	0.32	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	50-NOX	0	0.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	CO-US06	7	10.5	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	HC-NM+NOX-US06	0.04	0.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	CO-US06	9	16.9	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	4	CO-US06	7	10.5	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	4	HC-NM+NOX-US06	0	0.4	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	CO-SC03	0.4	3.5	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	HC-NM+NOX-SC03	0.05	0.31	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	CO-SC03	2.3	5.6	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	4	CO-SC03	0.4	3.5	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	4	HC-NM+NOX-SC03	0.05	0.31	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	1.8	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.071	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1.3	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.057	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	2.1	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	2.1	6.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.135	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.121	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	1.5	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	1.5	6.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.07	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.056	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO-US06	1.4	16.9	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	CO-US06	0.6	10.5	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-US06	0	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO-SC03	1.4	5.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	CO-SC03	0.6	3.5	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-SC03	0.05	0.31	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	1.8	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.071	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1.3	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.057	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	2.1	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	2.1	6.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.135	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.121	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	1.5	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	1.5	6.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.07	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.056	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO-US06	1.4	16.9	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	CO-US06	0.6	10.5	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-US06	0	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO-SC03	1.4	5.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	CO-SC03	0.6	3.5	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-SC03	0.05	0.31	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO-COLD	4.1	12.5	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1	3.7	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	CO	1	2.5	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HCHO	0.001	0.027	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.017	0.28	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.1	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	HCHO	0.001	0.018	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.017	0.195	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1.6	6.4	LEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1.6	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HC-NM+NOX-COMP	0.18	1.67	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.085	0.28	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.085	0.195	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.2	0.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO-US06	1	19.3	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	CO-US06	1	11.8	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	HC-NM+NOX-US06	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO-SC03	0.8	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	CO-SC03	0.8	4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	HC-NM+NOX-SC03	0.14	0.44	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO-COLD	4.1	12.5	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1	3.7	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	CO	1	2.5	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HCHO	0.001	0.027	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.017	0.28	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.1	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	HCHO	0.001	0.018	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.017	0.195	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1.6	6.4	LEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1.6	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HC-NM+NOX-COMP	0.18	1.67	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.085	0.28	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.085	0.195	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.2	0.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO-US06	1	19.3	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	CO-US06	1	11.8	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	HC-NM+NOX-US06	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO-SC03	0.8	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	CO-SC03	0.8	4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	HC-NM+NOX-SC03	0.14	0.44	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1	3.7	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	NMOG	0.017	0.167	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	CO	1	2.5	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	NMOG	0.017	0.117	ULEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1	4.2	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HCHO	0.001	0.018	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.017	0.156	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.1	0.2	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1	3.4	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	HCHO	0.001	0.015	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.017	0.125	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.1	0.14	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1	3.7	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	NMOG	0.017	0.167	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	CO	1	2.5	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	NMOG	0.017	0.117	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1	4.2	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HCHO	0.001	0.018	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.017	0.156	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.1	0.2	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1	3.4	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	HCHO	0.001	0.015	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.017	0.125	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.1	0.14	B8
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	50	CO-COLD	5.6	10	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	50	CO-COLD	5.6	10	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	100	CO	0.6	4.2	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	100	NMOG	0.042	0.09	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	100	NOX	0	0.3	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	50	CO	0.6	3.4	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	50	NMOG	0.042	0.075	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	50	NOX	0	0.2	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CF	100	CO	0.6	4.2	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	CO	0.6	4.2	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	NMOG	0.042	0.09	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	NOX	0	0.3	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	50	CO	0.6	3.4	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	50	NMOG	0.042	0.075	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	50	NOX	0	0.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	4	CO-US06	0.9	8	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	4	HC-NM+NOX-US06	0.04	0.14	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	CO-US06	0.6	11.1	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	4	CO-US06	0.9	8	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	4	CO-SC03	0.8	2.7	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	4	HC-NM+NOX-SC03	0.04	0.2	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	CO-SC03	1.2	3.7	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	4	CO-SC03	0.8	2.7	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	4	HC-NM+NOX-SC03	0.04	0.2	B9
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	CA	4	CO-US06	1.5	8	L2
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	CA	4	HC-NM+NOX-US06	0.01	0.14	L2
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	FA	4	CO-US06	1.5	8	B5
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	FA	4	HC-NM+NOX-US06	0.01	0.14	B5
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	CA	4	CO-SC03	1.3	2.7	L2
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	CA	4	HC-NM+NOX-SC03	0.03	0.2	L2
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	FA	4	CO-SC03	1.3	2.7	B5
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	FA	4	HC-NM+NOX-SC03	0.03	0.2	B5
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	CF	100	CO	0.9	4.2	LEV
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	CO	0.9	4.2	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	HC-NM+NOX-COMP	0.3	1.04	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	NMOG	0.069	0.13	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	NOX	0.2	0.3	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	CO-US06	2.8	14.6	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	4	CO-US06	0.4	10.5	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	4	HC-NM+NOX-US06	0.08	0.25	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	CO-SC03	1.6	4.9	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	4	CO-SC03	0.2	3.5	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	4	HC-NM+NOX-SC03	0.03	0.27	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	CF	100	CO	0.7	4.2	LEV
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	CO	0.7	4.2	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	HC-NM+NOX-COMP	0.26	1.04	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	NMOG	0.077	0.13	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	NOX	0.2	0.3	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	CO-US06	4.6	14.6	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	4	CO-US06	2.4	10.5	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	4	HC-NM+NOX-US06	0.08	0.25	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	CO-SC03	1.4	4.9	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	4	CO-SC03	0.2	3.5	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	4	HC-NM+NOX-SC03	0.03	0.27	B9
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO-COLD	5.2	10	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO-COLD	5.2	10	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	CO	0.6	4.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NMOG	0.04	0.09	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO	0.6	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NMOG	0.032	0.075	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CF	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NMOG	0.04	0.09	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO	0.6	3.4	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NMOG	0.032	0.075	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NOX	0.02	0.05	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-CO	0.7	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NMOG	0.038	0.15	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-US06	0.06	0.14	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-US06	1	11.1	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-US06	0.06	0.14	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-SC03	0.8	2.7	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-SC03	0.8	3.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-SC03	0.8	2.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO-COLD	5.2	10	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO-COLD	5.2	10	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	CO	0.6	4.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NMOG	0.04	0.09	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO	0.6	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NMOG	0.032	0.075	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CF	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NMOG	0.04	0.09	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO	0.6	3.4	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NMOG	0.032	0.075	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NOX	0.02	0.05	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-CO	0.7	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NMOG	0.038	0.15	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-US06	0.06	0.14	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-US06	1	11.1	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-US06	0.06	0.14	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-SC03	0.8	2.7	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-SC03	0.8	3.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-SC03	0.8	2.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO-COLD	5.2	10	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO-COLD	5.2	10	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	CO	0.6	4.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NMOG	0.04	0.09	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO	0.6	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NMOG	0.032	0.075	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CF	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NMOG	0.04	0.09	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO	0.6	3.4	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NMOG	0.032	0.075	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NOX	0.02	0.05	B5



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-CO	0.7	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NMOG	0.038	0.15	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-US06	0.06	0.14	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-US06	1	11.1	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-US06	0.06	0.14	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-SC03	0.8	2.7	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-SC03	0.8	3.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-SC03	0.8	2.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO-COLD	5.2	10	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO-COLD	5.2	10	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	CO	0.6	4.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NMOG	0.04	0.09	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO	0.6	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NMOG	0.032	0.075	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CF	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NMOG	0.04	0.09	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO	0.6	3.4	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NMOG	0.032	0.075	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NOX	0.02	0.05	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-CO	0.7	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NMOG	0.038	0.15	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-US06	0.06	0.14	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-US06	1	11.1	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-US06	0.06	0.14	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-SC03	0.8	2.7	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-SC03	0.8	3.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-SC03	0.8	2.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO-COLD	5.2	10	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO-COLD	5.2	10	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	CO	0.6	4.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NMOG	0.04	0.09	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO	0.6	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NMOG	0.032	0.075	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CF	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NMOG	0.04	0.09	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO	0.6	3.4	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NMOG	0.032	0.075	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NOX	0.02	0.05	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-CO	0.7	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NMOG	0.038	0.15	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-US06	0.06	0.14	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-US06	1	11.1	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-US06	0.06	0.14	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-SC03	0.8	2.7	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-SC03	0.8	3.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-SC03	0.8	2.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	120	CO	3.5	7.3	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	120	NMOG	0.098	0.28	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	50	CO	2.4	5	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	50	NMOG	0.088	0.195	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	50	NOX	0.1	0.6	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	4	50-CO	2.2	5	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	4	50-NMOG	0.131	0.39	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	4	50-NOX	0.1	0.6	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	CO	2.6	6.4	U2
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	NMOG	0.124	0.143	U2
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	NOX	0.2	0.2	U2
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	CO	3.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	NMOG	0.111	0.28	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	50	CO	2.6	5	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	50	NMOG	0.101	0.195	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	50	NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CF	120	CO	3.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	120	CO	3.8	7.3	B11
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	120	NMOG	0.111	0.28	B11
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	120	NOX	0.3	0.9	B11
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	50	CO	2.6	5	B11
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	50	NMOG	0.101	0.195	B11
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	50	NOX	0.2	0.6	B11
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO-COLD	3.3	12.5	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	1.8	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.071	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1.3	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.057	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	2.1	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	2.1	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.135	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.121	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	1.5	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	1.5	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	HC-NM+NOX-COMP	0.27	1.67	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.07	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.056	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO-US06	1.4	19.3	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	CO-US06	0.6	11.8	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	HC-NM+NOX-US06	0	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO-SC03	1.4	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	CO-SC03	0.6	4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	HC-NM+NOX-SC03	0.05	0.44	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO-COLD	3.3	12.5	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	1.8	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.071	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1.3	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.057	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	2.1	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	2.1	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.135	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.121	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	1.5	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	1.5	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	HC-NM+NOX-COMP	0.27	1.67	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.07	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.056	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO-US06	1.4	19.3	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	CO-US06	0.6	11.8	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	HC-NM+NOX-US06	0	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO-SC03	1.4	6.4	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	CO-SC03	0.6	4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	HC-NM+NOX-SC03	0.05	0.44	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO-COLD	3.3	12.5	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO-COLD	3.3	12.5	B10
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	50	CO-COLD	3.6	12.5	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	CF	120	CO	1.3	4.2	LEV
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	CO	1.3	4.2	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	HC-NM+NOX-COMP	0.15	1.06	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	NMOG	0.066	0.156	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	NOX	0.12	0.2	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	50	CO	1	3.4	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	50	NMOG	0.055	0.125	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	50	NOX	0.09	0.14	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	CO-US06	2.2	16.9	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	4	CO-US06	1.8	10.5	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-US06	0.1	0.4	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	CO-SC03	0.9	5.6	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	4	CO-SC03	0.4	3.5	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-SC03	0.04	0.31	B8
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	120	NMOG	0.103	0.28	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	120	NOX	0.2	0.9	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	50	NMOG	0.103	0.195	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	50	NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CF	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	120	CO	2.8	7.3	B11
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	120	NMOG	0.103	0.28	B11
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	120	NOX	0.2	0.9	B11
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	50	CO	2.8	5	B11
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	50	NMOG	0.103	0.195	B11
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	50	NOX	0.2	0.6	B11
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NMOG	0.103	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NOX	0.2	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NMOG	0.103	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NOX	0.2	0.6	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-CO	3.2	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NMOG	0.177	0.39	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-CO	3.2	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NMOG	0.177	0.39	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NMOG	0.103	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NOX	0.2	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NMOG	0.103	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-CO	3.2	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NMOG	0.177	0.39	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NMOG	0.103	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NOX	0.2	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NMOG	0.103	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-CO	3.2	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NMOG	0.177	0.39	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NMOG	0.15	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NMOG	0.15	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NOX	0.3	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NMOG	0.15	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NOX	0.3	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NMOG	0.15	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NOX	0.3	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NMOG	0.15	0.28	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NMOG	0.15	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NOX	0.3	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NMOG	0.15	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NMOG	0.15	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NOX	0.3	0.6	LEV
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	50	CO-COLD	5.7	10	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	CO	1.8	4.2	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	HC-NM+NOX-COMP	0.08	0.71	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	NMOG	0.039	0.125	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	NOX	0.08	0.2	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	50	CO	1.8	3.4	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	50	NMOG	0.039	0.1	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	50	NOX	0.08	0.14	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	CO-US06	4.7	11.1	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	4	CO-US06	4.9	8	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	4	HC-NM+NOX-US06	0.03	0.14	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	CO-SC03	1.6	3.7	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	4	CO-SC03	1.5	2.7	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	4	HC-NM+NOX-SC03	0.02	0.2	B8
GENERAL MOTORS	CHEVROLET	TRAILBLAZER 2WD	4200	L4	3.42	5000	CA	4	50-CO	1.3	3.4	L2
GENERAL MOTORS	CHEVROLET	TRAILBLAZER 2WD	4200	L4	3.42	5000	CA	4	50-NMOG	0.107	0.15	L2
GENERAL MOTORS	CHEVROLET	TRAILBLAZER 2WD	4200	L4	3.42	5000	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	CF	120	CO	1.8	4.2	LEV
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO	1.8	4.2	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	HC-NM+NOX-COMP	0.16	1.06	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	NMOG	0.102	0.156	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	NOX	0.06	0.2	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO-US06	6.4	16.9	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	CO-US06	6.9	10.5	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	HC-NM+NOX-US06	0	0.4	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO-SC03	3.5	5.6	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	CO-SC03	1.8	3.5	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	HC-NM+NOX-SC03	0.07	0.31	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	CF	120	CO	1.8	4.2	LEV
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO	1.8	4.2	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	HC-NM+NOX-COMP	0.16	1.06	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	NMOG	0.102	0.156	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	NOX	0.06	0.2	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO-US06	6.4	16.9	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	CO-US06	6.9	10.5	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	HC-NM+NOX-US06	0	0.4	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO-SC03	3.5	5.6	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	CO-SC03	1.8	3.5	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	HC-NM+NOX-SC03	0.07	0.31	B8
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO-COLD	3.9	12.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO-COLD	3.9	12.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO-COLD	3.9	12.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	CO	1.8	6.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	NMOG	0.112	0.23	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	NOX	0.2	0.6	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO	1.4	4.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	NMOG	0.099	0.16	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	NOX	0.1	0.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CF	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	HC-NM+NOX-COMP	0.34	1.23	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	NMOG	0.112	0.23	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	NOX	0.2	0.6	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO	1.4	4.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	NMOG	0.099	0.16	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	NOX	0.1	0.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	CO-US06	4	10.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	HC-NM+NOX-US06	0.12	0.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO-US06	4.8	16.9	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	CO-US06	4	10.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	CO-SC03	1.3	3.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	HC-NM+NOX-SC03	0.14	0.31	LEV



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO-SC03	2.1	5.6	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	CO-SC03	1.3	3.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	HC-NM+NOX-SC03	0.14	0.31	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO-COLD	3.9	12.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	CO	1.8	6.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	NMOG	0.112	0.23	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	NOX	0.2	0.6	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO	1.4	4.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	NMOG	0.099	0.16	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	NOX	0.1	0.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CF	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	HC-NM+NOX-COMP	0.34	1.23	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	NMOG	0.112	0.23	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	NOX	0.2	0.6	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO	1.4	4.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	NMOG	0.099	0.16	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	NOX	0.1	0.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	CO-US06	4	10.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	HC-NM+NOX-US06	0.12	0.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO-US06	4.8	16.9	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	CO-US06	4	10.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	CO-SC03	1.3	3.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	HC-NM+NOX-SC03	0.14	0.31	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO-SC03	2.1	5.6	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	CO-SC03	1.3	3.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	HC-NM+NOX-SC03	0.14	0.31	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	CO	2.7	6.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	NMOG	0.098	0.23	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	NOX	0.3	0.6	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	CO	2.2	4.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	NMOG	0.085	0.16	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	NOX	0.2	0.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CF	120	CO	2.7	6.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO	2.7	6.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	HC-NM+NOX-COMP	0.28	1.23	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	NMOG	0.098	0.23	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	NOX	0.3	0.6	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	50	CO	2.2	4.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	50	NMOG	0.085	0.16	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	50	NOX	0.2	0.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	CO-US06	2.5	10.5	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	HC-NM+NOX-US06	0.04	0.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO-US06	3.3	16.9	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	CO-US06	2.5	10.5	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	HC-NM+NOX-US06	0	0.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	CO-SC03	1.1	3.5	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	HC-NM+NOX-SC03	0.02	0.31	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO-SC03	1.9	5.6	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	CO-SC03	1.1	3.5	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	HC-NM+NOX-SC03	0.02	0.31	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	CO	2.7	6.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	NMOG	0.098	0.23	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	NOX	0.3	0.6	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	CO	2.2	4.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	NMOG	0.085	0.16	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	NOX	0.2	0.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CF	120	CO	2.7	6.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO	2.7	6.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	HC-NM+NOX-COMP	0.28	1.23	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	NMOG	0.098	0.23	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	NOX	0.3	0.6	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	50	CO	2.2	4.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	50	NMOG	0.085	0.16	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	50	NOX	0.2	0.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	CO-US06	2.5	10.5	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	HC-NM+NOX-US06	0.04	0.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO-US06	3.3	16.9	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	CO-US06	2.5	10.5	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	HC-NM+NOX-US06	0	0.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	CO-SC03	1.1	3.5	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	HC-NM+NOX-SC03	0.02	0.31	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO-SC03	1.9	5.6	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	CO-SC03	1.1	3.5	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	HC-NM+NOX-SC03	0.02	0.31	B10
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	CO-COLD	3	12.5	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	CF	120	CO	1	3.7	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	CF	50	CO	1	2.5	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	CO	1	4.2	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	HCHO	0.001	0.018	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	NMOG	0.019	0.156	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	NOX	0.07	0.2	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	CO	1	3.4	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	HCHO	0.001	0.015	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	NMOG	0.019	0.125	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	NOX	0.07	0.14	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	CF	120	CO	1.6	4.2	LEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	CO	1.6	4.2	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	HC-NM+NOX-COMP	0.2	1.48	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	NMOG	0.096	0.156	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	NOX	0.07	0.2	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	CO	1.6	3.4	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	NMOG	0.096	0.125	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	NOX	0.07	0.14	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	4	CO-US06	0.5	11.8	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	4	HC-NM+NOX-US06	0.1	0.6	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	4	CO-SC03	0.9	4	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	4	HC-NM+NOX-SC03	0.03	0.44	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	120	CO	0.6	3.7	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	120	NMOG	0.02	0.167	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	50	CO	0.6	2.5	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	50	NMOG	0.02	0.117	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	120	CO	0.6	4.2	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	120	HCHO	0.001	0.018	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	120	NMOG	0.02	0.156	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	120	NOX	0.05	0.2	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	50	CO	0.6	3.4	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	50	HCHO	0.001	0.015	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	50	NMOG	0.02	0.125	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	50	NOX	0.05	0.14	B8
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	CF	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	HC-NM+NOX-COMP	0.34	1.67	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	NMOG	0.112	0.28	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	CO	1.4	4.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	NMOG	0.099	0.195	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO-US06	4.8	19.3	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	CO-US06	4	11.8	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	HC-NM+NOX-US06	0.1	0.6	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO-SC03	2.1	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	CO-SC03	1.3	4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	HC-NM+NOX-SC03	0.14	0.44	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	CF	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	HC-NM+NOX-COMP	0.34	1.67	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	NMOG	0.112	0.28	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	CO	1.4	4.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	NMOG	0.099	0.195	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO-US06	4.8	19.3	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	CO-US06	4	11.8	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	HC-NM+NOX-US06	0.1	0.6	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO-SC03	2.1	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	CO-SC03	1.3	4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	HC-NM+NOX-SC03	0.14	0.44	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	HC-NM+NOX-SC03	0.14	0.44	B10
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO-COLD	4.6	12.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	CF	120	CO	2.2	4.2	LEV
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO	2.2	4.2	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	HC-NM+NOX-COMP	0.13	1.06	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NMOG	0.087	0.156	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NOX	0.08	0.2	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO	1.9	3.4	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NMOG	0.077	0.125	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NOX	0.04	0.14	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-US06	2.2	16.9	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-US06	1.7	10.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-US06	0	0.4	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-SC03	1.8	5.6	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-SC03	1.3	3.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-SC03	0.06	0.31	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO-COLD	4.6	12.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	CF	120	CO	2.2	4.2	LEV
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO	2.2	4.2	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	HC-NM+NOX-COMP	0.13	1.06	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NMOG	0.087	0.156	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NOX	0.08	0.2	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO	1.9	3.4	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NMOG	0.077	0.125	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NOX	0.04	0.14	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-US06	2.2	16.9	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-US06	1.7	10.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-US06	0	0.4	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-SC03	1.8	5.6	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-SC03	1.3	3.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-SC03	0.06	0.31	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO-COLD	4.6	12.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	CF	120	CO	2.2	4.2	LEV
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO	2.2	4.2	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	HC-NM+NOX-COMP	0.13	1.06	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NMOG	0.087	0.156	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NOX	0.08	0.2	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO	1.9	3.4	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NMOG	0.077	0.125	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NOX	0.04	0.14	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-US06	2.2	16.9	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-US06	1.7	10.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-US06	0	0.4	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-SC03	1.8	5.6	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-SC03	1.3	3.5	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-SC03	0.06	0.31	B8
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	120	CO	4	7.3	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	120	NMOG	0.111	0.28	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	50	CO	4	5	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	50	NMOG	0.111	0.195	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	50	NOX	0.3	0.6	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CF	120	CO	4	7.3	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	120	CO	4	7.3	B11
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	120	NMOG	0.111	0.28	B11
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	120	NOX	0.3	0.9	B11
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	50	CO	4	5	B11
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	50	NMOG	0.111	0.195	B11
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	50	NOX	0.3	0.6	B11
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO-COLD	6.5	12.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	CF	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	HC-NM+NOX-COMP	0.14	1.04	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NMOG	0.061	0.13	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO	0.7	3.4	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NMOG	0.055	0.1	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-US06	4.4	14.6	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-US06	4.3	10.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-US06	0.09	0.25	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-SC03	0.2	4.9	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-SC03	0.1	3.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-SC03	0.11	0.27	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO-COLD	6.5	12.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	CF	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	HC-NM+NOX-COMP	0.14	1.04	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NMOG	0.061	0.13	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO	0.7	3.4	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NMOG	0.055	0.1	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NOX	0.1	0.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-US06	4.4	14.6	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-US06	4.3	10.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-US06	0.09	0.25	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-SC03	0.2	4.9	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-SC03	0.1	3.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-SC03	0.11	0.27	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO-COLD	6.5	12.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	CF	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	HC-NM+NOX-COMP	0.14	1.04	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NMOG	0.061	0.13	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO	0.7	3.4	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NMOG	0.055	0.1	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-US06	4.4	14.6	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-US06	4.3	10.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-US06	0.09	0.25	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-SC03	0.2	4.9	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-SC03	0.1	3.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-SC03	0.11	0.27	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO-COLD	6.5	12.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	CF	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	HC-NM+NOX-COMP	0.14	1.04	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NMOG	0.061	0.13	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO	0.7	3.4	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NMOG	0.055	0.1	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-US06	4.4	14.6	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-US06	4.3	10.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-US06	0.09	0.25	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-SC03	0.2	4.9	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-SC03	0.1	3.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-SC03	0.11	0.27	B9
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	50	CO-COLD	2	10	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	CO	1.4	4.2	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	HC-NM+NOX-COMP	0.12	0.71	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	NMOG	0.052	0.125	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	NOX	0.08	0.2	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	50	CO	1	3.4	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	50	NMOG	0.04	0.1	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	50	NOX	0.05	0.14	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	CO-US06	5.9	11.1	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	4	CO-US06	5.3	8	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	4	HC-NM+NOX-US06	0.02	0.14	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	CO-SC03	2.4	3.7	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	4	CO-SC03	1.7	2.7	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	4	HC-NM+NOX-SC03	0.04	0.2	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	50	CO-COLD	3.4	10	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	CO	0.7	4.2	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	HC-NM+NOX-COMP	0.13	0.71	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	NMOG	0.049	0.125	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	NOX	0.08	0.2	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	50	CO	0.5	3.4	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	50	NMOG	0.041	0.1	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	50	NOX	0.05	0.14	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	CO-US06	0.9	11.1	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	4	CO-US06	0.5	8	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	4	HC-NM+NOX-US06	0.06	0.14	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	CO-SC03	0.8	3.7	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	4	CO-SC03	0.5	2.7	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	4	HC-NM+NOX-SC03	0.05	0.2	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	50	CO-COLD	7.7	10	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	CO	1	4.2	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	HC-NM+NOX-COMP	0.07	0.71	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	NMOG	0.067	0.125	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	NOX	0.04	0.2	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	50	CO	1	3.4	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	50	NMOG	0.067	0.1	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	50	NOX	0.04	0.14	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	CO-US06	8.7	11.1	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	4	CO-US06	6.6	8	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	4	HC-NM+NOX-US06	0.03	0.14	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	CO-SC03	1.1	3.7	B8



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	4	CO-SC03	0.6	2.7	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	4	HC-NM+NOX-SC03	0.03	0.2	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	50	CO-COLD	5.6	10	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	CO	0.6	4.2	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	HC-NM+NOX-COMP	0.07	0.71	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	NMOG	0.042	0.125	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	NOX	0.05	0.2	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	50	CO	0.6	3.4	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	50	NMOG	0.042	0.1	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	50	NOX	0.05	0.14	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	CO-US06	0.6	11.1	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	4	CO-US06	0.9	8	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	4	HC-NM+NOX-US06	0.04	0.14	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	CO-SC03	1.2	3.7	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	4	CO-SC03	0.8	2.7	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	4	HC-NM+NOX-SC03	0.04	0.2	B8
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	CO-COLD	5.8	10	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	CO-COLD	5.8	10	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	CO	1.5	4.2	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	NMOG	0.045	0.09	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	NOX	0.05	0.07	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	CO	1.4	3.4	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	NMOG	0.038	0.075	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	NOX	0.04	0.05	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CF	120	CO	1.5	4.2	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO	1.5	4.2	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	NMOG	0.045	0.09	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	NOX	0.05	0.07	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	CO	1.4	3.4	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	NMOG	0.038	0.075	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	NOX	0.04	0.05	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-CO	3	3.4	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-NMOG	0.088	0.15	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	CO-US06	6.2	8	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	HC-NM+NOX-US06	0.05	0.14	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO-US06	6.3	11.1	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	CO-US06	6.2	8	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	CO-SC03	2.1	2.7	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO-SC03	2.2	3.7	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	CO-SC03	2.1	2.7	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	CO-COLD	5.8	10	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	CO-COLD	5.8	10	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	CO	1.5	4.2	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	NMOG	0.045	0.09	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	NOX	0.05	0.07	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	CO	1.4	3.4	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	NMOG	0.038	0.075	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	NOX	0.04	0.05	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CF	120	CO	1.5	4.2	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO	1.5	4.2	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	NMOG	0.045	0.09	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	NOX	0.05	0.07	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	CO	1.4	3.4	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	NMOG	0.038	0.075	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	NOX	0.04	0.05	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-CO	3	3.4	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-NMOG	0.088	0.15	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	CO-US06	6.2	8	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	HC-NM+NOX-US06	0.05	0.14	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO-US06	6.3	11.1	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	CO-US06	6.2	8	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	CO-SC03	2.1	2.7	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO-SC03	2.2	3.7	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	CO-SC03	2.1	2.7	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	50	CO-COLD	2.5	12.5	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	50	CO-COLD	2.5	12.5	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	120	CO	0.7	2.1	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	120	NMOG	0.022	0.055	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	120	NOX	0.03	0.07	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	50	CO	0.7	1.7	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	50	NMOG	0.022	0.04	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	50	NOX	0.03	0.05	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	CO	0.7	4.2	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	HC-NM+NOX-COMP	0.09	0.95	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	NMOG	0.022	0.09	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	NOX	0.03	0.07	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	50	CO	0.7	3.4	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	50	NMOG	0.022	0.075	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	50	NOX	0.03	0.05	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	50-CO	1.2	1.7	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	50-NMOG	0.051	0.08	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	50-NOX	0.01	0.05	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	CO-US06	1.6	10.5	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	HC-NM+NOX-US06	0.02	0.25	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	CO-US06	1.9	14.6	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	4	CO-US06	1.6	10.5	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	CO-SC03	0.7	3.5	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	HC-NM+NOX-SC03	0.02	0.27	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	CO-SC03	1.4	4.9	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	4	CO-SC03	0.7	3.5	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	4	HC-NM+NOX-SC03	0.02	0.27	B5
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	50	CO-COLD	1.6497	10	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	100	CO	1.3428	4.2	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	100	HCHO	0.0012	0.018	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	100	NMOG	0.0568	0.125	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	100	NOX	0.091	0.15	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	50	CO	0.8278	3.4	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	50	HC-TOTAL	0.0485	0.41	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	50	HCHO	0.0009	0.015	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	50	NMOG	0.0468	0.1	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	50	NOX	0.091	0.14	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	100	CO	1.3558	4.2	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	100	HC-NM+NOX-COMP	0.1012	8	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	100	HCHO	0.0011	0.018	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	100	NMOG	0.055	0.125	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	100	NOX	0.074	0.15	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	50	CO	0.8408	3.4	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	50	HCHO	0.0009	0.015	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	50	NMOG	0.045	0.1	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	50	NOX	0.074	0.14	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	4	CO-US06	0.509	8	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	4	HC-NM+NOX-US06	0.0339	0.14	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	4	CO-SC03	0.3572	2.7	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	A4	3.84	2750	FC	4	HC-NM+NOX-SC03	0.1274	0.2	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	M5	3.94	2750	FC	100	CO	1.3208	4.2	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	M5	3.94	2750	FC	100	HCHO	0.001	0.018	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	M5	3.94	2750	FC	100	NMOG	0.0419	0.125	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	M5	3.94	2750	FC	100	NOX	0.071	0.15	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	M5	3.94	2750	FC	50	CO	0.8058	3.4	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	M5	3.94	2750	FC	50	HCHO	0.0007	0.015	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	M5	3.94	2750	FC	50	NMOG	0.0319	0.1	B8
GM Daewoo Auto and Technology Company	CHEVROLET	AVEO	1598	M5	3.94	2750	FC	50	NOX	0.071	0.14	B8
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	CO-COLD	0.3	10	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	CO-COLD	0.3	10	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	CO	0.1	2.1	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	NMOG	0.033	0.055	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	NOX	0	0.3	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	CO	0.1	1.7	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	NMOG	0.032	0.04	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	NOX	0	0.2	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CF	100	CO	0.1	2.1	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CF	50	CO	0.1	1.7	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	CO	0.1	4.2	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	NMOG	0.033	0.09	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	NOX	0	0.3	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	CO	0.1	3.4	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	NMOG	0.032	0.075	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	NOX	0	0.2	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	CO	0.1	2.1	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	NMOG	0.03	0.055	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	NOX	0.1	0.3	ULEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	CO	0.1	1.7	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	NMOG	0.029	0.04	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	NOX	0.1	0.2	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CF	100	CO	0.1	2.1	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CF	50	CO	0.1	1.7	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	CO	0.1	4.2	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	HC-NM+NOX-COMP	0.06	0.73	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	NMOG	0.03	0.09	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	NOX	0.1	0.3	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	CO	0.1	3.4	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	NMOG	0.029	0.075	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	NOX	0.1	0.2	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	N/A	HC-ST2500	9.5	100	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	N/A	HC-STI	11	100	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	4	CO-US06	1.8	8	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	4	HC-NM+NOX-US06	0.06	0.14	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	CO-US06	1.8	11.1	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	4	CO-US06	1.8	8	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	4	HC-NM+NOX-US06	0.06	0.14	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	4	CO-SC03	0.2	2.7	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	4	HC-NM+NOX-SC03	0.03	0.2	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	CO-SC03	0.2	3.7	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	4	CO-SC03	0.2	2.7	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	4	HC-NM+NOX-SC03	0.03	0.2	B9
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	50	CO-COLD	2.2	12.5	N/A
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	50	CO-COLD	2.2	12.5	N/A
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	120	CO	0.8	2.1	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	120	NMOG	0.022	0.055	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	120	NOX	0.04	0.07	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	50	CO	0.6	1.7	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	50	NMOG	0.016	0.04	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	50	NOX	0.02	0.05	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CF	100	CO	0.8	2.8	ULEV
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CF	50	CO	0.6	2.2	ULEV
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	120	CO	0.8	4.2	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	120	HC-NM+NOX-COMP	0.06	0.95	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	120	NMOG	0.022	0.09	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	120	NOX	0.04	0.07	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	50	CO	0.6	3.4	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	50	NMOG	0.016	0.075	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	50	NOX	0.02	0.05	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	N/A	HC-ST2500	9	100	N/A
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	N/A	HC-STI	8.5	100	N/A
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	4	CO-US06	0.5	10.5	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	4	HC-NM+NOX-US06	0.06	0.25	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	4	CO-US06	0.5	10.5	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	4	HC-NM+NOX-US06	0.06	0.25	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	4	CO-SC03	0.2	3.5	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	4	HC-NM+NOX-SC03	0.01	0.27	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	4	CO-SC03	0.2	3.5	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	4	HC-NM+NOX-SC03	0.01	0.27	B5
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	50	CO-COLD	7.4	10	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	50	CO-COLD	7.4	10	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	100	CO	1	4.2	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	100	NMOG	0.064	0.09	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	100	NOX	0.1	0.3	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	50	CO	0.8	3.4	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	50	NMOG	0.058	0.075	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	50	NOX	0.1	0.2	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	CO	1	4.2	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	HC-NM+NOX-COMP	0.16	0.73	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	NMOG	0.064	0.09	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	NOX	0.1	0.3	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	50	CO	0.8	3.4	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	50	NMOG	0.058	0.075	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	50	NOX	0.1	0.2	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	N/A	HC-ST2500	15.5	100	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	N/A	HC-STI	15	100	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	4	CO-US06	0.1	8	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	4	HC-NM+NOX-US06	0.09	0.14	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	CO-US06	0.4	11.1	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	4	CO-US06	0.1	8	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	4	HC-NM+NOX-US06	0.09	0.14	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	4	CO-SC03	0	2.7	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	4	HC-NM+NOX-SC03	0.08	0.2	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	CO-SC03	0.4	3.7	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	4	CO-SC03	0	2.7	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	4	HC-NM+NOX-SC03	0.08	0.2	B9
HONDA	ACURA	RL	212	S5	4.6	4250	CA	50	CO-COLD	1.4	10	N/A
HONDA	ACURA	RL	212	S5	4.6	4250	FA	50	CO-COLD	1.4	10	N/A
HONDA	ACURA	RL	212	S5	4.6	4250	CA	120	CO	0.2	2.1	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	120	NMOG	0.034	0.055	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	120	NOX	0.03	0.07	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	50	CO	0.2	1.7	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	50	NMOG	0.026	0.04	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	50	NOX	0.02	0.05	U2
HONDA	ACURA	RL	212	S5	4.6	4250	FA	120	CO	0.2	4.2	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	120	NMOG	0.034	0.09	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	120	NOX	0.03	0.07	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	50	CO	0.2	3.4	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	50	NMOG	0.026	0.075	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	50	NOX	0.02	0.05	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	RL	212	S5	4.6	4250	FA	N/A	CO-ST1	0	0.5	N/A
HONDA	ACURA	RL	212	S5	4.6	4250	FA	N/A	HC-ST2500	8.5	100	N/A
HONDA	ACURA	RL	212	S5	4.6	4250	FA	N/A	HC-ST1	8.5	100	N/A
HONDA	ACURA	RL	212	S5	4.6	4250	CA	4	CO-US06	0.9	8	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	4	HC-NM+NOX-US06	0.05	0.14	U2
HONDA	ACURA	RL	212	S5	4.6	4250	FA	4	CO-US06	0.9	8	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
HONDA	ACURA	RL	212	S5	4.6	4250	CA	4	CO-SC03	0	2.7	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	4	HC-NM+NOX-SC03	0.07	0.2	U2
HONDA	ACURA	RL	212	S5	4.6	4250	FA	4	CO-SC03	0	2.7	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	4	HC-NM+NOX-SC03	0.07	0.2	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	50	CO-COLD	1.3	10	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	50	CO-COLD	1.3	10	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	120	CO	0.6	4.2	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	120	NMOG	0.06	0.09	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	120	NOX	0.03	0.07	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	50	CO	0.6	3.4	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	50	NMOG	0.051	0.075	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	50	NOX	0.02	0.05	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	120	CO	0.6	4.2	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	120	NMOG	0.06	0.09	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	120	NOX	0.03	0.07	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	50	CO	0.6	3.4	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	50	NMOG	0.051	0.075	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	50	NOX	0.02	0.05	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	50-NMOG	0.113	0.15	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	50-NOX	0.03	0.05	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	N/A	HC-ST2500	9	100	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	N/A	HC-STI	9	100	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	CO-US06	0.1	8	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	HC-NM+NOX-US06	0.03	0.14	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	4	CO-US06	0.1	8	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	4	HC-NM+NOX-US06	0.03	0.14	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	CO-SC03	0.4	2.7	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	4	CO-SC03	0.4	2.7	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO-COLD	1	10	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO-COLD	1	10	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	CO	1	4.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NMOG	0.057	0.09	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NOX	0.05	0.07	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO	0.8	3.4	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NMOG	0.051	0.075	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NOX	0.03	0.05	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	100	CO	0.9	4.2	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	50	CO	0.8	3.4	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	CO	1	4.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NMOG	0.057	0.09	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NOX	0.05	0.07	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO	0.8	3.4	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NMOG	0.051	0.075	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NOX	0.03	0.05	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-ST2500	9	100	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-STI	11	100	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-US06	0.1	8	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-US06	0	0.14	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-US06	0.1	8	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-US06	0	0.14	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-SC03	0.3	2.7	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-SC03	0.3	2.7	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO-COLD	1	10	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO-COLD	1	10	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	CO	1	4.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NMOG	0.057	0.09	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NOX	0.05	0.07	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO	0.8	3.4	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NMOG	0.051	0.075	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NOX	0.03	0.05	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	100	CO	0.9	4.2	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	50	CO	0.8	3.4	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	CO	1	4.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NMOG	0.057	0.09	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NOX	0.05	0.07	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO	0.8	3.4	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NMOG	0.051	0.075	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NOX	0.03	0.05	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-ST2500	9	100	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-STI	11	100	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-US06	0.1	8	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-US06	0	0.14	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-US06	0.1	8	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-US06	0	0.14	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-SC03	0.3	2.7	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-SC03	0.3	2.7	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO-COLD	1	10	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO-COLD	1	10	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	CO	1	4.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NMOG	0.057	0.09	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NOX	0.05	0.07	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO	0.8	3.4	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NMOG	0.051	0.075	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NOX	0.03	0.05	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	100	CO	0.9	4.2	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	50	CO	0.8	3.4	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	CO	1	4.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NMOG	0.057	0.09	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NOX	0.05	0.07	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO	0.8	3.4	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NMOG	0.051	0.075	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NOX	0.03	0.05	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-ST2500	9	100	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-STI	11	100	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-US06	0.1	8	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-US06	0	0.14	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-US06	0.1	8	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-US06	0	0.14	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-SC03	0.3	2.7	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-SC03	0.3	2.7	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	50	CO-COLD	1.1	10	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	150	CO	0.4	1	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	150	NMOG	0.007	0.01	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	150	NOX	0.01	0.02	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CF	100	CO	0.3	4.2	LEV
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CF	50	CO	0.3	3.4	LEV
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	CO	0.4	2.1	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	HC-NM+NOX-COMP	0.02	0.6	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	NMOG	0.007	0.01	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	NOX	0.01	0.02	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	N/A	HC-ST2500	11	100	N/A
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	N/A	HC-STI	11.5	100	N/A
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	4	CO-US06	0.4	8	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	4	HC-NM+NOX-US06	0.01	0.14	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	CO-US06	0.4	11.1	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	4	CO-US06	0.4	8	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	4	HC-NM+NOX-US06	0.01	0.14	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	4	CO-SC03	0.4	2.7	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	4	HC-NM+NOX-SC03	0.01	0.2	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	CO-SC03	0.4	3.7	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	4	CO-SC03	0.4	2.7	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	4	HC-NM+NOX-SC03	0.01	0.2	B2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	50	CO-COLD	0.8	10	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	50	CO-COLD	0.8	10	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	120	CO	0.4	4.2	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	120	NMOG	0.028	0.09	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	120	NOX	0.05	0.07	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	50	CO	0.3	3.4	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	50	NMOG	0.023	0.075	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	50	NOX	0.04	0.05	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CF	100	CO	0.3	4.2	LEV
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CF	50	CO	0.3	3.4	LEV
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	CO	0.4	4.2	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	NMOG	0.028	0.09	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	NOX	0.05	0.07	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	50	CO	0.3	3.4	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	50	NMOG	0.023	0.075	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	50	NOX	0.04	0.05	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	N/A	HC-ST2500	12	100	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	N/A	HC-STI	14.5	100	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	4	CO-US06	0.1	8	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	4	HC-NM+NOX-US06	0.03	0.14	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	CO-US06	0.2	11.1	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	4	CO-US06	0.1	8	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	4	HC-NM+NOX-US06	0.03	0.14	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	4	CO-SC03	0.3	2.7	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	CO-SC03	0.5	3.7	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	4	CO-SC03	0.3	2.7	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	CO	0.2	4.2	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	NMOG	0.016	0.09	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	NOX	0.03	0.07	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	CO	0.2	3.4	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	NMOG	0.014	0.075	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	NOX	0.02	0.05	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CF	100	CO	0.2	4.2	LEV
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CF	50	CO	0.2	3.4	LEV
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	CO	0.2	4.2	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	NMOG	0.016	0.09	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	NOX	0.03	0.07	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	CO	0.2	3.4	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	NMOG	0.014	0.075	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	NOX	0.02	0.05	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	HC-ST2500	9.5	100	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	HC-STI	9	100	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	CO-US06	0.3	8	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	HC-NM+NOX-US06	0.04	0.14	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	CO-US06	0.3	8	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	HC-NM+NOX-US06	0.04	0.14	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	CO-SC03	0.1	2.7	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	HC-NM+NOX-SC03	0.06	0.2	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	CO-SC03	0.1	2.7	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	HC-NM+NOX-SC03	0.06	0.2	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	CO	0.2	2.1	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	NMOG	0.015	0.055	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	NOX	0.02	0.07	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	CO	0.2	1.7	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	NMOG	0.012	0.04	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	NOX	0.02	0.05	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CF	100	CO	0.2	4.2	LEV
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CF	50	CO	0.2	3.4	LEV
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	CO	0.2	4.2	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	HC-NM+NOX-COMP	0.05	0.65	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	NMOG	0.015	0.09	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	NOX	0.02	0.07	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	CO	0.2	3.4	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	NMOG	0.012	0.075	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	NOX	0.02	0.05	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	HC-ST2500	9.5	100	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	HC-STI	9.5	100	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	CO-US06	0.3	8	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	HC-NM+NOX-US06	0.04	0.14	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	CO-US06	0.3	8	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	HC-NM+NOX-US06	0.04	0.14	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	CO-SC03	0.2	2.7	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	HC-NM+NOX-SC03	0.04	0.2	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	CO-SC03	0.2	2.7	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	HC-NM+NOX-SC03	0.04	0.2	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	50	CO-COLD	1.5	10	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	50	CO-COLD	1.5	10	N/A
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	120	CO	0.3	2.1	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	120	NMOG	0.037	0.055	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	120	NOX	0.05	0.07	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	50	CO	0.2	1.7	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	50	NMOG	0.023	0.04	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	50	NOX	0.04	0.05	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CF	100	CO	0.3	4.2	LEV
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CF	50	CO	0.2	3.4	LEV
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	120	CO	0.3	4.2	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	120	HC-NM+NOX-COMP	0.09	0.65	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	120	NMOG	0.037	0.09	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	120	NOX	0.05	0.07	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	50	CO	0.2	3.4	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	50	NMOG	0.023	0.075	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	50	NOX	0.04	0.05	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	50-CO	0.2	1.7	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	50-NMOG	0.022	0.08	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	50-NOX	0.03	0.05	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	N/A	HC-ST2500	9	100	N/A
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	N/A	HC-STI	9.5	100	N/A
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	CO-US06	0.1	8	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	HC-NM+NOX-US06	0.05	0.14	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	4	CO-US06	0.1	8	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	CO-SC03	0.2	2.7	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	HC-NM+NOX-SC03	0.05	0.2	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	4	CO-SC03	0.2	2.7	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CA	150	CO	0.2	1	S2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CA	150	HCHO	0	0.004	S2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CA	150	NMOG	0.001	0.01	S2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CA	150	NOX	0.01	0.02	S2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CF	100	CO	0.1	2.1	ULEV
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CF	100	CO	0.1	4.2	ILEV
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CF	50	CO	0.1	1.7	ULEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CF	50	CO	0.1	3.4	ILEV
HONDA	HONDA	CIVIC	102	AV	6.36	3000	FA	120	CO	0.1	2.1	B2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	FA	120	HCHO	0	0.004	B2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	FA	120	NMOG	0.001	0.01	B2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	FA	120	NOX	0.01	0.02	B2
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	CO-COLD	3	10	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO	0.6	4.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	HC-NM+NOX-COMP	0.13	0.73	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NMOG	0.049	0.09	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	CO	0.5	3.4	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NMOG	0.043	0.075	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	HC-ST2500	9.5	100	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	HC-STI	9.5	100	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO-US06	0.9	11.1	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	CO-US06	0.6	8	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	HC-NM+NOX-US06	0.08	0.14	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO-SC03	1	3.7	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	CO-SC03	0.8	2.7	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	HC-NM+NOX-SC03	0.06	0.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	CO-COLD	2.5	10	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	CO-COLD	2.5	10	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	CO	0.6	2.1	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	NMOG	0.033	0.055	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	NOX	0	0.3	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	CO	0.6	1.7	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	NMOG	0.029	0.04	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	NOX	0	0.2	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CF	100	CO	0.6	2.1	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CF	50	CO	0.6	1.7	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO	0.6	4.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NMOG	0.033	0.09	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NOX	0	0.3	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	CO	0.6	3.4	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NMOG	0.029	0.075	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NOX	0	0.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	CO	0.5	2.1	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	NMOG	0.035	0.055	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	NOX	0.1	0.3	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	CO	0.5	1.7	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	NMOG	0.031	0.04	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	NOX	0	0.2	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CF	100	CO	0.5	2.1	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CF	50	CO	0.5	1.7	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO	0.5	4.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NMOG	0.035	0.09	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	CO	0.5	3.4	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NMOG	0.031	0.075	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NOX	0	0.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	HC-ST2500	10.5	100	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	HC-STI	11	100	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	4	CO-US06	0.6	8	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	4	HC-NM+NOX-US06	0.04	0.14	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO-US06	0.6	11.1	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	CO-US06	0.6	8	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	4	CO-SC03	1	2.7	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	4	HC-NM+NOX-SC03	0.04	0.2	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO-SC03	1	3.7	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	CO-SC03	1	2.7	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	HC-NM+NOX-SC03	0.04	0.2	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	CO-COLD	1.4	10	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	CO-COLD	1.4	10	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	CO	0.7	2.1	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	HCHO	0	0.011	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	NMOG	0.03	0.055	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	NOX	0.1	0.3	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	CO	0.4	1.7	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	HCHO	0	0.008	ULEV



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	NMOG	0.025	0.04	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	NOX	0.1	0.2	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CF	100	CO	0.7	2.1	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CF	50	CO	0.4	1.7	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	CO	0.7	4.2	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	HCHO	0	0.018	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	NMOG	0.03	0.09	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	CO	0.4	3.4	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	HCHO	0	0.015	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	NMOG	0.025	0.075	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	CO	0.7	2.1	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	HCHO	0	0.011	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	NMOG	0.035	0.055	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	NOX	0.1	0.3	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	CO	0.4	1.7	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	HCHO	0	0.008	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	NMOG	0.03	0.04	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	NOX	0.1	0.2	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CF	100	CO	0.7	2.1	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CF	50	CO	0.4	1.7	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	CO	0.7	4.2	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	HC-NM+NOX-COMP	0.1	0.73	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	HCHO	0	0.018	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	NMOG	0.035	0.09	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	CO	0.4	3.4	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	HCHO	0	0.015	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	NMOG	0.03	0.075	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	N/A	HC-ST2500	10	100	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	N/A	HC-STI	9	100	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	4	CO-US06	0.7	8	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	4	HC-NM+NOX-US06	0.06	0.14	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	CO-US06	1.2	11.1	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	4	CO-US06	0.7	8	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	4	HC-NM+NOX-US06	0.06	0.14	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	4	CO-SC03	0.1	2.7	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	4	HC-NM+NOX-SC03	0.07	0.2	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	CO-SC03	0.6	3.7	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	4	CO-SC03	0.1	2.7	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	4	HC-NM+NOX-SC03	0.07	0.2	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	CO-COLD	1.8	10	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	CO-COLD	1.8	10	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	CO	0.8	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	HCHO	0	0.011	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	NMOG	0.018	0.055	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	NOX	0.1	0.3	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	CO	0.5	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	HCHO	0	0.008	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	NMOG	0.013	0.04	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	NOX	0.1	0.2	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	100	CO	0.8	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	50	CO	0.5	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	CO	0.8	4.2	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	HCHO	0	0.018	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	NMOG	0.018	0.09	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	CO	0.5	3.4	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	HCHO	0	0.015	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	NMOG	0.013	0.075	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	CO	0.8	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	HCHO	0	0.011	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	NMOG	0.016	0.055	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	NOX	0.1	0.3	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	CO	0.5	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	HCHO	0	0.008	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	NMOG	0.012	0.04	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	NOX	0.1	0.2	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	100	CO	0.8	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	50	CO	0.5	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	CO	0.8	4.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	HC-NM+NOX-COMP	0.15	0.73	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	HCHO	0	0.018	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	NMOG	0.016	0.09	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	CO	0.5	3.4	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	HCHO	0	0.015	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	NMOG	0.012	0.075	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	HC-ST2500	7	100	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	HC-STI	6.5	100	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	CO-US06	2.7	8	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	HC-NM+NOX-US06	0.09	0.14	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	CO-US06	3.3	11.1	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	CO-US06	2.7	8	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	HC-NM+NOX-US06	0.09	0.14	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	CO-SC03	0.5	2.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	HC-NM+NOX-SC03	0.06	0.2	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	CO-SC03	1.1	3.7	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	CO-SC03	0.5	2.7	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	HC-NM+NOX-SC03	0.06	0.2	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	CO	0.1	1	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	HCHO	0	0.004	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	NMOG	0.006	0.01	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	NOX	0.01	0.02	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	100	CO	0.1	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	50	CO	0.1	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	CO	0.1	2.1	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	HCHO	0	0.004	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	NMOG	0.006	0.01	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	NOX	0.01	0.02	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	CO	0.1	1	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	HCHO	0	0.004	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	NMOG	0.006	0.01	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	NOX	0.01	0.02	S2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	100	CO	0.1	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	50	CO	0.1	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	CO	0.1	2.1	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	HC-NM+NOX-COMP	0.01	0.6	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	HCHO	0	0.004	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	NMOG	0.006	0.01	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	NOX	0.01	0.02	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	HC-ST2500	9	100	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	HC-STI	8.5	100	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	CO-US06	1.4	8	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	HC-NM+NOX-US06	0	0.14	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	CO-US06	1.5	11.1	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	CO-US06	1.4	8	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	HC-NM+NOX-US06	0	0.14	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	CO-SC03	0	2.7	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	HC-NM+NOX-SC03	0.01	0.2	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	CO-SC03	0.1	3.7	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	CO-SC03	0	2.7	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	50	CO-COLD	1.2	10	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	50	CO-COLD	1.2	10	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	120	CO	1.2	4.2	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	120	NMOG	0.06	0.09	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	120	NOX	0.05	0.07	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	50	CO	0.8	3.4	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	50	NMOG	0.046	0.075	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	50	NOX	0.03	0.05	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CF	100	CO	1.1	4.2	LEV
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CF	50	CO	0.8	3.4	LEV
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	120	CO	1.2	4.2	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	120	NMOG	0.06	0.09	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	120	NOX	0.05	0.07	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	50	CO	0.8	3.4	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	50	NMOG	0.046	0.075	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	50	NOX	0.03	0.05	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	N/A	HC-ST2500	10.5	100	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	N/A	HC-STI	12.5	100	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	4	CO-US06	1.4	8	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	4	HC-NM+NOX-US06	0.01	0.14	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	4	CO-US06	1.4	8	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	4	HC-NM+NOX-US06	0.01	0.14	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	4	CO-SC03	0.1	2.7	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	4	HC-NM+NOX-SC03	0	0.2	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	4	CO-SC03	0.1	2.7	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	4	HC-NM+NOX-SC03	0	0.2	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	50	CO-COLD	2	12.5	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	50	CO-COLD	2	12.5	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	120	CO	0.4	2.1	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	120	NMOG	0.026	0.055	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	120	NOX	0.04	0.07	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	50	CO	0.2	1.7	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	50	NMOG	0.021	0.04	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	50	NOX	0.02	0.05	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CF	100	CO	0.3	2.8	ULEV
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CF	50	CO	0.2	2.2	ULEV
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	120	CO	0.4	4.2	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	120	HC-NM+NOX-COMP	0.07	0.95	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	120	NMOG	0.026	0.09	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	120	NOX	0.04	0.07	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	50	CO	0.2	3.4	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	50	NMOG	0.021	0.075	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	50	NOX	0.02	0.05	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	50-CO	0.2	1.7	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	50-NMOG	0.028	0.08	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	50-NOX	0.01	0.05	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	N/A	HC-ST2500	9	100	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	N/A	HC-STI	8.5	100	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	CO-US06	2.6	10.5	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	4	CO-US06	2.6	10.5	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	CO-SC03	0.1	3.5	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	HC-NM+NOX-SC03	0.06	0.27	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	4	CO-SC03	0.1	3.5	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	4	HC-NM+NOX-SC03	0.06	0.27	B5
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	50	CO-COLD	2.6	10	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	50	CO-COLD	2.6	10	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	100	CO	0.7	4.2	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	100	NMOG	0.034	0.09	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	100	NOX	0.1	0.3	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	50	CO	0.6	3.4	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	50	NMOG	0.028	0.075	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	50	NOX	0.1	0.2	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	CO	0.7	4.2	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	HC-NM+NOX-COMP	0.09	0.73	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	NMOG	0.034	0.09	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	50	CO	0.6	3.4	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	50	NMOG	0.028	0.075	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	N/A	HC-ST2500	16.5	100	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	N/A	HC-STI	14.5	100	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	4	CO-US06	1.4	8	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	4	HC-NM+NOX-US06	0.04	0.14	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	CO-US06	1.6	11.1	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	4	CO-US06	1.4	8	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	4	CO-SC03	0.2	2.7	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	4	HC-NM+NOX-SC03	0.05	0.2	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	CO-SC03	0.4	3.7	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	4	CO-SC03	0.2	2.7	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	4	HC-NM+NOX-SC03	0.05	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	CO-COLD	6	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	CO-COLD	6	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	CO	0.36	4.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	CO	0.38	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	CO	0.49	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	HCHO	0.0009	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	HCHO	0.0012	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	HCHO	0.002	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	NMOG	0.0297	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	NMOG	0.0323	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	NMOG	0.0506	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	NOX	0.03	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	NOX	0.04	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	100	NOX	0.05	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	CO	0.3	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	CO	0.32	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	CO	0.4	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	HCHO	0.0005	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	HCHO	0.0007	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	HCHO	0.0012	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	NMOG	0.0266	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	NMOG	0.0289	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	NMOG	0.0452	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	NOX	0.03	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	NOX	0.04	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	CO	0.36	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	CO	0.38	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	CO	0.49	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	HCHO	0.0009	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	HCHO	0.0012	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	HCHO	0.002	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	NMOG	0.0297	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	NMOG	0.0323	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	NMOG	0.0506	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	NOX	0.03	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	NOX	0.04	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	100	NOX	0.05	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	CO	0.3	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	CO	0.32	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	CO	0.4	3.4	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	HCHO	0.0005	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	HCHO	0.0007	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	HCHO	0.0012	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	NMOG	0.0266	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	NMOG	0.0289	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	NMOG	0.0452	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	NOX	0.03	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	50	NOX	0.04	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	50-CO	1.7	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	50-HCHO	0	0.03	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	50-NMOG	0.09	0.15	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	50	50-NOX	0	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	4	CO-US06	2.2	8	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	4	HC-NM+NOX-US06	0.01	0.14	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	4	CO-US06	2.2	8	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	4	HC-NM+NOX-US06	0.01	0.14	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	4	CO-SC03	0.1	2.7	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	CA	4	HC-NM+NOX-SC03	0.1	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	4	CO-SC03	0.1	2.7	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	L4	3.77	3625	FA	4	HC-NM+NOX-SC03	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	CA	100	CO	0.7	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	CA	100	HCHO	0.0004	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	CA	100	NMOG	0.0383	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	CA	100	NOX	0.03	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	CA	50	CO	0.58	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	CA	50	HCHO	0.0002	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	CA	50	NMOG	0.0343	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	CA	50	NOX	0.03	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	100	CO	0.7	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	100	HCHO	0.0004	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	100	NMOG	0.0383	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	100	NOX	0.03	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	50	CO	0.58	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	50	HCHO	0.0002	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	50	NMOG	0.0343	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	50	NOX	0.03	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	100	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	100	CO-STI	0	0.5	N/A



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	100	HC-ST2500	0.2	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	143.4	M5	3.88	3625	FA	100	HC-STI	0.2	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	CO-COLD	5.9	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	50	CO-COLD	5.9	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	100	CO	0.43	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	100	CO	0.63	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	100	HCHO	0.0006	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	100	HCHO	0.0007	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	100	NMOG	0.0265	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	100	NMOG	0.0326	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	100	NOX	0.02	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	100	NOX	0.04	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	CO	0.32	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	CO	0.47	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	HCHO	0.0004	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	NMOG	0.0208	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	NMOG	0.0256	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	NOX	0.01	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	NOX	0.03	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	100	CO	0.43	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	100	CO	0.63	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	100	HC-NM+NOX-COMP	0.04	0.73	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	100	HCHO	0.0006	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	100	HCHO	0.0007	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	100	NMOG	0.0265	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	100	NMOG	0.0326	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	100	NOX	0.02	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	100	NOX	0.04	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	50	CO	0.32	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	50	CO	0.47	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	50	HCHO	0.0004	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	50	NMOG	0.0208	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	50	NMOG	0.0256	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	50	NOX	0.01	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	50	NOX	0.03	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	50-CO	0.4	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	50-HCHO	0	0.03	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	50-NMOG	0.083	0.15	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	50	50-NOX	0	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	4	CO-US06	3.3	8	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	4	CO-US06	3.3	8	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	4	CO-SC03	0.7	2.7	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	CA	4	HC-NM+NOX-SC03	0	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	4	CO-SC03	0.7	2.7	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	L4	3.77	3625	FA	4	HC-NM+NOX-SC03	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	CA	100	CO	0.63	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	CA	100	HCHO	0.0002	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	CA	100	NMOG	0.0332	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	CA	100	NOX	0.11	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	CA	50	CO	0.46	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	CA	50	HCHO	0.0001	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	CA	50	NMOG	0.0261	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	CA	50	NOX	0.07	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	100	CO	0.63	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	100	HCHO	0.0002	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	100	NMOG	0.0332	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	100	NOX	0.11	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	50	CO	0.46	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	50	HCHO	0.0001	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	50	NMOG	0.0261	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	50	NOX	0.07	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	100	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	100	CO-STI	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	100	HC-ST2500	12.47	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	EF	162.1	M5	4.06	3625	FA	100	HC-STI	9.36	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	CO-COLD	1.8	10	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	50	CO-COLD	1.8	10	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	100	CO	0.21	2.1	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	100	NMOG	0.0371	0.055	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	100	NOX	0.01	0.3	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	CO	0.17	1.7	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	NMOG	0.032	0.04	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	NOX	0.01	0.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	CO	0.2	4.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	NMOG	0.037	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	NOX	0	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	50	CO	0.2	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	50	NMOG	0.032	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	50	NOX	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	100	CO	0.48	2.1	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	100	HCHO	0.0008	0.011	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	100	NMOG	0.0346	0.055	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	100	NMOG	0.0358	0.055	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	100	NOX	0.01	0.3	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	100	NOX	0.03	0.3	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	CO	0.39	1.7	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	HCHO	0.0007	0.008	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	NMOG	0.0299	0.04	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	NMOG	0.0308	0.04	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	NOX	0.01	0.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	NOX	0.03	0.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	CO	0.5	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	HCHO	0.001	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	NMOG	0.035	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	NMOG	0.036	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	NOX	0	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	50	CO	0.4	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	50	HCHO	0.001	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	50	NMOG	0.03	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	50	NMOG	0.031	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	50	NOX	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	50-CO	0.44	1.7	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	50-HCHO	0.001	0.016	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	50-NMOG	0.067	0.08	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	50	50-NOX	0.06	0.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	CO-ST1	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	HC-ST2500	25	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	100	HC-ST1	65	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	4	CO-US06	4.21	8	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	4	HC-NM+NOX-US06	0.024	0.14	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	4	CO-US06	4.2	8	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	4	HC-NM+NOX-US06	0.02	0.14	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	4	CO-SC03	0.07	2.7	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	CA	4	HC-NM+NOX-SC03	0	0.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	4	CO-SC03	0.1	2.7	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	L4	4.41	3375	FA	4	HC-NM+NOX-SC03	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	CA	100	CO	0.24	2.1	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	CA	100	HCHO	0.0008	0.011	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	CA	100	NMOG	0.0213	0.055	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	CA	100	NOX	0.08	0.3	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	CA	50	CO	0.19	1.7	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	CA	50	HCHO	0.0007	0.008	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	CA	50	NMOG	0.0183	0.04	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	CA	50	NOX	0.06	0.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	FA	100	CO	0.2	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	FA	100	HCHO	0.001	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	FA	100	NMOG	0.021	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	FA	100	NOX	0.1	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	FA	50	CO	0.2	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	FA	50	HCHO	0.001	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	FA	50	NMOG	0.018	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	120.5	M5	4.06	3250	FA	50	NOX	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	CO-COLD	3.1	10	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	50	CO-COLD	3.1	10	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	100	CO	0.14	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	100	HCHO	0.0001	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	100	NMOG	0.0196	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	100	NOX	0.05	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	CO	0.11	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	HCHO	0.0001	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	NMOG	0.0154	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	NOX	0.03	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	100	CO	0.1	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	100	HCHO	0	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	100	NMOG	0.02	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	100	NOX	0.1	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	50	CO	0.11	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	50	HCHO	0	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	50	NMOG	0.0154	0.075	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	50	NOX	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	100	CO	0.34	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	100	CO	0.67	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	100	NOX	0.06	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	100	NOX	0.12	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	CO	0.25	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	CO	0.5	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	NOX	0.04	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	NOX	0.08	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	100	CO	0.3	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	100	CO	0.7	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	100	NOX	0.1	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	50	CO	0.25	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	50	CO	0.5	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	50	NOX	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	50	NOX	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	50-CO	0.43	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	50-HCHO	0.003	0.03	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	50-NMOG	0.083	0.15	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	50	50-NOX	0.01	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	100	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	100	CO-STI	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	100	HC-ST2500	10.51	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	100	HC-STI	9.2	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	4	CO-US06	3.4	8	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	4	HC-NM+NOX-US06	0.045	0.14	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	4	CO-US06	3.4	8	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	4	CO-SC03	0.6	2.7	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	CA	4	HC-NM+NOX-SC03	0.02	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	4	CO-SC03	0.6	2.7	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	L4	4.04	3375	FA	4	HC-NM+NOX-SC03	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	CA	100	CO	0.45	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	CA	100	HCHO	0.0004	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	CA	100	NMOG	0.0266	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	CA	100	NOX	0.16	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	CA	50	CO	0.33	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	CA	50	HCHO	0.0002	0.015	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	CA	50	NMOG	0.0209	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	CA	50	NOX	0.11	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	FA	100	CO	0.4	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	FA	100	HCHO	0	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	FA	100	NMOG	0.027	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	FA	100	NOX	0.2	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	FA	50	CO	0.33	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	FA	50	HCHO	0	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	FA	50	NMOG	0.0209	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M5	4.06	3375	FA	50	NOX	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	CA	100	CO	0.2	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	CA	100	HCHO	0.0002	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	CA	100	NMOG	0.0194	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	CA	100	NOX	0.17	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	CA	50	CO	0.15	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	CA	50	HCHO	0.0001	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	CA	50	NMOG	0.0153	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	CA	50	NOX	0.12	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	FA	100	CO	0.2	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	FA	100	HCHO	0	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	FA	100	NMOG	0.019	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	FA	100	NOX	0.2	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	FA	50	CO	0.15	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	FA	50	HCHO	0	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	FA	50	NMOG	0.0153	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	GK-CPE	162.1	M6	4.43	3375	FA	50	NOX	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	50	CO-COLD	1.4	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	50	CO-COLD	1.4	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	100	CO	0.19	2.1	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	100	HCHO	0.0001	0.011	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	100	NMOG	0.0193	0.055	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	100	NOX	0.09	0.3	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	50	CO	0.17	1.7	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	50	HCHO	0.0001	0.008	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	50	NMOG	0.0185	0.04	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	50	NOX	0.07	0.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	100	CO	0.2	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	100	CO-COMP	2.5	4.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	100	HC-NM+NOX-COMP	0.05	0.73	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	100	HCHO	0	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	100	NMOG	0.02	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	100	NOX	0.1	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	50	CO	0.2	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	50	HCHO	0	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	50	NMOG	0.018	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	50	NOX	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	50	50-CO	0.29	1.7	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	50	50-HCHO	0.0002	0.016	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	50	50-NMOG	0.0604	0.08	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	50	50-NOX	0.02	0.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	4	CO-US06	5.29	8	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	4	HC-NM+NOX-US06	0.036	0.14	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	4	CO-US06	5.3	8	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	4	CO-SC03	1.68	2.7	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	CA	4	HC-NM+NOX-SC03	0	0.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	4	CO-SC03	1.7	2.7	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	L4	4.63	3625	FA	4	HC-NM+NOX-SC03	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	M5	4.53	3625	CA	100	CO	0.13	2.1	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	M5	4.53	3625	CA	100	NOX	0.06	0.3	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	M5	4.53	3625	CA	50	CO	0.12	1.7	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	M5	4.53	3625	CA	50	NOX	0.05	0.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	M5	4.53	3625	FA	100	CO	0.1	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	M5	4.53	3625	FA	100	NOX	0.1	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	M5	4.53	3625	FA	50	CO	0.1	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	120.5	M5	4.53	3625	FA	50	NOX	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	CA	120	CO	0.73	4.2	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	CA	120	HCHO	0.0017	0.018	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	CA	120	NMOG	0.0315	0.09	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	CA	120	NOX	0.032	0.07	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	CA	50	CO	0.55	3.4	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	CA	50	HCHO	0.0013	0.015	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	CA	50	NMOG	0.0263	0.075	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	CA	50	NOX	0.024	0.05	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	FA	120	CO	0.7	4.2	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	FA	120	HCHO	0.002	0.018	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	FA	120	NMOG	0.031	0.09	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	FA	120	NOX	0.03	0.07	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	FA	50	CO	0.6	3.4	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	FA	50	HCHO	0.001	0.015	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	FA	50	NMOG	0.026	0.075	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(2WD)	162.2	L4	4.04	3875	FA	50	NOX	0.02	0.05	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	50	CO-COLD	0.8	12.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	50	CO-COLD	0.8	12.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	100	CO	0.18	2.8	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	100	HCHO	0.0002	0.013	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	100	NMOG	0.023	0.07	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	100	NOX	0.06	0.5	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	50	CO	0.17	2.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	50	HCHO	0.0002	0.009	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	50	NMOG	0.0221	0.05	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	50	NOX	0.05	0.4	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	100	CO	0.2	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	100	CO-COMP	2.5	5	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	100	HC-NM+NOX-COMP	0.05	1.03	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	100	HCHO	0	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	100	NMOG	0.02	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	100	NOX	0.1	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	50	CO	0.2	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	50	HCHO	0	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	50	NMOG	0.022	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	50	NOX	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	50	50-CO	0.38	2.2	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	50	50-HCHO	0.0002	0.018	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	50	50-NMOG	0.0605	0.1	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	50	50-NOX	0.04	0.4	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	100	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	100	CO-STI	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	100	HC-ST2500	6.89	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	100	HC-STI	5.35	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	4	CO-US06	5.69	10.5	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	4	HC-NM+NOX-US06	0.029	0.25	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	4	CO-US06	5.69	10.5	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	4	HC-NM+NOX-US06	0.029	0.25	B9



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	4	CO-SC03	1.33	3.5	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	CA	4	HC-NM+NOX-SC03	0.014	0.27	ULEV
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	4	CO-SC03	1.3	3.5	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	120.5	M5	4.53	3875	FA	4	HC-NM+NOX-SC03	0.014	0.27	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	50	CO-COLD	4.1	12.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	50	CO-COLD	4.1	12.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	120	CO	0.66	4.2	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	120	HCHO	0.0018	0.018	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	120	NMOG	0.035	0.09	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	120	NOX	0.039	0.07	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	50	CO	0.5	3.4	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	50	HCHO	0.0013	0.015	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	50	NMOG	0.0293	0.075	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	50	NOX	0.029	0.05	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	120	CO	0.7	4.2	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	120	CO-COMP	2.2	5	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	120	HC-NM+NOX-COMP	0.07	0.95	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	120	HCHO	0.002	0.018	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	120	NMOG	0.035	0.09	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	120	NOX	0.04	0.07	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	50	CO	0.5	3.4	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	50	HCHO	0.001	0.015	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	50	NMOG	0.029	0.075	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	50	NOX	0.03	0.05	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	50	50-CO	1.17	3.4	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	50	50-HCHO	0.0004	0.03	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	50	50-NMOG	0.0723	0.15	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	50	50-NOX	0.018	0.05	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	120	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	120	CO-STI	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	120	HC-ST2500	9.05	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	120	HC-STI	6.35	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	4	CO-US06	2.99	10.5	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	4	HC-NM+NOX-US06	0.03	0.25	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	4	CO-US06	3	10.5	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	4	HC-NM+NOX-US06	0.03	0.25	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	4	CO-SC03	0.99	3.5	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	CA	4	HC-NM+NOX-SC03	0.049	0.27	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	4	CO-SC03	1	3.5	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	JM(4WD)	162.2	L4	4.41	4000	FA	4	HC-NM+NOX-SC03	0.05	0.27	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	CO-COLD	3.5	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	50	CO-COLD	3.5	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	50-CO	0.82	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	50-HCHO	0.001	0.03	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	50-NMOG	0.113	0.15	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	50-NOX	0.06	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	4	CO-US06	3.56	8	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	4	HC-NM+NOX-US06	0.061	0.14	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	4	CO-US06	3.6	8	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	4	HC-NM+NOX-US06	0.06	0.14	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	4	CO-SC03	0.1	2.7	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	4	HC-NM+NOX-SC03	0.08	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	4	CO-SC03	0.1	2.7	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	4	HC-NM+NOX-SC03	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	100	CO	0.25	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	100	HCHO	0.0009	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	100	NMOG	0.0225	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	100	NOX	0.05	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	CO	0.23	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	HCHO	0.0007	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	NMOG	0.0214	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	NOX	0.04	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	100	CO	0.2	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	100	HCHO	0.001	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	100	NMOG	0.02	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	100	NOX	0.1	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	50	CO	0.2	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	50	HCHO	0.001	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	50	NMOG	0.021	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	50	NOX	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	100	CO	0.33	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	100	HCHO	0.0018	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	100	NMOG	0.0339	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	100	NOX	0.07	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	CO	0.31	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	HCHO	0.0014	0.015	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	NMOG	0.0322	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	CA	50	NOX	0.06	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	100	CO	0.3	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	100	CO-COMP	1.3	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	100	HC-NM+NOX-COMP	0.12	0.73	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	100	HCHO	0.002	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	100	NMOG	0.03	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	100	NOX	0.1	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	50	CO	0.3	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	50	HCHO	0.001	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	50	NMOG	0.032	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	L4	3.66	2750	FA	50	NOX	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	CA	100	CO	0.22	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	CA	100	NOX	0.09	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	CA	50	CO	0.2	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	CA	50	NOX	0.07	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	100	CO	0.2	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	100	NOX	0.1	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	50	CO	0.2	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	50	NOX	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	CA	100	CO	0.24	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	CA	100	NOX	0.08	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	CA	50	CO	0.22	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	CA	50	NOX	0.06	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	100	CO	0.2	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	100	NOX	0.1	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	50	CO	0.2	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	50	NOX	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	100	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	100	CO-STI	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	100	HC-ST2500	7	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	91.2	M5	3.65	2625	FA	100	HC-STI	7	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	CA	100	CO	0.32	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	CA	100	HCHO	0.0007	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	CA	100	NMOG	0.0236	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	CA	100	NOX	0.04	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	CA	50	CO	0.28	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	CA	50	HCHO	0.0005	0.015	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	CA	50	NMOG	0.0209	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	CA	50	NOX	0.04	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	FA	100	CO	0.3	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	FA	100	HCHO	0.001	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	FA	100	NMOG	0.024	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	FA	100	NOX	0	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	FA	50	CO	0.28	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	FA	50	HCHO	0.001	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	FA	50	NMOG	0.0209	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	3.84	2750	FA	50	NOX	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	CO-COLD	2.1	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	50	CO-COLD	2.1	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	100	CO	0.17	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	100	HCHO	0.0013	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	100	NMOG	0.048	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	100	NOX	0.04	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	CO	0.15	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	HCHO	0.0011	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	NMOG	0.0424	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	NOX	0.04	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	CO	0.2	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	CO-COMP	1.2	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	HCHO	0.001	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	NMOG	0.048	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	NOX	0	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	50	CO	0.15	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	50	HCHO	0.001	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	50	NMOG	0.0424	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	50	NOX	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	50-CO	0.34	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	50-HCHO	0.001	0.03	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	50-NMOG	0.13	0.15	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	50-NOX	0.03	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	CO-STI	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	HC-ST2500	5	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	HC-STI	5	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	100	CO	0.37	4.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	100	HCHO	0.0007	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	100	NMOG	0.031	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	100	NOX	0.04	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	CO	0.32	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	HCHO	0.0005	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	NMOG	0.0274	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	50	NOX	0.04	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	CO	0.4	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	HCHO	0.001	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	NMOG	0.031	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	100	NOX	0	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	50	CO	0.32	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	50	HCHO	0.001	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	50	NMOG	0.0274	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	50	NOX	0	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	4	CO-US06	2.8	8	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	4	HC-NM+NOX-US06	0.078	0.14	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	4	CO-US06	2.8	8	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	4	HC-NM+NOX-US06	0.08	0.14	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	4	CO-SC03	0.26	2.7	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	CA	4	HC-NM+NOX-SC03	0.13	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	4	CO-SC03	0.3	2.7	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	LC(3/4DR)	1599	L4	4.04	2750	FA	4	HC-NM+NOX-SC03	0.1	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	50	CO-COLD	5.2	12.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	100	CO	0.47	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	100	HCHO	0.0009	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	100	NMOG	0.0409	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	100	NOX	0.08	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	50	CO	0.41	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	50	HCHO	0.0007	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	50	NMOG	0.0364	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	50	NOX	0.07	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	50	50-CO	2.16	3.4	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	50	50-HCHO	0	0.03	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	50	50-NMOG	0.101	0.15	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	50	50-NOX	0.05	0.2	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	100	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	100	CO-STI	0	0.5	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	100	HC-ST2500	6.6	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	L4	4.52	4000	FC	100	HC-STI	7.6	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	100	CO	0.47	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	100	CO-COMP	2.77	5.05	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	100	HC-NM+NOX-COMP	0.09	1.03	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	100	HCHO	0.0006	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	100	NMOG	0.0302	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	100	NOX	0.1	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	50	CO	0.41	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	50	HCHO	0.0005	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	50	NMOG	0.0269	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	50	NOX	0.09	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	4	CO-US06	7	10.5	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	4	HC-NM+NOX-US06	0.01	0.25	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	4	CO-SC03	0	3.5	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.52	4000	FC	4	HC-NM+NOX-SC03	0.09	0.27	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.56	4000	FC	100	CO	0.75	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.56	4000	FC	100	HCHO	0.0003	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.56	4000	FC	100	NMOG	0.0382	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.56	4000	FC	100	NOX	0.09	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.56	4000	FC	50	CO	0.65	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.56	4000	FC	50	HCHO	0.0002	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.56	4000	FC	50	NMOG	0.034	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	143.4	M5	4.56	4000	FC	50	NOX	0.08	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	162.2	L4	4.32	4000	FC	120	CO	0.8	4.2	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	162.2	L4	4.32	4000	FC	120	HCHO	0.001	0.018	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	162.2	L4	4.32	4000	FC	120	NMOG	0.034	0.09	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	162.2	L4	4.32	4000	FC	120	NOX	0.01	0.07	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	162.2	L4	4.32	4000	FC	50	CO	0.6	3.4	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	162.2	L4	4.32	4000	FC	50	HCHO	0.001	0.015	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	162.2	L4	4.32	4000	FC	50	NMOG	0.03	0.075	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	162.2	L4	4.32	4000	FC	50	NOX	0.01	0.05	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	213.4	L5	3.68	4250	FC	120	CO	0.4	4.2	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	213.4	L5	3.68	4250	FC	120	HCHO	0.001	0.018	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	213.4	L5	3.68	4250	FC	120	NMOG	0.036	0.09	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	213.4	L5	3.68	4250	FC	120	NOX	0.02	0.07	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	213.4	L5	3.68	4250	FC	50	CO	0.4	3.4	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	213.4	L5	3.68	4250	FC	50	HCHO	0.001	0.015	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	213.4	L5	3.68	4250	FC	50	NMOG	0.034	0.075	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-2WD	213.4	L5	3.68	4250	FC	50	NOX	0.01	0.05	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	50	CO-COLD	5.7	12.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	120	CO	0.8	4.2	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	120	CO-COMP	2.1	5	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	120	HC-NM+NOX-COMP	0.04	0.95	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	120	HCHO	0.001	0.018	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	120	NMOG	0.035	0.09	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	120	NOX	0.01	0.07	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	50	CO	0.7	3.4	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	50	HCHO	0.001	0.015	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	50	NMOG	0.031	0.075	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	50	NOX	0.01	0.05	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	50	50-CO	0.98	3.4	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	50	50-HCHO	0.0001	0.03	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	50	50-NMOG	0.0958	0.15	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	50	50-NOX	0.017	0.05	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	120	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	120	CO-STI	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	120	HC-ST2500	9.02	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	120	HC-STI	6.5	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	4	CO-US06	3.6	10.5	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	4	HC-NM+NOX-US06	0.03	0.25	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	4	CO-SC03	0.7	3.5	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	162.2	L4	4.52	4250	FC	4	HC-NM+NOX-SC03	0.02	0.27	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	50	CO-COLD	5.8	12.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	120	CO	0.4	4.2	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	120	CO-COMP	2.7	5	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	120	HC-NM+NOX-COMP	0.09	0.95	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	120	HCHO	0.001	0.018	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	120	NMOG	0.035	0.09	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	120	NOX	0.01	0.07	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	50	CO	0.4	3.4	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	50	HCHO	0.001	0.015	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	50	NMOG	0.033	0.075	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	50	NOX	0.01	0.05	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	50	50-CO	1.03	3.4	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	50	50-HCHO	0.0001	0.03	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	50	50-NMOG	0.0686	0.15	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	50	50-NOX	0.004	0.05	L2
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	120	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	120	CO-STI	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	120	HC-ST2500	7.77	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	120	HC-STI	7.33	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	4	CO-US06	7.3	10.5	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	4	HC-NM+NOX-US06	0.1	0.25	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	4	CO-SC03	0.7	3.5	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	SM-4WD	213.4	L5	3.68	4500	FC	4	HC-NM+NOX-SC03	0.08	0.27	B5
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	CA	120	CO	0.4	2.1	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	CA	120	HCHO	0.001	0.011	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	CA	120	NMOG	0.03	0.055	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	CA	120	NOX	0.02	0.07	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	CA	50	CO	0.3	1.7	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	CA	50	HCHO	0.001	0.008	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	CA	50	NMOG	0.024	0.04	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	CA	50	NOX	0.01	0.05	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	FA	120	CO	0.4	2.1	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	FA	120	HCHO	0.001	0.011	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	FA	120	NMOG	0.03	0.07	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.65	3125	FA	120	NOX	0.02	0.04	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	50	CO-COLD	1.5	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	120	CO	0.2	2.1	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	120	HCHO	0.001	0.011	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	120	NMOG	0.037	0.07	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	120	NOX	0.01	0.04	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	120	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	120	CO-STI	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	120	HC-ST2500	42	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	120	HC-STI	65	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	4	CO-US06	2.7	8	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	4	HC-NM+NOX-US06	0.02	0.14	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	4	CO-SC03	0.4	2.7	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-4DR/5DR	120.5	L4	3.77	3250	FA	4	HC-NM+NOX-SC03	0.01	0.2	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	50	CO-COLD	2.2	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	150	CO	0.1	1	S2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	150	HCHO	0.0003	0.004	S2



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	150	NMOG	0.0062	0.01	S2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	150	NOX	0.011	0.02	S2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	50	50-CO	0.26	1	S2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	50	50-HCHO	0.0002	0.008	S2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	50	50-NMOG	0.014	0.02	S2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	50	50-NOX	0.002	0.02	S2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	4	CO-US06	2.65	8	S2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	4	HC-NM+NOX-US06	0.007	0.14	S2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	4	CO-SC03	0.25	2.7	S2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.77	3250	CA	4	HC-NM+NOX-SC03	0	0.2	S2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	50	CO-COLD	1.1	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	50	CO-COLD	1.1	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	120	CO	0.6	2.1	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	120	HCHO	0.001	0.011	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	120	NMOG	0.023	0.055	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	120	NOX	0.01	0.07	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	50	CO	0.5	1.7	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	50	HCHO	0.001	0.008	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	50	NMOG	0.019	0.04	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	50	NOX	0.01	0.05	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	120	CO	0.6	2.1	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	120	HCHO	0.001	0.011	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	120	NMOG	0.023	0.07	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	120	NOX	0.01	0.04	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	50	50-CO	0.4	1.7	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	50	50-HCHO	0.001	0.016	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	50	50-NMOG	0.067	0.08	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	50	50-NOX	0.03	0.05	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	120	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	120	CO-STI	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	120	HC-ST2500	25	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	120	HC-STI	62	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	4	CO-US06	2.39	8	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	4	HC-NM+NOX-US06	0.051	0.14	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	4	CO-US06	2.4	8	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	4	HC-NM+NOX-US06	0.05	0.14	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	4	CO-SC03	1.52	2.7	U2
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	CA	4	HC-NM+NOX-SC03	0.053	0.2	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	4	CO-SC03	1.5	2.7	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XD-5DR	120.5	L4	3.65	3250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B4
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	CO-COLD	5.5	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	50	CO-COLD	5.5	10	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	100	CO	0.47	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	100	CO	0.61	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	100	NOX	0.08	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	100	NOX	0.09	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	CO	0.41	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	CO	0.53	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	NOX	0.07	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	NOX	0.08	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	CO	0.47	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	CO	0.61	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	NOX	0.08	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	NOX	0.09	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	50	CO	0.41	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	50	CO	0.53	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	50	NOX	0.07	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	50	NOX	0.08	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	100	CO	0.19	4.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	100	HCHO	0.0002	0.018	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	100	NMOG	0.0283	0.09	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	100	NOX	0.03	0.3	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	CO	0.16	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	HCHO	0.0002	0.015	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	NMOG	0.0259	0.075	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	NOX	0.03	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	CO	0.19	4.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	HCHO	0.0002	0.018	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	NMOG	0.0283	0.09	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	NOX	0.03	0.3	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	50	CO	0.16	3.4	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	50	HCHO	0.0002	0.015	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	50	NMOG	0.0259	0.075	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	50	NOX	0.03	0.2	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	50-CO	1.2	3.4	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	50-HCHO	0	0.03	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	50-NMOG	0.097	0.15	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	50	50-NOX	0.02	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	CO-ST2500	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	CO-STI	0	0.5	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	HC-ST2500	10.6	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	100	HC-STI	11.1	100	N/A
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	4	CO-US06	2.93	8	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	4	CO-US06	2.9	8	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	4	CO-SC03	0.67	2.7	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	CA	4	HC-NM+NOX-SC03	0.017	0.2	LEV
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	4	CO-SC03	0.7	2.7	B9
HYUNDAI	HYUNDAI MOTOR COMPANY	XG	213.6	L5	3.33	4000	FA	4	HC-NM+NOX-SC03	0.02	0.2	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	CO-COLD	1.6	10	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	50	CO-COLD	1.6	10	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	100	CO	0.48	4.2	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	100	CO	0.58	4.2	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	100	HCHO	0.0004	0.018	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	100	HCHO	0.0005	0.018	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	100	NMOG	0.0635	0.09	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	100	NOX	0.04	0.3	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	100	NOX	0.08	0.3	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	CO	0.48	3.4	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	CO	0.58	3.4	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	HCHO	0.0004	0.015	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	HCHO	0.0005	0.015	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	NMOG	0.0505	0.075	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	NOX	0.04	0.2	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	NOX	0.08	0.2	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	100	CO	0.48	4.2	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	100	CO	0.58	4.2	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	100	HCHO	0.0004	0.018	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	100	HCHO	0.0005	0.018	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	100	NMOG	0.0635	0.09	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	100	NOX	0.04	0.3	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	100	NOX	0.08	0.3	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	50	CO	0.48	3.4	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	50	CO	0.58	3.4	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	50	HCHO	0.0004	0.015	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	50	HCHO	0.0005	0.015	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	50	NMOG	0.0505	0.075	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	50	NOX	0.04	0.2	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	50	NOX	0.08	0.2	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	50-CO	0.833	3.4	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	50-HCHO	0.0005	0.03	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	50-NMOG	0.1424	0.15	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	50	50-NOX	0.02	0.2	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	4	CO-US06	2.45	8	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	4	HC-NM+NOX-US06	0.078	0.14	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	100	CO-US06	2.4	11.1	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	4	CO-US06	2.45	8	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	4	HC-NM+NOX-US06	0.078	0.14	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	4	CO-SC03	0.2	2.7	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	CA	4	HC-NM+NOX-SC03	0	0.2	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	100	CO-SC03	0.2	3.7	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	4	CO-SC03	0.2	2.7	B9
JAGUAR CARS INC	JAGUAR	S-TYPE R	4196	L6	2.87	4250	FA	4	HC-NM+NOX-SC03	0	0.2	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	50	CO-COLD	2.7	10	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	50	CO-COLD	2.7	10	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	100	CO	0.17	4.2	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	100	CO	0.2	4.2	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	100	HCHO	0.0002	0.018	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	100	NMOG	0.0451	0.09	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	100	NMOG	0.046	0.09	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	100	NOX	0.03	0.3	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	50	CO	0.17	3.4	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	50	CO	0.2	3.4	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	50	HCHO	0.0002	0.015	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	50	NMOG	0.0321	0.075	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	50	NMOG	0.033	0.075	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	50	NOX	0.03	0.2	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	100	CO	0.17	4.2	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	100	CO	0.2	4.2	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	100	HCHO	0.0002	0.018	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	100	NMOG	0.0451	0.09	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	100	NMOG	0.046	0.09	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	100	NOX	0.03	0.3	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	50	CO	0.17	3.4	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	50	CO	0.2	3.4	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	50	HCHO	0.0002	0.015	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	50	NMOG	0.0321	0.075	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	50	NMOG	0.033	0.075	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	50	NOX	0.03	0.2	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	50	50-CO	0.644	3.4	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	50	50-HCHO	0.0003	0.03	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	50	50-NMOG	0.0937	0.15	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	50	50-NOX	0.02	0.2	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	4	CO-US06	0.02	8	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	4	HC-NM+NOX-US06	0.018	0.14	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	100	CO-US06	0	11.1	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	4	CO-US06	0.02	8	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	4	HC-NM+NOX-US06	0.018	0.14	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	4	CO-SC03	0.06	2.7	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	CA	4	HC-NM+NOX-SC03	0	0.2	LEV
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	100	CO-SC03	0.1	3.7	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	4	CO-SC03	0.06	2.7	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V6	2967	L6	3.31	4000	FA	4	HC-NM+NOX-SC03	0	0.2	B9
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	CO-COLD	3.3	10	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	50	CO-COLD	3.3	10	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	120	CO	0.25	4.2	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	120	CO	0.32	4.2	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	120	HCHO	0.0001	0.018	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	120	HCHO	0.0004	0.018	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	120	NMOG	0.0417	0.09	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	120	NMOG	0.0487	0.09	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	120	NOX	0.01	0.07	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	120	NOX	0.02	0.07	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	CO	0.22	3.4	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	CO	0.28	3.4	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	HCHO	0.0001	0.015	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	HCHO	0.0004	0.015	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	NMOG	0.0373	0.075	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	NMOG	0.0443	0.075	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	NOX	0.01	0.05	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	NOX	0.02	0.05	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	120	CO	0.25	4.2	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	120	CO	0.32	4.2	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	120	HCHO	0.0001	0.018	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	120	HCHO	0.0004	0.018	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	120	NMOG	0.0417	0.09	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	120	NMOG	0.0487	0.09	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	120	NOX	0.01	0.07	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	120	NOX	0.02	0.07	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	50	CO	0.22	3.4	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	50	CO	0.28	3.4	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	50	HCHO	0.0001	0.015	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	50	HCHO	0.0004	0.015	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	50	NMOG	0.0373	0.075	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	50	NMOG	0.0443	0.075	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	50	NOX	0.01	0.05	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	50	NOX	0.02	0.05	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	50-CO	0.634	3.4	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	50-HCHO	0.0005	0.03	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	50-NMOG	0.1355	0.15	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	50	50-NOX	0.02	0.05	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	4	CO-US06	0.62	8	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	4	HC-NM+NOX-US06	0.093	0.14	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	120	CO-US06	0.6	11.1	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	4	CO-US06	0.62	8	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	4	HC-NM+NOX-US06	0.093	0.14	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	4	CO-SC03	0.08	2.7	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	120	CO-SC03	0.1	3.7	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	4	CO-SC03	0.08	2.7	B5
JAGUAR CARS INC	JAGUAR	S-TYPE V8	4196	L6	2.87	4250	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	CO-COLD	1.4	10	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	50	CO-COLD	1.4	10	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	120	CO	0.38	4.2	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	120	CO	0.41	4.2	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	120	HCHO	0.0003	0.018	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	120	NMOG	0.037	0.09	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	120	NMOG	0.042	0.09	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	120	NOX	0.012	0.07	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	120	NOX	0.021	0.07	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	CO	0.35	3.4	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	CO	0.38	3.4	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	HCHO	0.0003	0.015	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	NMOG	0.0322	0.075	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	NMOG	0.0372	0.075	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	NOX	0.012	0.05	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	NOX	0.021	0.05	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	120	CO	0.38	4.2	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	120	CO	0.41	4.2	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	120	HCHO	0.0003	0.018	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	120	NMOG	0.037	0.09	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	120	NMOG	0.042	0.09	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	120	NOX	0.012	0.07	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	120	NOX	0.021	0.07	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	50	CO	0.35	3.4	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	50	CO	0.38	3.4	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	50	HCHO	0.0003	0.015	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	50	NMOG	0.0322	0.075	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	50	NMOG	0.0372	0.075	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	50	NOX	0.012	0.05	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	50	NOX	0.021	0.05	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	50-CO	1.24	3.4	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	50-HCHO	0	0.03	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	50-NMOG	0.072	0.15	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	50	50-NOX	0.039	0.05	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	4	CO-US06	0.7	8	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	4	HC-NM+NOX-US06	0.029	0.14	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	120	CO-US06	0.74	11.1	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	4	CO-US06	0.7	8	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	4	HC-NM+NOX-US06	0.029	0.14	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	4	CO-SC03	0.18	2.7	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	CA	4	HC-NM+NOX-SC03	0	0.2	L2
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	120	CO-SC03	0.18	3.7	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	4	CO-SC03	0.18	2.7	B5
JAGUAR CARS INC	JAGUAR	XK8 CONVERT.	4196	L6	3.06	4250	FA	4	HC-NM+NOX-SC03	0	0.2	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	50	CO-COLD	1.5	10	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	50	CO-COLD	1.5	10	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	100	CO	0.61	4.2	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	100	HCHO	0.0006	0.018	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	100	NMOG	0.067	0.09	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	100	NOX	0.03	0.3	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	50	CO	0.61	3.4	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	50	HCHO	0.0006	0.015	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	50	NMOG	0.0543	0.075	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	50	NOX	0.03	0.2	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	100	CO	0.61	4.2	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	100	HCHO	0.0006	0.018	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	100	NMOG	0.067	0.09	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	100	NOX	0.03	0.3	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	50	CO	0.61	3.4	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	50	HCHO	0.0006	0.015	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	50	NMOG	0.0543	0.075	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	50	NOX	0.03	0.2	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	50	50-CO	0.86	3.4	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	50	50-HCHO	0.002	0.03	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	50	50-NMOG	0.107	0.15	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	50	50-NOX	0.05	0.2	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	4	CO-US06	0.5	8	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	4	HC-NM+NOX-US06	0.045	0.14	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	100	CO-US06	0.52	11.1	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	4	CO-US06	0.52	8	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	4	HC-NM+NOX-US06	0.045	0.14	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	4	CO-SC03	0.2	2.7	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	CA	4	HC-NM+NOX-SC03	0.04	0.2	LEV
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	100	CO-SC03	0.2	3.7	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	4	CO-SC03	0.2	2.7	B9
JAGUAR CARS INC	JAGUAR	XKR CONVERT.	4196	L6	3.06	4250	FA	4	HC-NM+NOX-SC03	0.04	0.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	CO-COLD	4.7	10	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	CO-COLD	3.2	10	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	CO-COLD	4.7	10	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	CO-COLD	3.2	10	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	CO	0.32	4.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	CO	1.04	4.2	LEV



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	HCHO	0.0003	0.018	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	HCHO	0.0012	0.018	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	NMOG	0.0247	0.09	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	NMOG	0.0729	0.09	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	NOX	0.02	0.3	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	NOX	0.06	0.3	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	CO	0.27	3.4	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	CO	0.98	3.4	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	HCHO	0.0003	0.015	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	HCHO	0.0012	0.015	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	NMOG	0.0193	0.075	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	NMOG	0.0675	0.075	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	NOX	0.02	0.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	NOX	0.06	0.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO	0.32	4.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO	1.04	4.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	HCHO	0.0003	0.018	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	HCHO	0.0012	0.018	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	NMOG	0.0247	0.09	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	NMOG	0.0729	0.09	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	NOX	0.02	0.3	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	NOX	0.06	0.3	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	CO	0.27	3.4	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	CO	0.98	3.4	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	HCHO	0.0003	0.015	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	HCHO	0.0012	0.015	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	NMOG	0.0193	0.075	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	NMOG	0.0675	0.075	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	NOX	0.02	0.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	NOX	0.06	0.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	CO	0.34	4.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	CO	0.35	4.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	CO	0.29	4.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	CO	0.3	4.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	HCHO	0.0001	0.018	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	HCHO	0.0004	0.018	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	HCHO	0.0004	0.018	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	NMOG	0.0176	0.09	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	NMOG	0.0284	0.09	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	NMOG	0.0278	0.09	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	NMOG	0.0288	0.09	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	NOX	0.01	0.3	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	NOX	0.02	0.3	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	100	NOX	0.02	0.3	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	CO	0.29	3.4	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	CO	0.3	3.4	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	CO	0.24	3.4	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	CO	0.25	3.4	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	HCHO	0.0001	0.015	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	HCHO	0.0004	0.015	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	HCHO	0.0004	0.015	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	NMOG	0.0122	0.075	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	NMOG	0.023	0.075	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	NMOG	0.0224	0.075	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	NMOG	0.0234	0.075	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	NOX	0.01	0.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	NOX	0.02	0.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	NOX	0.02	0.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO	0.34	4.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO	0.35	4.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO	0.29	4.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO	0.3	4.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	HCHO	0.0001	0.018	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	HCHO	0.0004	0.018	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	HCHO	0.0004	0.018	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	NMOG	0.0176	0.09	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	NMOG	0.0284	0.09	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	NMOG	0.0278	0.09	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	NMOG	0.0288	0.09	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	NOX	0.01	0.3	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	NOX	0.02	0.3	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	NOX	0.02	0.3	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	CO	0.29	3.4	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	CO	0.3	3.4	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	CO	0.24	3.4	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	CO	0.25	3.4	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	HCHO	0.0001	0.015	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	HCHO	0.0004	0.015	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	HCHO	0.0004	0.015	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	NMOG	0.0122	0.075	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	NMOG	0.023	0.075	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	NMOG	0.0224	0.075	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	NMOG	0.0234	0.075	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	NOX	0.01	0.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	NOX	0.02	0.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	50	NOX	0.02	0.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	50-CO	0.351	3.4	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	50-CO	1.357	3.4	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	50-HCHO	0.0008	0.03	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	50-HCHO	0.0024	0.03	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	50-NMOG	0.0377	0.15	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	50-NMOG	0.1191	0.15	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	50-NOX	0.02	0.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	50	50-NOX	0.03	0.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	CO-US06	0.12	8	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	CO-US06	0.22	8	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	CO-US06	0.03	8	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	HC-NM+NOX-US06	0.067	0.14	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	HC-NM+NOX-US06	0.087	0.14	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	HC-NM+NOX-US06	0.067	0.14	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO-US06	0.1	11.1	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO-US06	0.2	11.1	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO-US06	0	11.1	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	CO-US06	0.12	8	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	CO-US06	0.22	8	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	CO-US06	0.03	8	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	HC-NM+NOX-US06	0.067	0.14	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	HC-NM+NOX-US06	0.087	0.14	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	HC-NM+NOX-US06	0.067	0.14	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	CO-SC03	0.01	2.7	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	CO-SC03	0.12	2.7	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	CO-SC03	0.08	2.7	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	HC-NM+NOX-SC03	0.07	0.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	HC-NM+NOX-SC03	0.33	0.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	CA	4	HC-NM+NOX-SC03	0.03	0.2	LEV
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO-SC03	0	3.7	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO-SC03	0.1	3.7	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	100	CO-SC03	0.1	3.7	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	CO-SC03	0.01	2.7	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	CO-SC03	0.12	2.7	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	CO-SC03	0.08	2.7	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	HC-NM+NOX-SC03	0.07	0.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	HC-NM+NOX-SC03	0.33	0.2	B9
JAGUAR CARS INC	JAGUAR	X-TYPE	2967	L5	3.89	4000	FA	4	HC-NM+NOX-SC03	0.03	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	50	CO-COLD	2.5	10	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	50	CO-COLD	2.5	10	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	100	CO	0.3	4.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	100	HCHO	0	0.018	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	100	NMOG	0.034	0.09	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	100	NMOG	0.04	0.09	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	100	NOX	0	0.3	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	50	CO	0.2	3.4	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	50	CO	0.3	3.4	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	50	HCHO	0	0.015	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	50	NMOG	0.031	0.075	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	50	NMOG	0.036	0.075	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	50	NOX	0	0.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	100	CO	0.3	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	100	CO-COMP	1.7	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	100	HC-NM+NOX-COMP	0.04	0.73	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	100	HCHO	0	0.018	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	100	NMOG	0.034	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	100	NMOG	0.04	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	100	NOX	0	0.3	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	50	CO	0.2	3.4	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	50	CO	0.3	3.4	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	50	HCHO	0	0.015	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	50	NMOG	0.031	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	50	NMOG	0.036	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	50	NOX	0	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	50	50-CO	0.8	3.4	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	50	50-HCHO	0.001	0.03	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	50	50-NMOG	0.085	0.15	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	50	50-NOX	0	0.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	4	CO-US06	4	8	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	4	HC-NM+NOX-US06	0.04	0.14	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	4	CO-US06	4	8	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	4	CO-SC03	0.3	2.7	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	CA	4	HC-NM+NOX-SC03	0.02	0.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	4	CO-SC03	0.3	2.7	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	AMANTI	3.5	L5	3.33	4250	FA	4	HC-NM+NOX-SC03	0.02	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	50	CO-COLD	4.2	10	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	50	CO-COLD	4.2	10	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	100	CO	0.5	4.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	100	HCHO	0.001	0.018	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	100	NMOG	0.046	0.09	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	100	NOX	0	0.3	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	50	CO	0.5	3.4	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	50	HCHO	0.001	0.015	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	50	NMOG	0.041	0.075	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	50	NOX	0	0.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	100	CO	0.5	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	100	CO-COMP	0.2	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	100	HC-NM+NOX-COMP	0.06	0.73	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	100	HCHO	0.001	0.018	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	100	NMOG	0.046	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	100	NOX	0	0.3	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	50	CO	0.5	3.4	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	50	HCHO	0.001	0.015	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	50	NMOG	0.041	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	50	NOX	0	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	50	50-CO	1.8	3.4	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	50	50-HCHO	0.002	0.03	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	50	50-NMOG	0.135	0.15	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	50	50-NOX	0	0.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	4	CO-US06	0.1	8	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	4	CO-US06	0.1	8	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	4	HC-NM+NOX-US06	0.03	0.14	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	4	CO-SC03	0.1	2.7	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	CA	4	HC-NM+NOX-SC03	0.03	0.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	4	CO-SC03	0.1	2.7	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	L4	3.77	3625	FA	4	HC-NM+NOX-SC03	0.03	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	CA	100	CO	0.6	4.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	CA	100	HCHO	0.001	0.018	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	CA	100	NMOG	0.038	0.09	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	CA	100	NOX	0.1	0.3	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	CA	50	CO	0.5	3.4	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	CA	50	HCHO	0.001	0.015	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	CA	50	NMOG	0.034	0.075	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	CA	50	NOX	0.1	0.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	FA	100	CO	0.6	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	FA	100	HCHO	0.001	0.018	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	FA	100	NMOG	0.038	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	FA	100	NOX	0.1	0.3	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	FA	50	CO	0.5	3.4	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	FA	50	HCHO	0.001	0.015	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	FA	50	NMOG	0.034	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.4	M5	3.88	3625	FA	50	NOX	0.1	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	50	CO-COLD	5.5	10	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	50	CO-COLD	5.5	10	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	100	CO	0.6	4.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	100	HCHO	0.001	0.018	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	100	NMOG	0.032	0.09	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	100	NOX	0	0.3	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	50	CO	0.5	3.4	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	50	HCHO	0.001	0.015	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	50	NMOG	0.029	0.075	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	50	NOX	0	0.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	100	CO	0.6	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	100	CO-COMP	0.6	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	100	HC-NM+NOX-COMP	0.03	0.73	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	100	HCHO	0.001	0.018	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	100	NMOG	0.032	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	100	NOX	0	0.3	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	50	CO	0.5	3.4	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	50	HCHO	0.001	0.015	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	50	NMOG	0.029	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	50	NOX	0	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	50	50-CO	0.9	3.4	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	50	50-HCHO	0.002	0.03	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	50	50-NMOG	0.085	0.15	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	50	50-NOX	0	0.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	4	CO-US06	0.3	8	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	4	HC-NM+NOX-US06	0.02	0.14	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	4	CO-US06	0.3	8	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	4	HC-NM+NOX-US06	0.02	0.14	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	4	CO-SC03	0.2	2.7	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	CA	4	HC-NM+NOX-SC03	0.02	0.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	4	CO-SC03	0.2	2.7	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	L4	3.77	3625	FA	4	HC-NM+NOX-SC03	0.02	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	CA	100	CO	0.7	4.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	CA	100	HCHO	0.001	0.018	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	CA	100	NMOG	0.024	0.09	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	CA	100	NOX	0.1	0.3	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	CA	50	CO	0.5	3.4	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	CA	50	HCHO	0	0.015	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	CA	50	NMOG	0.022	0.075	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	CA	50	NOX	0.1	0.2	LEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	FA	100	CO	0.7	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	FA	100	HCHO	0.001	0.018	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	FA	100	NMOG	0.024	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	FA	100	NOX	0.1	0.3	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	FA	50	CO	0.5	3.4	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	FA	50	HCHO	0	0.015	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	FA	50	NMOG	0.022	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	OPTIMA	2.7	M5	4.06	3625	FA	50	NOX	0.1	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	CA	120	CO	0.5	4.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	CA	120	HCHO	0.001	0.018	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	CA	120	NMOG	0.039	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	CA	120	NOX	0.02	0.07	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	CA	50	CO	0.5	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	CA	50	HCHO	0	0.015	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	CA	50	NMOG	0.034	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	CA	50	NOX	0.01	0.05	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	FA	120	CO	0.5	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	FA	120	HCHO	0.001	0.018	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	FA	120	NMOG	0.039	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	FA	120	NOX	0.02	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	FA	50	CO	0.5	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	FA	50	HCHO	0	0.015	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	FA	50	NMOG	0.034	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2750	FA	50	NOX	0.01	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	CO-COLD	2.8	10	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	50	CO-COLD	2.8	10	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	120	CO	0.5	4.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	120	CO	0.9	4.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	120	HCHO	0.001	0.018	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	120	NMOG	0.048	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	120	NMOG	0.081	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	120	NOX	0.02	0.07	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	120	NOX	0.03	0.07	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	CO	0.5	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	CO	0.8	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	HCHO	0	0.015	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	NMOG	0.041	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	NMOG	0.069	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	NOX	0.01	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	NOX	0.02	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	120	CO	0.5	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	120	CO	0.9	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	120	CO-COMP	1.3	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	120	HCHO	0.001	0.018	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	120	NMOG	0.048	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	120	NMOG	0.081	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	120	NOX	0.02	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	120	NOX	0.03	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	50	CO	0.5	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	50	CO	0.8	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	50	HCHO	0	0.015	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	50	NMOG	0.041	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	50	NMOG	0.069	0.075	B5



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	50	NOX	0.01	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	50	NOX	0.02	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	50-CO	1.4	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	50-HCHO	0.001	0.03	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	50-NMOG	0.082	0.15	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	50	50-NOX	0.02	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	4	CO-US06	1.3	8	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	4	HC-NM+NOX-US06	0.02	0.14	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	4	CO-US06	1.3	8	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	4	HC-NM+NOX-US06	0.02	0.14	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	4	CO-SC03	1.3	2.7	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	CA	4	HC-NM+NOX-SC03	0.03	0.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	4	CO-SC03	1.3	2.7	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	L4	3.83	2875	FA	4	HC-NM+NOX-SC03	0.03	0.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	CA	120	CO	0.4	4.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	CA	120	HCHO	0.001	0.018	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	CA	120	NMOG	0.032	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	CA	120	NMOG	0.033	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	CA	120	NOX	0.04	0.07	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	CA	50	CO	0.3	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	CA	50	CO	0.4	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	CA	50	HCHO	0	0.015	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	CA	50	NMOG	0.027	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	CA	50	NMOG	0.028	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	CA	50	NOX	0.03	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	FA	120	CO	0.4	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	FA	120	HCHO	0.001	0.018	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	FA	120	NMOG	0.032	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	FA	120	NMOG	0.033	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	FA	120	NOX	0.04	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	FA	50	CO	0.3	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	FA	50	CO	0.4	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	FA	50	HCHO	0	0.015	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	FA	50	NMOG	0.027	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	FA	50	NMOG	0.028	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	RIO	1.6	M5	4.16	2750	FA	50	NOX	0.03	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	50	CO-COLD	8	12.5	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	50	CO-COLD	8	12.5	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	120	CO	1	4.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	120	HCHO	0.001	0.018	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	120	NMOG	0.043	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	120	NOX	0.01	0.07	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	50	CO	0.7	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	50	HCHO	0.001	0.015	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	50	NMOG	0.035	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	50	NOX	0.01	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	CO	1	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	CO-COMP	4.09	5.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	HC-NM+NOX-COMP	0.04	0.95	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	HCHO	0.001	0.018	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	NMOG	0.043	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	NOX	0.01	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	50	CO	0.7	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	50	HCHO	0.001	0.015	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	50	NMOG	0.035	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	50	NOX	0.01	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	50	50-CO	1.6	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	50	50-HCHO	0.002	0.03	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	50	50-NMOG	0.094	0.15	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	50	50-NOX	0.02	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	4	CO-US06	6.8	10.5	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	4	CO-US06	6.8	10.5	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	4	CO-SC03	1.2	3.5	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	CA	4	HC-NM+NOX-SC03	0.03	0.27	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	4	CO-SC03	1.2	3.5	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	4	HC-NM+NOX-SC03	0.03	0.27	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	50	CO-COLD	8	12.5	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	CO	1	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	CO-COMP	4.09	5.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	HC-NM+NOX-COMP	0.04	0.95	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	HCHO	0.001	0.018	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	NMOG	0.043	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	120	NOX	0.01	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	50	CO	0.7	3.4	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	50	HCHO	0.001	0.015	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	50	NMOG	0.035	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	50	NOX	0.01	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	4	CO-US06	6.8	10.5	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	4	CO-SC03	1.2	3.5	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SEDONA	3.5	L5	3.33	5000	FA	4	HC-NM+NOX-SC03	0.03	0.27	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	CA	120	CO	0.6	4.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	CA	120	HCHO	0.001	0.018	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	CA	120	NMOG	0.047	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	CA	120	NOX	0.02	0.07	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	CA	50	CO	0.5	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	CA	50	HCHO	0.001	0.015	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	CA	50	NMOG	0.04	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	CA	50	NOX	0.01	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	FA	120	CO	0.6	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	FA	120	HCHO	0.001	0.018	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	FA	120	NMOG	0.047	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	FA	120	NOX	0.02	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	FA	50	CO	0.5	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	FA	50	HCHO	0.001	0.015	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	FA	50	NMOG	0.04	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4500	FA	50	NOX	0.01	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	50	CO-COLD	7.2	12.5	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	50	CO-COLD	7.2	12.5	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	120	CO	0.6	4.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	120	CO	0.8	4.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	120	NMOG	0.059	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	120	NMOG	0.071	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	120	NOX	0.02	0.07	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	50	CO	0.5	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	50	CO	0.7	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	50	NMOG	0.05	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	50	NMOG	0.06	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	50	NOX	0.02	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	120	CO	0.6	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	120	CO	0.8	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	120	CO-COMP	2.64	5.05	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	120	HC-NM+NOX-COMP	0.05	0.95	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	120	NMOG	0.059	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	120	NMOG	0.071	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	120	NOX	0.02	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	50	CO	0.5	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	50	CO	0.7	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	50	NMOG	0.05	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	50	NMOG	0.06	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	50	NOX	0.02	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	50	50-CO	1.5	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	50	50-HCHO	0.002	0.03	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	50	50-NMOG	0.107	0.15	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	50	50-NOX	0.02	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	4	CO-US06	6.5	10.5	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	4	HC-NM+NOX-US06	0.04	0.25	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	4	CO-US06	6.5	10.5	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	4	HC-NM+NOX-US06	0.04	0.25	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	4	CO-SC03	0.2	3.5	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	CA	4	HC-NM+NOX-SC03	0	0.27	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	4	CO-SC03	0.2	3.5	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	L5	3.33	4750	FA	4	HC-NM+NOX-SC03	0	0.27	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	CA	120	CO	0.5	4.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	CA	120	HCHO	0.001	0.018	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	CA	120	NMOG	0.044	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	CA	120	NOX	0.03	0.07	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	CA	50	CO	0.4	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	CA	50	HCHO	0.001	0.015	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	CA	50	NMOG	0.037	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	CA	50	NOX	0.02	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	FA	120	CO	0.5	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	FA	120	HCHO	0.001	0.018	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	FA	120	NMOG	0.044	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	FA	120	NOX	0.03	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	FA	50	CO	0.4	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	FA	50	HCHO	0.001	0.015	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	FA	50	NMOG	0.037	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4500	FA	50	NOX	0.02	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	CA	120	CO	0.7	4.2	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	CA	120	HCHO	0.001	0.018	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	CA	120	NMOG	0.06	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	CA	120	NOX	0.04	0.07	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	CA	50	CO	0.6	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	CA	50	HCHO	0.001	0.015	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	CA	50	NMOG	0.051	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	CA	50	NOX	0.03	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	FA	120	CO	0.7	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	FA	120	HCHO	0.001	0.018	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	FA	120	NMOG	0.06	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	FA	120	NOX	0.04	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	FA	50	CO	0.6	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	FA	50	HCHO	0.001	0.015	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	FA	50	NMOG	0.051	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SORENTO	3.5	M5	4.66	4750	FA	50	NOX	0.03	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	CO-COLD	1.4	10	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	150	CO	0.23	1	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	150	HCHO	0	0.004	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	150	NMOG	0.007	0.01	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	150	NOX	0	0.02	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	150	50-CO	0.2	1	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	150	50-NOX	0	0.02	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	50-HCHO	0	0.008	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	50-NMOG	0.015	0.02	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	4	CO-US06	5.3	8	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	4	HC-NM+NOX-US06	0.01	0.14	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	4	CO-SC03	0.6	2.7	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	4	HC-NM+NOX-SC03	0	0.2	S2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	CO-COLD	1.2	10	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	FA	50	CO-COLD	1.2	10	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	120	CO	0.2	2.1	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	120	HCHO	0.001	0.011	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	120	NMOG	0.026	0.055	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	120	NOX	0	0.07	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	CO	0.2	1.7	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	HCHO	0.001	0.008	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	NMOG	0.023	0.04	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	NOX	0	0.05	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	FA	120	CO	0.2	2.1	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	FA	120	CO-COMP	2.26	3.47	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	FA	120	HC-NM+NOX-COMP	0.04	0.63	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	FA	120	HCHO	0.001	0.011	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	FA	120	NMOG	0.026	0.07	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	FA	120	NOX	0	0.04	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	50-CO	0.5	1.7	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	50-HCHO	0.002	0.016	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	50-NMOG	0.071	0.08	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	50	50-NOX	0.02	0.05	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	4	CO-US06	4.9	8	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	4	HC-NM+NOX-US06	0.04	0.14	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	FA	4	CO-US06	4.9	8	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	FA	4	HC-NM+NOX-US06	0.04	0.14	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	4	CO-SC03	1	2.7	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	CA	4	HC-NM+NOX-SC03	0.03	0.2	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	FA	4	CO-SC03	1	2.7	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	L4	3.77	3250	FA	4	HC-NM+NOX-SC03	0.03	0.2	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	CA	120	CO	0.6	2.1	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	CA	120	HCHO	0.001	0.011	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	CA	120	NMOG	0.022	0.055	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	CA	120	NOX	0.02	0.07	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	CA	50	CO	0.5	1.7	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	CA	50	HCHO	0	0.008	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	CA	50	NMOG	0.019	0.04	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	CA	50	NOX	0.01	0.05	U2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	FA	120	CO	0.6	2.1	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	FA	120	HCHO	0.001	0.011	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	FA	120	NMOG	0.022	0.07	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPECTRA	2	M5	3.84	3250	FA	120	NOX	0.02	0.04	B4
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	100	CO	0.4	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	100	NMOG	0.06	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	100	NOX	0.1	0.3	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	50	CO	0.3	3.4	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	50	NMOG	0.054	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	50	NOX	0.1	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	100	CO	0.3	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	100	HCHO	0	0.018	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	100	NMOG	0.02	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	100	NOX	0	0.3	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	50	CO	0.3	3.4	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	50	HCHO	0	0.015	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	50	NMOG	0.023	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	50	NOX	0	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	50	CO-COLD	1.5	10	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	CO	0.5	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	CO-COMP	2	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	HC-NM+NOX-COMP	0.1	0.73	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	HCHO	0	0.018	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	NMOG	0.02	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	NOX	0.1	0.3	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	50	CO	0.4	3.4	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	50	HCHO	0	0.015	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	50	NMOG	0.023	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	50	NOX	0.1	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	4	CO-US06	3.5	8	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	4	HC-NM+NOX-US06	0.07	0.14	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	4	CO-SC03	1.4	2.7	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	4	HC-NM+NOX-SC03	0.07	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	50	CO-COLD	1.4	10	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	50	CO-COLD	1.4	10	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	100	CO	0.3	2.1	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	100	HCHO	0	0.011	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	100	NMOG	0.016	0.055	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	100	NOX	0.1	0.3	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	50	CO	0.2	1.7	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	50	HCHO	0	0.008	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	50	NMOG	0.015	0.04	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	50	NOX	0.1	0.2	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	100	CO	0.3	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	100	CO-COMP	2.4	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	100	HC-NM+NOX-COMP	0.06	0.73	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	100	HCHO	0	0.018	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	100	NMOG	0.02	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	100	NOX	0.1	0.3	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	50	CO	0.2	3.4	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	50	HCHO	0	0.015	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	50	NMOG	0.015	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	50	NOX	0.1	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	50	50-CO	0.3	1.7	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	50	50-HCHO	0	0.016	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	50	50-NMOG	0.06	0.08	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	50	50-NOX	0	0.2	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	4	CO-US06	4.9	8	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	4	HC-NM+NOX-US06	0.04	0.14	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	4	CO-US06	4.9	8	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	4	CO-SC03	1.7	2.7	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	CA	4	HC-NM+NOX-SC03	0.01	0.2	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	4	CO-SC03	1.7	2.7	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	L4	4.63	3625	FA	4	HC-NM+NOX-SC03	0.01	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	CA	100	CO	0.1	2.1	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	CA	100	HCHO	0	0.011	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	CA	100	NMOG	0.021	0.055	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	CA	100	NOX	0.1	0.3	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	CA	50	CO	0.1	1.7	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	CA	50	HCHO	0	0.008	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	CA	50	NMOG	0.02	0.04	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	CA	50	NOX	0.1	0.2	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	100	CO	0.1	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	100	HCHO	0	0.018	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	100	NMOG	0.02	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	100	NOX	0.1	0.3	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	50	CO	0.1	3.4	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	50	HCHO	0	0.015	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	50	NMOG	0.02	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3625	FA	50	NOX	0.1	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	50	CO-COLD	1.2	12.5	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	50	CO-COLD	1.2	12.5	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	100	CO	0.2	2.8	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	100	HCHO	0	0.013	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	100	NMOG	0.022	0.07	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	100	NOX	0	0.5	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	50	CO	0.2	2.2	ULEV



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	50	HCHO	0	0.009	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	50	NMOG	0.021	0.05	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	50	NOX	0	0.4	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	CO	0.2	4.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	CO-COMP	2.28	5.05	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	HC-NM+NOX-COMP	0.03	1.03	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	HCHO	0	0.018	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	NMOG	0.02	0.09	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	100	NOX	0	0.3	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	50	CO	0.2	3.4	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	50	HCHO	0	0.015	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	50	NMOG	0.021	0.075	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	50	NOX	0	0.2	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	50	50-CO	0.3	2.2	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	50	50-HCHO	0	0.018	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	50	50-NMOG	0.056	0.1	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	50	50-NOX	0	0.4	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	4	CO-US06	4.8	10.5	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	4	HC-NM+NOX-US06	0.02	0.25	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	4	CO-US06	4.8	10.5	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	4	HC-NM+NOX-US06	0.02	0.25	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	4	CO-SC03	1.5	3.5	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	CA	4	HC-NM+NOX-SC03	0.02	0.27	ULEV
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	4	CO-SC03	1.5	3.5	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2	M5	4.53	3875	FA	4	HC-NM+NOX-SC03	0.02	0.27	B9
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	CA	120	CO	1	4.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	CA	120	HCHO	0.001	0.018	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	CA	120	NMOG	0.037	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	CA	120	NOX	0.03	0.07	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	CA	50	CO	0.7	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	CA	50	HCHO	0.001	0.015	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	CA	50	NMOG	0.031	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	CA	50	NOX	0.02	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	FA	120	CO	1	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	FA	120	HCHO	0.001	0.018	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	FA	120	NMOG	0.037	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	FA	120	NOX	0.03	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	FA	50	CO	0.7	3.4	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	FA	50	HCHO	0.001	0.015	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	FA	50	NMOG	0.031	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.04	3875	FA	50	NOX	0.02	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	50	CO-COLD	4.4	12.5	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	50	CO-COLD	4.4	12.5	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	120	CO	1.4	4.2	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	120	NMOG	0.043	0.09	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	120	NOX	0.01	0.07	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	50	CO	1.1	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	50	NMOG	0.036	0.075	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	50	NOX	0.01	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	120	CO	1.4	4.2	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	120	CO-COMP	3.22	5.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	120	HC-NM+NOX-COMP	0.05	0.95	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	120	NMOG	0.043	0.09	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	120	NOX	0.01	0.07	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	50	CO	1.1	3.4	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	50	NMOG	0.036	0.075	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	50	NOX	0.01	0.05	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	50	50-CO	0.9	3.4	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	50	50-HCHO	0	0.03	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	50	50-NMOG	0.08	0.15	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	50	50-NOX	0.01	0.05	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	4	CO-US06	4.9	10.5	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	4	HC-NM+NOX-US06	0.03	0.25	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	4	CO-US06	4.9	10.5	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	4	HC-NM+NOX-US06	0.03	0.25	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	4	CO-SC03	0.7	3.5	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	CA	4	HC-NM+NOX-SC03	0.03	0.27	L2
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	4	CO-SC03	0.7	3.5	B5
KIA MOTORS CORPORATION	KIA MOTORS CORPORATION	SPORTAGE	2.7	L4	4.41	4000	FA	4	HC-NM+NOX-SC03	0.03	0.27	B5
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	50	CO-COLD	6.73	10	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	50	CO-COLD	6.73	10	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	100	CO	1.47	4.2	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	100	NOX	0.1	0.3	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	50	CO	1.02	3.4	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	50	NOX	0.09	0.2	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	100	CO	1.47	4.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	100	NOX	0.1	0.3	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	50	CO	1.02	3.4	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	50	NOX	0.09	0.2	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	100	CO	2.89	4.2	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	100	HCHO	0.0095	0.018	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	100	NMOG	0.0707	0.09	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	100	NOX	0.17	0.3	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	50	CO	2.01	3.4	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	50	HCHO	0.0087	0.015	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	50	NMOG	0.055	0.075	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	50	NOX	0.14	0.2	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	100	CO	2.89	4.2	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	100	HCHO	0.0095	0.018	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	100	NMOG	0.0707	0.09	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	100	NOX	0.17	0.3	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	50	CO	2.01	3.4	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	50	HCHO	0.0087	0.015	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	50	NMOG	0.055	0.075	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	50	NOX	0.14	0.2	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	50	50-CO	1.96	3.4	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	50	50-HCHO	0.0072	0.03	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	50	50-NMOG	0.0459	0.15	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	50	50-NOX	0.12	0.2	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	N/A	CO-ST2500	0	0.5	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	N/A	CO-STI	0	0.5	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	N/A	HC-ST2500	4	100	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	N/A	HC-STI	1	100	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	N/A	CO-ST2500	0	0.5	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	N/A	CO-STI	0	0.5	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	N/A	HC-ST2500	4	100	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	N/A	HC-STI	1	100	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	4	CO-US06	2.9	8	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	4	HC-NM+NOX-US06	0.107	0.14	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	100	CO-US06	6.66	11.1	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	4	CO-US06	2.9	8	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	4	HC-NM+NOX-US06	0.107	0.14	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	4	CO-SC03	2.21	2.7	LEV
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	CA	4	HC-NM+NOX-SC03	0.115	0.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	100	CO-SC03	5.09	3.7	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	4	CO-SC03	2.21	2.7	B9
LAMBORGHINI	LAMBORGHINI	L-140/141	5	M6	3.08	3750	FA	4	HC-NM+NOX-SC03	0.115	0.2	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	CO-COLD	6.39	10	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	50	CO-COLD	6.39	10	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	100	CO	2.58	4.2	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	100	HC-NM	0.0475	0.086	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	100	HC-TOTAL	0.065	0.097	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	100	NMOG	0.0519	0.09	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	100	NOX	0.17	0.3	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	CO	1.79	3.4	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	HC-NM	0.037	0.072	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	HC-TOTAL	0.0506	0.08	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	NMOG	0.0404	0.075	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	NOX	0.14	0.2	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	CO	2.58	4.2	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	HC-NM	0.0475	0.086	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	HC-TOTAL	0.065	0.097	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	NMOG	0.0519	0.09	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	NOX	0.17	0.3	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	50	CO	1.79	3.4	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	50	HC-NM	0.037	0.072	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	50	HC-TOTAL	0.0506	0.08	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	50	NMOG	0.0404	0.075	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	50	NOX	0.14	0.2	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	100	CO	3.04	4.2	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	100	HC-TOTAL	0.0648	0.097	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	100	HCHO	0.0078	0.018	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	100	NMOG	0.0583	0.09	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	100	NOX	0.17	0.3	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	CO	2.11	3.4	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	HC-TOTAL	0.0504	0.08	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	HCHO	0.0072	0.015	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	NMOG	0.0454	0.075	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	NOX	0.15	0.2	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	CO	3.04	4.2	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	HC-TOTAL	0.065	0.097	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	HCHO	0.0078	0.018	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	NMOG	0.0583	0.09	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	NOX	0.17	0.3	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	50	CO	2.11	3.4	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	50	HC-TOTAL	0.0504	0.08	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	50	HCHO	0.0072	0.015	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	50	NMOG	0.0454	0.075	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	50	NOX	0.15	0.2	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	50-CO	2.69	3.4	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	50-HCHO	0.0073	0.03	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	50-NMOG	0.0459	0.15	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	50	50-NOX	0.12	0.2	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	N/A	CO-ST2500	0	0.5	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	N/A	CO-STI	0	0.5	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	N/A	HC-ST2500	0	100	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	N/A	HC-STI	0.9	100	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	N/A	CO-ST2500	0	0.5	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	N/A	CO-STI	0	0.5	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	N/A	HC-ST2500	0	100	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	N/A	HC-STI	0.9	100	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	4	CO-US06	3.7	8	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	4	HC-NM+NOX-US06	0.114	0.14	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	CO-US06	8.51	11.1	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	4	CO-US06	3.7	8	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	4	HC-NM+NOX-US06	0.114	0.14	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	4	CO-SC03	0.67	2.7	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	CA	4	HC-NM+NOX-SC03	0.172	0.2	LEV
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	100	CO-SC03	1.54	3.7	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	4	CO-SC03	0.67	2.7	B9
LAMBORGHINI	LAMBORGHINI	L-147/148	6.2	M6	2.53	4000	FA	4	HC-NM+NOX-SC03	0.172	0.2	B9
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	50	CO-COLD	3.29	12.5	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	50	CO-COLD	3.29	12.5	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	120	CO	1.48	4.2	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	120	HC-NM+NOX-COMP	0.04	0.95	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	120	HCHO	0.0004	0.018	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	120	NMOG	0.05	0.09	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	120	NOX	0.01	0.07	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	50	CO	1.1	3.4	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	50	HCHO	0.0004	0.015	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	50	NMOG	0.046	0.075	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	50	NOX	0.01	0.05	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	120	CO	1.48	4.2	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	120	HC-NM+NOX-COMP	0.04	0.95	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	120	HCHO	0.0004	0.018	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	120	NMOG	0.05	0.09	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	120	NOX	0.01	0.07	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	50	CO	1.1	3.4	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	50	HCHO	0.0004	0.015	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	50	NMOG	0.046	0.075	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	50	NOX	0.01	0.05	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	N/A	50-CO	0.8	3.4	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	N/A	50-HCHO	0.001	0.03	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	N/A	50-NMOG	0.11	0.15	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	N/A	50-NOX	0.01	0.05	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	120	CO-US06	6.6	14.6	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	4	CO-US06	3.59	10.5	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	4	HC-NM+NOX-US06	0.023	0.25	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	120	CO-US06	6.6	14.6	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	4	CO-US06	3.59	10.5	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	4	HC-NM+NOX-US06	0.023	0.25	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	120	CO-SC03	0.9	4.9	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	4	CO-SC03	0.5	3.5	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	CA	4	HC-NM+NOX-SC03	0.046	0.27	L2
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	120	CO-SC03	0.9	4.9	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	4	CO-SC03	0.5	3.5	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	FREELANDER	2497	L5	3.66	4000	FA	4	HC-NM+NOX-SC03	0.046	0.27	B5
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	50	CO-COLD	1.6	12.5	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	50	CO-COLD	1.6	12.5	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	120	CO	0.5	4.2	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	120	HC-NM+NOX-COMP	0.1	1.48	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	120	HCHO	0.001	0.018	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	120	NMOG	0.082	0.156	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	120	NOX	0.1	0.2	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	50	CO	0.5	3.4	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	50	HCHO	0.001	0.015	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	50	NMOG	0.082	0.125	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	50	NOX	0.08	0.14	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	120	CO	0.5	4.2	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	120	HC-NM+NOX-COMP	0.1	1.48	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	120	HCHO	0.001	0.018	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	120	NMOG	0.082	0.156	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	120	NOX	0.1	0.2	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	50	CO	0.5	3.4	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	50	HCHO	0.001	0.015	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	50	NMOG	0.082	0.125	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	50	NOX	0.08	0.14	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	120	CO-US06	3.9	19.3	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	4	CO-US06	3.9	11.8	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	4	HC-NM+NOX-US06	0	0.6	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	120	CO-US06	3.9	19.3	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	4	CO-US06	3.9	11.8	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	4	HC-NM+NOX-US06	0	0.6	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	120	CO-SC03	1.2	6.4	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	4	CO-SC03	1.2	4	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	CA	4	HC-NM+NOX-SC03	0.06	0.44	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	120	CO-SC03	1.2	6.4	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	4	CO-SC03	1.2	4	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	LR3	4398	L6	3.73	6000	FA	4	HC-NM+NOX-SC03	0.06	0.44	B8
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	50	CO-COLD	8.5	12.5	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	50	CO-COLD	8.5	12.5	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	120	CO	2.2	6.4	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	120	HC-NM+NOX-COMP	0.145	1.65	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	120	HCHO	0.001	0.027	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	120	NMOG	0.096	0.23	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	120	NOX	0.14	0.6	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	50	CO	1.4	4.4	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	50	HCHO	0.001	0.018	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	50	NMOG	0.093	0.16	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	50	NOX	0.13	0.4	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	120	CO	2.2	6.4	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	120	HC-NM+NOX-COMP	0.145	1.65	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	120	HCHO	0.001	0.027	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	120	NMOG	0.096	0.23	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	120	NOX	0.14	0.6	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	50	CO	1.4	4.4	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	50	HCHO	0.001	0.018	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	50	NMOG	0.093	0.16	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	50	NOX	0.13	0.4	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	120	CO-US06	7.8	19.3	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	4	CO-US06	3	11.8	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	4	HC-NM+NOX-US06	0	0.6	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	120	CO-US06	7.8	19.3	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	4	CO-US06	3	11.8	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	4	HC-NM+NOX-US06	0	0.6	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	120	CO-SC03	1	6.4	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	4	CO-SC03	0.4	4	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	CA	4	HC-NM+NOX-SC03	0.124	0.44	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	120	CO-SC03	1	6.4	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	4	CO-SC03	0.4	4	B10
LAND ROVER GROUP LTD.	LAND ROVER LTD	RANGE ROVER	4398	L5	3.73	6000	FA	4	HC-NM+NOX-SC03	0.124	0.44	B10
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	CO-COLD	2.42	10	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	50	CO-COLD	2.42	10	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	100	CO	1.91	4.2	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	100	HC-NM	0.07	0.086	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	100	HC-TOTAL	0.0769	0.097	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	100	NMOG	0.0728	0.09	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	100	NOX	0.03	0.3	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	CO	1.33	3.4	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	HC-NM	0.0544	0.072	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	HC-TOTAL	0.0598	0.08	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	NMOG	0.0566	0.075	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	NOX	0.03	0.2	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	CO	1.91	4.2	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	HC-NM	0.07	0.086	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	HC-TOTAL	0.077	0.097	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	NMOG	0.0728	0.09	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	NOX	0.03	0.3	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	50	CO	1.33	3.4	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	50	HC-NM	0.0544	0.072	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	50	HC-TOTAL	0.0598	0.08	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	50	NMOG	0.0566	0.075	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	50	NOX	0.03	0.2	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	100	CO	3.87	4.2	LEV



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	100	HC-TOTAL	0.0777	0.097	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	100	HCHO	0.0008	0.018	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	100	NMOG	0.0546	0.09	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	100	NOX	0.03	0.3	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	CO	2.69	3.4	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	HC-TOTAL	0.0604	0.08	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	HCHO	0.0008	0.015	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	NMOG	0.0425	0.075	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	NOX	0.03	0.2	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	CO	3.87	4.2	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	HC-TOTAL	0.078	0.097	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	HCHO	0.0008	0.018	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	NMOG	0.0546	0.09	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	NOX	0.03	0.3	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	50	CO	2.69	3.4	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	50	HC-TOTAL	0.0604	0.08	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	50	HCHO	0.0008	0.015	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	50	NMOG	0.0425	0.075	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	50	NOX	0.03	0.2	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	50-CO	1.29	3.4	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	50-HCHO	0.0011	0.03	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	50-NMOG	0.0971	0.15	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	50	50-NOX	0.03	0.2	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	N/A	CO-ST2500	0.02	0.5	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	N/A	CO-STI	0.05	0.5	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	N/A	HC-ST2500	0	100	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	N/A	HC-STI	0	100	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	N/A	CO-ST2500	0.02	0.5	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	N/A	CO-STI	0.05	0.5	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	N/A	HC-ST2500	0	100	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	N/A	HC-STI	0	100	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	4	CO-US06	3.01	8	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	4	HC-NM+NOX-US06	0.077	0.14	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	CO-US06	6.93	11.1	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	4	CO-US06	3.01	8	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	4	HC-NM+NOX-US06	0.077	0.14	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	4	CO-SC03	0.66	2.7	LEV
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	CA	4	HC-NM+NOX-SC03	0.052	0.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	100	CO-SC03	1.52	3.7	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	4	CO-SC03	0.66	2.7	B9
LOTUS	LOTUS	ELISE/EXIGE	1.8	M6	4.53	2250	FA	4	HC-NM+NOX-SC03	0.052	0.2	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	50	CO-COLD	4.4	10	N/A
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	50	CO-COLD	4.4	10	N/A
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	100	CO	0.9	4.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	100	CO	1.1	4.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	100	CO	0.6	4.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	100	NMOG	0.045	0.09	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	100	NMOG	0.066	0.09	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	100	NOX	0	0.3	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	100	NOX	0.1	0.3	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	100	NOX	0.1	0.3	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	50	CO	0.6	3.4	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	50	CO	0.7	3.4	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	50	CO	0.4	3.4	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	50	NMOG	0.035	0.075	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	50	NMOG	0.051	0.075	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	50	NOX	0	0.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	50	NOX	0.1	0.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	CA	50	NOX	0.1	0.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	100	CO	0.9	4.2	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	100	CO	1.1	4.2	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	100	CO	0.6	4.2	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	100	HC-NM+NOX-COMP	0.06	0.73	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	100	NMOG	0.045	0.09	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	100	NMOG	0.066	0.09	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	100	NOX	0	0.3	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	100	NOX	0.1	0.3	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	100	NOX	0.1	0.3	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	50	CO	0.6	3.4	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	50	CO	0.7	3.4	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	50	CO	0.4	3.4	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	50	NMOG	0.035	0.075	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	50	NMOG	0.051	0.075	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	50	NOX	0	0.2	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	50	NOX	0.1	0.2	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	A6	3.73	4250	FA	50	NOX	0.1	0.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	CA	50	50-CO	0.4	3.4	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	CA	50	50-HCHO	0.001	0.03	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	CA	50	50-NMOG	0.063	0.15	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	CA	50	50-NOX	0.1	0.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	CA	4	CO-US06	0.7	8	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	CA	4	HC-NM+NOX-US06	0.04	0.14	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	FA	100	CO-US06	1.7	11.1	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	FA	4	CO-US06	0.7	8	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	CA	4	CO-SC03	0.6	2.7	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	CA	4	HC-NM+NOX-SC03	0.03	0.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	FA	100	CO-SC03	1.4	3.7	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	FA	4	CO-SC03	0.6	2.7	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	A6	3.73	4250	FA	4	HC-NM+NOX-SC03	0.03	0.2	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	CA	100	CO	0.5	4.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	CA	100	NOX	0.1	0.3	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	CA	50	CO	0.4	3.4	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	CA	50	NOX	0.1	0.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	FA	100	CO	0.5	4.2	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	FA	100	NOX	0.1	0.3	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	FA	50	CO	0.4	3.4	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	FA	50	NOX	0.1	0.2	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	CA	N/A	CO-ST2500	0	1.2	N/A
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	CA	N/A	CO-STI	0	1	N/A
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	CA	N/A	HC-ST2500	4	220	N/A
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	CA	N/A	HC-STI	4	100	N/A
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	FA	N/A	CO-ST2500	0	0.5	N/A
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	FA	N/A	CO-STI	0	0.5	N/A
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	FA	N/A	HC-ST2500	4	100	N/A
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	M6	3.73	4250	FA	N/A	HC-STI	4	100	N/A
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	S6	3.73	4250	CA	100	CO	0.5	4.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	S6	3.73	4250	CA	100	NOX	0.1	0.3	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	S6	3.73	4250	CA	50	CO	0.3	3.4	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	S6	3.73	4250	CA	50	NOX	0.1	0.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	S6	3.73	4250	FA	100	CO	0.5	4.2	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	S6	3.73	4250	FA	100	NOX	0.1	0.3	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	S6	3.73	4250	FA	50	CO	0.3	3.4	B9
MASERATI	MASERATI SPA	COUPE & GRANSFORT	4244	S6	3.73	4250	FA	50	NOX	0.1	0.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	CA	100	CO	0.7	4.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	CA	100	HCHO	0	0.018	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	CA	100	NMOG	0.054	0.09	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	CA	100	NOX	0.1	0.3	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	CA	50	CO	0.5	3.4	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	CA	50	HCHO	0	0.015	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	CA	50	NMOG	0.042	0.075	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	CA	50	NOX	0.1	0.2	LEV
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	FA	100	CO	0.7	4.2	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	FA	100	HCHO	0	0.018	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	FA	100	NMOG	0.054	0.09	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	FA	100	NOX	0.1	0.3	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	FA	50	CO	0.5	3.4	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	FA	50	HCHO	0	0.015	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	FA	50	NMOG	0.042	0.075	B9
MASERATI	MASERATI SPA	COUPE & GRANSPO	4244	S6	3.73	4250	FA	50	NOX	0.1	0.2	B9
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO-COLD	2.11	10	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO-COLD	2.11	10	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO	0.78	4.2	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	HC-NM+NOX-COMP	0.108	0.65	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NMOG	0.061	0.09	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NOX	0.052	0.07	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO	0.44	3.4	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NMOG	0.04	0.075	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NOX	0.028	0.05	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	CO	0.78	4.2	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NMOG	0.061	0.09	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NOX	0.05	0.3	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	CO	0.44	3.4	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NMOG	0.04	0.075	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NOX	0.03	0.2	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO	0.78	4.2	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	HC-NM+NOX-COMP	0.108	0.65	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NMOG	0.061	0.09	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NOX	0.052	0.07	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO	0.44	3.4	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NMOG	0.04	0.075	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NOX	0.028	0.05	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-US06	6.61	11.1	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-US06	6.05	8	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-US06	0.011	0.14	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-US06	6.61	11.1	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-US06	6.05	8	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-US06	0.011	0.14	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-SC03	1.68	3.7	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-SC03	1.12	2.7	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-SC03	1.68	3.7	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-SC03	1.12	2.7	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO-COLD	2.11	10	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO-COLD	2.11	10	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO	0.78	4.2	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	HC-NM+NOX-COMP	0.108	0.65	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NMOG	0.061	0.09	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NOX	0.052	0.07	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO	0.44	3.4	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NMOG	0.04	0.075	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NOX	0.028	0.05	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	CO	0.78	4.2	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NMOG	0.061	0.09	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NOX	0.05	0.3	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	CO	0.44	3.4	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NMOG	0.04	0.075	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NOX	0.03	0.2	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO	0.78	4.2	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	HC-NM+NOX-COMP	0.108	0.65	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NMOG	0.061	0.09	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NOX	0.052	0.07	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO	0.44	3.4	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NMOG	0.04	0.075	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NOX	0.028	0.05	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-US06	6.61	11.1	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-US06	6.05	8	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-US06	0.011	0.14	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-US06	6.61	11.1	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-US06	6.05	8	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-US06	0.011	0.14	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-SC03	1.68	3.7	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-SC03	1.12	2.7	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-SC03	1.68	3.7	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-SC03	1.12	2.7	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	CO-COLD	2.31	10	U2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	CO-COLD	2.31	10	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	CO-COLD	2.31	10	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	120	CO	0.97	2.1	U2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	120	NMOG	0.0498	0.055	U2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	120	NOX	0.046	0.07	U2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	CO	0.64	1.7	U2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	NMOG	0.028	0.04	U2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	NOX	0.022	0.05	U2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	100	CO	0.88	4.2	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	100	NMOG	0.044	0.09	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	100	NOX	0.04	0.3	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	CO	0.64	3.4	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	NMOG	0.0284	0.075	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	NOX	0.02	0.2	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	CO	0.97	4.2	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	HC-NM+NOX-COMP	0.091	0.65	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	NMOG	0.05	0.09	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	NOX	0.046	0.07	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	CO	0.64	3.4	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	NMOG	0.0284	0.075	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	NOX	0.022	0.05	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	CO-US06	1.06	8	U2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	HC-NM+NOX-US06	0.008	0.14	U2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	CO-US06	1.62	11.1	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	CO-US06	1.06	8	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	HC-NM+NOX-US06	0.008	0.14	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	CO-SC03	0.59	2.7	U2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	HC-NM+NOX-SC03	0.019	0.2	U2
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	CO-SC03	1.15	3.7	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	CO-SC03	0.59	2.7	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	HC-NM+NOX-SC03	0.019	0.2	B5
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO-COLD	1.7	10	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO-COLD	1.7	10	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO	0.47	4.2	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	HC-NM+NOX-COMP	0.141	0.71	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NMOG	0.0608	0.125	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NOX	0.07	0.2	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO	0.37	3.4	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0517	0.1	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NOX	0.045	0.14	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	CO	0.47	4.2	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NMOG	0.061	0.09	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NOX	0.07	0.3	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	CO	0.37	3.4	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NMOG	0.0517	0.075	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NOX	0.04	0.2	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO	0.47	4.2	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	HC-NM+NOX-COMP	0.141	0.71	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NMOG	0.0608	0.125	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NOX	0.07	0.2	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO	0.37	3.4	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0517	0.1	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NOX	0.045	0.14	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-US06	4.69	11.1	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-US06	4.51	8	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.079	0.14	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-US06	4.69	11.1	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-US06	4.51	8	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.079	0.14	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-SC03	0.37	3.7	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.19	2.7	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.084	0.2	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-SC03	0.37	3.7	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.19	2.7	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.084	0.2	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO-COLD	1.7	10	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO-COLD	1.7	10	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO	0.47	4.2	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	HC-NM+NOX-COMP	0.141	1	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NMOG	0.0608	0.125	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NOX	0.07	0.2	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO	0.37	3.4	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0517	0.1	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NOX	0.045	0.14	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	CO	0.47	5.5	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NMOG	0.061	0.13	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NOX	0.07	0.5	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	CO	0.37	4.4	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NMOG	0.052	0.1	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NOX	0.04	0.4	LEV
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO	0.47	4.2	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	HC-NM+NOX-COMP	0.141	1	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NMOG	0.0608	0.125	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NOX	0.07	0.2	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO	0.37	3.4	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0517	0.1	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NOX	0.045	0.14	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-US06	4.69	14.6	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-US06	4.51	10.5	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.079	0.25	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-US06	4.69	14.6	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-US06	4.51	10.5	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.079	0.25	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-SC03	0.37	4.9	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.19	3.5	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.084	0.27	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-SC03	0.37	4.9	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.19	3.5	B8
MAZDA MOTOR CORP.	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.084	0.27	B8
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	CO-COLD	2.71	10	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	CO	0.61	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	CO	0.57	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	HCHO	0.7	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	HCHO	0.6	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	NMOG	0.0371	0.09	B5



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	NMOG	0.0345	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	NOX	0.028	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	NOX	0.026	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	CO	0.48	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	CO	0.44	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	HCHO	0.6	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	HCHO	0.5	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	NMOG	0.0312	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	NMOG	0.0286	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	NOX	0.022	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	NOX	0.019	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	CO	0.58	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	HC-NM+NOX-COMP	0.066	0.65	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	HCHO	0.6	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	NMOG	0.033	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	NOX	0.026	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	CO	0.46	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	HCHO	0.5	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	NMOG	0.0271	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	50	NOX	0.019	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	CO-US06	0.5	11.1	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	4	CO-US06	0.29	8	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	4	HC-NM+NOX-US06	0.104	0.14	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	120	CO-SC03	0.28	3.7	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	4	CO-SC03	0.07	2.7	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	FA	4	HC-NM+NOX-SC03	0.008	0.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	120	CO	0.75	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	120	CO	0.77	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	120	CO	1.06	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	120	HCHO	0.7	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	120	HCHO	0.6	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	120	NMOG	0.0366	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	120	NMOG	0.0334	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	120	NMOG	0.0518	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	120	NOX	0.022	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	120	NOX	0.02	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	120	NOX	0.022	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	50	CO	0.62	3.4	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	50	CO	0.64	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	50	CO	0.93	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	50	HCHO	0.6	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	50	HCHO	0.5	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	50	NMOG	0.0307	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	50	NMOG	0.0275	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	50	NMOG	0.0459	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	50	NOX	0.015	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	50	NOX	0.013	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	FA	50	NOX	0.016	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	50	CO-COLD	2.57	10	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	CO	0.27	1	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	CO	0.29	1	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	HCHO	0.1	4	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	HCHO	0.1	4	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	NMOG	0.0082	0.01	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	NMOG	0.0077	0.01	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	NOX	0.014	0.02	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	NOX	0.014	0.02	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	CO	0.29	1	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	HCHO	0.1	4	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	NMOG	0.008	0.01	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	NOX	0.015	0.02	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	CO	0.31	1	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	HCHO	0.1	4	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	NMOG	0.0079	0.01	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	150	NOX	0.013	0.02	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	4	CO-US06	0.13	8	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	4	HC-NM+NOX-US06	0.015	0.14	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	4	CO-SC03	0.05	2.7	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	L4	3.68	3000	CA	4	HC-NM+NOX-SC03	0.007	0.2	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	CA	150	CO	0.3	1	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	CA	150	HCHO	0.1	4	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	CA	150	NMOG	0.0073	0.01	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	1999	M5	4.1	3000	CA	150	NOX	0.016	0.02	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	120	CO	0.8	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	120	CO	0.86	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	120	HCHO	0.8	18	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	120	HCHO	0.8	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	120	NMOG	0.0399	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	120	NMOG	0.0403	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	120	NOX	0.027	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	120	NOX	0.032	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	50	CO	0.67	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	50	CO	0.73	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	50	HCHO	0.7	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	50	HCHO	0.7	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	50	NMOG	0.034	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	50	NMOG	0.0344	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	50	NOX	0.02	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	FA	50	NOX	0.025	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	50	CO-COLD	3.6	10	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	120	CO	0.92	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	120	HCHO	0.8	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	120	NMOG	0.0439	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	120	NOX	0.035	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	50	CO	0.79	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	50	HCHO	0.7	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	50	NMOG	0.038	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	50	NOX	0.028	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	120	CO	0.81	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	120	HC-NM+NOX-COMP	0.057	0.65	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	120	HCHO	0.7	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	120	NMOG	0.0366	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	120	NOX	0.035	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	50	CO	0.68	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	50	HCHO	0.6	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	50	NMOG	0.0307	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	50	NOX	0.028	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	120	CO-US06	0.55	11.1	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	4	CO-US06	0.34	8	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	4	HC-NM+NOX-US06	0.056	0.14	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	120	CO-SC03	0.31	3.7	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	4	CO-SC03	0.1	2.7	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	FA	4	HC-NM+NOX-SC03	0.008	0.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	120	CO	0.78	4.2	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	120	CO	0.62	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	120	CO	0.71	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	120	HCHO	0.7	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	120	HCHO	0.7	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	120	NMOG	0.0381	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	120	NMOG	0.022	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	120	NMOG	0.0346	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	120	NOX	0.032	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	120	NOX	0.027	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	120	NOX	0.032	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	CO	0.65	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	CO	0.49	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	CO	0.58	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	HCHO	0.6	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	HCHO	0.6	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	NMOG	0.0322	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	NMOG	0.0161	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	NMOG	0.0287	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	NOX	0.025	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	NOX	0.02	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	NOX	0.025	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	FA	50	NOX	0.025	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	FA	120	CO	0.8	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	FA	120	HCHO	0.8	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	FA	120	NMOG	0.039	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	FA	120	NOX	0.034	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	FA	50	CO	0.67	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	FA	50	HCHO	0.6	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	FA	50	NMOG	0.0331	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	FA	50	NOX	0.027	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	120	CO	0.8	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	120	CO	0.86	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	120	HCHO	0.8	18	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	120	HCHO	0.8	18	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	120	NMOG	0.0399	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	120	NMOG	0.0403	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	120	NOX	0.027	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	120	NOX	0.032	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	50	CO	0.67	3.4	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	50	CO	0.73	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	50	HCHO	0.7	15	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	50	HCHO	0.7	15	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	50	NMOG	0.034	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	50	NMOG	0.0344	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	50	NOX	0.02	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3125	CA	50	NOX	0.025	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	50	CO-COLD	3.6	10	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	120	CO	0.92	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	120	HCHO	0.8	18	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	120	NMOG	0.0439	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	120	NOX	0.035	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	50	CO	0.79	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	50	HCHO	0.7	15	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	50	NMOG	0.038	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	50	NOX	0.028	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	120	CO	0.81	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	120	HCHO	0.7	18	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	120	NMOG	0.0366	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	120	NOX	0.035	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	50	CO	0.68	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	50	HCHO	0.6	15	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	50	NMOG	0.0307	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	50	NOX	0.028	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	4	CO-US06	0.34	8	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	4	HC-NM+NOX-US06	0.056	0.14	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	4	CO-SC03	0.1	2.7	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	L4	4.42	3250	CA	4	HC-NM+NOX-SC03	0.008	0.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	120	CO	0.78	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	120	CO	0.62	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	120	CO	0.71	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	120	HCHO	0.7	18	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	120	HCHO	0.7	18	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	120	NMOG	0.0381	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	120	NMOG	0.022	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	120	NMOG	0.0346	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	120	NOX	0.032	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	120	NOX	0.027	0.07	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	120	NOX	0.032	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	50	CO	0.65	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	50	CO	0.49	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	50	CO	0.58	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	50	HCHO	0.6	15	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	50	HCHO	0.6	15	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	50	NMOG	0.0322	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	50	NMOG	0.0161	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	50	NMOG	0.0287	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	50	NOX	0.025	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	50	NOX	0.02	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3125	CA	50	NOX	0.025	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	CA	120	CO	0.8	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	CA	120	HCHO	0.8	18	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	CA	120	NMOG	0.039	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	CA	120	NOX	0.034	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	CA	50	CO	0.67	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	CA	50	HCHO	0.6	15	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	CA	50	NMOG	0.0331	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 3	2261	M5	4.1	3250	CA	50	NOX	0.027	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	CO-COLD	2.98	10	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	CO	0.65	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	CO	0.64	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	CO	0.66	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	HCHO	0.7	18	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	HCHO	0.8	18	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	HCHO	0.8	18	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	NMOG	0.0425	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	NMOG	0.046	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	NMOG	0.0505	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	NOX	0.1	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	NOX	0.1	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	NOX	0.11	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	CO	0.46	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	CO	0.45	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	CO	0.47	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	HCHO	0.6	15	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	HCHO	0.6	15	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	HCHO	0.7	15	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	NMOG	0.0358	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	NMOG	0.0393	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	NMOG	0.0438	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	NOX	0.08	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	NOX	0.08	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	NOX	0.09	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	CO	0.68	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	HC-NM+NOX-COMP	0.092	0.73	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	HCHO	0.8	18	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	NMOG	0.0521	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	NOX	0.1	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	CO	0.49	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	HCHO	0.8	15	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	NMOG	0.0454	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	50	NOX	0.08	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	CO-US06	0.81	11.1	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	4	CO-US06	0.44	8	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	4	HC-NM+NOX-US06	0.037	0.14	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	100	CO-SC03	0.66	3.7	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	4	CO-SC03	0.29	2.7	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	FA	4	HC-NM+NOX-SC03	0.008	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	FA	100	CO	0.68	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	FA	100	HCHO	0.8	18	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	FA	100	NMOG	0.0515	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	FA	100	NOX	0.09	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	FA	50	HCHO	0.7	15	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	FA	50	NMOG	0.0448	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	FA	50	NOX	0.07	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	FA	100	CO	0.63	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	FA	100	HCHO	0.8	18	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	FA	100	NMOG	0.0482	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	FA	100	NOX	0.09	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	FA	50	CO	0.44	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	FA	50	HCHO	0.7	15	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	FA	50	NMOG	0.0415	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	FA	50	NOX	0.07	0.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	50	CO-COLD	2.98	10	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	100	CO	0.68	4.2	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	100	HCHO	0.8	18	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	100	NMOG	0.0521	0.09	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	100	NOX	0.1	0.3	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	50	CO	0.49	3.4	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	50	HCHO	0.8	15	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	50	NMOG	0.0454	0.075	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	50	NOX	0.08	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	4	CO-US06	0.44	8	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	4	HC-NM+NOX-US06	0.037	0.14	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	4	CO-SC03	0.29	2.7	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	4	HC-NM+NOX-SC03	0.008	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	CA	100	CO	0.68	4.2	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	CA	100	HCHO	0.8	18	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	CA	100	NMOG	0.0515	0.09	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	CA	100	NOX	0.09	0.3	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	CA	50	CO	0.49	3.4	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	CA	50	HCHO	0.7	15	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	CA	50	NMOG	0.0448	0.075	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3375	CA	50	NOX	0.07	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	CA	100	CO	0.63	4.2	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	CA	100	HCHO	0.8	18	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	CA	100	NMOG	0.0482	0.09	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	CA	100	NOX	0.09	0.3	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	CA	50	CO	0.44	3.4	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	CA	50	HCHO	0.7	15	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	CA	50	NMOG	0.0415	0.075	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	M5	4.39	3500	CA	50	NOX	0.07	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	50	CO-COLD	2.61	10	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	CO	0.31	1	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	CO	0.33	1	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	HCHO	0.1	4	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	HCHO	0.1	4	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	NMOG	0.0076	0.01	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	NMOG	0.0074	0.01	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	NOX	0.007	0.02	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	NOX	0.009	0.02	S2



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	CO	0.37	1	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	HCHO	0	4	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	NMOG	0.0067	0.01	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	NOX	0.008	0.02	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	CO	0.32	1	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	HCHO	0.1	4	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	NMOG	0.008	0.01	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	150	NOX	0.008	0.02	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	4	CO-US06	0.42	8	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	4	HC-NM+NOX-US06	0.017	0.14	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	4	CO-SC03	0.28	2.7	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2259.8	L4	4.42	3500	CA	4	HC-NM+NOX-SC03	0.005	0.2	S2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	FA	120	CO	0.77	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	FA	120	HCHO	0.5	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	FA	120	NMOG	0.0324	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	FA	120	NOX	0.035	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	FA	50	CO	0.48	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	FA	50	HCHO	0.4	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	FA	50	NMOG	0.0234	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	FA	50	NOX	0.023	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	FA	120	CO	0.76	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	FA	120	HCHO	0.5	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	FA	120	NMOG	0.0348	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	FA	120	NOX	0.037	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	FA	50	CO	0.47	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	FA	50	HCHO	0.4	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	FA	50	NMOG	0.0258	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	FA	50	NOX	0.025	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	FA	120	CO	0.67	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	FA	120	HCHO	0.6	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	FA	120	NMOG	0.0377	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	FA	120	NOX	0.034	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	FA	50	CO	0.38	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	FA	50	HCHO	0.4	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	FA	50	NMOG	0.0287	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	FA	50	NOX	0.022	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	FA	120	CO	0.68	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	FA	120	HCHO	0.6	18	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	FA	120	NMOG	0.0386	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	FA	120	NOX	0.037	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	FA	50	CO	0.38	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	FA	50	HCHO	0.5	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	FA	50	NMOG	0.0296	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	FA	50	NOX	0.025	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	CA	120	CO	0.77	2.1	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	CA	120	HCHO	0.5	11	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	CA	120	NMOG	0.0324	0.055	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	CA	120	NOX	0.035	0.07	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	CA	50	CO	0.48	1.7	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	CA	50	HCHO	0.4	8	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	CA	50	NMOG	0.0234	0.04	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3625	CA	50	NOX	0.023	0.05	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	CA	120	CO	0.76	2.1	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	CA	120	HCHO	0.5	11	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	CA	120	NMOG	0.0348	0.055	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	CA	120	NOX	0.037	0.07	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	CA	50	CO	0.47	1.7	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	CA	50	HCHO	0.4	8	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	CA	50	NMOG	0.0258	0.04	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	L6	3.46	3750	CA	50	NOX	0.025	0.05	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	CA	120	CO	0.67	2.1	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	CA	120	HCHO	0.6	11	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	CA	120	NMOG	0.0377	0.055	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	CA	120	NOX	0.034	0.07	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	CA	50	CO	0.38	1.7	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	CA	50	HCHO	0.4	8	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	CA	50	NMOG	0.0287	0.04	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3625	CA	50	NOX	0.022	0.05	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	CA	120	CO	0.68	2.1	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	CA	120	HCHO	0.6	11	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	CA	120	NMOG	0.0386	0.055	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	CA	120	NOX	0.037	0.07	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	CA	50	CO	0.38	1.7	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	CA	50	HCHO	0.5	8	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	CA	50	NMOG	0.0296	0.04	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6	2967.4	M5	4.13	3750	CA	50	NOX	0.025	0.05	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	CO-COLD	2.62	10	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	CO	0.77	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	HCHO	0.5	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	NMOG	0.0349	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	NOX	0.038	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	CO	0.48	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	HCHO	0.4	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	NMOG	0.0259	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	NOX	0.026	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	CO	0.64	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	CO	0.77	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	HC-NM+NOX-COMP	0.058	0.65	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	HC-NM+NOX-COMP	0.065	0.65	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	HCHO	0.5	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	NMOG	0.0264	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	NMOG	0.0328	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	NOX	0.024	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	NOX	0.036	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	CO	0.35	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	CO	0.48	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	HCHO	0.4	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	NMOG	0.0174	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	NMOG	0.0238	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	NOX	0.012	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	50	NOX	0.024	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	CO-US06	2.43	11.1	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	CO-US06	8.09	11.1	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	4	CO-US06	1.94	8	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	4	CO-US06	7.6	8	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	4	HC-NM+NOX-US06	0.023	0.14	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	4	HC-NM+NOX-US06	0.069	0.14	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	120	CO-SC03	0.97	3.7	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	4	CO-SC03	0.48	2.7	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	FA	4	HC-NM+NOX-SC03	0.014	0.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	FA	120	CO	0.66	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	FA	120	HCHO	0.6	18	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	FA	120	NMOG	0.0379	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	FA	120	NOX	0.039	0.07	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	FA	50	CO	0.37	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	FA	50	HCHO	0.4	15	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	FA	50	NMOG	0.0289	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	FA	50	NOX	0.027	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	CO-COLD	2.62	10	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	120	CO	0.77	2.1	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	120	HCHO	0.5	11	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	120	NMOG	0.0349	0.055	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	120	NOX	0.038	0.07	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	CO	0.48	1.7	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	HCHO	0.4	8	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	NMOG	0.0259	0.04	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	NOX	0.026	0.05	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	120	CO	0.64	2.1	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	120	CO	0.77	2.1	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	120	HCHO	0.5	11	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	120	NMOG	0.0264	0.055	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	120	NMOG	0.0328	0.055	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	120	NOX	0.024	0.07	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	120	NOX	0.036	0.07	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	CO	0.35	1.7	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	CO	0.48	1.7	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	HCHO	0.4	8	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	NMOG	0.0174	0.04	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	NMOG	0.0238	0.04	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	NOX	0.012	0.05	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	50	NOX	0.024	0.05	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	4	CO-US06	1.94	8	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	4	CO-US06	7.6	8	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	4	HC-NM+NOX-US06	0.023	0.14	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	4	HC-NM+NOX-US06	0.069	0.14	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	4	CO-SC03	0.48	2.7	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	L6	3.46	3750	CA	4	HC-NM+NOX-SC03	0.014	0.2	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	CA	120	CO	0.66	2.1	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	CA	120	HCHO	0.6	11	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	CA	120	NMOG	0.0379	0.055	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	CA	120	NOX	0.039	0.07	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	CA	50	CO	0.37	1.7	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	CA	50	HCHO	0.4	8	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	CA	50	NMOG	0.0289	0.04	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA 6 SPORT WAGON	2967.4	M5	4.13	3750	CA	50	NOX	0.027	0.05	U2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	CO	1.65	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	HCHO	0.0012	0.018	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	NMOG	0.0603	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	NOX	0.036	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	50	CO	1.44	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	50	HCHO	0.001	0.015	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	50	NMOG	0.0507	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	50	NOX	0.029	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	CO	1.38	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	CO	1.62	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	CO-COMP	2.15	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	CO-COMP	2.36	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	HC-NM+NOX-COMP	0.076	0.65	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	HCHO	0.0011	0.018	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	NMOG	0.0565	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	NMOG	0.0568	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	NOX	0.03	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	120	NOX	0.039	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	50	CO	1.17	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	50	CO	1.41	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	50	HCHO	0.0009	0.015	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	50	NMOG	0.0469	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	50	NMOG	0.0472	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	50	NOX	0.023	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	50	NOX	0.032	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	4	CO-US06	3.02	8	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	4	CO-US06	4.05	8	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	4	HC-NM+NOX-US06	0.051	0.14	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	FA	4	HC-NM+NOX-US06	0.062	0.14	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	FA	120	CO	1.25	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	FA	120	HCHO	0.0009	0.018	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	FA	120	NMOG	0.0448	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	FA	120	NOX	0.04	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	FA	50	CO	1.04	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	FA	50	HCHO	0.0007	0.015	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	FA	50	NMOG	0.0352	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	FA	50	NOX	0.033	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	FA	50	CO-COLD	5.55	10	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	FA	120	CO	1.66	4.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	FA	120	HCHO	0.0013	0.018	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	FA	120	NMOG	0.0641	0.09	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	FA	120	NOX	0.038	0.07	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	FA	50	CO	1.45	3.4	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	FA	50	HCHO	0.0011	0.015	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	FA	50	NMOG	0.0545	0.075	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	FA	50	NOX	0.031	0.05	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	FA	4	CO-SC03	1.38	2.7	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	FA	4	HC-NM+NOX-SC03	0.038	0.2	B5
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	120	CO	1.65	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	120	HCHO	0.0012	0.018	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	120	NMOG	0.0603	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	120	NOX	0.036	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	50	CO	1.44	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	50	HCHO	0.001	0.015	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	50	NMOG	0.0507	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	50	NOX	0.029	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	120	CO	1.38	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	120	CO	1.62	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	120	HCHO	0.0011	0.018	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	120	NMOG	0.0565	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	120	NMOG	0.0568	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	120	NOX	0.03	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	120	NOX	0.039	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	50	CO	1.17	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	50	CO	1.41	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	50	HCHO	0.0009	0.015	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	50	NMOG	0.0469	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	50	NMOG	0.0472	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	50	NOX	0.023	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	50	NOX	0.032	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	4	CO-US06	3.02	8	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	4	CO-US06	4.05	8	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	4	HC-NM+NOX-US06	0.051	0.14	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	L4	4.44	3375	CA	4	HC-NM+NOX-US06	0.062	0.14	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	CA	120	CO	1.25	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	CA	120	HCHO	0.0009	0.018	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	CA	120	NMOG	0.0448	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	CA	120	NOX	0.04	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	CA	50	CO	1.04	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	CA	50	HCHO	0.0007	0.015	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	CA	50	NMOG	0.0352	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	M6	4.44	3375	CA	50	NOX	0.033	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	50	CO-COLD	5.55	10	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	120	CO	1.66	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	120	HCHO	0.0013	0.018	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	120	NMOG	0.0641	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	120	NOX	0.038	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	50	CO	1.45	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	50	HCHO	0.0011	0.015	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	50	NMOG	0.0545	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	50	NOX	0.031	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	50	50-CO	1.59	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	50	50-HCHO	0.0006	0.03	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	50	50-NMOG	0.0295	0.15	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	50	50-NOX	0.029	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	4	CO-SC03	1.38	2.7	L2
MAZDA MOTOR CORP.	MAZDA	MAZDA RX-8	1309.4	S4	4.44	3375	CA	4	HC-NM+NOX-SC03	0.038	0.2	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	CO-COLD	2.74	12.5	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	CO	1.4	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	CO	1.4	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	CO	1.4	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	HCHO	2	18	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	HCHO	2	18	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	HCHO	2	18	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	NMOG	0.0419	0.13	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	NMOG	0.0422	0.13	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	NMOG	0.0417	0.13	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	NOX	0.03	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	NOX	0.03	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	NOX	0.03	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	CO	0.97	3.4	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	CO	0.97	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	CO	0.97	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	HCHO	1.5	15	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	HCHO	1.5	15	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	HCHO	1.5	15	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	NMOG	0.0324	0.1	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	NMOG	0.0327	0.1	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	NMOG	0.0322	0.1	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	NOX	0.02	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	NOX	0.02	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	NOX	0.02	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	CO	1.34	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	HC-NM+NOX-COMP	0.058	1.04	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	HCHO	2.4	18	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	NMOG	0.0491	0.13	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	NOX	0.03	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	CO	0.91	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	HCHO	1.9	15	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	NMOG	0.0396	0.1	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	50	NOX	0.02	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	CO-US06	3.43	14.6	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	4	CO-US06	2.7	10.5	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	4	HC-NM+NOX-US06	0.01	0.25	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	100	CO-SC03	1.74	4.9	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	4	CO-SC03	1.01	3.5	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	FA	4	HC-NM+NOX-SC03	0.014	0.27	B9
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	CO-COLD	2.74	12.5	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	CO	1.4	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	CO	1.4	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	CO	1.4	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	HCHO	2	18	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	HCHO	2	18	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	HCHO	2	18	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	NMOG	0.0419	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	NMOG	0.0422	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	NMOG	0.0417	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	NOX	0.029	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	NOX	0.029	0.07	L2



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	NOX	0.029	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	CO	0.97	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	CO	0.97	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	CO	0.97	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	HCHO	1.5	15	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	HCHO	1.5	15	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	HCHO	1.5	15	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	NMOG	0.0324	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	NMOG	0.0327	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	NMOG	0.0322	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	NOX	0.018	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	NOX	0.018	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	CO	1.34	4.2	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	HCHO	2.4	18	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	NMOG	0.0491	0.09	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	120	NOX	0.026	0.07	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	CO	0.91	3.4	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	HCHO	1.9	15	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	NMOG	0.0396	0.075	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	50	NOX	0.015	0.05	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	4	CO-US06	2.7	10.5	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	4	HC-NM+NOX-US06	0.01	0.25	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	4	CO-SC03	1.01	3.5	L2
MAZDA MOTOR CORP.	MAZDA	MPV	2967.4	L5	3.49	4000	CA	4	HC-NM+NOX-SC03	0.014	0.27	L2
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	50	CO-COLD	5	10	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	100	CO	0.72	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	100	HCHO	0.5	18	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	100	NMOG	0.0546	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	100	NOX	0.136	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	50	CO	0.62	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	50	HCHO	0.5	15	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	50	NMOG	0.0517	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	50	NOX	0.106	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	100	CO	0.71	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	100	CO-COMP	0.82	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	100	HC-NM+NOX-COMP	0.119	0.73	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	100	HCHO	0.4	18	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	100	NMOG	0.053	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	100	NOX	0.134	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	50	CO	0.61	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	50	HCHO	0.4	15	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	50	NMOG	0.0501	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	50	NOX	0.104	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	4	CO-US06	0.44	8	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	4	HC-NM+NOX-US06	0.042	0.14	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	4	CO-SC03	0.88	2.7	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	FA	4	HC-NM+NOX-SC03	0.015	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	FA	100	CO	0.72	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	FA	100	HCHO	0.4	18	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	FA	100	NMOG	0.053	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	FA	100	NOX	0.136	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	FA	50	CO	0.62	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	FA	50	HCHO	0.4	15	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	FA	50	NMOG	0.0501	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	FA	50	NOX	0.106	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	FA	100	CO	0.6	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	FA	100	HCHO	0.5	18	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	FA	100	NMOG	0.0534	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	FA	100	NOX	0.136	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	FA	50	CO	0.5	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	FA	50	HCHO	0.5	15	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	FA	50	NMOG	0.0505	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	FA	50	NOX	0.106	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	50	CO-COLD	3.8	10	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	100	CO	0.56	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	100	HCHO	0.5	18	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	100	NMOG	0.0494	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	100	NOX	0.091	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	50	CO	0.46	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	50	HCHO	0.5	15	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	50	NMOG	0.0465	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	50	NOX	0.061	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	100	CO	0.56	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	100	CO-COMP	1.01	4.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	100	HC-NM+NOX-COMP	0.129	0.73	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	100	HCHO	0.5	18	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	100	NMOG	0.049	0.09	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	100	NOX	0.09	0.3	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	50	CO	0.46	3.4	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	50	HCHO	0.5	15	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	50	NMOG	0.046	0.075	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	50	NOX	0.06	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	4	CO-US06	2	8	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	4	HC-NM+NOX-US06	0.064	0.14	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	4	CO-SC03	0.36	2.7	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	FA	4	HC-NM+NOX-SC03	0.073	0.2	B9
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	50	CO-COLD	5.1	10	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	100	CO	0.72	4.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	100	HCHO	0.5	18	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	100	NMOG	0.0546	0.09	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	100	NOX	0.14	0.3	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	50	CO	0.62	3.4	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	50	HCHO	0.5	15	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	50	NMOG	0.0517	0.075	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	50	NOX	0.11	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	100	CO	0.71	4.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	100	HCHO	0.4	18	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	100	NMOG	0.053	0.09	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	100	NOX	0.13	0.3	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	50	CO	0.61	3.4	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	50	HCHO	0.4	15	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	50	NMOG	0.0501	0.075	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	50	NOX	0.1	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	4	50-CO	1.04	3.4	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	4	50-HCHO	0.4	30	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	4	50-NMOG	0.0625	0.15	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	4	50-NOX	0.08	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	4	CO-US06	0.44	8	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	4	HC-NM+NOX-US06	0.042	0.14	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	4	CO-SC03	0.88	2.7	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	L4	4.1	2750	CA	4	HC-NM+NOX-SC03	0.015	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	CA	100	CO	0.72	4.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	CA	100	HCHO	0.4	18	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	CA	100	NMOG	0.053	0.09	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	CA	100	NOX	0.14	0.3	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	CA	50	CO	0.62	3.4	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	CA	50	HCHO	0.4	15	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	CA	50	NMOG	0.0501	0.075	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M5	4.3	2750	CA	50	NOX	0.11	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	CA	100	CO	0.6	4.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	CA	100	HCHO	0.5	18	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	CA	100	NMOG	0.0534	0.09	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	CA	100	NOX	0.14	0.3	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	CA	50	CO	0.5	3.4	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	CA	50	HCHO	0.5	15	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	CA	50	NMOG	0.0505	0.075	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2750	CA	50	NOX	0.11	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	50	CO-COLD	3.8	10	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	100	CO	0.56	4.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	100	HCHO	0.5	18	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	100	NMOG	0.0494	0.09	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	100	NOX	0.09	0.3	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	50	CO	0.46	3.4	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	50	HCHO	0.5	15	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	50	NMOG	0.0465	0.075	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	50	NOX	0.06	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	100	CO	0.56	4.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	100	HCHO	0.5	18	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	100	NMOG	0.049	0.09	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	100	NOX	0.09	0.3	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	50	CO	0.46	3.4	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	50	HCHO	0.5	15	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	50	NMOG	0.046	0.075	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	50	NOX	0.06	0.2	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	4	CO-US06	2	8	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	4	HC-NM+NOX-US06	0.064	0.14	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	4	CO-SC03	0.36	2.7	LEV
MAZDA MOTOR CORP.	MAZDA	MX-5 MIATA	1839.6	M6	4.1	2875	CA	4	HC-NM+NOX-SC03	0.073	0.2	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO-COLD	2.51	10	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO-COLD	2.51	10.5	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO-COLD	2.51	10	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	CO	0.48	4.2	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NMOG	0.072	0.09	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NOX	0.037	0.07	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO	0.26	3.4	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0424	0.075	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NOX	0.023	0.05	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	CO	0.42	4.2	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NMOG	0.064	0.09	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NOX	0.03	0.3	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO	0.26	3.4	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NMOG	0.0424	0.075	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NOX	0.02	0.2	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO	0.48	4.2	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	HC-NM+NOX-COMP	0.115	0.65	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NMOG	0.072	0.09	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NOX	0.037	0.07	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO	0.26	3.4	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0424	0.075	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NOX	0.023	0.05	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-US06	3.27	8	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.094	0.14	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-US06	3.65	11.1	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-US06	3.27	8	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.094	0.14	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.33	2.7	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-SC03	0.71	3.7	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.33	2.7	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO-COLD	2.51	12.5	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO-COLD	2.51	12.5	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO-COLD	2.51	12.5	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	CO	0.48	4.2	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NMOG	0.072	0.09	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NOX	0.037	0.07	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO	0.26	3.4	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0424	0.075	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NOX	0.023	0.05	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	CO	0.42	5.5	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NMOG	0.064	0.13	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NOX	0.03	0.5	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO	0.26	4.4	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NMOG	0.042	0.1	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NOX	0.02	0.4	LEV
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO	0.48	4.2	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	HC-NM+NOX-COMP	0.115	0.95	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NMOG	0.072	0.09	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NOX	0.037	0.07	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO	0.26	3.4	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0424	0.075	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NOX	0.023	0.05	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-US06	3.27	10.5	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.094	0.25	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-US06	3.65	14.6	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-US06	3.27	10.5	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.094	0.25	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.33	3.5	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.01	0.27	L2
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-SC03	0.71	4.9	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.33	3.5	B5
MAZDA MOTOR CORP.	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.01	0.27	B5
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	50	CO-COLD	2.43	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	50	CO-COLD	2.43	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	120	CO	1.84	4.2	L2
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	120	HCHO	0.0006	0.018	L2
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	120	NMOG	0.0431	0.09	L2
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	120	NOX	0.039	0.07	L2
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	50	CO	0.88	3.4	L2
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	50	HCHO	0.0003	0.015	L2
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	50	NMOG	0.0258	0.075	L2
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	50	NOX	0.038	0.05	L2
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	120	CO	1.84	4.2	B5
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	120	HC-NM+NOX-COMP	0.064	0.65	B5
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	120	HCHO	0.0006	0.018	B5
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	120	NMOG	0.0431	0.09	B5
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	120	NOX	0.039	0.07	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	50	CO	0.88	3.4	B5
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	50	HCHO	0.0003	0.015	B5
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	50	NMOG	0.0258	0.075	B5
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	50	NOX	0.038	0.05	B5
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	4	CO-US06	1.27	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	4	HC-NM+NOX-US06	0.03	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	120	CO-US06	2.86	11.1	B5
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	4	CO-US06	1.27	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	4	HC-NM+NOX-US06	0.028	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	4	CO-SC03	0.4	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	CA	4	HC-NM+NOX-SC03	0.02	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	120	CO-SC03	1.99	3.7	B5
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	4	CO-SC03	0.4	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	C230 SPORTS COUPE	1796	M6	3.46	3625	FA	4	HC-NM+NOX-SC03	0.022	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	50	CO-COLD	0.68	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	100	CO	0.21	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	100	HCHO	0.0008	0.018	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	100	NMOG	0.051	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	100	NOX	0.008	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	50	CO	0.21	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	50	HCHO	0.0004	0.015	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	50	NMOG	0.0428	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	50	NOX	0.008	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	100	CO	0.41	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	100	HC-NM+NOX-COMP	0.067	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	100	HCHO	0.0005	0.018	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	100	NMOG	0.0343	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	100	NOX	0.046	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	50	CO	0.32	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	50	HCHO	0.0003	0.015	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	50	NMOG	0.0277	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	50	NOX	0.042	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	100	CO-US06	1.46	11.1	N/A
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	4	CO-US06	1.29	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	4	HC-NM+NOX-US06	0.037	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	100	CO-SC03	0.2	3.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	4	CO-SC03	0.03	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	C240 FFV (WAGON)	2597	L5	3.67	3875	FC	4	HC-NM+NOX-SC03	0.024	0.2	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	50	CO-COLD	0.42	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	50	CO-COLD	0.42	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	100	CO	0.15	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	100	HCHO	0.0005	0.018	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	100	NMOG	0.0172	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	100	NOX	0.098	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	50	CO	0.13	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	50	HCHO	0.0003	0.015	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	50	NMOG	0.0142	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	50	NOX	0.098	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	100	CO	0.15	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	100	HC-NM+NOX-COMP	0.124	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	100	HCHO	0.0005	0.018	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	100	NMOG	0.0172	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	100	NOX	0.098	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	50	CO	0.13	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	50	HCHO	0.0003	0.015	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	50	NMOG	0.0142	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	50	NOX	0.098	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	4	CO-US06	2.07	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	4	HC-NM+NOX-US06	0.07	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	100	CO-US06	2.1	11.1	N/A
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	4	CO-US06	2.07	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	4	HC-NM+NOX-US06	0.07	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	4	CO-SC03	0.11	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	CA	4	HC-NM+NOX-SC03	0.165	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	100	CO-SC03	0.14	3.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	4	CO-SC03	0.11	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	C320	3199	M6	3.27	3750	FA	4	HC-NM+NOX-SC03	0.165	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	CO-COLD	0.82	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	CO-COLD	0.82	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	CO	0.28	4.2	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	HCHO	0.0003	0.018	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	NMOG	0.0163	0.09	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	NOX	0.043	0.07	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	CO	0.2	3.4	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	HCHO	0.0001	0.015	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	NMOG	0.0133	0.075	L2



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	NOX	0.035	0.05	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	CO	0.28	4.2	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	HC-NM+NOX-COMP	0.045	0.65	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	HCHO	0.0003	0.018	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	NMOG	0.0163	0.09	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	NOX	0.043	0.07	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	CO	0.2	3.4	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	HCHO	0.0001	0.015	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	NMOG	0.0133	0.075	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	NOX	0.035	0.05	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	CO-US06	1.01	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	HC-NM+NOX-US06	0.04	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	CO-US06	1.17	11.1	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	CO-US06	1.01	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	HC-NM+NOX-US06	0.036	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	CO-SC03	0.12	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	HC-NM+NOX-SC03	0.01	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	CO-SC03	0.28	3.7	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	CO-SC03	0.12	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	HC-NM+NOX-SC03	0.006	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	CO-COLD	0.82	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	CO-COLD	0.82	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	CO	0.28	4.2	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	HCHO	0.0003	0.018	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	NMOG	0.0163	0.09	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	NOX	0.043	0.07	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	CO	0.2	3.4	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	HCHO	0.0001	0.015	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	NMOG	0.0133	0.075	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	NOX	0.035	0.05	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	CO	0.28	4.2	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	HC-NM+NOX-COMP	0.045	0.65	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	HCHO	0.0003	0.018	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	NMOG	0.0163	0.09	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	NOX	0.043	0.07	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	CO	0.2	3.4	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	HCHO	0.0001	0.015	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	NMOG	0.0133	0.075	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	NOX	0.035	0.05	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	CO-US06	1.01	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	HC-NM+NOX-US06	0.04	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	CO-US06	1.17	11.1	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	CO-US06	1.01	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	HC-NM+NOX-US06	0.036	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	CO-SC03	0.12	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	HC-NM+NOX-SC03	0.01	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	CO-SC03	0.28	3.7	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	CO-SC03	0.12	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	HC-NM+NOX-SC03	0.006	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	CO-COLD	0.82	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	CO-COLD	0.82	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	CO	0.28	4.2	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	HCHO	0.0003	0.018	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	NMOG	0.0163	0.09	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	120	NOX	0.043	0.07	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	CO	0.2	3.4	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	HCHO	0.0001	0.015	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	NMOG	0.0133	0.075	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	50	NOX	0.035	0.05	L2
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	CO	0.28	4.2	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	HC-NM+NOX-COMP	0.045	0.65	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	HCHO	0.0003	0.018	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	NMOG	0.0163	0.09	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	NOX	0.043	0.07	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	CO	0.2	3.4	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	HCHO	0.0001	0.015	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	NMOG	0.0133	0.075	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	50	NOX	0.035	0.05	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	CO-US06	1.01	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	HC-NM+NOX-US06	0.04	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	CO-US06	1.17	11.1	B5
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	CO-US06	1.01	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	HC-NM+NOX-US06	0.036	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	CO-SC03	0.12	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	CA	4	HC-NM+NOX-SC03	0.01	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	120	CO-SC03	0.28	3.7	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	CO-SC03	0.12	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 4MATIC (WAGON)	3199	L5	3.27	4500	FA	4	HC-NM+NOX-SC03	0.006	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	E320 CDI	3222	L5	2.65	4250	FA	100	CO	0.1	4.2	B10
MERCEDES BENZ	MERCEDES-BENZ	E320 CDI	3222	L5	2.65	4250	FA	100	HC-NM+NOX-COMP	0.755	0.91	B10
MERCEDES BENZ	MERCEDES-BENZ	E320 CDI	3222	L5	2.65	4250	FA	100	NMOG	0	0.156	B10
MERCEDES BENZ	MERCEDES-BENZ	E320 CDI	3222	L5	2.65	4250	FA	100	NOX	0.39	0.6	B10
MERCEDES BENZ	MERCEDES-BENZ	E320 CDI	3222	L5	2.65	4250	FA	100	PM	0.06	0.08	B10
MERCEDES BENZ	MERCEDES-BENZ	E320 CDI	3222	L5	2.65	4250	FA	100	CO-US06	0.08	11.1	B10
MERCEDES BENZ	MERCEDES-BENZ	E320 CDI	3222	L5	2.65	4250	FA	100	CO-SC03	0.06	3.7	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	50	CO-COLD	0.93	12.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	50	CO-COLD	0.93	12.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	120	CO	0.27	6.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	120	HCHO	0.0006	0.027	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	120	NMOG	0.0345	0.23	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	120	NOX	0.12	1	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	50	CO	0.24	4.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	50	HCHO	0.0004	0.018	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	50	NMOG	0.0307	0.16	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	50	NOX	0.11	0.7	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	120	CO	0.32	6.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	120	HCHO	0.0005	0.027	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	120	NMOG	0.0323	0.23	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	120	NOX	0.11	0.6	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	50	CO	0.29	4.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	50	HCHO	0.0003	0.018	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	50	NMOG	0.0285	0.16	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	50	NOX	0.1	0.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	CO	0.32	6.4	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	HC-NM+NOX-COMP	0.077	1.44	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	HCHO	0.0005	0.027	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	NMOG	0.0323	0.23	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	NOX	0.11	0.6	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	50	CO	0.29	4.4	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	50	HCHO	0.0003	0.018	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	50	NMOG	0.0285	0.16	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	50	NOX	0.1	0.4	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	50-CO	0.49	4.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	50-HCHO	0.0013	0.036	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	50-NMOG	0.0703	0.32	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	50-NOX	0.08	0.6	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	CO-US06	6.08	10.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	HC-NM+NOX-US06	0.08	0.4	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	CO-US06	6.12	16.9	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	4	CO-US06	6.08	10.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	4	HC-NM+NOX-US06	0.08	0.4	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	CO-SC03	0.66	3.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	HC-NM+NOX-SC03	0.038	0.31	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	CO-SC03	0.7	5.6	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	4	CO-SC03	0.66	3.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	4	HC-NM+NOX-SC03	0.038	0.31	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	50	CO-COLD	0.93	12.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	50	CO-COLD	0.93	12.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	120	CO	0.27	6.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	120	HCHO	0.0006	0.027	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	120	NMOG	0.0345	0.23	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	120	NOX	0.12	1	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	50	CO	0.24	4.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	50	HCHO	0.0004	0.018	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	50	NMOG	0.0307	0.16	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CF	50	NOX	0.11	0.7	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	120	CO	0.32	6.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	120	HCHO	0.0005	0.027	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	120	NMOG	0.0323	0.23	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	120	NOX	0.11	0.6	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	50	CO	0.29	4.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	50	HCHO	0.0003	0.018	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	50	NMOG	0.0285	0.16	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	50	NOX	0.1	0.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	CO	0.32	6.4	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	HC-NM+NOX-COMP	0.077	1.44	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	HCHO	0.0005	0.027	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	NMOG	0.0323	0.23	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	NOX	0.11	0.6	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	50	CO	0.29	4.4	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	50	HCHO	0.0003	0.018	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	50	NMOG	0.0285	0.16	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	50	NOX	0.1	0.4	B10
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	50-CO	0.49	4.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	50-HCHO	0.0013	0.036	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	50-NMOG	0.0703	0.32	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	50-NOX	0.08	0.6	LEV
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	CO-US06	6.08	10.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	HC-NM+NOX-US06	0.08	0.4	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	CO-US06	6.12	16.9	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	4	CO-US06	6.08	10.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	4	HC-NM+NOX-US06	0.08	0.4	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	CO-SC03	0.66	3.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	CA	4	HC-NM+NOX-SC03	0.038	0.31	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	120	CO-SC03	0.7	5.6	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	4	CO-SC03	0.66	3.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G500	4966	L5	4.38	6000	FA	4	HC-NM+NOX-SC03	0.038	0.31	N/A
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	50	CO-COLD	2.59	12.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	50	CO-COLD	2.59	12.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CF	120	CO	2.67	6.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CF	120	HCHO	0.0008	0.027	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CF	120	NMOG	0.059	0.23	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CF	120	NOX	0.01	1	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CF	50	CO	1.71	4.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CF	50	HCHO	0.0005	0.018	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CF	50	NMOG	0.0418	0.16	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CF	50	NOX	0.01	0.7	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	120	CO	2.51	6.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	120	HCHO	0.0019	0.027	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	120	NMOG	0.0544	0.23	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	120	NOX	0.01	0.6	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	50	CO	1.55	4.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	50	HCHO	0.0016	0.018	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	50	NMOG	0.0372	0.16	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	50	NOX	0.01	0.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	120	CO	2.51	6.4	B10
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	120	HC-NM+NOX-COMP	0.054	1.44	B10
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	120	HCHO	0.0019	0.027	B10
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	120	NMOG	0.0544	0.23	B10
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	120	NOX	0.01	0.6	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	50	CO	1.55	4.4	B10
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	50	HCHO	0.0016	0.018	B10
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	50	NMOG	0.0372	0.16	B10
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	50	NOX	0.01	0.4	B10
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	4	50-CO	1.03	4.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	4	50-HCHO	0.0014	0.036	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	4	50-NMOG	0.047	0.32	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	4	50-NOX	0.04	0.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	4	CO-US06	0.82	10.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	4	HC-NM+NOX-US06	0.03	0.4	N/A
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	120	CO-US06	2.42	16.9	B10
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	4	CO-US06	0.82	10.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	4	HC-NM+NOX-US06	0.03	0.4	N/A
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	4	CO-SC03	0.26	3.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	CA	4	HC-NM+NOX-SC03	0.011	0.31	N/A
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	120	CO-SC03	1.86	5.6	B10
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	4	CO-SC03	0.26	3.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	G55 AMG	5439	L5	4.11	6000	FA	4	HC-NM+NOX-SC03	0.011	0.31	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	CO-COLD	2.36	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO	0.39	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	HC-NM+NOX-COMP	0.034	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	NMOG	0.0154	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	NOX	0.029	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	CO	0.39	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	NMOG	0.0154	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	NOX	0.021	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO	0.39	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	HC-NM+NOX-COMP	0.034	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	NMOG	0.0154	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	NOX	0.029	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	CO	0.39	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	NMOG	0.0154	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	NOX	0.021	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO-US06	0.35	11.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	CO-US06	0.35	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	HC-NM+NOX-US06	0.028	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO-US06	0.35	11.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	CO-US06	0.35	8	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	HC-NM+NOX-US06	0.028	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO-SC03	0	3.7	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	CO-SC03	0	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	HC-NM+NOX-SC03	0.003	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO-SC03	0	3.7	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	CO-SC03	0	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	HC-NM+NOX-SC03	0.003	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	CO-COLD	2.36	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO	0.39	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	HC-NM+NOX-COMP	0.034	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	NMOG	0.0154	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	NOX	0.029	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	CO	0.39	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	NMOG	0.0154	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	NOX	0.021	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO	0.39	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	HC-NM+NOX-COMP	0.034	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	NMOG	0.0154	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	NOX	0.029	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	CO	0.39	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	NMOG	0.0154	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	NOX	0.021	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO-US06	0.35	11.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	CO-US06	0.35	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	HC-NM+NOX-US06	0.028	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO-US06	0.35	11.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	CO-US06	0.35	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	HC-NM+NOX-US06	0.028	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO-SC03	0	3.7	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	CO-SC03	0	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	HC-NM+NOX-SC03	0.003	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO-SC03	0	3.7	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	CO-SC03	0	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	HC-NM+NOX-SC03	0.003	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	CO-COLD	2.36	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO	0.39	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	HC-NM+NOX-COMP	0.034	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	NMOG	0.0154	0.125	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	NOX	0.029	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	CO	0.39	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	NMOG	0.0154	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	NOX	0.021	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO	0.39	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	HC-NM+NOX-COMP	0.034	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	NMOG	0.0154	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	NOX	0.029	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	CO	0.39	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	NMOG	0.0154	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	NOX	0.021	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO-US06	0.35	11.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	CO-US06	0.35	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	HC-NM+NOX-US06	0.028	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO-US06	0.35	11.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	CO-US06	0.35	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	HC-NM+NOX-US06	0.028	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO-SC03	0	3.7	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	CO-SC03	0	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	HC-NM+NOX-SC03	0.003	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO-SC03	0	3.7	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	CO-SC03	0	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	HC-NM+NOX-SC03	0.003	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	CO-COLD	2.36	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO	0.39	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	HC-NM+NOX-COMP	0.034	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	NMOG	0.0154	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	NOX	0.029	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	CO	0.39	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	NMOG	0.0154	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	50	NOX	0.021	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO	0.39	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	HC-NM+NOX-COMP	0.034	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	NMOG	0.0154	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	NOX	0.029	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	CO	0.39	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	NMOG	0.0154	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	50	NOX	0.021	0.14	B8



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO-US06	0.35	11.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	CO-US06	0.35	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	HC-NM+NOX-US06	0.028	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO-US06	0.35	11.1	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	CO-US06	0.35	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	HC-NM+NOX-US06	0.028	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	100	CO-SC03	0	3.7	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	CO-SC03	0	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	CA	4	HC-NM+NOX-SC03	0.003	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	100	CO-SC03	0	3.7	B8
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	CO-SC03	0	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	MAYBACH 62	5513	L5	2.82	6500	FA	4	HC-NM+NOX-SC03	0.003	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	50	CO-COLD	0.98	12.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	50	CO-COLD	0.98	12.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	120	CO	0.21	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	120	HC-NM+NOX-COMP	0.092	1.06	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	120	HCHO	0.0011	0.018	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	120	NMOG	0.0249	0.156	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	120	NOX	0.109	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	50	CO	0.18	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	50	HCHO	0.0009	0.015	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	50	NMOG	0.0211	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	50	NOX	0.099	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CF	120	CO	0.21	3.2	ULEV
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CF	120	HCHO	0.0011	0.013	ULEV
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CF	120	NMOG	0.0249	0.143	ULEV
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CF	120	NOX	0.11	0.5	ULEV
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CF	50	CO	0.18	2.2	ULEV
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CF	50	HCHO	0.0009	0.009	ULEV
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CF	50	NMOG	0.0211	0.1	ULEV
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CF	50	NOX	0.1	0.4	ULEV
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	120	CO	0.21	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	120	HC-NM+NOX-COMP	0.091	1.06	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	120	HCHO	0.0011	0.018	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	120	NMOG	0.0249	0.156	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	120	NOX	0.108	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	50	CO	0.18	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	50	HCHO	0.0009	0.015	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	50	NMOG	0.0211	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	50	NOX	0.097	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	120	CO-US06	6.7	16.9	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	4	CO-US06	6.66	10.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	4	HC-NM+NOX-US06	0.05	0.4	N/A
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	120	CO-US06	6.7	16.9	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	4	CO-US06	6.66	10.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	4	HC-NM+NOX-US06	0.05	0.4	N/A
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	120	CO-SC03	0.51	5.6	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	4	CO-SC03	0.47	3.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	CA	4	HC-NM+NOX-SC03	0.034	0.31	N/A
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	120	CO-SC03	0.51	5.6	B8
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	4	CO-SC03	0.47	3.5	N/A
MERCEDES BENZ	MERCEDES-BENZ	ML350	3724	L5	3.7	5500	FA	4	HC-NM+NOX-SC03	0.034	0.31	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	CO-COLD	0.51	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	CO-COLD	0.51	10	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	CO	0.4	2.1	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	HCHO	0.0012	0.011	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	NMOG	0.0206	0.055	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	NOX	0.023	0.07	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	CO	0.26	1.7	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	HCHO	0.001	0.008	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	NMOG	0.0178	0.04	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	NOX	0.019	0.05	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO	0.4	4.2	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	HC-NM+NOX-COMP	0.038	0.65	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	HCHO	0.0012	0.018	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	NMOG	0.0206	0.09	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	NOX	0.023	0.07	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	CO	0.26	3.4	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	HCHO	0.001	0.015	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	NMOG	0.0178	0.075	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	NOX	0.019	0.05	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-CO	0.29	1.7	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-HCHO	0.001	0.016	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-NMOG	0.031	0.08	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-NOX	0.04	0.05	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	CO-US06	0.39	8	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	HC-NM+NOX-US06	0.02	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO-US06	0.62	11.1	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	CO-US06	0.39	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	HC-NM+NOX-US06	0.023	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	CO-SC03	0.02	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	HC-NM+NOX-SC03	0.03	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO-SC03	0.26	3.7	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	CO-SC03	0.02	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	HC-NM+NOX-SC03	0.026	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	CO-COLD	0.51	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	CO-COLD	0.51	10	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	CO	0.4	2.1	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	HCHO	0.0012	0.011	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	NMOG	0.0206	0.055	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	NOX	0.023	0.07	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	CO	0.26	1.7	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	HCHO	0.001	0.008	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	NMOG	0.0178	0.04	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	NOX	0.019	0.05	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO	0.4	4.2	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	HC-NM+NOX-COMP	0.038	0.65	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	HCHO	0.0012	0.018	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	NMOG	0.0206	0.09	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	NOX	0.023	0.07	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	CO	0.26	3.4	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	HCHO	0.001	0.015	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	NMOG	0.0178	0.075	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	NOX	0.019	0.05	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-CO	0.29	1.7	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-HCHO	0.001	0.016	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-NMOG	0.031	0.08	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-NOX	0.04	0.05	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	CO-US06	0.39	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	HC-NM+NOX-US06	0.02	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO-US06	0.62	11.1	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	CO-US06	0.39	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	HC-NM+NOX-US06	0.023	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	CO-SC03	0.02	2.7	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	HC-NM+NOX-SC03	0.03	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO-SC03	0.26	3.7	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	CO-SC03	0.02	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	HC-NM+NOX-SC03	0.026	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	CO-COLD	0.51	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	CO-COLD	0.51	10	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	CO	0.4	2.1	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	HCHO	0.0012	0.011	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	NMOG	0.0206	0.055	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	NOX	0.023	0.07	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	CO	0.26	1.7	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	HCHO	0.001	0.008	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	NMOG	0.0178	0.04	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	NOX	0.019	0.05	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO	0.4	4.2	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	HC-NM+NOX-COMP	0.038	0.65	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	HCHO	0.0012	0.018	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	NMOG	0.0206	0.09	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	NOX	0.023	0.07	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	CO	0.26	3.4	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	HCHO	0.001	0.015	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	NMOG	0.0178	0.075	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	NOX	0.019	0.05	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-CO	0.29	1.7	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-HCHO	0.001	0.016	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-NMOG	0.031	0.08	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-NOX	0.04	0.05	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	CO-US06	0.39	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	HC-NM+NOX-US06	0.02	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO-US06	0.62	11.1	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	CO-US06	0.39	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	HC-NM+NOX-US06	0.023	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	CO-SC03	0.02	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	HC-NM+NOX-SC03	0.03	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO-SC03	0.26	3.7	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	CO-SC03	0.02	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	HC-NM+NOX-SC03	0.026	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	CO-COLD	0.51	10	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	CO-COLD	0.51	10	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	CO	0.4	2.1	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	HCHO	0.0012	0.011	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	NMOG	0.0206	0.055	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	120	NOX	0.023	0.07	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	CO	0.26	1.7	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	HCHO	0.001	0.008	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	NMOG	0.0178	0.04	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	50	NOX	0.019	0.05	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO	0.4	4.2	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	HC-NM+NOX-COMP	0.038	0.65	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	HCHO	0.0012	0.018	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	NMOG	0.0206	0.09	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	NOX	0.023	0.07	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	CO	0.26	3.4	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	HCHO	0.001	0.015	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	NMOG	0.0178	0.075	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	50	NOX	0.019	0.05	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-CO	0.29	1.7	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-HCHO	0.001	0.016	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-NMOG	0.031	0.08	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	50-NOX	0.04	0.05	ULEV
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	CO-US06	0.39	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	HC-NM+NOX-US06	0.02	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO-US06	0.62	11.1	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	CO-US06	0.39	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	HC-NM+NOX-US06	0.023	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	CO-SC03	0.02	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	CA	4	HC-NM+NOX-SC03	0.03	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	120	CO-SC03	0.26	3.7	B5
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	CO-SC03	0.02	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S430 4MATIC	4266	L5	3.07	4750	FA	4	HC-NM+NOX-SC03	0.026	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	CO-COLD	1.55	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	CO-COLD	1.55	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	CO	1.42	4.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	HCHO	0.0008	0.018	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	NMOG	0.0412	0.09	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	NOX	0.038	0.3	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	CO	0.96	3.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	HCHO	0.0004	0.015	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	NMOG	0.0285	0.075	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	NOX	0.037	0.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO	1.42	4.2	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	HC-NM+NOX-COMP	0.054	0.73	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	HCHO	0.0008	0.018	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	NMOG	0.0412	0.09	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	NOX	0.038	0.3	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	CO	0.96	3.4	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	HCHO	0.0004	0.015	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	NMOG	0.0285	0.075	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-CO	0.37	3.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-HCHO	0.0004	0.03	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-NMOG	0.0389	0.15	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-NOX	0.03	0.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	CO-US06	0.48	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	HC-NM+NOX-US06	0.022	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO-US06	1.37	11.1	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	CO-US06	0.48	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	HC-NM+NOX-US06	0.022	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	CO-SC03	0.32	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	HC-NM+NOX-SC03	0.01	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO-SC03	1.21	3.7	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	CO-SC03	0.32	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	HC-NM+NOX-SC03	0.01	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	CO-COLD	1.55	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	CO-COLD	1.55	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	CO	1.42	4.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	HCHO	0.0008	0.018	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	NMOG	0.0412	0.09	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	NOX	0.038	0.3	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	CO	0.96	3.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	HCHO	0.0004	0.015	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	NMOG	0.0285	0.075	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	NOX	0.037	0.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO	1.42	4.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	HC-NM+NOX-COMP	0.054	0.73	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	HCHO	0.0008	0.018	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	NMOG	0.0412	0.09	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	NOX	0.038	0.3	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	CO	0.96	3.4	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	HCHO	0.0004	0.015	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	NMOG	0.0285	0.075	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	NOX	0.037	0.2	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-CO	0.37	3.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-HCHO	0.0004	0.03	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-NMOG	0.0389	0.15	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-NOX	0.03	0.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	CO-US06	0.48	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	HC-NM+NOX-US06	0.022	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO-US06	1.37	11.1	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	CO-US06	0.48	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	HC-NM+NOX-US06	0.022	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	CO-SC03	0.32	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	HC-NM+NOX-SC03	0.01	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO-SC03	1.21	3.7	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	CO-SC03	0.32	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	HC-NM+NOX-SC03	0.01	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	CO-COLD	1.55	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	CO-COLD	1.55	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	CO	1.42	4.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	HCHO	0.0008	0.018	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	NMOG	0.0412	0.09	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	NOX	0.038	0.3	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	CO	0.96	3.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	HCHO	0.0004	0.015	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	NMOG	0.0285	0.075	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	NOX	0.037	0.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO	1.42	4.2	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	HC-NM+NOX-COMP	0.054	0.73	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	HCHO	0.0008	0.018	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	NMOG	0.0412	0.09	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	NOX	0.038	0.3	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	CO	0.96	3.4	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	HCHO	0.0004	0.015	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	NMOG	0.0285	0.075	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	NOX	0.037	0.2	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-CO	0.37	3.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-HCHO	0.0004	0.03	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-NMOG	0.0389	0.15	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-NOX	0.03	0.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	CO-US06	0.48	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	HC-NM+NOX-US06	0.022	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO-US06	1.37	11.1	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	CO-US06	0.48	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	HC-NM+NOX-US06	0.022	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	CO-SC03	0.32	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	HC-NM+NOX-SC03	0.01	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO-SC03	1.21	3.7	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	CO-SC03	0.32	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	HC-NM+NOX-SC03	0.01	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	CO-COLD	1.55	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	CO-COLD	1.55	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	CO	1.42	4.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	HCHO	0.0008	0.018	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	NMOG	0.0412	0.09	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	100	NOX	0.038	0.3	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	CO	0.96	3.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	HCHO	0.0004	0.015	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	NMOG	0.0285	0.075	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	50	NOX	0.037	0.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO	1.42	4.2	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	HC-NM+NOX-COMP	0.054	0.73	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	HCHO	0.0008	0.018	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	NMOG	0.0412	0.09	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	NOX	0.038	0.3	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	CO	0.96	3.4	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	HCHO	0.0004	0.015	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	NMOG	0.0285	0.075	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	50	NOX	0.037	0.2	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-CO	0.37	3.4	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-HCHO	0.0004	0.03	LEV



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-NMOG	0.0389	0.15	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	50-NOX	0.03	0.2	LEV
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	CO-US06	0.48	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	HC-NM+NOX-US06	0.022	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO-US06	1.37	11.1	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	CO-US06	0.48	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	HC-NM+NOX-US06	0.022	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	CO-SC03	0.32	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	CA	4	HC-NM+NOX-SC03	0.01	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	100	CO-SC03	1.21	3.7	B9
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	CO-SC03	0.32	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	S55 AMG	5439	S5	2.65	4750	FA	4	HC-NM+NOX-SC03	0.01	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	50	CO-COLD	2.86	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	50	CO-COLD	2.86	10	N/A
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	100	CO	0.77	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	100	HC-NM+NOX-COMP	0.031	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	100	HCHO	0.0002	0.018	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	100	NMOG	0.0084	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	100	NOX	0.02	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	50	CO	0.7	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	50	HCHO	0.0001	0.015	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	50	NMOG	0.0055	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	50	NOX	0.016	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	100	CO	0.77	4.2	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	100	HC-NM+NOX-COMP	0.031	0.71	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	100	HCHO	0.0002	0.018	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	100	NMOG	0.0084	0.125	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	100	NOX	0.02	0.2	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	50	CO	0.7	3.4	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	50	HCHO	0.0001	0.015	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	50	NMOG	0.0055	0.1	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	50	NOX	0.016	0.14	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	100	CO-US06	2.75	11.1	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	4	CO-US06	2.61	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	4	HC-NM+NOX-US06	0.027	0.14	N/A
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	100	CO-US06	2.75	11.1	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	4	CO-US06	2.61	8	N/A
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	4	HC-NM+NOX-US06	0.027	0.14	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	100	CO-SC03	1.47	3.7	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	4	CO-SC03	1.33	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	CA	4	HC-NM+NOX-SC03	0.016	0.2	N/A
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	100	CO-SC03	1.47	3.7	B8
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	4	CO-SC03	1.33	2.7	N/A
MERCEDES BENZ	MERCEDES-BENZ	SLK350	3498	M6	3.27	3625	FA	4	HC-NM+NOX-SC03	0.016	0.2	N/A
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	50	CO-COLD	6.13	10	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	50	CO-COLD	6.13	10	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	100	CO	0.65	4.2	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	100	HCHO	0.0006	0.018	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	100	NMOG	0.0432	0.09	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	100	NOX	0.06	0.3	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	50	CO	0.58	3.4	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	50	HCHO	0.0003	0.015	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	50	NMOG	0.0363	0.075	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	50	NOX	0.06	0.2	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	100	CO	0.65	4.2	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	100	CO-COMP	0.49	4.2	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	100	HC-NM+NOX-COMP	0.122	0.73	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	100	HCHO	0.0006	0.018	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	100	NMOG	0.0432	0.09	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	100	NOX	0.06	0.3	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	50	CO	0.58	3.4	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	50	HCHO	0.0003	0.015	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	50	NMOG	0.0363	0.075	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	50	NOX	0.06	0.2	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	N/A	50-CO	1.6	3.4	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	N/A	50-HCHO	0.0003	0.03	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	N/A	50-NMOG	0.0882	0.15	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	N/A	50-NOX	0.02	0.2	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	N/A	CO-ST2500	0.1	0.5	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	N/A	CO-STI	0.1	0.5	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	N/A	HC-ST2500	5.9	100	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	N/A	HC-STI	6	100	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	4	CO-US06	0.08	8	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	4	HC-NM+NOX-US06	0.076	0.14	LEV
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	4	CO-US06	0.08	8	B9
MITSUBISHI MOTORS AUSTRALIA LTD	MITSUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	4	HC-NM+NOX-US06	0.076	0.14	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
MINITUBISHI MOTORS AUSTRALIA LTD	MINITUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	4	CO-SC03	0.22	2.7	LEV
MINITUBISHI MOTORS AUSTRALIA LTD	MINITUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	CA	4	HC-NM+NOX-SC03	0.026	0.2	LEV
MINITUBISHI MOTORS AUSTRALIA LTD	MINITUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	4	CO-SC03	0.22	2.7	B9
MINITUBISHI MOTORS AUSTRALIA LTD	MINITUBISHI MOTORS AUST. LTD	DIAMANTE SEDAN	213.4	L4	3.49	3875	FA	4	HC-NM+NOX-SC03	0.026	0.2	B9
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	50	CO-COLD	2.01	10	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	50	CO-COLD	2.01	10	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	120	CO	0.54	2.1	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	120	HCHO	0.0004	0.011	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	120	NMOG	0.0426	0.055	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	120	NOX	0.036	0.07	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	50	CO	0.41	1.7	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	50	HCHO	0.0003	0.008	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	50	NMOG	0.0306	0.04	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	50	NOX	0.018	0.05	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	120	CO	0.54	4.2	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	120	CO-COMP	1.6	4.2	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	120	HC-NM+NOX-COMP	0.101	0.65	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	120	HCHO	0.0004	0.018	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	120	NMOG	0.0426	0.09	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	120	NOX	0.036	0.07	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	50	CO	0.41	3.4	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	50	HCHO	0.0003	0.015	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	50	NMOG	0.0306	0.075	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	50	NOX	0.018	0.05	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	N/A	50-CO	0.56	1.7	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	N/A	50-HCHO	0.0001	0.016	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	N/A	50-NMOG	0.0619	0.08	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	N/A	50-NOX	0.009	0.05	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	N/A	CO-ST2500	0	0.5	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	N/A	CO-STI	0	0.5	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	N/A	HC-ST2500	6.4	100	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	N/A	HC-STI	6.2	100	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	4	CO-US06	2.58	8	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	4	HC-NM+NOX-US06	0.014	0.14	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	4	CO-US06	2.58	8	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	FA	4	HC-NM+NOX-US06	0.014	0.14	B5
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	4	CO-SC03	0.18	2.7	U2
Mitsubishi Motors Corporation	MINITUBISHI	LANCER	1999.6	L4	4.04	3125	CA	4	HC-NM+NOX-SC03	0.035	0.2	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors Corporation	mitsubishi	LANCER	1999.6	L4	4.04	3125	FA	4	CO-SC03	0.18	2.7	B5
Mitsubishi Motors Corporation	mitsubishi	LANCER	1999.6	L4	4.04	3125	FA	4	HC-NM+NOX-SC03	0.035	0.2	B5
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	50	CO-COLD	5.36	10	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	50	CO-COLD	5.36	10	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	100	CO	0.48	4.2	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	100	HCHO	0.0014	0.018	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	100	NMOG	0.0607	0.09	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	100	NOX	0.14	0.3	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	50	CO	0.45	3.4	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	50	HCHO	0.0012	0.015	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	50	NMOG	0.0569	0.075	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	50	NOX	0.13	0.2	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	100	CO	0.48	4.2	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	100	CO-COMP	1.88	4.2	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	100	HC-NM+NOX-COMP	0.19	0.73	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	100	HCHO	0.0014	0.018	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	100	NMOG	0.0607	0.09	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	100	NOX	0.14	0.3	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	50	CO	0.45	3.4	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	50	HCHO	0.0012	0.015	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	50	NMOG	0.0569	0.075	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	50	NOX	0.13	0.2	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	N/A	50-CO	1.09	3.4	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	N/A	50-HCHO	0.0016	0.03	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	N/A	50-NMOG	0.1092	0.15	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	N/A	50-NOX	0.08	0.2	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	N/A	CO-ST2500	0	0.5	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	N/A	CO-STI	0	0.5	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	N/A	HC-ST2500	7	100	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	N/A	HC-STI	6.4	100	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	4	CO-US06	2.33	8	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	4	HC-NM+NOX-US06	0.055	0.14	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	4	CO-US06	2.33	8	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	4	HC-NM+NOX-US06	0.055	0.14	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	4	CO-SC03	0.49	2.7	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	CA	4	HC-NM+NOX-SC03	0.119	0.2	LEV
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	4	CO-SC03	0.49	2.7	B9
Mitsubishi Motors Corporation	mitsubishi	LANCER EVOLUTION	1997.9	M6	4.58	3625	FA	4	HC-NM+NOX-SC03	0.119	0.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	50	CO-COLD	2.79	10	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	100	CO	0.3	2.1	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	100	HCHO	0.0013	0.011	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	100	NMOG	0.0378	0.055	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	100	NOX	0.1	0.3	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	50	CO	0.27	1.7	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	50	HCHO	0.0011	0.008	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	50	NMOG	0.0325	0.04	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	50	NOX	0.07	0.2	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	N/A	50-CO	0.32	1.7	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	N/A	50-HCHO	0.0012	0.016	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	N/A	50-NMOG	0.0509	0.08	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	N/A	50-NOX	0.09	0.2	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	4	CO-US06	3.28	8	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	4	HC-NM+NOX-US06	0.029	0.14	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	4	CO-SC03	0.04	2.7	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	CA	4	HC-NM+NOX-SC03	0.026	0.2	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	50	CO-COLD	2.88	10	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	100	CO	0.32	4.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	100	CO-COMP	0.85	4.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	100	HC-NM+NOX-COMP	0.096	0.73	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	100	HCHO	0.0017	0.018	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	100	NMOG	0.0554	0.09	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	100	NOX	0.1	0.3	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	50	CO	0.28	3.4	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	50	HCHO	0.0013	0.015	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	50	NMOG	0.0499	0.075	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	50	NOX	0.09	0.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	N/A	CO-ST2500	0.2	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	N/A	CO-STI	0.2	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	N/A	HC-ST2500	3.5	100	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	N/A	HC-STI	3.2	100	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	4	CO-US06	1.15	8	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	4	HC-NM+NOX-US06	0.036	0.14	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	4	CO-SC03	0.21	2.7	B9
Mitsubishi Motors Corporation	MITSUBISHI	LANCER SPORTBACK	2378.2	L4	4.21	3375	FA	4	HC-NM+NOX-SC03	0.023	0.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	50	CO-COLD	4.99	12.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	50	CO-COLD	4.99	12.5	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	100	CO	0.58	4.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	100	CO-COMP	1.53	5	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	100	HC-NM+NOX-COMP	0.112	1.03	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	100	HCHO	0.0021	0.018	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	100	NMOG	0.0729	0.09	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	100	NOX	0.13	0.3	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	50	CO	0.58	3.4	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	50	HCHO	0.0012	0.015	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	50	NMOG	0.0665	0.075	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	50	NOX	0.1	0.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	100	CO	0.58	4.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	100	CO-COMP	1.53	5	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	100	HC-NM+NOX-COMP	0.112	1.03	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	100	HCHO	0.0021	0.018	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	100	NMOG	0.0729	0.09	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	100	NOX	0.13	0.3	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	50	CO	0.58	3.4	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	50	HCHO	0.0012	0.015	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	50	NMOG	0.0665	0.075	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	50	NOX	0.1	0.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	N/A	CO-ST2500	0	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	N/A	CO-STI	0	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	N/A	HC-ST2500	6.8	100	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	N/A	HC-STI	6.6	100	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	N/A	CO-ST2500	0	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	N/A	CO-STI	0	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	N/A	HC-ST2500	6.8	100	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	N/A	HC-STI	6.6	100	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	4	CO-US06	1.65	10.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	4	HC-NM+NOX-US06	0.059	0.25	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	4	CO-US06	1.65	10.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	4	HC-NM+NOX-US06	0.059	0.25	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	4	CO-SC03	0.7	3.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	CA	4	HC-NM+NOX-SC03	0.038	0.27	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	4	CO-SC03	0.7	3.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	MONTERO	3827.1	L5	4.3	5000	FA	4	HC-NM+NOX-SC03	0.038	0.27	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	50	CO-COLD	1.91	10	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	100	CO	0.3	2.1	ULEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	100	HCHO	0.0012	0.011	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	100	NMOG	0.0421	0.055	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	100	NOX	0.1	0.3	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	50	CO	0.27	1.7	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	50	HCHO	0.001	0.008	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	50	NMOG	0.0368	0.04	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	50	NOX	0.07	0.2	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	N/A	50-CO	0.27	1.7	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	N/A	50-HCHO	0.0015	0.016	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	N/A	50-NMOG	0.0684	0.08	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	N/A	50-NOX	0.06	0.2	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	4	CO-US06	1.9	8	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	4	HC-NM+NOX-US06	0.051	0.14	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	4	CO-SC03	0.13	2.7	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	4	HC-NM+NOX-SC03	0.031	0.2	ULEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	50	CO-COLD	2.04	10	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	50	CO-COLD	2.04	10	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	100	CO	0.34	4.2	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	100	HCHO	0.0012	0.018	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	100	NMOG	0.0475	0.09	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	100	NOX	0.08	0.3	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	50	CO	0.3	3.4	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	50	HCHO	0.0008	0.015	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	50	NMOG	0.042	0.075	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	50	NOX	0.07	0.2	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	100	CO	0.34	4.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	100	CO-COMP	0.71	4.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	100	HC-NM+NOX-COMP	0.092	0.73	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	100	HCHO	0.0012	0.018	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	100	NMOG	0.0475	0.09	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	100	NOX	0.08	0.3	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	50	CO	0.3	3.4	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	50	HCHO	0.0008	0.015	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	50	NMOG	0.042	0.075	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	50	NOX	0.07	0.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	N/A	50-CO	0.42	3.4	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	N/A	50-HCHO	0.001	0.03	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	N/A	50-NMOG	0.0856	0.18	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	N/A	50-NOX	0.07	0.2	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	N/A	CO-ST2500	0.01	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	N/A	CO-STI	0.01	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	N/A	HC-ST2500	7.3	100	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	N/A	HC-STI	7	100	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	4	CO-US06	0.84	8	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	4	HC-NM+NOX-US06	0.028	0.14	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	4	CO-US06	0.84	8	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	4	HC-NM+NOX-US06	0.028	0.14	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	4	CO-SC03	0.05	2.7	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	CA	4	HC-NM+NOX-SC03	0.04	0.2	LEV
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	4	CO-SC03	0.05	2.7	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 2WD	2378.2	L4	4.41	3625	FA	4	HC-NM+NOX-SC03	0.04	0.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	50	CO-COLD	2.68	12.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	50	CO-COLD	2.68	12.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	100	CO	0.28	4.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	100	CO-COMP	0.38	5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	100	HC-NM+NOX-COMP	0.116	1.03	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	100	HCHO	0.0011	0.018	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	100	NMOG	0.0584	0.09	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	100	NOX	0.11	0.3	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	50	CO	0.26	3.4	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	50	HCHO	0.0008	0.015	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	50	NMOG	0.0522	0.075	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	50	NOX	0.09	0.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	100	CO	0.28	4.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	100	CO-COMP	0.38	5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	100	HC-NM+NOX-COMP	0.116	1.03	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	100	HCHO	0.0011	0.018	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	100	NMOG	0.0584	0.09	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	100	NOX	0.11	0.3	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	50	CO	0.26	3.4	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	50	HCHO	0.0008	0.015	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	50	NMOG	0.0522	0.075	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	50	NOX	0.09	0.2	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	N/A	CO-ST2500	0	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	N/A	CO-STI	0	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	N/A	HC-ST2500	8.3	100	B9



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	N/A	HC-STI	7.6	100	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	N/A	CO-ST2500	0	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	N/A	CO-STI	0	0.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	N/A	HC-ST2500	8.3	100	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	N/A	HC-STI	7.6	100	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	4	CO-US06	0.6	10.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	4	HC-NM+NOX-US06	0.018	0.25	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	4	CO-US06	0.6	10.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	4	HC-NM+NOX-US06	0.018	0.25	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	4	CO-SC03	0.17	3.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	CA	4	HC-NM+NOX-SC03	0.04	0.27	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	4	CO-SC03	0.17	3.5	B9
Mitsubishi Motors Corporation	MITSUBISHI	OUTLANDER 4WD	2378.2	L4	4.63	3875	FA	4	HC-NM+NOX-SC03	0.04	0.27	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE	2971.5	L4	3.73	3625	CA	N/A	CO-ST2500	0	0.5	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE	2971.5	L4	3.73	3625	CA	N/A	CO-STI	0	0.5	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE	2971.5	L4	3.73	3625	CA	N/A	HC-ST2500	4.6	100	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE	2971.5	L4	3.73	3625	CA	N/A	HC-STI	4.2	100	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE	2971.5	L4	3.73	3625	FA	N/A	CO-ST2500	0	0.5	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE	2971.5	L4	3.73	3625	FA	N/A	CO-STI	0	0.5	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE	2971.5	L4	3.73	3625	FA	N/A	HC-ST2500	4.6	100	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE	2971.5	L4	3.73	3625	FA	N/A	HC-STI	4.2	100	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	50	CO-COLD	4.88	10	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	100	CO	0.45	2.1	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	100	HCHO	0.0007	0.011	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	100	NMOG	0.043	0.055	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	100	NOX	0.1	0.3	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	50	CO	0.33	1.7	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	50	HCHO	0.0005	0.008	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	50	NMOG	0.0314	0.04	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	50	NOX	0.06	0.2	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	N/A	50-CO	0.53	1.7	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	N/A	50-HCHO	0.0003	0.016	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	N/A	50-NMOG	0.0666	0.08	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	N/A	50-NOX	0.03	0.2	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	4	CO-US06	3.19	8	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	4	HC-NM+NOX-US06	0.102	0.14	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	4	CO-SC03	1.68	2.7	ULEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	4	HC-NM+NOX-SC03	0.013	0.2	ULEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	50	CO-COLD	4.97	10	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	50	CO-COLD	4.97	10	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	100	CO	0.56	4.2	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	100	HCHO	0.0011	0.018	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	100	NMOG	0.041	0.09	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	100	NOX	0.1	0.3	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	50	CO	0.38	3.4	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	50	HCHO	0.0007	0.015	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	50	NMOG	0.0314	0.075	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	50	NOX	0.05	0.2	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	100	CO	0.56	4.2	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	100	CO-COMP	1.89	4.2	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	100	HC-NM+NOX-COMP	0.165	0.73	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	100	HCHO	0.0011	0.018	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	100	NMOG	0.041	0.09	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	100	NOX	0.1	0.3	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	50	CO	0.38	3.4	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	50	HCHO	0.0007	0.015	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	50	NMOG	0.0314	0.075	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	50	NOX	0.05	0.2	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	N/A	50-CO	0.68	3.4	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	N/A	50-HCHO	0.0002	0.03	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	N/A	50-NMOG	0.0653	0.15	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	N/A	50-NOX	0.01	0.2	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	N/A	CO-ST2500	0.02	0.5	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	N/A	CO-STI	0	0.5	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	N/A	HC-ST2500	10	100	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	N/A	HC-STI	8	100	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	4	CO-US06	4.01	8	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	4	HC-NM+NOX-US06	0.038	0.14	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	4	CO-US06	4.01	8	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	4	HC-NM+NOX-US06	0.038	0.14	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	4	CO-SC03	0.98	2.7	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	CA	4	HC-NM+NOX-SC03	0.094	0.2	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	4	CO-SC03	0.98	2.7	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2350.3	L4	4.04	3500	FA	4	HC-NM+NOX-SC03	0.094	0.2	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	50	CO-COLD	5.09	10	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	50	CO-COLD	5.09	10	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	100	CO	0.77	4.2	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	100	HCHO	0.0008	0.018	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	100	NMOG	0.0214	0.09	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	100	NOX	0.13	0.3	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	50	CO	0.69	3.4	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	50	HCHO	0.0006	0.015	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	50	NMOG	0.0138	0.075	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	50	NOX	0.1	0.2	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	100	CO	0.77	4.2	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	100	CO-COMP	1.59	4.2	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	100	HC-NM+NOX-COMP	0.225	0.73	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	100	HCHO	0.0008	0.018	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	100	NMOG	0.0214	0.09	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	100	NOX	0.13	0.3	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	50	CO	0.69	3.4	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	50	HCHO	0.0006	0.015	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	50	NMOG	0.0138	0.075	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	50	NOX	0.1	0.2	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	N/A	50-CO	2.18	3.4	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	N/A	50-HCHO	0.0004	0.03	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	N/A	50-NMOG	0.128	0.15	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	N/A	50-NOX	0.04	0.2	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	4	CO-US06	2.83	8	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	4	HC-NM+NOX-US06	0.049	0.14	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	4	CO-US06	2.83	8	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	4	HC-NM+NOX-US06	0.049	0.14	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	4	CO-SC03	0.45	2.8	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	CA	4	HC-NM+NOX-SC03	0.062	0.2	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	4	CO-SC03	0.45	2.8	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2971.5	L4	3.73	3625	FA	4	HC-NM+NOX-SC03	0.062	0.2	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	50	CO-COLD	4.04	10	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	50	CO-COLD	4.04	10	B9
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	100	CO	0.7	4.2	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	100	HCHO	0.0011	0.018	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	100	NMOG	0.0672	0.09	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	100	NOX	0.12	0.3	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	50	CO	0.65	3.4	LEV
Mitsubishi Motors North America	MITSUBISHI	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	50	HCHO	0.0007	0.015	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	50	NMOG	0.0526	0.075	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	50	NOX	0.09	0.2	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	100	CO	0.7	4.2	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	100	CO-COMP	1.24	4.2	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	100	HC-NM+NOX-COMP	0.189	0.73	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	100	HCHO	0.0011	0.018	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	100	NMOG	0.0672	0.09	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	100	NOX	0.12	0.3	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	50	CO	0.65	3.4	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	50	HCHO	0.0007	0.015	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	50	NMOG	0.0526	0.075	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	50	NOX	0.09	0.2	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	N/A	50-CO	1.49	3.4	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	N/A	50-HCHO	0.0006	0.03	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	N/A	50-NMOG	0.1193	0.15	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	N/A	50-NOX	0.06	0.2	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	N/A	CO-ST2500	0.02	0.5	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	N/A	CO-STI	0.01	0.5	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	N/A	HC-ST2500	6	100	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	N/A	HC-STI	5.8	100	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	4	CO-US06	0.49	8	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	4	HC-NM+NOX-US06	0.053	0.14	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	4	CO-US06	0.49	8	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	4	HC-NM+NOX-US06	0.053	0.14	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	4	CO-SC03	0.42	2.7	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	CA	4	HC-NM+NOX-SC03	0.042	0.2	LEV
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	4	CO-SC03	0.42	2.7	B9
Mitsubishi Motors North America	mitsubishi	ECLIPSE SPYDER	2973.1	L4	4.01	3750	FA	4	HC-NM+NOX-SC03	0.042	0.2	B9
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	50	CO-COLD	5.45	12.5	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	50	CO-COLD	5.45	12.5	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	120	CO	1.26	4.2	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	120	HCHO	0.0005	0.018	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	120	NMOG	0.0577	0.09	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	120	NOX	0.047	0.07	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	50	CO	0.92	3.4	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	50	HCHO	0.0004	0.015	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	50	NMOG	0.0449	0.075	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	50	NOX	0.032	0.05	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	120	CO	1.26	4.2	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	120	CO-COMP	3.67	5	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	120	HC-NM+NOX-COMP	0.114	0.95	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	120	HCHO	0.0005	0.018	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	120	NMOG	0.0577	0.09	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	120	NOX	0.047	0.07	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	50	CO	0.92	3.4	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	50	HCHO	0.0004	0.015	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	50	NMOG	0.0449	0.075	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	50	NOX	0.032	0.05	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	N/A	50-CO	1.64	3.4	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	N/A	50-HCHO	0.0002	0.03	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	N/A	50-NMOG	0.1043	0.15	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	N/A	50-NOX	0.008	0.05	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	N/A	CO-ST2500	0.01	0.5	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	N/A	CO-STI	0	0.5	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	N/A	HC-ST2500	8.2	100	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	N/A	HC-STI	8.2	100	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	4	CO-US06	6.69	10.5	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	4	HC-NM+NOX-US06	0.023	0.25	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	4	CO-US06	6.69	10.5	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	4	HC-NM+NOX-US06	0.023	0.25	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	4	CO-SC03	1.01	3.5	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	CA	4	HC-NM+NOX-SC03	0.018	0.27	L2
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	4	CO-SC03	1.01	3.5	B5
Mitsubishi Motors North America	mitsubishi	ENDEAVOR 4WD	233.5	L4	4.32	4500	FA	4	HC-NM+NOX-SC03	0.018	0.27	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	50	CO-COLD	1.91	10	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	150	CO	0.17	1	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	150	HCHO	0.0002	0.004	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	150	NMOG	0.0049	0.01	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	150	NOX	0.01	0.02	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	N/A	50-CO	0.18	1	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	N/A	50-HCHO	0.0004	0.008	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	N/A	50-NMOG	0.015	0.02	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	N/A	50-NOX	0.003	0.02	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	4	CO-US06	4.24	8	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	4	HC-NM+NOX-US06	0.014	0.14	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	4	CO-SC03	0.98	2.7	S2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	CA	4	HC-NM+NOX-SC03	0.02	0.2	S2
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	50	CO-COLD	2.35	10	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	120	CO	1.16	4.2	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	120	CO-COMP	2.72	4.2	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	120	HC-NM+NOX-COMP	0.16	0.65	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	120	HCHO	0.0005	0.018	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	120	NMOG	0.0675	0.09	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	120	NOX	0.039	0.07	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	50	CO	0.76	3.4	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	50	HCHO	0.0003	0.015	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	50	NMOG	0.0525	0.075	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	50	NOX	0.022	0.05	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	N/A	CO-ST2500	0.1	0.5	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	N/A	CO-STI	0.01	0.5	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	N/A	HC-ST2500	5.6	100	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	N/A	HC-STI	5.4	100	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	4	CO-US06	4.62	8	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	4	HC-NM+NOX-US06	0.041	0.14	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	4	CO-SC03	1.8	2.7	B5
Mitsubishi Motors North America	mitsubishi	GALANT	2378.2	L4	4.21	3750	FA	4	HC-NM+NOX-SC03	0.048	0.2	B5
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	CA	50	CO-COLD	4.69	10	L2
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	FA	50	CO-COLD	4.69	10	B5
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	CA	120	CO	0.88	4.2	L2
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	CA	120	HCHO	0.0007	0.018	L2
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	CA	120	NMOG	0.0414	0.09	L2
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	CA	120	NOX	0.042	0.07	L2
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	CA	50	CO	0.68	3.4	L2
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	CA	50	HCHO	0.0004	0.015	L2
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	CA	50	NMOG	0.039	0.075	L2
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	CA	50	NOX	0.023	0.05	L2
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	FA	120	CO	0.88	4.2	B5
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	FA	120	CO-COMP	0.99	4.2	B5
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	FA	120	HC-NM+NOX-COMP	0.082	0.65	B5
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	FA	120	HCHO	0.0007	0.018	B5
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	FA	120	NMOG	0.0414	0.09	B5
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	FA	120	NOX	0.042	0.07	B5
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	FA	50	CO	0.68	3.4	B5
Mitsubishi Motors North America	mitsubishi	GALANT	233.2	L4	3.73	4000	FA	50	HCHO	0.0004	0.015	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	FA	50	NMOG	0.039	0.075	B5
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	FA	50	NOX	0.023	0.05	B5
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	CA	N/A	50-CO	1.83	3.4	L2
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	CA	N/A	50-HCHO	0.0004	0.03	L2
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	CA	N/A	50-NMOG	0.0895	0.15	L2
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	CA	N/A	50-NOX	0.002	0.05	L2
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	FA	N/A	CO-ST2500	0.08	0.5	B5
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	FA	N/A	CO-STI	0.07	0.5	B5
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	FA	N/A	HC-ST2500	8	100	B5
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	FA	N/A	HC-STI	7.8	100	B5
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	CA	4	CO-US06	0.32	8	L2
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	CA	4	HC-NM+NOX-US06	0.069	0.14	L2
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	FA	4	CO-US06	0.32	8	B5
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	FA	4	HC-NM+NOX-US06	0.069	0.14	B5
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	CA	4	CO-SC03	0.36	2.7	L2
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	CA	4	HC-NM+NOX-SC03	0.008	0.2	L2
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	FA	4	CO-SC03	0.36	2.7	B5
Mitsubishi Motors North America	MITSUBISHI	GALANT	233.2	L4	3.73	4000	FA	4	HC-NM+NOX-SC03	0.008	0.2	B5
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	CO-COLD	2.4	10	N/A
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	CO-COLD	2.4	10	N/A
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	CO	0.5	4.2	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	HCHO	0	0.018	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	NMOG	0.029	0.09	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	NOX	0.1	0.3	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	CO	0.4	3.4	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	HCHO	0	0.015	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	NMOG	0.024	0.075	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	NOX	0.1	0.2	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CF	100	CO	0.5	4.2	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	CO	0.5	4.2	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	HC-NM+NOX-COMP	0.14	0.73	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	HCHO	0	0.018	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	NMOG	0.029	0.09	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	NOX	0.1	0.3	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	CO	0.4	3.4	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	HCHO	0	0.015	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	NMOG	0.024	0.075	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	NOX	0.1	0.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	CO-US06	2.5	8	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	CO-US06	2.7	11.1	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	CO-US06	2.5	8	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	CO-SC03	0.6	2.7	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	HC-NM+NOX-SC03	0.13	0.2	LEV
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	CO-SC03	0.8	3.7	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	CO-SC03	0.6	2.7	B9
NEW UNITED MOTOR MFG INC	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	HC-NM+NOX-SC03	0.13	0.2	B9
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	CO-COLD	2.3	10	N/A
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	CO-COLD	2.3	10	N/A
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	120	CO	0.2	2.1	U2
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	120	NMOG	0.021	0.055	U2
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	120	NOX	0.03	0.07	U2
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	CO	0.2	1.7	U2
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	NMOG	0.017	0.04	U2
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	NOX	0.02	0.05	U2
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CF	120	CO	0.2	4.2	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	CO	0.2	4.2	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	HC-NM+NOX-COMP	0.04	0.65	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	NMOG	0.021	0.09	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	NOX	0.03	0.07	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	CO	0.2	3.4	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	NMOG	0.017	0.075	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	NOX	0.02	0.05	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	CO-US06	2.9	8	U2
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	HC-NM+NOX-US06	0.01	0.14	U2
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	CO-US06	3	11.1	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	CO-US06	2.9	8	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	HC-NM+NOX-US06	0.01	0.14	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	CO-SC03	0.4	2.7	U2
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	HC-NM+NOX-SC03	0.03	0.2	U2
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	CO-SC03	0.5	3.7	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	CO-SC03	0.4	2.7	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	HC-NM+NOX-SC03	0.03	0.2	B5
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1.1	4.2	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.075	0.09	LEV



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.8	3.4	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.055	0.075	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1.1	4.2	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.075	0.156	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.8	3.4	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.055	0.125	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1	4.2	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.6	3.4	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1	4.2	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.6	3.4	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO-COLD	2.2	10	N/A
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO-COLD	2.2	10	N/A
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1.1	4.2	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.075	0.09	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.8	3.4	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.055	0.075	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1.1	4.2	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.075	0.156	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.8	3.4	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.055	0.125	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1	4.2	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.6	3.4	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1	4.2	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.6	3.4	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	0.9	4.2	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.07	0.09	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.6	3.4	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.05	0.075	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	0.9	4.2	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	HC-NM+NOX-COMP	0.11	0.86	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.07	0.156	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.6	3.4	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.05	0.125	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	CO-US06	0.7	8	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO-US06	1.3	11.1	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	CO-US06	0.7	8	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	HC-NM+NOX-US06	0.03	0.14	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	CO-SC03	0.6	2.7	LEV
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	HC-NM+NOX-SC03	0.05	0.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO-SC03	1.3	3.7	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	CO-SC03	0.6	2.7	B10
NEW UNITED MOTOR MFG INC	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	HC-NM+NOX-SC03	0.05	0.2	B10
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	CA	50	CO-COLD	5.43	12.5	N/A
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	50	CO-COLD	5.4	12.5	N/A
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	CA	120	CO	0.78	4.2	L2
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	CA	120	NMOG	0.0558	0.09	L2
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	CA	120	NOX	0.026	0.07	L2
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	CA	50	CO	0.7	3.4	L2
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	CA	50	NMOG	0.052	0.075	L2
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	CA	50	NOX	0.019	0.05	L2
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	120	CO	0.8	4.2	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	120	HC-NM+NOX-COMP	0.05	0.95	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	120	NMOG	0.056	0.09	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	120	NOX	0.03	0.07	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	50	CO	0.7	3.4	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	50	NMOG	0.052	0.075	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	50	NOX	0.02	0.05	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	CA	4	CO-US06	3.69	10.5	L2
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	CA	4	HC-NM+NOX-US06	0.028	0.25	L2
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	120	CO-US06	3.8	14.6	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	4	CO-US06	3.7	10.5	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	4	HC-NM+NOX-US06	0.03	0.25	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	CA	4	CO-SC03	0.55	3.5	L2
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	CA	4	HC-NM+NOX-SC03	0.011	0.27	L2
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	120	CO-SC03	0.7	4.9	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	4	CO-SC03	0.6	3.5	B5
Nissan	INFINITI	FX35 AWD	3498	S5	3.69	4500	FA	4	HC-NM+NOX-SC03	0.01	0.27	B5
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	CA	50	CO-COLD	4.12	12.5	N/A
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	50	CO-COLD	4.1	12.5	N/A
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	CA	100	CO	1.09	5.5	LEV
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	CA	100	NMOG	0.0542	0.13	LEV
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	CA	100	NOX	0.05	0.5	LEV
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	CA	50	CO	1.03	4.4	LEV
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	CA	50	NMOG	0.0519	0.1	LEV
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	CA	50	NOX	0.03	0.4	LEV
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	100	CO	1.1	4.2	B10
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	100	HC-NM+NOX-COMP	0.08	1.37	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	100	NMOG	0.054	0.156	B10
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	100	NOX	0	0.6	B10
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	50	CO	1	3.4	B10
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	50	HC-NM+NOX-COMP	0.06	1.02	B10
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	50	NMOG	0.052	0.125	B10
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	50	NOX	0	0.4	B10
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	CA	4	CO-US06	2.83	10.5	LEV
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	CA	4	HC-NM+NOX-US06	0.047	0.25	LEV
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	100	CO-US06	2.9	14.6	B10
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	50	CO-US06	2.9	11.6	B10
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	CA	4	CO-SC03	0.54	3.5	LEV
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	CA	4	HC-NM+NOX-SC03	0.02	0.27	LEV
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	100	CO-SC03	0.6	4.9	B10
Nissan	INFINITI	FX45 AWD	4494	S5	3.69	4750	FA	50	CO-SC03	0.6	3.9	B10
Nissan	INFINITI	G35	3498	S5	3.54	4000	CA	50	CO-COLD	5.17	10	N/A
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	50	CO-COLD	5.2	10	N/A
Nissan	INFINITI	G35	3498	S5	3.54	4000	CA	120	CO	0.79	4.2	L2
Nissan	INFINITI	G35	3498	S5	3.54	4000	CA	120	NMOG	0.058	0.09	L2
Nissan	INFINITI	G35	3498	S5	3.54	4000	CA	120	NOX	0.024	0.07	L2
Nissan	INFINITI	G35	3498	S5	3.54	4000	CA	50	CO	0.71	3.4	L2
Nissan	INFINITI	G35	3498	S5	3.54	4000	CA	50	NMOG	0.0542	0.075	L2
Nissan	INFINITI	G35	3498	S5	3.54	4000	CA	50	NOX	0.017	0.05	L2
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	120	CO	0.8	4.2	B5
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	120	HC-NM+NOX-COMP	0.05	0.65	B5
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	120	NMOG	0.058	0.09	B5
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	120	NOX	0.02	0.07	B5
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	50	CO	0.7	3.4	B5
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	50	NMOG	0.054	0.075	B5
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	50	NOX	0.02	0.05	B5
Nissan	INFINITI	G35	3498	S5	3.54	4000	CA	4	CO-US06	2.1	8	L2
Nissan	INFINITI	G35	3498	S5	3.54	4000	CA	4	HC-NM+NOX-US06	0.024	0.14	L2
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	120	CO-US06	2.1	11.1	B5
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	4	CO-US06	2.1	8	B5
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	4	HC-NM+NOX-US06	0.02	0.14	B5
Nissan	INFINITI	G35	3498	S5	3.54	4000	CA	4	CO-SC03	0.38	2.7	L2
Nissan	INFINITI	G35	3498	S5	3.54	4000	CA	4	HC-NM+NOX-SC03	0.004	0.2	L2
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	120	CO-SC03	0.4	3.7	B5
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	4	CO-SC03	0.4	2.7	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Nissan	INFINITI	G35	3498	S5	3.54	4000	FA	4	HC-NM+NOX-SC03	0	0.2	B5
Nissan	INFINITI	Q45	4494	S5	3.13	4250	CA	50	CO-COLD	3.34	10	N/A
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	50	CO-COLD	3.3	10	N/A
Nissan	INFINITI	Q45	4494	S5	3.13	4250	CA	100	CO	0.73	4.2	LEV
Nissan	INFINITI	Q45	4494	S5	3.13	4250	CA	100	NMOG	0.0562	0.09	LEV
Nissan	INFINITI	Q45	4494	S5	3.13	4250	CA	100	NOX	0.08	0.3	LEV
Nissan	INFINITI	Q45	4494	S5	3.13	4250	CA	50	CO	0.72	3.4	LEV
Nissan	INFINITI	Q45	4494	S5	3.13	4250	CA	50	NMOG	0.0543	0.075	LEV
Nissan	INFINITI	Q45	4494	S5	3.13	4250	CA	50	NOX	0.06	0.2	LEV
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	100	CO	0.7	4.2	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	100	HC-NM+NOX-COMP	0.1	0.73	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	100	NMOG	0.056	0.09	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	100	NOX	0.1	0.3	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	50	CO	0.7	3.4	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	50	NMOG	0.054	0.075	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	50	NOX	0.1	0.2	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	CA	4	CO-US06	1.32	8	LEV
Nissan	INFINITI	Q45	4494	S5	3.13	4250	CA	4	HC-NM+NOX-US06	0.052	0.14	LEV
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	100	CO-US06	1.3	11.1	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	4	CO-US06	1.3	8	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	4	HC-NM+NOX-US06	0.05	0.14	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	CA	4	CO-SC03	0.68	2.7	LEV
Nissan	INFINITI	Q45	4494	S5	3.13	4250	CA	4	HC-NM+NOX-SC03	0.043	0.2	LEV
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	100	CO-SC03	0.7	3.7	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	4	CO-SC03	0.7	2.7	B9
Nissan	INFINITI	Q45	4494	S5	3.13	4250	FA	4	HC-NM+NOX-SC03	0.04	0.2	B9
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6000	CA	120	CO-US06	1.4	19.3	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6000	CA	50	CO-US06	1.4	13.2	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6000	FA	120	CO-US06	1.4	19.3	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6000	FA	50	CO-US06	1.4	13.2	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	CA	50	CO-COLD	5.7	12.5	N/A
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	FA	50	CO-COLD	5.7	12.5	N/A
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	CA	120	CO	1.1	4.2	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	CA	120	HC-NM+NOX-COMP	0.07	2.09	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	CA	120	NMOG	0.048	0.156	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	CA	120	NOX	0.04	0.2	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	CA	50	CO	1	3.4	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	CA	50	HC-NM+NOX-COMP	0.06	1.49	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	CA	50	NMOG	0.045	0.125	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	CA	50	NOX	0.03	0.14	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	FA	120	CO	1.1	4.2	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	FA	120	HC-NM+NOX-COMP	0.07	2.09	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	FA	120	NMOG	0.048	0.156	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	FA	120	NOX	0.04	0.2	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	FA	50	CO	1	3.4	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	FA	50	HC-NM+NOX-COMP	0.06	1.49	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	FA	50	NMOG	0.045	0.125	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	FA	50	NOX	0.03	0.14	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	CA	120	CO-SC03	1.4	6.4	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	CA	50	CO-SC03	1.3	4.4	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	FA	120	CO-SC03	1.4	6.4	B8
Nissan	INFINITI	QX56 4WD	5552	L5	3.36	6500	FA	50	CO-SC03	1.3	4.4	B8
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	CA	50	CO-COLD	4.74	10	N/A
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	50	CO-COLD	4.7	10	N/A
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	CA	120	CO	0.61	4.2	L2
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	CA	120	NMOG	0.0523	0.09	L2
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	CA	120	NOX	0.021	0.07	L2
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	CA	50	CO	0.56	3.4	L2
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	CA	50	NMOG	0.0492	0.075	L2
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	CA	50	NOX	0.016	0.05	L2
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	120	CO	0.6	4.2	B5
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	120	NMOG	0.052	0.09	B5
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	120	NOX	0.02	0.07	B5
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	50	CO	0.6	3.4	B5
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	50	NMOG	0.049	0.075	B5
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	50	NOX	0.02	0.05	B5
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	CA	4	CO-US06	0.8	8	L2
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	CA	4	HC-NM+NOX-US06	0.063	0.14	L2
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	120	CO-US06	0.8	11.1	B5
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	4	CO-US06	0.8	8	B5
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	4	HC-NM+NOX-US06	0.06	0.14	B5
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	CA	4	CO-SC03	0.44	2.7	L2
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	CA	4	HC-NM+NOX-SC03	0.012	0.2	L2
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	120	CO-SC03	0.4	3.7	B5
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	4	CO-SC03	0.4	2.7	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Nissan	NISSAN	350Z ROADSTER	3498	S5	3.36	3875	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	50	CO-COLD	1.43	10	N/A
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	150	CO	0.35	1	S2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	150	NMOG	0.0069	0.01	S2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	150	NOX	0.009	0.02	S2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	4	CO-US06	3.25	8	S2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	4	HC-NM+NOX-US06	0.011	0.14	S2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	4	CO-SC03	0.02	2.7	S2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	4	HC-NM+NOX-SC03	0.009	0.2	S2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	50	CO-COLD	2.03	10	N/A
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	50	CO-COLD	2	10	N/A
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	120	CO	0.63	4.2	L2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	120	NMOG	0.0235	0.09	L2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	120	NOX	0.013	0.07	L2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	50	CO	0.61	3.4	L2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	50	NMOG	0.0218	0.075	L2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	50	NOX	0.009	0.05	L2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	120	CO	0.6	4.2	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	120	HC-NM+NOX-COMP	0.02	0.65	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	120	NMOG	0.024	0.09	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	120	NOX	0.01	0.07	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	50	CO	0.6	3.4	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	50	NMOG	0.022	0.075	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	50	NOX	0.01	0.05	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	4	CO-US06	4.53	8	L2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	4	HC-NM+NOX-US06	0.011	0.14	L2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	120	CO-US06	4.6	11.1	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	4	CO-US06	4.5	8	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	4	HC-NM+NOX-US06	0.01	0.14	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	4	CO-SC03	0.37	2.7	L2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	CA	4	HC-NM+NOX-SC03	0.007	0.2	L2
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	120	CO-SC03	0.4	3.7	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	4	CO-SC03	0.4	2.7	B5
Nissan	NISSAN	ALTIMA	2488	L4	4.42	3375	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	CA	50	CO-COLD	4.73	10	N/A
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	50	CO-COLD	4.7	10	N/A
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	CA	100	CO	0.96	4.2	LEV
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	CA	100	NMOG	0.0441	0.09	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	CA	100	NOX	0.04	0.3	LEV
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	CA	50	CO	0.8	3.4	LEV
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	CA	50	NMOG	0.0418	0.075	LEV
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	CA	50	NOX	0.02	0.2	LEV
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	100	CO	1	4.2	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	100	NMOG	0.044	0.09	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	100	NOX	0	0.3	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	50	CO	0.8	3.4	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	50	NMOG	0.042	0.075	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	50	NOX	0	0.2	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	CA	4	CO-US06	0.47	8	LEV
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	CA	4	HC-NM+NOX-US06	0.058	0.14	LEV
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	100	CO-US06	0.8	11.1	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	4	CO-US06	0.5	8	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	4	HC-NM+NOX-US06	0.06	0.14	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	CA	4	CO-SC03	0.29	2.7	LEV
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	CA	4	HC-NM+NOX-SC03	0.011	0.2	LEV
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	100	CO-SC03	0.6	3.7	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	4	CO-SC03	0.3	2.7	B9
Nissan	NISSAN	ALTIMA	3498	S5	2.44	3625	FA	4	HC-NM+NOX-SC03	0.01	0.2	B9
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	CA	50	CO-COLD	4.97	10	N/A
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	50	CO-COLD	5	10	N/A
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	CA	120	CO	0.34	2.1	U2
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	CA	120	NMOG	0.0284	0.055	U2
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	CA	120	NOX	0.003	0.07	U2
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	CA	50	CO	0.3	1.7	U2
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	CA	50	NMOG	0.0244	0.04	U2
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	CA	50	NOX	0.002	0.05	U2
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	120	CO	0.3	4.2	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	120	HC-NM+NOX-COMP	0.03	0.65	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	120	NMOG	0.028	0.09	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	120	NOX	0	0.07	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	50	CO	0.3	3.4	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	50	NMOG	0.024	0.075	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	50	NOX	0	0.05	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	CA	4	CO-US06	0.55	8	U2
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	CA	4	HC-NM+NOX-US06	0.048	0.14	U2



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	120	CO-US06	0.6	11.1	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	4	CO-US06	0.6	8	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	CA	4	CO-SC03	0.14	2.7	U2
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	CA	4	HC-NM+NOX-SC03	0.005	0.2	U2
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	120	CO-SC03	0.2	3.7	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	4	CO-SC03	0.2	2.7	B5
Nissan	NISSAN	MAXIMA	3498	S5	2.44	3875	FA	4	HC-NM+NOX-SC03	0	0.2	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	CA	50	CO-COLD	3.89	12.5	N/A
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	50	CO-COLD	3.9	12.5	N/A
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	CA	120	CO	0.41	4.2	L2
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	CA	120	NMOG	0.0455	0.09	L2
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	CA	120	NOX	0.045	0.07	L2
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	CA	50	CO	0.33	3.4	L2
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	CA	50	NMOG	0.0417	0.075	L2
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	CA	50	NOX	0.038	0.05	L2
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	120	CO	0.4	4.2	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	120	HC-NM+NOX-COMP	0.07	0.95	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	120	NMOG	0.046	0.09	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	120	NOX	0.04	0.07	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	50	CO	0.3	3.4	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	50	NMOG	0.042	0.075	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	50	NOX	0.04	0.05	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	CA	4	CO-US06	1.29	10.5	L2
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	CA	4	HC-NM+NOX-US06	0.034	0.25	L2
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	120	CO-US06	1.4	14.6	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	4	CO-US06	1.3	10.5	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	4	HC-NM+NOX-US06	0.03	0.25	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	CA	4	CO-SC03	0.2	3.5	L2
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	CA	4	HC-NM+NOX-SC03	0.05	0.27	L2
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	120	CO-SC03	0.3	4.9	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	4	CO-SC03	0.2	3.5	B5
Nissan	NISSAN	MURANO AWD	3498	AV	5.17	4500	FA	4	HC-NM+NOX-SC03	0.05	0.27	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	CA	50	CO-COLD	5.61	12.5	N/A
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	50	CO-COLD	5.6	12.5	N/A
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	CA	120	CO	0.75	4.2	L2
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	CA	120	NMOG	0.0503	0.09	L2
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	CA	120	NOX	0.021	0.07	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	CA	50	CO	0.7	3.4	L2
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	CA	50	NMOG	0.0459	0.075	L2
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	CA	50	NOX	0.016	0.05	L2
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	120	CO	0.8	4.2	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	120	HC-NM+NOX-COMP	0.05	0.95	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	120	NMOG	0.05	0.09	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	120	NOX	0.02	0.07	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	50	CO	0.7	3.4	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	50	NMOG	0.046	0.075	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	50	NOX	0.02	0.05	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	CA	4	CO-US06	4.67	10.5	L2
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	CA	4	HC-NM+NOX-US06	0.035	0.25	L2
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	120	CO-US06	4.8	14.6	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	4	CO-US06	4.7	10.5	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	4	HC-NM+NOX-US06	0.04	0.25	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	CA	4	CO-SC03	0.37	3.5	L2
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	CA	4	HC-NM+NOX-SC03	0.004	0.27	L2
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	120	CO-SC03	0.5	4.9	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	4	CO-SC03	0.4	3.5	B5
Nissan	NISSAN	PATHFINDER 4WD	3954	L5	3.36	5000	FA	4	HC-NM+NOX-SC03	0	0.27	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	CA	50	CO-COLD	4.04	12.5	N/A
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	50	CO-COLD	4	12.5	N/A
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	CA	120	CO	0.4	2.1	U2
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	CA	120	NMOG	0.0314	0.055	U2
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	CA	120	NOX	0.007	0.07	U2
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	CA	50	CO	0.36	1.7	U2
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	CA	50	NMOG	0.0272	0.04	U2
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	CA	50	NOX	0.003	0.05	U2
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	120	CO	0.4	4.2	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	120	HC-NM+NOX-COMP	0.03	0.95	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	120	NMOG	0.031	0.09	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	120	NOX	0.01	0.07	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	50	CO	0.4	3.4	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	50	NMOG	0.027	0.075	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	50	NOX	0	0.05	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	CA	4	CO-US06	3.66	10.5	U2
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	CA	4	HC-NM+NOX-US06	0.033	0.25	U2
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	120	CO-US06	3.7	14.6	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	4	CO-US06	3.7	10.5	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	4	HC-NM+NOX-US06	0.03	0.25	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	CA	4	CO-SC03	0.28	3.5	U2
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	CA	4	HC-NM+NOX-SC03	0.004	0.27	U2
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	120	CO-SC03	0.4	4.9	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	4	CO-SC03	0.3	3.5	B5
Nissan	NISSAN	QUEST	3498	L5	2.27	4750	FA	4	HC-NM+NOX-SC03	0	0.27	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	50	CO-COLD	1.65	10	N/A
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	150	CO	0.28	1	S2
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	150	NMOG	0.0058	0.01	S2
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	150	NOX	0.007	0.02	S2
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	4	CO-US06	5.46	8	S2
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	4	HC-NM+NOX-US06	0.011	0.14	S2
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	4	CO-SC03	0.59	2.7	S2
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	4	HC-NM+NOX-SC03	0.003	0.2	S2
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	50	CO-COLD	2.85	10	N/A
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	50	CO-COLD	2.8	10	N/A
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	100	CO	1.29	2.1	ULEV
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	100	NMOG	0.0315	0.055	ULEV
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	100	NOX	0.02	0.3	ULEV
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	50	CO	1.15	1.7	ULEV
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	50	NMOG	0.0295	0.04	ULEV
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	50	NOX	0.01	0.2	ULEV
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	100	CO	1.3	4.2	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	100	HC-NM+NOX-COMP	0.04	0.65	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	100	NMOG	0.032	0.09	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	100	NOX	0.03	0.07	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	50	CO	1.2	3.4	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	50	NMOG	0.03	0.075	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	50	NOX	0.02	0.05	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	4	CO-US06	4.99	8	ULEV
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	4	HC-NM+NOX-US06	0.026	0.14	ULEV
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	100	CO-US06	5.3	11.1	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	4	CO-US06	5	8	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	4	HC-NM+NOX-US06	0.03	0.14	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	4	CO-SC03	0.82	2.7	ULEV
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	CA	4	HC-NM+NOX-SC03	0.015	0.2	ULEV
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	100	CO-SC03	1.1	3.7	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	4	CO-SC03	0.8	2.7	B5
Nissan	NISSAN	SENTRA	1769	L4	3.83	3000	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	50	CO-COLD	2.12	10	N/A
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	100	CO	0.75	2.1	ULEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	100	NMOG	0.0259	0.055	ULEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	100	NOX	0.06	0.3	ULEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	50	CO	0.69	1.7	ULEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	50	NMOG	0.0239	0.04	ULEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	50	NOX	0.05	0.2	ULEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	4	CO-US06	5.04	8	ULEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	4	HC-NM+NOX-US06	0.045	0.14	ULEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	4	CO-SC03	0.53	2.7	ULEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	4	HC-NM+NOX-SC03	0.081	0.2	ULEV
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	CA	50	CO-COLD	1.96	10	N/A
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	50	CO-COLD	2	10	N/A
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	CA	100	CO	0.68	4.2	LEV
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	CA	100	NMOG	0.0229	0.09	LEV
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	CA	100	NOX	0.05	0.3	LEV
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	CA	50	CO	0.62	3.4	LEV
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	CA	50	NMOG	0.0209	0.075	LEV
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	CA	50	NOX	0.04	0.2	LEV
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	100	CO	0.7	4.2	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	100	HC-NM+NOX-COMP	0.06	0.73	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	100	NMOG	0.023	0.09	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	100	NOX	0	0.3	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	50	CO	0.6	3.4	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	50	NMOG	0.021	0.075	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	50	NOX	0	0.2	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	CA	4	CO-US06	2.35	8	LEV
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	CA	4	HC-NM+NOX-US06	0.028	0.14	LEV
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	100	CO-US06	2.5	11.1	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	4	CO-US06	2.4	8	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	CA	4	CO-SC03	0.18	2.7	LEV
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	CA	4	HC-NM+NOX-SC03	0.061	0.2	LEV
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	100	CO-SC03	0.3	3.7	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	4	CO-SC03	0.2	2.7	B9
Nissan	NISSAN	SENTRA	2488	M6	4.13	3125	FA	4	HC-NM+NOX-SC03	0.06	0.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	50	CO-COLD	2.54	10	N/A
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	50	CO-COLD	2.5	10	N/A
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	100	CO	0.7	4.2	LEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	100	NMOG	0.022	0.09	LEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	100	NOX	0.02	0.3	LEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	50	CO	0.64	3.4	LEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	50	NMOG	0.02	0.075	LEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	50	NOX	0.01	0.2	LEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	100	CO	0.7	4.2	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	100	HC-NM+NOX-COMP	0.03	0.65	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	100	NMOG	0.022	0.09	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	100	NOX	0.02	0.07	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	50	CO	0.6	3.4	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	50	NMOG	0.02	0.075	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	50	NOX	0.01	0.05	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	4	CO-US06	3.59	8	LEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	4	HC-NM+NOX-US06	0.012	0.14	LEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	100	CO-US06	3.7	11.1	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	4	CO-US06	3.6	8	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	4	HC-NM+NOX-US06	0.01	0.14	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	4	CO-SC03	0.42	2.7	LEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	CA	4	HC-NM+NOX-SC03	0.018	0.2	LEV
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	100	CO-SC03	0.5	3.7	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	4	CO-SC03	0.4	2.7	B5
Nissan	NISSAN	SENTRA	2488	L4	4.09	3125	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	5500	CA	4	CO-US06	1.99	10.5	LEV
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	5500	CA	4	HC-NM+NOX-US06	0.18	0.4	LEV
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	5500	FA	120	CO-US06	2.2	16.9	B10
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	5500	FA	50	CO-US06	2.1	11.6	B10
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	CA	50	CO-COLD	7.39	12.5	N/A
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	FA	50	CO-COLD	7.4	12.5	N/A
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	CA	120	CO	1.52	6.4	LEV
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	CA	120	NMOG	0.0532	0.23	LEV
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	CA	120	NOX	0.3	0.6	LEV
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	CA	50	CO	1.37	4.4	LEV
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	CA	50	NMOG	0.0496	0.16	LEV
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	CA	50	NOX	0.28	0.4	LEV
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	FA	120	CO	1.5	6.4	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	FA	120	HC-NM+NOX-COMP	0.22	1.44	B10
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	FA	120	NMOG	0.053	0.23	B10
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	FA	120	NOX	0.3	0.6	B10
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	FA	50	CO	1.4	4.4	B10
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	FA	50	HC-NM+NOX-COMP	0.2	1.02	B10
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	FA	50	NMOG	0.05	0.16	B10
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	FA	50	NOX	0.3	0.4	B10
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	CA	4	CO-SC03	1.05	3.5	LEV
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	CA	4	HC-NM+NOX-SC03	0.057	0.31	LEV
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	FA	120	CO-SC03	1.3	5.6	B10
Nissan	NISSAN	TITAN 2WD	5552	L5	3.36	6000	FA	50	CO-SC03	1.2	3.9	B10
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.27	3875	CA	100	CO-SC03	0.405	3.7	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.27	3875	CA	4	CO-SC03	0.147	2.7	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.27	3875	CA	4	HC-NM+NOX-SC03	0.114	0.2	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.27	3875	FA	100	CO-SC03	0.405	3.7	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.27	3875	FA	4	CO-SC03	0.147	2.7	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.27	3875	FA	4	HC-NM+NOX-SC03	0.114	0.2	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	CA	100	CO	0.78	4.2	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	CA	100	HC-NM+NOX-COMP	0.092	0.71	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	CA	100	NMOG	0.0664	0.1	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	CA	100	NOX	0.033	0.2	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	CA	50	CO	0.64	3.4	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	CA	50	NMOG	0.059	0.125	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	CA	50	NOX	0.018	0.14	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	FA	100	CO	0.78	4.2	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	FA	100	HC-NM+NOX-COMP	0.092	0.71	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	FA	100	NMOG	0.0664	0.1	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	FA	100	NOX	0.033	0.2	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	FA	50	CO	0.64	3.4	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	FA	50	NMOG	0.059	0.125	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	3875	FA	50	NOX	0.018	0.14	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	6500	CA	50	CO-COLD	6.8	10	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	L4	3.55	6500	FA	50	CO-COLD	6.8	10	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	CA	100	CO	0.5	4.2	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	CA	100	NMOG	0.0386	0.1	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	CA	100	NOX	0.089	0.2	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	CA	50	CO	0.36	3.4	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	CA	50	NMOG	0.0312	0.125	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	CA	50	NOX	0.074	0.14	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	FA	100	CO	0.5	4.2	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	FA	100	NMOG	0.0386	0.1	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	FA	100	NOX	0.089	0.2	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	FA	50	CO	0.36	3.4	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	FA	50	NMOG	0.0312	0.125	B8
PANOZ AUTO-DEVELOPMENT CORP.	PANOZ	PANOZ ESPERANTE	4.6	M6	3.55	4250	FA	50	NOX	0.074	0.14	B8
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	50	CO-COLD	1.86	10	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	120	CO	1.92	4.2	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	120	HCHO	0.003	0.018	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	120	NMOG	0.068	0.09	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	120	NOX	0.18	0.3	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	50	CO	1.05	3.4	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	50	HCHO	0.002	0.015	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	50	NMOG	0.048	0.075	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	50	NOX	0.15	0.2	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	120	CO	1.95	4.2	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	120	NOX	0.15	0.3	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	50	CO	1.09	3.4	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	50	NOX	0.12	0.2	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	50	50-CO	0.83	3.4	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	50	50-HCHO	0	0.03	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	50	50-NMOG	0.072	0.15	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	50	50-NOX	0.08	0.2	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	120	CO-US06	2.03	11.1	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	4	CO-US06	2.03	8	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	4	HC-NM+NOX-US06	0.08	0.14	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	120	CO-SC03	0.84	3.7	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	4	CO-SC03	0.84	2.7	B9
PORSCHE	PORSCHE	C2 CARRERA	3596	M6	3.44	3750	FC	4	HC-NM+NOX-SC03	0.09	0.2	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	CO-COLD	2.37	10	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	50	CO-COLD	2.37	10	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	100	CO	1.74	4.2	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	100	CO	1.81	4.2	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	100	HCHO	0.002	0.018	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	100	NMOG	0.057	0.09	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	100	NMOG	0.061	0.09	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	100	NOX	0.12	0.3	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	100	NOX	0.14	0.3	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	CO	1.12	3.4	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	CO	1.19	3.4	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	HCHO	0.001	0.015	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	NMOG	0.043	0.075	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	NMOG	0.047	0.075	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	NOX	0.09	0.2	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	NOX	0.11	0.2	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	120	CO	1.98	4.2	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	120	CO	2.05	4.2	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	120	HCHO	0.002	0.018	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	120	NMOG	0.063	0.09	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	120	NMOG	0.067	0.09	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	120	NOX	0.13	0.3	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	120	NOX	0.14	0.3	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	50	CO	1.12	3.4	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	50	CO	1.19	3.4	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	50	HCHO	0.001	0.015	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	50	NMOG	0.043	0.075	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	50	NMOG	0.047	0.075	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	50	NOX	0.09	0.2	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	50	NOX	0.11	0.2	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	50-CO	0.94	3.4	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	50-HCHO	0	0.03	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	50-NMOG	0.075	0.15	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	50	50-NOX	0.08	0.2	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	4	CO-US06	0.64	8	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	4	HC-NM+NOX-US06	0.07	0.14	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	120	CO-US06	0.64	11.1	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	4	CO-US06	0.64	8	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	4	HC-NM+NOX-US06	0.07	0.14	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	4	CO-SC03	0.47	2.7	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	CA	4	HC-NM+NOX-SC03	0.04	0.2	LEV
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	120	CO-SC03	0.47	3.7	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	4	CO-SC03	0.47	2.7	B9
PORSCHE	PORSCHE	C2 CARRERA	3824	L5	3.56	3875	FA	4	HC-NM+NOX-SC03	0.04	0.2	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	50	CO-COLD	5.54	10	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	120	CO	1.91	4.2	B9



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	120	NMOG	0.063	0.09	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	120	NOX	0.11	0.3	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	50	CO	1.05	3.4	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	50	NMOG	0.043	0.075	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	50	NOX	0.08	0.2	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	50	50-CO	0.52	3.4	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	50	50-HCHO	0	0.03	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	50	50-NMOG	0.101	0.15	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	50	50-NOX	0.05	0.2	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	120	CO-US06	0.6	11.1	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	4	CO-US06	0.6	8	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	4	HC-NM+NOX-US06	0.07	0.14	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	120	CO-SC03	0.2	3.7	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	4	CO-SC03	0.2	2.7	B9
PORSCHE	PORSCHE	CARRERA GT	5733	M6	4.44	3375	FC	4	HC-NM+NOX-SC03	0.03	0.2	B9
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	50	CO-COLD	1.9	12.5	SLEV
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	120	CO	0.79	4.2	B8
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	120	NMOG	0.062	0.156	B8
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	120	NOX	0.06	0.2	B8
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	50	CO	0.66	3.4	B8
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	50	NMOG	0.054	0.125	B8
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	50	NOX	0.06	0.14	B8
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	50	50-CO	0.68	3.4	SLEV
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	50	50-HCHO	0	0.016	SLEV
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	50	50-NMOG	0.078	0.25	SLEV
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	50	50-NOX	0.06	0.14	SLEV
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	120	CO-US06	11.48	19.3	B8
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	4	CO-US06	11.48	11.8	B8
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	4	HC-NM+NOX-US06	0.08	0.6	B8
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	120	CO-SC03	0.86	6.4	B8
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	4	CO-SC03	0.86	4	B8
PORSCHE	PORSCHE	CAYENNE	3189	L6	4.56	5500	FC	4	HC-NM+NOX-SC03	0.1	0.44	B8
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	50	CO-COLD	1.46	12.5	SLEV
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	120	CO	0.44	4.2	B8
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	120	NOX	0.06	0.2	B8
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	50	CO	0.31	3.4	B8
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	50	NOX	0.05	0.14	B8
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	50	50-CO	0.48	3.4	SLEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	50	50-HCHO	0	0.016	SLEV
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	50	50-NMOG	0.079	0.25	SLEV
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	50	50-NOX	0.06	0.14	SLEV
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	120	CO-US06	4.63	19.3	B8
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	4	CO-US06	4.63	11.8	B8
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	4	HC-NM+NOX-US06	0.11	0.6	B8
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	120	CO-SC03	0.07	6.4	B8
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	4	CO-SC03	0.07	4	B8
PORSCHE	PORSCHE	CAYENNE S	4511	L5	4.1	6000	FC	4	HC-NM+NOX-SC03	0.03	0.44	B8
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	50	CO-COLD	5.01	12.5	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	120	CO	0.84	6.4	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	120	NOX	0.08	0.6	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	50	CO	0.68	4.4	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	50	NOX	0.08	0.4	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	50	50-CO	0.79	4.4	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	50	50-HCHO	0.001	0.011	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	50	50-NMOG	0.062	0.32	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	50	50-NOX	0.08	0.4	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	120	CO-US06	10.87	19.3	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	4	CO-US06	10.87	11.8	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	4	HC-NM+NOX-US06	0.26	0.6	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	120	CO-SC03	0.38	6.4	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	4	CO-SC03	0.38	4	B10
PORSCHE	PORSCHE	CAYENNE TURBO	4511	L5	3.7	6000	FC	4	HC-NM+NOX-SC03	0.02	0.44	B10
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	50	CO-COLD	1.68	10	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	120	CO	2.01	4.2	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	120	CO	2.05	4.2	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	120	HCHO	0.002	0.018	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	120	NMOG	0.069	0.09	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	120	NOX	0.11	0.3	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	120	NOX	0.12	0.3	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	50	CO	1.15	3.4	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	50	CO	1.19	3.4	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	50	HCHO	0.001	0.015	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	50	NMOG	0.049	0.075	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	50	NOX	0.08	0.2	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	50	50-CO	0.88	3.4	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	50	50-HCHO	0	0.03	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	50	50-NMOG	0.108	0.15	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	50	50-NOX	0.09	0.2	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	120	CO-US06	0.91	11.1	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	4	CO-US06	0.91	8	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	4	HC-NM+NOX-US06	0.1	0.14	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	120	CO-SC03	0.5	3.7	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	4	CO-SC03	0.5	2.7	B9
PORSCHE	PORSCHE	GT3	3600	M6	3.44	3375	FC	4	HC-NM+NOX-SC03	0.16	0.2	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	50	CO-COLD	4.62	10	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	120	CO	2.22	4.2	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	120	NMOG	0.068	0.09	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	120	NOX	0.11	0.3	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	50	CO	1.36	3.4	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	50	NMOG	0.048	0.075	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	50	NOX	0.08	0.2	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	50	50-CO	2.56	3.4	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	50	50-HCHO	0	0.03	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	50	50-NMOG	0.113	0.15	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	50	50-NOX	0.06	0.2	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	120	CO-US06	1.23	11.1	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	4	CO-US06	1.23	8	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	4	HC-NM+NOX-US06	0.08	0.14	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	120	CO-SC03	1.17	3.7	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	4	CO-SC03	1.17	2.7	B9
PORSCHE	PORSCHE	TURBO CAB	3600	L5	3.78	4000	FC	4	HC-NM+NOX-SC03	0.06	0.2	B9
PORSCHE	PORSCHE	TURBO CAB	3600	M6	3.44	3875	FC	120	CO	2.06	4.2	B9
PORSCHE	PORSCHE	TURBO CAB	3600	M6	3.44	3875	FC	120	HCHO	0.002	0.018	B9
PORSCHE	PORSCHE	TURBO CAB	3600	M6	3.44	3875	FC	120	NMOG	0.06	0.09	B9
PORSCHE	PORSCHE	TURBO CAB	3600	M6	3.44	3875	FC	120	NOX	0.16	0.3	B9
PORSCHE	PORSCHE	TURBO CAB	3600	M6	3.44	3875	FC	50	CO	1.2	3.4	B9
PORSCHE	PORSCHE	TURBO CAB	3600	M6	3.44	3875	FC	50	HCHO	0.001	0.015	B9
PORSCHE	PORSCHE	TURBO CAB	3600	M6	3.44	3875	FC	50	NMOG	0.04	0.075	B9
PORSCHE	PORSCHE	TURBO CAB	3600	M6	3.44	3875	FC	50	NOX	0.12	0.2	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	50	CO-COLD	1.2	10	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	50	CO-COLD	1.2	10	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	100	CO	1.32	4.2	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	100	HCHO	0.0005	0.018	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	100	NMOG	0.053	0.09	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	100	NOX	0.07	0.3	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	50	CO	0.96	3.4	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	50	HCHO	0.0005	0.015	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	50	NMOG	0.038	0.075	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	50	NOX	0.07	0.2	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	100	CO	1.32	4.2	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	100	HC-NM+NOX-COMP	0.09	0.73	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	100	HCHO	0.0005	0.018	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	100	NMOG	0.053	0.09	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	100	NOX	0.07	0.3	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	50	CO	0.96	3.4	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	50	HCHO	0.0005	0.015	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	50	NMOG	0.038	0.075	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	50	NOX	0.07	0.2	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	50	50-CO	0.55	3.4	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	50	50-HCHO	0.0015	0.03	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	50	50-NMOG	0.0648	0.15	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	50	50-NOX	0.12	0.2	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	4	CO-US06	1.1	8	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	4	HC-NM+NOX-US06	0.04	0.14	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	100	CO-US06	2.4	11.1	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	4	CO-US06	1.1	8	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	4	CO-SC03	0.3	2.7	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	CA	4	HC-NM+NOX-SC03	0.06	0.2	LEV
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	100	CO-SC03	0.7	3.7	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	4	CO-SC03	0.3	2.7	B9
Rolls-Royce Motor Cars, Ltd.	ROLLS-ROYCE	PHANTOM	6749	S6	3.46	5500	FA	4	HC-NM+NOX-SC03	0	0.2	B9
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	50	CO-COLD	1.4777	10	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	100	CO	0.659	4.2	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	100	HC-NM+NOX-COMP	0.086	0.71	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	100	HCHO	0.0002	0.018	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	100	NMOG	0.0503	0.125	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	100	NOX	0.0232	0.2	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	50	CO	0.4341	3.4	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	50	HCHO	0.0001	0.015	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	50	NMOG	0.0414	0.1	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	50	NOX	0.0128	0.14	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	50	50-CO	0.48	3.4	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	50	50-HCHO	0	0.03	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	50	50-NMOG	0.0775	0.2	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	50	50-NOX	0.01	0.14	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	100	CO-US06	3.451	11.1	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	4	CO-US06	1.305	8	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	4	HC-NM+NOX-US06	0.025	0.14	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	100	CO-SC03	1.129	3.7	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	4	CO-SC03	0.375	2.7	B8
SUZUKI MOTOR CORPORATION	SUZUKI	AERIO	2290	L4	2.7	3250	FC	4	HC-NM+NOX-SC03	0.056	0.2	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	50	CO-COLD	3.01	10	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	100	CO	1.73	4.2	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	100	HC-NM+NOX-COMP	0.205	0.71	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	100	HCHO	0.0006	0.018	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	100	NMOG	0.0552	0.125	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	100	NOX	0.12	0.2	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	50	CO	0.95	3.4	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	50	HCHO	0.0005	0.015	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	50	NMOG	0.0412	0.1	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	50	NOX	0.068	0.14	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	50	50-CO	0.78	3.4	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	50	50-HCHO	0	0.03	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	50	50-NMOG	0.1	0.2	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	50	50-NOX	0.037	0.14	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	100	CO-US06	9.017	11.1	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	4	CO-US06	4.34	8	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	4	HC-NM+NOX-US06	0.09	0.14	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	100	CO-SC03	1.968	3.7	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	4	CO-SC03	1.35	2.7	B8
SUZUKI MOTOR CORPORATION	SUZUKI	GRAND VITARA 4WD	2493.8	L4	4.88	3625	FC	4	HC-NM+NOX-SC03	0.02	0.2	B8
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	50	CO-COLD	5.8387	12.5	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	50	CO-COLD	5.8387	12.5	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	120	CO	0.8444	4.2	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	120	NMOG	0.0536	0.09	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	120	NOX	0.0376	0.07	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	50	CO	0.5368	3.4	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	50	NMOG	0.0422	0.075	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	50	NOX	0.0222	0.05	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	120	CO	0.8444	4.2	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	120	HC-NM+NOX-COMP	0.079	0.95	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	120	NMOG	0.0536	0.09	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	120	NOX	0.0376	0.07	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	50	CO	0.5368	3.4	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	50	NMOG	0.0422	0.075	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	50	NOX	0.0222	0.05	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	50	50-CO	1.13	3.4	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	50	50-HCHO	0.001	0.03	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	50	50-NMOG	0.09	0.15	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	50	50-NOX	0.013	0.05	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	4	CO-US06	3.068	10.5	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	4	HC-NM+NOX-US06	0.051	0.25	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	120	CO-US06	6.159	14.6	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	4	CO-US06	3.068	10.5	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	4	HC-NM+NOX-US06	0.051	0.25	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	4	CO-SC03	1.068	3.5	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	CA	4	HC-NM+NOX-SC03	0.013	0.27	L2
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	120	CO-SC03	1.849	4.9	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	4	CO-SC03	1.068	3.5	B5
SUZUKI MOTOR CORPORATION	SUZUKI	XL-7 4WD	2736	L5	5.13	4250	FA	4	HC-NM+NOX-SC03	0.013	0.27	B5
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	100	CO	1.1	4.2	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	100	HCHO	0.001	0.018	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	100	NMOG	0.068	0.09	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	100	NOX	0.1	0.3	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	50	CO	0.7	3.4	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	50	HCHO	0.001	0.015	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	50	NMOG	0.056	0.075	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	50	NOX	0.1	0.2	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	100	CO	1.1	4.2	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	100	HC-NM+NOX-COMP	0.17	0.73	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	100	HCHO	0.001	0.018	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	100	NMOG	0.068	0.09	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	100	NOX	0.1	0.3	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	50	CO	0.7	3.4	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	50	HCHO	0.001	0.015	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	50	NMOG	0.056	0.075	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	50	NOX	0.1	0.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	50	CO-COLD	3.5	10	N/A
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	50	CO-COLD	3.5	10	N/A
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	100	CO	1.1	4.2	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	100	HCHO	0.001	0.018	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	100	NMOG	0.063	0.09	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	100	NOX	0.1	0.3	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	50	CO	0.7	3.4	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	50	HCHO	0.001	0.015	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	50	NMOG	0.051	0.075	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	50	NOX	0.1	0.2	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	CO	1.1	4.2	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	HC-NM+NOX-COMP	0.16	0.73	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	HCHO	0.001	0.018	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	NMOG	0.063	0.09	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	NOX	0.1	0.3	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	50	CO	0.7	3.4	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	50	HCHO	0.001	0.015	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	50	NMOG	0.051	0.075	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	50	NOX	0.1	0.2	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	4	CO-US06	6.6	8	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	4	HC-NM+NOX-US06	0.09	0.14	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	CO-US06	7.4	11.1	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	4	CO-US06	6.6	8	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	4	HC-NM+NOX-US06	0.09	0.14	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	4	CO-SC03	0.6	2.7	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	4	HC-NM+NOX-SC03	0.11	0.2	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	CO-SC03	1.4	3.7	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	4	CO-SC03	0.6	2.7	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	4	HC-NM+NOX-SC03	0.11	0.2	B9
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	50	CO-COLD	1.6	12.5	N/A
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	CO-COLD	1.6	12.5	N/A
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	120	CO	0.2	2.1	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	120	NMOG	0.021	0.055	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	120	NOX	0.03	0.07	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	50	CO	0.2	1.7	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	50	NMOG	0.018	0.04	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	50	NOX	0.02	0.05	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	120	CO	0.2	4.2	B8

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	120	CO-COMP	1	6.4	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	120	HC-NM+NOX-COMP	0.04	1.44	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	120	NMOG	0.021	0.156	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	120	NOX	0.03	0.2	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	CO	0.2	3.4	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	CO-COMP	0.9	4.4	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	HC-NM+NOX-COMP	0.03	1.02	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	NMOG	0.018	0.125	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	NOX	0.02	0.14	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	N/A	50-CO	0.2	1.7	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	N/A	50-NMOG	0.034	0.08	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	N/A	50-NOX	0.01	0.05	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	4	CO-US06	2.1	10.5	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	4	HC-NM+NOX-US06	0.01	0.4	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	4	CO-US06	6	10.5	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	4	HC-NM+NOX-US06	0.01	0.4	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5500	CA	4	CO-SC03	0.7	3.5	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5500	CA	4	HC-NM+NOX-SC03	0.02	0.31	U2
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	CO-COLD	1.6	10	N/A
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	CO-COLD	1.6	10	N/A
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	CO	0.4	2.1	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	NMOG	0.034	0.055	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	NOX	0	0.3	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	CO	0.4	1.7	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	NMOG	0.03	0.04	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	NOX	0	0.2	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO	0.4	4.2	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	NMOG	0.034	0.09	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	NOX	0	0.3	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	CO	0.4	3.4	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	NMOG	0.03	0.075	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	NOX	0	0.2	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	CO-US06	1.3	8	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	HC-NM+NOX-US06	0.03	0.14	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO-US06	1.3	11.1	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	CO-US06	1.3	8	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	HC-NM+NOX-US06	0.03	0.14	B9



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	CO-SC03	0.6	2.7	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	HC-NM+NOX-SC03	0.05	0.2	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO-SC03	0.7	3.7	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	CO-SC03	0.6	2.7	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	HC-NM+NOX-SC03	0.05	0.2	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	CO-COLD	1.6	10	N/A
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	CO-COLD	1.6	10	N/A
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	CO	0.4	2.1	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	NMOG	0.034	0.055	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	NOX	0	0.3	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	CO	0.4	1.7	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	NMOG	0.03	0.04	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	NOX	0	0.2	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO	0.4	4.2	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	NMOG	0.034	0.09	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	NOX	0	0.3	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	CO	0.4	3.4	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	NMOG	0.03	0.075	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	NOX	0	0.2	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	CO-US06	1.3	8	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	HC-NM+NOX-US06	0.03	0.14	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO-US06	1.3	11.1	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	CO-US06	1.3	8	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	CO-SC03	0.6	2.7	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	HC-NM+NOX-SC03	0.05	0.2	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO-SC03	0.7	3.7	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	CO-SC03	0.6	2.7	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	HC-NM+NOX-SC03	0.05	0.2	B9
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	CA	4	CO-SC03	0.1	4	LEV
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	CA	4	CO-SC03	0.2	4	LEV
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	CA	4	HC-NM+NOX-SC03	0.13	0.44	LEV
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	CA	4	HC-NM+NOX-SC03	0.15	0.44	LEV
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	FA	4	CO-SC03	0.1	4	B10
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	FA	4	CO-SC03	0.2	4	B10
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	FA	4	HC-NM+NOX-SC03	0.13	0.44	B10
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	FA	4	HC-NM+NOX-SC03	0.15	0.44	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	CO-COLD	2.4	10	N/A
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	CO-COLD	2.4	10	N/A
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	CO	0.5	4.2	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	HCHO	0	0.018	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	NMOG	0.029	0.09	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	NOX	0.1	0.3	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	CO	0.4	3.4	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	HCHO	0	0.015	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	NMOG	0.024	0.075	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	NOX	0.1	0.2	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CF	100	CO	0.5	4.2	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	CO	0.5	4.2	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	HC-NM+NOX-COMP	0.14	0.73	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	HCHO	0	0.018	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	NMOG	0.029	0.09	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	NOX	0.1	0.3	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	CO	0.4	3.4	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	HCHO	0	0.015	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	NMOG	0.024	0.075	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	NOX	0.1	0.2	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	CO-US06	2.5	8	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	CO-US06	2.7	11.1	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	CO-US06	2.5	8	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	CO-SC03	0.6	2.7	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	HC-NM+NOX-SC03	0.13	0.2	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	CO-SC03	0.8	3.7	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	CO-SC03	0.6	2.7	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	HC-NM+NOX-SC03	0.13	0.2	B9
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	120	CO	0.2	2.1	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	120	NMOG	0.019	0.055	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	120	NOX	0.02	0.07	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	50	NMOG	0.016	0.04	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	50	NOX	0.02	0.05	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	120	CO	0.2	4.2	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	120	CO-COMP	0.2	5	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	120	HC-NM+NOX-COMP	0.03	0.95	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	120	NMOG	0.019	0.09	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	120	NOX	0.02	0.07	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	50	NMOG	0.016	0.075	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	50	NOX	0.02	0.05	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	CO-US06	0.1	10.5	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	HC-NM+NOX-US06	0.01	0.25	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	CO-US06	0.1	10.5	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	HC-NM+NOX-US06	0.01	0.25	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	CO-US06	0.8	10.5	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	HC-NM+NOX-US06	0.01	0.25	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	CO-US06	0.8	10.5	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	HC-NM+NOX-US06	0.01	0.25	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	CO-SC03	0	3.5	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	HC-NM+NOX-SC03	0	0.27	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	CO-SC03	0	3.5	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	HC-NM+NOX-SC03	0	0.27	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	CO	0.6	4.2	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	NMOG	0.042	0.09	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	NOX	0.02	0.07	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	CO	0.5	3.4	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	NMOG	0.037	0.075	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	NOX	0.02	0.05	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	CO	0.6	4.2	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	CO-COMP	2.5	5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	HC-NM+NOX-COMP	0.04	0.95	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	NMOG	0.042	0.09	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	NOX	0.02	0.07	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	CO	0.5	3.4	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	NMOG	0.037	0.075	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	NOX	0.02	0.05	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-US06	7.6	10.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-US06	7.6	10.5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-US06	6	10.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-US06	6	10.5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-SC03	0	3.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-SC03	0.03	0.27	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-SC03	0	3.5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-SC03	0.03	0.27	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	CO	0.6	4.2	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	NMOG	0.042	0.09	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	NOX	0.02	0.07	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	CO	0.5	3.4	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	NMOG	0.037	0.075	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	NOX	0.02	0.05	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	CO	0.6	4.2	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	CO-COMP	2.5	5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	HC-NM+NOX-COMP	0.04	0.95	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	NMOG	0.042	0.09	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	NOX	0.02	0.07	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	CO	0.5	3.4	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	NMOG	0.037	0.075	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	NOX	0.02	0.05	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-US06	7.6	10.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-US06	7.6	10.5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-US06	6	10.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-US06	6	10.5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-SC03	0	3.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-SC03	0.03	0.27	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-SC03	0	3.5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-SC03	0.03	0.27	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	50	CO-COLD	1.5	10	N/A
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	150	CO	0.1	1	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	150	NMOG	0.004	0.01	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	150	NOX	0.01	0.02	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	4	CO-US06	4	8	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	4	HC-NM+NOX-US06	0.01	0.14	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	4	CO-SC03	0	2.7	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	4	HC-NM+NOX-SC03	0.03	0.2	S2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	CO-COLD	1.5	10	N/A
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	CO-COLD	1.5	10	N/A
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	CO	0.2	2.1	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NMOG	0.025	0.055	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NOX	0.01	0.07	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NOX	0.02	0.07	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NMOG	0.022	0.04	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NOX	0.01	0.05	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO	0.2	4.2	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NMOG	0.025	0.09	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NOX	0.01	0.07	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NOX	0.02	0.07	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	NMOG	0.022	0.075	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	NOX	0.01	0.05	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	CO	0.2	2.1	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NMOG	0.026	0.055	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NOX	0.01	0.07	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NMOG	0.022	0.04	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NOX	0.01	0.05	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO	0.2	4.2	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NMOG	0.026	0.09	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NOX	0.01	0.07	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	NMOG	0.022	0.075	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	NOX	0.01	0.05	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	CO	0.3	2.1	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NMOG	0.025	0.055	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NOX	0.02	0.07	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NMOG	0.022	0.04	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NOX	0.01	0.05	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO	0.3	4.2	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NMOG	0.025	0.09	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NOX	0.02	0.07	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	NMOG	0.022	0.075	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	NOX	0.01	0.05	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	CO-US06	1.7	8	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	HC-NM+NOX-US06	0.02	0.14	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO-US06	1.8	11.1	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	CO-US06	1.7	8	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	HC-NM+NOX-US06	0.02	0.14	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	CO-US06	4.5	8	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	HC-NM+NOX-US06	0.04	0.14	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO-US06	4.6	11.1	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	CO-US06	4.5	8	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	HC-NM+NOX-US06	0.04	0.14	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	CO-SC03	0	2.7	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	HC-NM+NOX-SC03	0.03	0.2	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO-SC03	0.1	3.7	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	CO-SC03	0	2.7	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	HC-NM+NOX-SC03	0.03	0.2	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	CO-SC03	0	2.7	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	HC-NM+NOX-SC03	0.04	0.2	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO-SC03	0.1	3.7	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	CO-SC03	0	2.7	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	HC-NM+NOX-SC03	0.04	0.2	B5
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	50	CO-COLD	4	10	N/A
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	50	CO-COLD	4	10	N/A
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	100	CO	0.3	2.1	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	100	NMOG	0.032	0.055	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	100	NOX	0	0.3	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	50	CO	0.2	1.7	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	50	NMOG	0.023	0.04	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	50	NOX	0	0.2	ULEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	100	CO	0.3	4.2	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	100	CO-COMP	0.7	4.2	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	100	HC-NM+NOX-COMP	0.05	0.73	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	100	NMOG	0.032	0.09	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	100	NOX	0	0.3	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	50	CO	0.2	3.4	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	50	NMOG	0.023	0.075	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	4	CO-US06	1.8	8	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	4	HC-NM+NOX-US06	0.01	0.14	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	4	CO-US06	1.8	8	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	4	HC-NM+NOX-US06	0.01	0.14	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	4	CO-SC03	0	2.7	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	4	HC-NM+NOX-SC03	0.07	0.2	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	4	CO-SC03	0	2.7	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	4	HC-NM+NOX-SC03	0.07	0.2	B9
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	120	CO	0.3	2.1	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	120	NMOG	0.034	0.055	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	120	NOX	0.03	0.07	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	50	NMOG	0.023	0.04	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	50	NOX	0.02	0.05	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	120	CO	0.3	4.2	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	120	NMOG	0.034	0.09	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	120	NOX	0.03	0.07	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	50	NMOG	0.023	0.075	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	50	NOX	0.02	0.05	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	CO-US06	1.6	8	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	HC-NM+NOX-US06	0.02	0.14	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	120	CO-US06	1.8	11.1	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	CO-US06	1.6	8	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	HC-NM+NOX-US06	0.02	0.14	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	CO-US06	3.6	8	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	HC-NM+NOX-US06	0.02	0.14	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	120	CO-US06	3.8	11.1	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	CO-US06	3.6	8	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	HC-NM+NOX-US06	0.02	0.14	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	CO-SC03	0	2.7	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	HC-NM+NOX-SC03	0.01	0.2	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	120	CO-SC03	0.2	3.7	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	CO-SC03	0	2.7	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	CO-SC03	0	2.7	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	HC-NM+NOX-SC03	0	0.2	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	120	CO-SC03	0.2	3.7	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	CO-SC03	0	2.7	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	HC-NM+NOX-SC03	0	0.2	B5
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	50	CO-COLD	2	10	N/A
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	50	CO-COLD	2	10	N/A
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	100	CO	0.3	4.2	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	100	HCHO	0.001	0.018	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	100	NMOG	0.047	0.09	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	100	NOX	0.2	0.3	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	50	CO	0.3	3.4	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	50	HCHO	0.001	0.015	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	50	NMOG	0.039	0.075	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	CO	0.3	4.2	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	HC-NM+NOX-COMP	0.24	0.73	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	HCHO	0.001	0.018	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	NMOG	0.047	0.09	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	NOX	0.2	0.3	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	50	CO	0.3	3.4	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	50	HCHO	0.001	0.015	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	50	NMOG	0.039	0.075	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	50	NOX	0.1	0.2	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	4	CO-US06	1	8	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	CO-US06	1	11.1	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	4	CO-US06	1	8	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	4	CO-SC03	0.1	2.7	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	4	HC-NM+NOX-SC03	0.14	0.2	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	CO-SC03	0.2	3.7	B9



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	4	CO-SC03	0.1	2.7	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	4	HC-NM+NOX-SC03	0.14	0.2	B9
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	CO-COLD	2.6	10	N/A
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	CO-COLD	2.6	10	N/A
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	CO	0.6	4.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	NMOG	0.048	0.09	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	CO	0.6	3.4	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	NMOG	0.038	0.075	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO	0.6	4.2	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	HC-NM+NOX-COMP	0.12	0.86	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	NMOG	0.048	0.156	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	CO	0.6	3.4	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	NMOG	0.038	0.125	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	CO	0.5	4.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	NMOG	0.052	0.09	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	CO	0.5	3.4	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	NMOG	0.042	0.075	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO	0.5	4.2	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	NMOG	0.052	0.156	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	CO	0.5	3.4	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	NMOG	0.042	0.125	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	CO-US06	1.7	8	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	HC-NM+NOX-US06	0.04	0.14	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO-US06	1.8	11.1	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	CO-US06	1.7	8	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	HC-NM+NOX-US06	0.04	0.14	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	CO-US06	1.3	8	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO-US06	1.4	11.1	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	CO-US06	1.3	8	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	HC-NM+NOX-US06	0.03	0.14	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	CO-SC03	0.3	2.7	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	HC-NM+NOX-SC03	0.14	0.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO-SC03	0.4	3.7	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	CO-SC03	0.3	2.7	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	HC-NM+NOX-SC03	0.14	0.2	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	CO-SC03	0.4	2.7	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	HC-NM+NOX-SC03	0.13	0.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO-SC03	0.5	3.7	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	CO-SC03	0.4	2.7	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	HC-NM+NOX-SC03	0.13	0.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	CO-COLD	2.3	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	CO-COLD	2.3	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	120	CO	0.2	2.1	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	120	NMOG	0.021	0.055	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	120	NOX	0.03	0.07	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	NMOG	0.017	0.04	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	NOX	0.02	0.05	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CF	120	CO	0.2	4.2	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	CO	0.2	4.2	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	HC-NM+NOX-COMP	0.04	0.65	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	NMOG	0.021	0.09	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	NOX	0.03	0.07	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	NMOG	0.017	0.075	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	NOX	0.02	0.05	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	CO-US06	2.9	8	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	HC-NM+NOX-US06	0.01	0.14	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	CO-US06	3	11.1	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	CO-US06	2.9	8	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	HC-NM+NOX-US06	0.01	0.14	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	CO-SC03	0.4	2.7	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	HC-NM+NOX-SC03	0.03	0.2	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	CO-SC03	0.5	3.7	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	CO-SC03	0.4	2.7	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	HC-NM+NOX-SC03	0.03	0.2	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1.1	4.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.075	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.8	3.4	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.055	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1.1	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.075	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.8	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.055	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1	4.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.6	3.4	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.6	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO-COLD	2.2	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO-COLD	2.2	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	0.9	4.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.07	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.6	3.4	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.05	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	0.9	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	HC-NM+NOX-COMP	0.11	0.86	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.07	0.156	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.6	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.05	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	CO-US06	0.7	8	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO-US06	1.3	11.1	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	CO-US06	0.7	8	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	HC-NM+NOX-US06	0.03	0.14	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	CO-SC03	0.6	2.7	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	HC-NM+NOX-SC03	0.05	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO-SC03	1.3	3.7	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	CO-SC03	0.6	2.7	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	HC-NM+NOX-SC03	0.05	0.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO-COLD	2.2	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO-COLD	2.2	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1.1	4.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.075	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.8	3.4	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.055	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1.1	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.075	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.8	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.055	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1	4.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.6	3.4	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.6	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	0.9	4.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.07	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.6	3.4	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.05	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	0.9	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	HC-NM+NOX-COMP	0.11	0.86	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.07	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.6	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.05	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	CO-US06	0.7	8	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO-US06	1.3	11.1	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	CO-US06	0.7	8	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	HC-NM+NOX-US06	0.03	0.14	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	CO-SC03	0.6	2.7	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	HC-NM+NOX-SC03	0.05	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO-SC03	1.3	3.7	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	CO-SC03	0.6	2.7	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	HC-NM+NOX-SC03	0.05	0.2	B10
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	CO-COLD	2	12.5	N/A
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	CO-COLD	2	12.5	N/A
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	CO	0.4	5.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	NMOG	0.05	0.13	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	NOX	0	0.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	CO	0.3	4.4	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	NMOG	0.04	0.1	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	NOX	0	0.4	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO	0.4	4.2	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	HC-NM+NOX-COMP	0.08	1.03	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	NMOG	0.05	0.09	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	NOX	0	0.3	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	CO	0.3	3.4	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	NMOG	0.04	0.075	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	CO	0.4	5.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	NMOG	0.044	0.13	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	NOX	0	0.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	CO	0.4	4.4	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	NMOG	0.035	0.1	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	NOX	0	0.4	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO	0.4	4.2	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	NMOG	0.044	0.09	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	NOX	0	0.3	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	CO	0.4	3.4	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	NMOG	0.035	0.075	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	CO-US06	2.4	10.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	HC-NM+NOX-US06	0.04	0.25	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO-US06	2.5	14.6	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	CO-US06	2.4	10.5	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	HC-NM+NOX-US06	0.04	0.25	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	CO-US06	2.7	10.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	HC-NM+NOX-US06	0.06	0.25	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO-US06	2.8	14.6	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	CO-US06	2.7	10.5	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	HC-NM+NOX-US06	0.06	0.25	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	CO-SC03	0	3.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	HC-NM+NOX-SC03	0.04	0.27	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO-SC03	0.2	4.9	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	CO-SC03	0	3.5	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	HC-NM+NOX-SC03	0.04	0.27	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	CO-SC03	0	3.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	HC-NM+NOX-SC03	0.03	0.27	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO-SC03	0.2	4.9	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	CO-SC03	0	3.5	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	HC-NM+NOX-SC03	0.03	0.27	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	CO-COLD	5	12.5	N/A
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	CO-COLD	5.3	12.5	N/A
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	CO-COLD	5	12.5	N/A
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	CO-COLD	5.3	12.5	N/A
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	CO	1.9	7.3	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	NOX	0.3	0.9	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	CO	1.4	5	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	NOX	0.2	0.6	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	CO	1.9	6.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	CO-COMP	3.4	7	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	HC-NM+NOX-COMP	0.37	1.65	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	NOX	0.3	0.6	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	CO	1.4	4.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	NOX	0.2	0.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	CO	1.7	7.3	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	CO	1.9	7.3	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	HCHO	0.001	0.032	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	NMOG	0.102	0.28	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	NMOG	0.104	0.28	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	NOX	0.4	0.9	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	CO	1.1	5	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	CO	1.4	5	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	HCHO	0.001	0.022	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	NMOG	0.081	0.195	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	NMOG	0.083	0.195	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	NOX	0.2	0.6	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	NOX	0.3	0.6	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	CO	1.7	6.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	CO	1.9	6.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	CO-COMP	3.4	7	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	HC-NM+NOX-COMP	0.4	1.65	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	HCHO	0.001	0.027	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	NMOG	0.102	0.23	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	NMOG	0.104	0.23	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	NOX	0.4	0.6	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	CO	1.1	4.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	CO	1.4	4.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	HCHO	0.001	0.018	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	NMOG	0.081	0.16	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	NMOG	0.083	0.16	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	NOX	0.2	0.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	NOX	0.3	0.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	4	CO-US06	7.4	11.8	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	4	CO-US06	7.9	11.8	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	4	HC-NM+NOX-US06	0.11	0.6	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	4	HC-NM+NOX-US06	0.13	0.6	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	4	CO-US06	7.4	11.8	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	4	CO-US06	7.9	11.8	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	4	HC-NM+NOX-US06	0.11	0.6	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	4	HC-NM+NOX-US06	0.13	0.6	B10
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	50	CO-COLD	3.3	10	N/A
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	50	CO-COLD	3.3	10	N/A
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	100	CO	1	4.2	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	100	NMOG	0.058	0.09	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	100	NOX	0.2	0.3	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	50	CO	0.8	3.4	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	50	NMOG	0.049	0.075	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	CO	1	4.2	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	HC-NM+NOX-COMP	0.23	0.73	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	NMOG	0.058	0.09	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	NOX	0.2	0.3	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	50	CO	0.8	3.4	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	50	NMOG	0.049	0.075	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	50	NOX	0.1	0.2	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	4	CO-US06	2.8	8	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	4	HC-NM+NOX-US06	0.11	0.14	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	CO-US06	3.1	11.1	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	4	CO-US06	2.8	8	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	4	HC-NM+NOX-US06	0.11	0.14	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	4	CO-SC03	0.8	2.7	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	4	HC-NM+NOX-SC03	0.01	0.2	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	CO-SC03	1	3.7	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	4	CO-SC03	0.8	2.7	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	4	HC-NM+NOX-SC03	0.01	0.2	B9
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	50	CO-COLD	1.3	10	N/A



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	50	CO-COLD	1.3	10	N/A
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	150	CO	0.1	1	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	150	NMOG	0.009	0.01	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	150	NOX	0.01	0.02	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	CO	0.1	2.1	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	HC-NM+NOX-COMP	0.03	0.62	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	NMOG	0.009	0.055	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	NOX	0.01	0.03	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	4	CO-US06	0	8	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	4	HC-NM+NOX-US06	0.03	0.14	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	CO-US06	0.1	11.1	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	4	CO-US06	0	8	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	4	HC-NM+NOX-US06	0.03	0.14	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	4	CO-SC03	0.1	2.7	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	4	HC-NM+NOX-SC03	0.04	0.2	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	CO-SC03	0.2	3.7	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	4	CO-SC03	0.1	2.7	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	4	HC-NM+NOX-SC03	0.04	0.2	B3
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	CO-COLD	1.7	10	N/A
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	CO-COLD	1.7	10	N/A
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	CO	0.4	2.1	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	NMOG	0.046	0.055	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	NOX	0	0.3	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	CO	0.3	1.7	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	NMOG	0.037	0.04	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	NOX	0	0.2	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO	0.4	4.2	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	NMOG	0.046	0.09	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	NOX	0	0.3	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	CO	0.3	3.4	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	NMOG	0.037	0.075	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	CO	0.4	2.1	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	NMOG	0.042	0.055	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	NOX	0.1	0.3	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	CO	0.4	1.7	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	NMOG	0.032	0.04	ULEV

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	NOX	0	0.2	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO	0.4	4.2	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	NMOG	0.042	0.09	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	NOX	0.1	0.3	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	CO	0.4	3.4	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	NMOG	0.032	0.075	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	CO-US06	1.8	8	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	HC-NM+NOX-US06	0.03	0.14	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO-US06	2	11.1	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	CO-US06	1.8	8	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	CO-US06	2.3	8	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	HC-NM+NOX-US06	0.04	0.14	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO-US06	2.4	11.1	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	CO-US06	2.3	8	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	CO-SC03	0	2.7	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	HC-NM+NOX-SC03	0.06	0.2	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO-SC03	0.2	3.7	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	CO-SC03	0	2.7	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	HC-NM+NOX-SC03	0.06	0.2	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	CO-SC03	0	2.7	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	HC-NM+NOX-SC03	0.02	0.2	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO-SC03	0.2	3.7	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	CO-SC03	0	2.7	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	HC-NM+NOX-SC03	0.02	0.2	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	50	CO-COLD	1.9	10	N/A
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	50	CO-COLD	1.9	10	N/A
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	100	CO	0.3	2.1	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	100	NMOG	0.035	0.055	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	100	NOX	0	0.3	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	50	CO	0.2	1.7	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	50	NMOG	0.026	0.04	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	50	NOX	0	0.2	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	CO	0.3	4.2	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	HC-NM+NOX-COMP	0.06	0.73	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	NMOG	0.035	0.09	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	NOX	0	0.3	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	50	CO	0.2	3.4	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	50	NMOG	0.026	0.075	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	4	CO-US06	0.8	8	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	4	HC-NM+NOX-US06	0.03	0.14	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	CO-US06	0.9	11.1	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	4	CO-US06	0.8	8	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	4	CO-SC03	0	2.7	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	4	HC-NM+NOX-SC03	0.02	0.2	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	CO-SC03	0.2	3.7	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	4	CO-SC03	0	2.7	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	4	HC-NM+NOX-SC03	0.02	0.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	CO-COLD	1.5	10	N/A
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	CO-COLD	1.5	10	N/A
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	CO	0.4	4.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	NMOG	0.056	0.09	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	CO	0.4	3.4	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	NMOG	0.047	0.075	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO	0.4	4.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	HC-NM+NOX-COMP	0.1	0.73	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	NMOG	0.056	0.09	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	NOX	0.1	0.3	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	CO	0.4	3.4	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	NMOG	0.047	0.075	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	NOX	0.1	0.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	CO	0.4	4.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	NMOG	0.055	0.09	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	CO	0.4	3.4	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	NMOG	0.046	0.075	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	NOX	0	0.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO	0.4	4.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	NMOG	0.055	0.09	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	NOX	0.1	0.3	B9

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	CO	0.4	3.4	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	NMOG	0.046	0.075	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	CO-US06	2.5	8	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO-US06	2.6	11.1	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	CO-US06	2.5	8	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	CO-US06	2.6	8	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO-US06	2.7	11.1	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	CO-US06	2.6	8	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	CO-SC03	0.4	2.7	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	HC-NM+NOX-SC03	0.08	0.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO-SC03	0.5	3.7	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	CO-SC03	0.4	2.7	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	HC-NM+NOX-SC03	0.08	0.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	CO-SC03	0.6	2.7	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	HC-NM+NOX-SC03	0.07	0.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO-SC03	0.7	3.7	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	CO-SC03	0.6	2.7	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	HC-NM+NOX-SC03	0.07	0.2	B9
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	CO-COLD	4.6	12.5	N/A
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	CO-COLD	4.6	12.5	N/A
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	CO	0.3	2.1	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	NOX	0.06	0.07	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	NOX	0.04	0.05	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	CO	0.3	4.2	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	HC-NM+NOX-COMP	0.09	0.95	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	NOX	0.06	0.07	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	NOX	0.04	0.05	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	CO	0.4	2.1	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	CO	0.4	2.1	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	NMOG	0.037	0.055	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	NMOG	0.039	0.055	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	NOX	0.04	0.07	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	NOX	0.05	0.07	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	NMOG	0.027	0.04	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	NMOG	0.028	0.04	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	NOX	0.03	0.05	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	NOX	0.03	0.05	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	CO	0.4	4.2	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	CO	0.4	4.2	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	HC-NM+NOX-COMP	0.09	0.95	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	NMOG	0.037	0.09	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	NMOG	0.039	0.09	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	NOX	0.04	0.07	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	NOX	0.05	0.07	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	NMOG	0.027	0.075	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	NMOG	0.028	0.075	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	NOX	0.03	0.05	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	NOX	0.03	0.05	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	4	CO-US06	6.4	10.5	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	4	HC-NM+NOX-US06	0.08	0.25	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	CO-US06	6.6	14.6	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	4	CO-US06	6.4	10.5	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	4	HC-NM+NOX-US06	0.08	0.25	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	4	CO-SC03	0	3.5	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	4	HC-NM+NOX-SC03	0.02	0.27	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	CO-SC03	0.2	4.9	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	4	CO-SC03	0	3.5	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	4	HC-NM+NOX-SC03	0.02	0.27	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	CO-COLD	4.6	10	N/A
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	CO-COLD	4.6	10	N/A
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	50	CO-COLD	3.6	10	N/A
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	50	CO-COLD	3.6	10	N/A
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	120	CO	0.2	4.2	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	120	NMOG	0.025	0.09	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	120	NOX	0.03	0.07	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	50	CO	0.2	3.4	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	50	NMOG	0.022	0.075	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	50	NOX	0.03	0.05	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	120	CO	0.2	4.2	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	120	CO-COMP	0.2	4.2	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	120	HC-NM+NOX-COMP	0.04	0.68	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	120	NMOG	0.025	0.09	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	120	NOX	0.03	0.15	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	50	CO	0.2	3.4	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	50	NMOG	0.022	0.075	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	50	NOX	0.03	0.11	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	N/A	50-CO	0.3	3.4	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	N/A	50-NMOG	0.093	0.15	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	N/A	50-NOX	0.03	0.05	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	4	CO-US06	0.1	8	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	4	HC-NM+NOX-US06	0.02	0.14	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	4	CO-US06	0.1	8	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	4	HC-NM+NOX-US06	0.02	0.14	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	4	CO-SC03	0	2.7	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	4	CO-SC03	0	2.7	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	4	HC-NM+NOX-SC03	0.02	0.2	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	50	CO-COLD	3.6	12.5	N/A
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	50	CO-COLD	3.6	12.5	N/A
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	120	CO	0.3	4.2	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	120	NMOG	0.03	0.09	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	120	NOX	0.02	0.07	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	50	CO	0.2	3.4	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	50	NMOG	0.026	0.075	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	50	NOX	0.02	0.05	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	120	CO	0.3	4.2	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	120	CO-COMP	0.3	5	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	120	HC-NM+NOX-COMP	0.07	0.97	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	120	NMOG	0.03	0.09	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	120	NOX	0.02	0.15	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	50	CO	0.2	3.4	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	50	NMOG	0.026	0.075	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	50	NOX	0.02	0.11	B7

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	4	CO-US06	0	10.5	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	4	CO-US06	0	10.5	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	4	HC-NM+NOX-US06	0.02	0.25	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	4	CO-SC03	0.2	3.5	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	4	HC-NM+NOX-SC03	0.1	0.27	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	4	CO-SC03	0.2	3.5	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	4	HC-NM+NOX-SC03	0.1	0.27	B7
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	120	CO	0.4	2.1	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	120	NMOG	0.033	0.055	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	120	NOX	0.04	0.07	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	50	CO	0.3	1.7	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	50	NMOG	0.028	0.04	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	50	NOX	0.04	0.05	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	120	CO	0.4	4.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	120	CO-COMP	0.4	5.6	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	120	HC-NM+NOX-COMP	0.05	1.06	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	120	NMOG	0.033	0.156	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	120	NOX	0.04	0.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	50	CO	0.3	3.4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	50	NMOG	0.028	0.125	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	50	NOX	0.04	0.14	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	CO-US06	0.2	10.5	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	HC-NM+NOX-US06	0.01	0.4	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	CO-US06	0.2	10.5	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	HC-NM+NOX-US06	0.01	0.4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	CO-US06	0.1	10.5	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	HC-NM+NOX-US06	0.01	0.4	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	CO-US06	0.1	10.5	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	HC-NM+NOX-US06	0.01	0.4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	CO-SC03	0.4	3.5	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	HC-NM+NOX-SC03	0.04	0.31	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	CO-SC03	0.4	3.5	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	HC-NM+NOX-SC03	0.04	0.31	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	CO-COLD	2.1	12.5	N/A
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	CO-COLD	2.1	12.5	N/A
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	CO-COLD	2.1	12.5	N/A
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	CO-COLD	2.1	12.5	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	CO	0.3	2.1	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	NMOG	0.04	0.055	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	NOX	0.02	0.07	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	CO	0.3	1.7	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	NMOG	0.035	0.04	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	NOX	0.02	0.05	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	CO	0.3	4.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	CO-COMP	1.3	6.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	HC-NM+NOX-COMP	0.04	1.48	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	NMOG	0.04	0.156	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	NOX	0.02	0.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	CO	0.3	3.4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	NMOG	0.035	0.125	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	NOX	0.02	0.14	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	CO	0.3	2.1	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	NMOG	0.035	0.055	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	NOX	0.03	0.07	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	CO	0.3	1.7	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	NMOG	0.03	0.04	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	NOX	0.02	0.05	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	CO	0.3	4.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	CO-COMP	1.3	6.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	HC-NM+NOX-COMP	0.04	1.48	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	NMOG	0.035	0.156	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	NOX	0.03	0.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	CO	0.3	3.4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	NMOG	0.03	0.125	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	NOX	0.02	0.14	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	CO-US06	3.5	11.8	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	HC-NM+NOX-US06	0.01	0.6	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	CO-US06	3.5	11.8	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	HC-NM+NOX-US06	0.01	0.6	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	CO-US06	1.2	11.8	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	HC-NM+NOX-US06	0.01	0.6	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	CO-US06	1.2	11.8	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	HC-NM+NOX-US06	0.01	0.6	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	CO-SC03	0.4	4	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	HC-NM+NOX-SC03	0.03	0.44	U2



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	CO-SC03	0.4	4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	HC-NM+NOX-SC03	0.03	0.44	B8
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	50	CO-COLD	1.44	10	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	150	CO	0.67	1	S2
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	150	HCHO	0.0003	0.004	S2
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	150	NMOG	0.006	0.01	S2
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	150	NOX	0.003	0.02	S2
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	N/A	50-CO	0.59	1	S2
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	N/A	50-HCHO	0.0008	0.008	S2
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	N/A	50-NMOG	0.015	0.02	S2
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	N/A	50-NOX	0.005	0.02	S2
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	4	CO-US06	5.53	8	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	4	HC-NM+NOX-US06	0.022	0.14	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	4	CO-SC03	0.41	2.7	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA	1984	L4	5.03	3250	CA	4	HC-NM+NOX-SC03	0.007	0.2	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1896	L5	3.49	3500	FA	100	CO	0.11	4.2	B10
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1896	L5	3.49	3500	FA	100	CO-COMP	0.09	4.2	B10
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1896	L5	3.49	3500	FA	100	HC-NM+NOX-COMP	0.824	0.91	B10
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1896	L5	3.49	3500	FA	100	NMOG	0.0123	0.156	B10
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1896	L5	3.49	3500	FA	100	NOX	0.55	0.6	B10
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1896	L5	3.49	3500	FA	100	PM	0.069	0.08	B10
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	50	CO-COLD	0.77	10	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	50	CO-COLD	0.77	10	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	120	CO	0.77	4.2	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	120	NMOG	0.0205	0.09	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	120	NOX	0.012	0.07	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	50	CO	0.55	3.4	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	50	NMOG	0.0179	0.075	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	50	NOX	0.01	0.05	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	CO	0.77	4.2	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	HC-NM+NOX-COMP	0.041	0.65	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	NMOG	0.0205	0.09	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	NOX	0.012	0.07	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	50	CO	0.55	3.4	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	50	NMOG	0.0179	0.075	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	50	NOX	0.01	0.05	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	N/A	50-CO	0.4	3.4	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	N/A	50-NMOG	0.026	0.15	L2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	N/A	50-NOX	0.02	0.05	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	CO-ST2500	0	0.5	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	CO-STI	0	0.5	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	HC-ST2500	0	100	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	HC-STI	0	100	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	4	CO-US06	2.57	8	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	4	HC-NM+NOX-US06	0.02	0.14	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	CO-US06	2.94	11.1	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	4	CO-US06	2.57	8	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	4	HC-NM+NOX-US06	0.02	0.14	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	4	CO-SC03	0.18	2.7	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	4	HC-NM+NOX-SC03	0.053	0.2	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	CO-SC03	0.55	3.7	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	4	CO-SC03	0.18	2.7	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	4	HC-NM+NOX-SC03	0.053	0.2	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	50	CO-COLD	0.77	10	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	50	CO-COLD	0.77	10	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	120	CO	0.77	4.2	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	120	NMOG	0.0205	0.09	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	120	NOX	0.012	0.07	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	50	CO	0.55	3.4	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	50	NMOG	0.0179	0.075	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	50	NOX	0.01	0.05	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	CO	0.77	4.2	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	HC-NM+NOX-COMP	0.041	0.65	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	NMOG	0.0205	0.09	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	NOX	0.012	0.07	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	50	CO	0.55	3.4	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	50	NMOG	0.0179	0.075	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	50	NOX	0.01	0.05	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	N/A	50-CO	0.4	3.4	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	N/A	50-NMOG	0.026	0.15	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	N/A	50-NOX	0.02	0.05	L2
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	CO-ST2500	0	0.5	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	CO-STI	0	0.5	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	HC-ST2500	0	100	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	HC-STI	0	100	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	4	CO-US06	2.57	8	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	4	HC-NM+NOX-US06	0.02	0.14	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	CO-US06	2.94	11.1	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	4	CO-US06	2.57	8	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	4	HC-NM+NOX-US06	0.02	0.14	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	4	CO-SC03	0.18	2.7	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	CA	4	HC-NM+NOX-SC03	0.053	0.2	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	120	CO-SC03	0.55	3.7	B5
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	4	CO-SC03	0.18	2.7	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	1984	L4	5.04	3500	FA	4	HC-NM+NOX-SC03	0.053	0.2	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	50	CO-COLD	2.2	10	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	50	CO-COLD	2.2	10	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	100	CO	0.6	4.2	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	100	HCHO	0.001	0.018	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	100	NMOG	0.051	0.09	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	100	NOX	0.11	0.3	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	50	CO	0.43	3.4	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	50	HCHO	0.001	0.015	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	50	NMOG	0.046	0.075	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	50	NOX	0.11	0.2	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	100	CO	0.6	4.2	B9
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	100	HC-NM+NOX-COMP	0.13	0.73	B9
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	100	HCHO	0.001	0.018	B9
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	100	NMOG	0.051	0.09	B9
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	100	NOX	0.11	0.3	B9
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	50	CO	0.43	3.4	B9
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	50	HCHO	0.001	0.015	B9
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	50	NMOG	0.046	0.075	B9
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	50	NOX	0.11	0.2	B9
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	N/A	50-CO	0.44	3.4	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	N/A	50-HCHO	0	0.03	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	N/A	50-NMOG	0.053	0.15	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	N/A	50-NOX	0.04	0.2	LEV
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	100	CO-ST2500	0	0.5	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	100	CO-STI	0	0.5	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	100	HC-ST2500	0	100	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	100	HC-STI	4	100	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	4	CO-US06	0.44	8	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	4	HC-NM+NOX-US06	0.072	0.14	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	100	CO-US06	0.77	11.1	B9
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	4	CO-US06	0.44	8	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	4	HC-NM+NOX-US06	0.072	0.14	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	4	CO-SC03	1.61	2.7	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	CA	4	HC-NM+NOX-SC03	0.111	0.2	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	100	CO-SC03	1.94	3.7	B9
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	4	CO-SC03	1.61	2.7	N/A
VOLKSWAGEN	VOLKSWAGEN	JETTA WAGON	2792	L5	3.49	3750	FA	4	HC-NM+NOX-SC03	0.111	0.2	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE	1896	M5	3.39	3250	FA	100	CO	0.12	4.2	B9
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE	1896	M5	3.39	3250	FA	100	CO-COMP	0.09	4.2	B9
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE	1896	M5	3.39	3250	FA	100	HC-NM+NOX-COMP	0.665	0.73	B9
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE	1896	M5	3.39	3250	FA	100	NMOG	0.0243	0.09	B9
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE	1896	M5	3.39	3250	FA	100	NOX	0.25	0.3	B9
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE	1896	M5	3.39	3250	FA	100	PM	0.043	0.06	B9
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	50	CO-COLD	2.3	10	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	CA	120	CO	0.49	2.1	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	CA	120	NMOG	0.026	0.055	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	CA	120	NOX	0.01	0.07	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	CA	50	CO	0.47	1.7	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	CA	50	NMOG	0.024	0.04	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	CA	50	NOX	0.01	0.05	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	120	CO	0.49	4.2	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	120	HC-NM+NOX-COMP	0.027	0.65	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	120	NMOG	0.026	0.09	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	120	NOX	0.01	0.07	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	50	CO	0.47	3.4	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	50	NMOG	0.024	0.075	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	50	NOX	0.01	0.05	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	CA	N/A	50-CO	0.97	1.7	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	CA	N/A	50-NMOG	0.047	0.08	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	CA	N/A	50-NOX	0.01	0.05	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	120	CO-ST2500	0	0.5	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	120	CO-STI	0	0.5	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	120	HC-ST2500	6	100	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	120	HC-STI	6	100	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	120	CO-US06	4.79	11.1	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	4	CO-US06	4.75	8	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	4	HC-NM+NOX-US06	0.035	0.14	N/A

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	120	CO-SC03	0.16	3.7	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	4	CO-SC03	0.12	2.7	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1786	L6	3.87	3625	FA	4	HC-NM+NOX-SC03	0.007	0.2	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	50	CO-COLD	0.79	10	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	50	CO-COLD	0.79	10	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	120	CO	0.86	2.1	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	120	NMOG	0.0237	0.055	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	120	NOX	0.011	0.07	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	50	CO	0.64	1.7	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	50	NMOG	0.0211	0.04	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	50	NOX	0.009	0.05	U2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	120	CO	0.86	4.2	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	120	NMOG	0.0237	0.09	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	120	NOX	0.011	0.07	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	50	CO	0.64	3.4	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	50	NMOG	0.0211	0.075	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	50	NOX	0.009	0.05	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	N/A	50-CO	0.57	1.7	L2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	N/A	50-NMOG	0.045	0.08	L2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	N/A	50-NOX	0.02	0.05	L2
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	120	CO-ST2500	0	0.5	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	120	CO-STI	0.09	0.5	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	120	HC-ST2500	2	100	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	120	HC-STI	3	100	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	4	CO-US06	5.98	8	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	4	HC-NM+NOX-US06	0.029	0.14	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	120	CO-US06	6.35	11.1	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	4	CO-US06	5.98	8	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	4	HC-NM+NOX-US06	0.029	0.14	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	4	CO-SC03	1.29	2.7	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	CA	4	HC-NM+NOX-SC03	0.041	0.2	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	120	CO-SC03	1.66	3.7	B5
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	4	CO-SC03	1.29	2.7	N/A
VOLKSWAGEN	VOLKSWAGEN	NEW BEETLE CONVERT.	1984	L6	4.31	3500	FA	4	HC-NM+NOX-SC03	0.041	0.2	N/A
VOLKSWAGEN	VOLKSWAGEN	PASSAT WAGON	1968	L5	3.09	3875	FA	100	CO	0.1	4.2	B10
VOLKSWAGEN	VOLKSWAGEN	PASSAT WAGON	1968	L5	3.09	3875	FA	100	NMOG	0.0248	0.156	B10
VOLKSWAGEN	VOLKSWAGEN	PASSAT WAGON	1968	L5	3.09	3875	FA	100	NOX	0.45	0.6	B10
VOLKSWAGEN	VOLKSWAGEN	PASSAT WAGON	1968	L5	3.09	3875	FA	100	PM	0.056	0.08	B10

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	150	CO-COLD	0.89	10	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	150	CO	0.2	1	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	150	NMOG	0.0081	0.01	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	150	NOX	0.014	0.02	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	4	CO-US06	0.61	8	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	4	HC-NM+NOX-US06	0.006	0.14	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	4	HC-NM+NOX-SC03	0.002	0.2	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	150	CO-COLD	0.89	10	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	150	CO	0.2	1	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	150	NMOG	0.0081	0.01	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	150	NOX	0.014	0.02	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	4	CO-US06	0.61	8	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	4	HC-NM+NOX-US06	0.006	0.14	S2
VOLVO	VOLVO	V70	2435	L5	2.65	3875	CA	4	HC-NM+NOX-SC03	0.002	0.2	S2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	50	CO-COLD	1.58	10	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	CO-COLD	1.58	10	T2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	120	CO	0.57	2.1	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	120	NMOG	0.0447	0.055	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	120	NOX	0.011	0.07	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	50	CO	0.38	1.7	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	50	NMOG	0.033	0.04	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	50	NOX	0.01	0.05	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	120	CO	0.57	4.2	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	120	NMOG	0.0447	0.09	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	120	NOX	0.011	0.07	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	CO	0.38	3.4	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	NMOG	0.033	0.075	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	NOX	0.01	0.05	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	4	CO-US06	0.2	8	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	4	HC-NM+NOX-US06	0.033	0.14	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	120	CO-US06	0.45	11.1	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	4	CO-US06	0.2	8	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	4	HC-NM+NOX-US06	0.033	0.14	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	CO-US06	0.3	9	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	4	CO-SC03	0.22	2.7	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	4	HC-NM+NOX-SC03	0.032	0.2	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	120	CO-SC03	0.5	3.7	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	4	CO-SC03	0.22	2.7	B5

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	4	HC-NM+NOX-SC03	0.032	0.2	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	CO-SC03	0.33	3	B5
VOLVO	VOLVO	V70	2435	M5	4.25	3750	CA	50	50-CO	0.15	1.7	U2
VOLVO	VOLVO	V70	2435	M5	4.25	3750	CA	50	50-NMOG	0.075	0.08	U2
VOLVO	VOLVO	V70	2435	M5	4.25	3750	CA	50	50-NOX	0.018	0.05	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	50	CO-COLD	1.58	10	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	CO-COLD	1.58	10	T2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	120	CO	0.57	2.1	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	120	NMOG	0.0447	0.055	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	120	NOX	0.011	0.07	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	50	CO	0.38	1.7	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	50	NMOG	0.033	0.04	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	50	NOX	0.01	0.05	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	120	CO	0.57	4.2	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	120	NMOG	0.0447	0.09	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	120	NOX	0.011	0.07	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	CO	0.38	3.4	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	NMOG	0.033	0.075	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	NOX	0.01	0.05	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	4	CO-US06	0.2	8	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	4	HC-NM+NOX-US06	0.033	0.14	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	120	CO-US06	0.45	11.1	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	4	CO-US06	0.2	8	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	4	HC-NM+NOX-US06	0.033	0.14	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	CO-US06	0.3	9	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	4	CO-SC03	0.22	2.7	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	CA	4	HC-NM+NOX-SC03	0.032	0.2	U2
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	120	CO-SC03	0.5	3.7	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	4	CO-SC03	0.22	2.7	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	4	HC-NM+NOX-SC03	0.032	0.2	B5
VOLVO	VOLVO	V70	2435	L5	2.44	3875	FA	50	CO-SC03	0.33	3	B5
VOLVO	VOLVO	V70	2435	M5	4.25	3750	CA	50	50-CO	0.15	1.7	U2
VOLVO	VOLVO	V70	2435	M5	4.25	3750	CA	50	50-NMOG	0.075	0.08	U2
VOLVO	VOLVO	V70	2435	M5	4.25	3750	CA	50	50-NOX	0.018	0.05	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	CO-COLD	0.72	10	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO-COLD	0.72	10	T2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	120	CO	0.29	2.1	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	120	NMOG	0.0172	0.055	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	120	NOX	0.02	0.07	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	CO	0.29	1.7	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	NMOG	0.0147	0.04	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	NOX	0.017	0.05	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	CO	0.29	4.2	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	NMOG	0.0172	0.09	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	NOX	0.02	0.07	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO	0.29	3.4	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	NMOG	0.0147	0.075	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	NOX	0.017	0.05	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-CO	0.28	1.7	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-HCHO	0.0011	0.016	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-NMOG	0.0382	0.08	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-NOX	0.032	0.05	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	CO-US06	0.31	8	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	HC-NM+NOX-US06	0.014	0.14	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	CO-US06	0.31	11.1	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	CO-US06	0.31	8	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	HC-NM+NOX-US06	0.014	0.14	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO-US06	0.31	9	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	CO-SC03	0.21	2.7	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	HC-NM+NOX-SC03	0.009	0.2	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	CO-SC03	0.21	3.7	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	CO-SC03	0.21	2.7	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	HC-NM+NOX-SC03	0.009	0.2	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO-SC03	0.21	3	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	CO-COLD	0.72	10	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO-COLD	0.72	10	T2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	120	CO	0.29	2.1	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	120	NMOG	0.0172	0.055	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	120	NOX	0.02	0.07	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	CO	0.29	1.7	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	NMOG	0.0147	0.04	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	NOX	0.017	0.05	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	CO	0.29	4.2	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	NMOG	0.0172	0.09	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	NOX	0.02	0.07	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO	0.29	3.4	B5



2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	NMOG	0.0147	0.075	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	NOX	0.017	0.05	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-CO	0.28	1.7	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-HCHO	0.0011	0.016	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-NMOG	0.0382	0.08	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-NOX	0.032	0.05	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	CO-US06	0.31	8	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	HC-NM+NOX-US06	0.014	0.14	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	CO-US06	0.31	11.1	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	CO-US06	0.31	8	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	HC-NM+NOX-US06	0.014	0.14	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO-US06	0.31	9	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	CO-SC03	0.21	2.7	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	HC-NM+NOX-SC03	0.009	0.2	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	CO-SC03	0.21	3.7	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	CO-SC03	0.21	2.7	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	HC-NM+NOX-SC03	0.009	0.2	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO-SC03	0.21	3	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	CO-COLD	0.72	10	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO-COLD	0.72	10	T2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	120	CO	0.29	2.1	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	120	NMOG	0.0172	0.055	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	120	NOX	0.02	0.07	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	CO	0.29	1.7	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	NMOG	0.0147	0.04	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	NOX	0.017	0.05	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	CO	0.29	4.2	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	NMOG	0.0172	0.09	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	NOX	0.02	0.07	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO	0.29	3.4	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	NMOG	0.0147	0.075	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	NOX	0.017	0.05	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-CO	0.28	1.7	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-HCHO	0.0011	0.016	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-NMOG	0.0382	0.08	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	50	50-NOX	0.032	0.05	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	CO-US06	0.31	8	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	HC-NM+NOX-US06	0.014	0.14	U2

2005 Light Duty Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	CO-US06	0.31	11.1	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	CO-US06	0.31	8	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	HC-NM+NOX-US06	0.014	0.14	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO-US06	0.31	9	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	CO-SC03	0.21	2.7	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	CA	4	HC-NM+NOX-SC03	0.009	0.2	U2
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	120	CO-SC03	0.21	3.7	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	CO-SC03	0.21	2.7	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	4	HC-NM+NOX-SC03	0.009	0.2	B5
VOLVO	VOLVO	XC 90	2524	L5	2.86	5000	FA	50	CO-SC03	0.21	3	B5