

---

## HHANDLER4

---

<b>English Name</b>	EPA Handler ID <b>(Primary Key)</b>
<b>Oracle Name</b>	HANDLER_ID
<b>Description</b>	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
<b>Data Type and Length</b>	VARCHAR2 (12)
<b>Allowed Values</b>	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
<b>Default Value</b>	
<b>Notes</b>	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with "NN" regardless of where the handler is physically located.

<b>English Name</b>	Activity Location <b>(Primary Key)</b>
<b>Oracle Name</b>	ACTIVITY_LOCATION
<b>Description</b>	Indicates the location of the agency regulating the handler.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	State postal code
<b>Default Value</b>	Location associated with the current user ID.
<b>Notes</b>	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.

<b>English Name</b>	Source Type <b>(Primary Key)</b>																				
<b>Oracle Name</b>	SOURCE_TYPE																				
<b>Description</b>	Code indicating the source of information for the associated data (activity, wastes, etc.).																				
<b>Data Type and Length</b>	CHAR (1)																				
<b>Allowed Values</b>	<table border="0" style="width: 100%;"> <tr> <td style="width: 5%;">A</td> <td>Part A</td> </tr> <tr> <td></td> <td>Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit.</td> </tr> <tr> <td>B</td> <td>Annual/Biennial Report updated with Notification</td> </tr> <tr> <td>E</td> <td>Emergency</td> </tr> <tr> <td></td> <td>Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.</td> </tr> <tr> <td>I</td> <td>Implementer</td> </tr> <tr> <td>N</td> <td>Notification</td> </tr> <tr> <td></td> <td>Indicates that the facility is conducting waste activity that is regulated under Subtitle C of the Resource Conservation and Recovery Act and the rules promulgated pursuant to the Act.</td> </tr> <tr> <td>R</td> <td>Annual/Biennial Report</td> </tr> <tr> <td>T</td> <td>Temporary</td> </tr> </table>	A	Part A		Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit.	B	Annual/Biennial Report updated with Notification	E	Emergency		Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.	I	Implementer	N	Notification		Indicates that the facility is conducting waste activity that is regulated under Subtitle C of the Resource Conservation and Recovery Act and the rules promulgated pursuant to the Act.	R	Annual/Biennial Report	T	Temporary
A	Part A																				
	Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit.																				
B	Annual/Biennial Report updated with Notification																				
E	Emergency																				
	Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.																				
I	Implementer																				
N	Notification																				
	Indicates that the facility is conducting waste activity that is regulated under Subtitle C of the Resource Conservation and Recovery Act and the rules promulgated pursuant to the Act.																				
R	Annual/Biennial Report																				
T	Temporary																				

---

## HHANDLER4

---

**Default Value**

---

**English Name** Handler Sequence Number **(Primary Key)**  
**Oracle Name** SEQ\_NUMBER  
**Description** Sequence number for each source record about a handler.  
**Data Type and Length** NUMBER (6.0)  
**Allowed Values** 1 - 999999  
**Default Value**

---

**English Name** Receive Date  
**Oracle Name** RECEIVE\_DATE  
**Description** Date that the form (indicated by the associated Source) was received from the handler by the appropriate authority.  
**Data Type and Length** DATE  
**Allowed Values** Valid date no later than today in MM/DD/YYYY format  
**Default Value**

---

**English Name** Current Site Name  
**Oracle Name** SITE\_NAME  
**Description** Site Name from the most recent source type I, N, T, or E record in HHANDLER2 for the home-state activity location. If an I, N, T, or E record for the home-state activity location does not exist, the Handler Name is set to the most recent B, R, or A source record in HHANDLER2.  
**Data Type and Length** VARCHAR2 (80)  
**Allowed Values** Any value  
**Default Value**

---

## HHANDLER4

---

<b>English Name</b>	Non-Notifier
<b>Oracle Name</b>	NON_NOTIFIER
<b>Description</b>	Flag indicating that the handler has been identified through a source other than Notification and is suspected of conducting RCRA-regulated activities without proper authority.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	E           Initially a non-notifier, subsequently determined to be exempt from requirements to notify O           Former non-notifier X           Non-notifier blank       Not a non-notifier
<b>Default Value</b>	blank
<b>English Name</b>	Number of Employees
<b>Oracle Name</b>	NUMBER_OF_EMPLOYEES
<b>Description</b>	The number of people actively on the payroll at the site on a permanent or semi-permanent basis.
<b>Data Type and Length</b>	NUMBER (9.0)
<b>Allowed Values</b>	1 - 999999999 blank       Not provided
<b>Default Value</b>	blank
<b>Notes</b>	This information is often used to classify the type of business operation, for example, to determine a small business designation.
<b>English Name</b>	Include in National Report
<b>Oracle Name</b>	INCLUDE_IN_NATIONAL_REPORT
<b>Description</b>	Flag indicating that the facility should be included in the National Biennial RCRA Hazardous Waste Report.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	If Source Type equals "B" or "R", then Include in National Report must be provided. N           No U           Unknown Y           Yes blank       Not provided
<b>Default Value</b>	blank
<b>Notes</b>	All source "B" and "R" records are set to "U" for BR cycles prior to 2001. "U" is not a valid value for BR cycles 2001 or after.
<b>English Name</b>	CDX Transaction ID
<b>Oracle Name</b>	CDX_TRANSACTION_ID
<b>Description</b>	Number assigned to the Site ID Form submitted via the CDX system.
<b>Data Type and Length</b>	VARCHAR2 (20)
<b>Allowed Values</b>	Any value blank       Not provided

---

## HHANDLER4

---

**Default Value**

---

**English Name** Location Street Number  
**Oracle Name** LOCATION\_STREET\_NO  
**Description** Street number from the physical address of the primary site entrance.  
**Data Type and Length** VARCHAR2 (12)  
**Allowed Values** Any value  
blank Not provided  
**Default Value** blank

---

**English Name** Location Street 1  
**Oracle Name** LOCATION\_STREET1  
**Description** First line of the street address, route number, or other specific identifier describing the physical address of the primary site entrance.  
**Data Type and Length** VARCHAR2 (30)  
**Allowed Values** Any non-blank value  
**Default Value**

---

**English Name** Location Street 2  
**Oracle Name** LOCATION\_STREET2  
**Description** Second line of the street address (or the post office box number), route number, or other specific identifier describing the physical address of the primary site entrance.  
**Data Type and Length** VARCHAR2 (30)  
**Allowed Values** Any value  
blank Not provided  
**Default Value** blank

---

## HHANDLER4

---

**English Name** Location City  
**Oracle Name** LOCATION\_CITY  
**Description** Name of the city or town in which the handler is physically located.  
**Data Type and Length** VARCHAR2 (25)  
**Allowed Values** Any non-blank value  
**Default Value**

**English Name** Location State  
**Oracle Name** LOCATION\_STATE  
**Description** The two-letter postal code for the U.S. State in which the handler is physically located.  
**Data Type and Length** CHAR (2)  
**Allowed Values** Valid state postal code  
**Default Value**  
**Notes** For a list of valid state postal codes, refer to the Column Information Report for LU\_STATE.

**English Name** Location Zip Code  
**Oracle Name** LOCATION\_ZIP  
**Description** The zip code in which the handler is physically located.  
**Data Type and Length** VARCHAR2 (14)  
**Allowed Values** Any non-blank value  
**Default Value**  
**Notes** Zip code may include dash.

**English Name** Land Type  
**Oracle Name** LAND\_TYPE  
**Description** Code indicating current ownership status of the land on which the facility is located.  
**Data Type and Length** CHAR (1)  
**Allowed Values** If Source Type equals "N", "A", "B" or "R", then Land Type must be provided.

C	County
D	District
F	Federal
I	Indian
M	Municipal
O	Other land type
P	Private
S	State
blank	Facility is not located on Indian land. Additional information is not known.

---

## HHANDLER4

---

<b>Default Value</b>	blank
<b>English Name</b>	State District
<b>Oracle Name</b>	STATE_DISTRICT
<b>Description</b>	Code indicating the state-designated legislative district(s) in which the site is located.
<b>Data Type and Length</b>	VARCHAR2 (10)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank
<b>Notes</b>	Multiple legislative districts can be added to the database by concatenating the codes.

---

<b>English Name</b>	Mailing Street Number
<b>Oracle Name</b>	MAIL_STREET_NO
<b>Description</b>	The street number from the primary business mailing address.
<b>Data Type and Length</b>	VARCHAR2 (12)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank
<b>Notes</b>	The mailing address is often different from the location (physical site) address.

---

<b>English Name</b>	Mailing Street 1
<b>Oracle Name</b>	MAIL_STREET1
<b>Description</b>	First line of the street address (or the post office box number) for primary business mailing purposes.
<b>Data Type and Length</b>	VARCHAR2 (30)
<b>Allowed Values</b>	If Source Type equals "N", "B", "R" or "A" then Mailing Street 1 must be provided.  Any value blank          Not provided
<b>Default Value</b>	blank
<b>Notes</b>	The mailing address is often different from the location (physical site) address.

---

## HHANDLER4

---

<b>English Name</b>	Mailing Street 2
<b>Oracle Name</b>	MAIL_STREET2
<b>Description</b>	Second line of the street address (or the post office box number) for primary business mailing purposes.
<b>Data Type and Length</b>	VARCHAR2 (30)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank
<b>Notes</b>	The mailing address is often different from the location (physical site) address.
<b>English Name</b>	Mailing City
<b>Oracle Name</b>	MAIL_CITY
<b>Description</b>	Name of the city or town of the handler's mailing address.
<b>Data Type and Length</b>	VARCHAR2 (25)
<b>Allowed Values</b>	If Source Type equals "N", "B", "R" or "A" then Mailing City must be provided.  Any value blank          Not provided
<b>Default Value</b>	blank
<b>English Name</b>	Mailing State
<b>Oracle Name</b>	MAIL_STATE
<b>Description</b>	The two-letter postal code for the U.S. state in the primary business mailing address.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	If the source is N, A, B, or R and the country is "US", the mailing state must be provided. If the country is not "US," then the mailing state must be blank or exist as a valid value in LU_FOREIGN_STATE. If the source is I, T, or E, regardless of the country value, the mailing state may be blank.
<b>Default Value</b>	
<b>Notes</b>	The mailing address is often different from the location (physical site) address. For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.
<b>English Name</b>	Mailing Zip Code
<b>Oracle Name</b>	MAIL_ZIP
<b>Description</b>	Zip code in the primary business mailing address.
<b>Data Type and Length</b>	VARCHAR2 (14)
<b>Allowed Values</b>	If Source Type equals "N", "B", "R" or "A" then Mailing Zip Code must be provided.  Any value blank          Not provided
<b>Default Value</b>	blank

---

## HHANDLER4

---

<b>Notes</b>	Zip code may include dash. The mailing address is often different from the location (physical site) address.
<b>English Name</b>	Mailing Country
<b>Oracle Name</b>	MAIL_COUNTRY
<b>Description</b>	Country code of the primary business mailing address.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	For a complete list of valid country codes, refer to: <a href="http://www.bcpl.net/~j1m5path/isocodes.html">http://www.bcpl.net/~j1m5path/isocodes.html</a> blank        Not provided valid country code
<b>Default Value</b>	blank
<b>Notes</b>	The mailing address is often different from the location (physical site) address.
<b>English Name</b>	Contact First Name
<b>Oracle Name</b>	CONTACT_FIRST_NAME
<b>Description</b>	First name of the primary contact person for the site location who should be reasonably expected to be available at all times and fully aware of the regulated activities being performed at the site.
<b>Data Type and Length</b>	VARCHAR2 (15)
<b>Allowed Values</b>	If Source Type equals "N", "B", "R" or "A" then Contact First Name must be provided.  Any value blank        Not provided
<b>Default Value</b>	blank
<b>English Name</b>	Contact Middle Initial
<b>Oracle Name</b>	CONTACT_MIDDLE_INITIAL
<b>Description</b>	Middle initial of the primary contact person for the site location who should be reasonably expected to be available at all times and fully aware of the regulated activities being performed at the site.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	Any value blank        Not provided
<b>Default Value</b>	blank



---

## HHANDLER4

---

<b>English Name</b>	Contact Last Name
<b>Oracle Name</b>	CONTACT_LAST_NAME
<b>Description</b>	Last name of the primary contact person for the site location who should be reasonably expected to be available at all times and fully aware of the regulated activities being performed at the site.
<b>Data Type and Length</b>	VARCHAR2 (15)
<b>Allowed Values</b>	If Source Type equals "N", B", "R" or "A", then Contact Last Name must be provided.
<b>Default Value</b>	Any value blank          Not provided blank
<b>English Name</b>	Contact Street Number
<b>Oracle Name</b>	CONTACT_STREET_NO
<b>Description</b>	The street number from the contact street address.
<b>Data Type and Length</b>	VARCHAR2 (12)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank
<b>English Name</b>	Contact Street 1
<b>Oracle Name</b>	CONTACT_STREET1
<b>Description</b>	First line of the street address (or the post office box number) for the contact.
<b>Data Type and Length</b>	VARCHAR2 (30)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank
<b>English Name</b>	Contact Street 2
<b>Oracle Name</b>	CONTACT_STREET2
<b>Description</b>	Second line (as needed) of the street address for the contact.
<b>Data Type and Length</b>	VARCHAR2 (30)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank

---

## HHANDLER4

---

<b>English Name</b>	Contact City
<b>Oracle Name</b>	CONTACT_CITY
<b>Description</b>	The city or town of the contact address.
<b>Data Type and Length</b>	VARCHAR2 (25)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank
<b>English Name</b>	Contact State
<b>Oracle Name</b>	CONTACT_STATE
<b>Description</b>	State code of the contact address.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	If the source is N, A, B, or R and the country is "US", the mailing state must be provided. If the country is not "US," then the mailing state must be blank or exist as a valid value in LU_FOREIGN_STATE. If the source is I, T, or E, regardless of the country value, the mailing state may be blank.
<b>Default Value</b>	
<b>Notes</b>	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE and LU_FOREIGN_STATE.
<b>English Name</b>	Contact Zip
<b>Oracle Name</b>	CONTACT_ZIP
<b>Description</b>	Zip code of the contact address.
<b>Data Type and Length</b>	VARCHAR2 (14)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank
<b>English Name</b>	Contact Country
<b>Oracle Name</b>	CONTACT_COUNTRY
<b>Description</b>	Country code of the contact address.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	Valid country code, or blank
<b>Default Value</b>	For a complete list of valid country codes, refer to: <a href="http://www.bcpl.net/~j1m5path/isocodes.html">http://www.bcpl.net/~j1m5path/isocodes.html</a> US - United States

---

## HHANDLER4

---

**English Name** Contact Phone  
**Oracle Name** CONTACT\_PHONE  
**Description** Phone number at which the site contact may be reached.  
**Data Type and Length** VARCHAR2 (15)  
**Allowed Values** If Source Type equals "N", "B", "R" or "A" then Contact Phone must be provided.

Any value  
 blank        Not provided  
 blank

**Default Value**

**English Name** Contact Phone Extension  
**Oracle Name** CONTACT\_PHONE\_EXT  
**Description** Telephone number extension associated with the contact.  
**Data Type and Length** VARCHAR2 (6)  
**Allowed Values** Any value

blank        Not provided  
 blank

**Default Value**

**English Name** Contact E-mail Address  
**Oracle Name** CONTACT\_EMAIL\_ADDRESS  
**Description** E-mail address associated with the contact.  
**Data Type and Length** VARCHAR2 (240)  
**Allowed Values** Any value

blank        Not provided  
 blank

**Default Value**

**English Name** Permit Contact First Name  
**Oracle Name** PCONTACT\_FIRST\_NAME  
**Description** First name of the person who is familiar with the handler's Hazardous Waste Permit information.  
**Data Type and Length** VARCHAR2 (15)  
**Allowed Values** If Source Type equals "A" (Part A) then Permit Contact First Name must be provided.

Any value  
 blank        Not provided

**Default Value**

blank

---

## HHANDLER4

---

**English Name** Permit Contact Middle Initial  
**Oracle Name** PCONTACT\_MIDDLE\_INITIAL  
**Description** Middle initial of the person who is familiar with the handler's Hazardous Waste Permit information.  
**Data Type and Length** CHAR (1)  
**Allowed Values** Any value  
 blank Not provided  
**Default Value** blank

**English Name** Permit Contact Last Name  
**Oracle Name** PCONTACT\_LAST\_NAME  
**Description** Last name of the person who is familiar with the handler's Hazardous Waste Permit information.  
**Data Type and Length** VARCHAR2 (15)  
**Allowed Values** If Source Type equals "A" (Part A) then Permit Contact Last Name must be provided.  
 Any value  
 blank Not provided  
**Default Value** blank

**English Name** Permit Contact Street Number  
**Oracle Name** PCONTACT\_STREET\_NO  
**Description** The street number from the permit contact street address.  
**Data Type and Length** VARCHAR2 (12)  
**Allowed Values** Any value  
 blank Not provided  
**Default Value** blank

**English Name** Permit Contact Street 1  
**Oracle Name** PCONTACT\_STREET1  
**Description** First line of the street address (or the post office box number) for the permit contact.  
**Data Type and Length** VARCHAR2 (30)  
**Allowed Values** Any value  
 blank Not provided  
**Default Value** blank

---

## HHANDLER4

---

<b>English Name</b>	Permit Contact Street 2
<b>Oracle Name</b>	PCONTACT_STREET2
<b>Description</b>	Second line (as needed) of the street address for the permit contact.
<b>Data Type and Length</b>	VARCHAR2 (30)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank
<b>English Name</b>	Permit Contact City
<b>Oracle Name</b>	PCONTACT_CITY
<b>Description</b>	The city or town of the permit contact address.
<b>Data Type and Length</b>	VARCHAR2 (25)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank
<b>English Name</b>	Permit Contact State
<b>Oracle Name</b>	PCONTACT_STATE
<b>Description</b>	State code of the permit contact address.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	If country_code is 'US' then valid state postal code. If country_code is not 'US' then valid state in LU_FOREIGN_STATE (for that country code) or blank. Value is only applicable to and required for a source A record. blank          Not provided
<b>Default Value</b>	blank
<b>Notes</b>	Provinces, territories, or other areas without a corresponding data element may be entered in the Permit Contact Street 2 field. U.S. states are the only valid values for Permit Contact State. For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.
<b>English Name</b>	Permit Contact Zip Code
<b>Oracle Name</b>	PCONTACT_ZIP
<b>Description</b>	Zip code of the permit contact address.
<b>Data Type and Length</b>	VARCHAR2 (14)
<b>Allowed Values</b>	Any value blank          Not provided
<b>Default Value</b>	blank
<b>Notes</b>	Zip code may include dash.

---

## HHANDLER4

---

<b>English Name</b>	Permit Contact Country
<b>Oracle Name</b>	PCONTACT_COUNTRY
<b>Description</b>	Country code of the permit contact address.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	Valid country code, or blank
	For a complete list of valid country codes, refer to: <a href="http://www.bcpl.net/~j1m5path/isocodes.html">http://www.bcpl.net/~j1m5path/isocodes.html</a>
<b>Default Value</b>	blank      Not provided US - United States blank
<b>English Name</b>	Permit Contact Phone
<b>Oracle Name</b>	PCONTACT_PHONE
<b>Description</b>	Telephone number associated with the permit contact.
<b>Data Type and Length</b>	VARCHAR2 (15)
<b>Allowed Values</b>	If Source Type equals "A" (Part A) then Permit Contact Phone must be provided.
	Any value
<b>Default Value</b>	blank      Not provided blank
<b>English Name</b>	Permit Contact Phone Extension
<b>Oracle Name</b>	PCONTACT_PHONE_EXT
<b>Description</b>	Telephone number extension associated with the permit contact.
<b>Data Type and Length</b>	VARCHAR2 (6)
<b>Allowed Values</b>	Any value
	blank      Not provided
<b>Default Value</b>	blank
<b>English Name</b>	Permit Contact Email Address
<b>Oracle Name</b>	PCONTACT_EMAIL_ADDRESS
<b>Description</b>	Email address associated with the permit contact.
<b>Data Type and Length</b>	VARCHAR2 (240)
<b>Allowed Values</b>	Any value
	blank      Not provided
<b>Default Value</b>	blank

---

## HHANDLER4

---

<b>English Name</b>	Acknowledge Flag Date
<b>Oracle Name</b>	ACKNOWLEDGE_DATE
<b>Description</b>	Date acknowledgement of receipt of information is sent to handlers. Acknowledge Flag Date is used in conjunction with Acknowledge Flag for generating an acknowledgment.
<b>Data Type and Length</b>	DATE
<b>Allowed Values</b>	Valid date in MM/DD/YYYY format blank        Not provided
<b>Default Value</b>	blank
<b>English Name</b>	Acknowledge Flag
<b>Oracle Name</b>	ACKNOWLEDGE_FLAG
<b>Description</b>	A flag used to mark the handler for having an acknowledgment of receipt sent.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	Any value blank        Not provided
<b>Default Value</b>	blank
<b>Notes</b>	Automatically set to blank when acknowledgments are generated.
<b>English Name</b>	Importer Activity
<b>Oracle Name</b>	IMPORTER_ACTIVITY
<b>Description</b>	Code indicating whether the facility is engaged in importing hazardous waste into the United States from a foreign country. Importers are required to obtain an EPA identification number prior to engaging in import activities.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.
<b>Notes</b>	"U" is not an allowed value for Source Type equal to "N", "A" or "B".
<b>English Name</b>	Mixed Waste Generator
<b>Oracle Name</b>	MIXED_WASTE_GENERATOR
<b>Description</b>	Code indicating whether the facility is a generator or TSDf that handles waste mixed with nuclear source, special nuclear, or by-product material.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B.

---

## HHANDLER4

---

<b>Notes</b>	"U" for forms submitted with a Source Type of R, I, T, or E. "U" is not an allowed value for Source Type equal to "N", "A" or "B".
<hr/>	
<b>English Name</b>	Recycler Activity
<b>Oracle Name</b>	RECYCLER_ACTIVITY
<b>Description</b>	Code indicating whether the site is engaged in the recycling of hazardous waste through activities such as use or reuse as ingredients in industrial processes to make product provided that the materials are not being reclaimed, used or reused as effective substitutes for commercial products, returned to the original process from which they are generated without first being reclaimed.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.
<b>Notes</b>	"U" is not an allowed value for Source Type equal to "N", "A" or "B".
<hr/>	
<b>English Name</b>	Transporter Activity
<b>Oracle Name</b>	TRANSPORTER_ACTIVITY
<b>Description</b>	Code indicating whether the handler is engaged in the off-site transportation of hazardous waste by air, rail, highway, or water.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.
<b>Notes</b>	"U" is not an allowed value for Source Type equal to "N", "A" or "B".
<hr/>	
<b>English Name</b>	TSD Activity
<b>Oracle Name</b>	TSD_ACTIVITY
<b>Description</b>	Code indicating whether the handler is engaged in the treatment, storage, or disposal of hazardous waste.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.
<b>Notes</b>	"U" is not an allowed value for Source Type equal to "N", "A" or "B".



---

## HHANDLER4

---

<b>English Name</b>	Underground Injection Activity
<b>Oracle Name</b>	UNDERGROUND_INJECTION_ACTIVITY
<b>Description</b>	Code indicating whether the site is engaged in the management of hazardous wastes by subsurface emplacement of fluids through a bored, drilled, or driven well, or a dug well where the depth of the dug well is greater than its largest surface dimension.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.
<b>Notes</b>	"U" is not an allowed value for Source Type equal to "N", "A" or "B".
<b>English Name</b>	Universal Waste Destination Facility
<b>Oracle Name</b>	UNIVERSAL_WASTE_DEST_FACILITY
<b>Description</b>	Code indicating whether the facility treats, disposes of, or recycles universal wastes on site (Note: no minimum universal waste volume applies).
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.
<b>Notes</b>	"U" is not an allowed value for Source Type equal to "N", "A" or "B".
<b>English Name</b>	Transfer Facility
<b>Oracle Name</b>	TRANSFER_FACILITY
<b>Description</b>	
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	
<b>Default Value</b>	
<b>English Name</b>	Onsite Burner Exemption
<b>Oracle Name</b>	ONSITE_BURNER_EXEMPTION
<b>Description</b>	Code indicating whether the handler qualifies for the Small Quantity Onsite Burner Exemption.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B.

---

## HHANDLER4

---

<b>Notes</b>	"U" for forms submitted with a Source Type of R, I, T, or E. "U" is not an allowed value for Source Type equal to "N", "A" or "B".
<b>English Name</b>	Furnace Exemption
<b>Oracle Name</b>	FURNACE_EXEMPTION
<b>Description</b>	Code indicating that the handler qualifies for the Smelting, Melting, and Refining Furnace Exemption.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.
<b>Notes</b>	"U" is not an allowed value for Source Type equal to "N", "A" or "B".

---

<b>English Name</b>	Used Oil Fuel Burner
<b>Oracle Name</b>	USED_OIL_BURNER
<b>Description</b>	Code indicating whether the facility burns off-specification used oil for energy recovery in devices or processes such as: 1) Industrial furnaces, boilers for facilities engaged in manufacturing processes, 2) Boilers for the production of electric power, stream heated or cooled air or other gases or fluids for sale, 3) Used oil space heaters provided that the used oil originates from the owner/operator or from do-it-yourself used oil generation, or 4) Hazardous waste incineration.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.
<b>Notes</b>	"U" is not an allowed value for Source Type equal to "N", "A" or "B".

---

<b>English Name</b>	Used Oil Processor
<b>Oracle Name</b>	USED_OIL_PROCESSOR
<b>Description</b>	Code indicating whether the site processes used oil. Processing means chemical or physical operations that are designed to produce or make amenable for the production of fuels, oils, lubricants, or other oil-derived products through activities such as blending, filtration, separation, and distillation.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.

---

## HHANDLER4

---

<b>Notes</b>	Current regulations make no clear distinction between the "processing" and "refining" activities for used oil. "U" is not an allowed value for Source Type equal to "N", "A" or "B".
<b>English Name</b>	Used Oil Refiner
<b>Oracle Name</b>	USED_OIL_REFINER
<b>Description</b>	Code indicating whether the site processes used oil. Processing means chemical or physical operations that are designed to produce or make amenable for the production of fuel oils, lubricants, or other oil derived products through activities such as blending, filtration, separation, and distillation.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.
<b>Notes</b>	Current regulations make no clear distinction between the "processing" and "refining" activities for used oil. "U" is not an allowed value for Source Type equal to "N", "A", or "B".
<b>English Name</b>	Used Oil Fuel Marketer to Burner
<b>Oracle Name</b>	USED_OIL_MARKET_BURNER
<b>Description</b>	Code indicating whether the site directs shipments of off-specification used oil from the facility to used oil burners.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source Type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.
<b>Notes</b>	"U" is not an allowed value for Source Type equal to "N", "A" or "B".
<b>English Name</b>	Used Oil Specification Marketer
<b>Oracle Name</b>	USED_OIL_SPEC_MARKETER
<b>Description</b>	Code indicating whether the handler first claims that used oil targeted for energy recovery meets used fuel oil specifications.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	N            No U            Unknown Y            Yes
<b>Default Value</b>	"N" for forms submitted with a Source type of N, A, or B. "U" for forms submitted with a Source Type of R, I, T, or E.
<b>Notes</b>	"U" is not an allowed value for Source Type equal to "N", "A" or "B".

---

## HHANDLER4

---

**English Name** Used Oil Transfer Facility  
**Oracle Name** USED\_OIL\_TRANSFER\_FACILITY  
**Description** Code indicating that the handler owns or operates a used oil transfer facility.  
**Data Type and Length** CHAR (1)  
**Allowed Values** N No  
U Unknown  
Y Yes  
**Default Value** "N" for forms submitted with a Source Type of N, A, or B.  
"U" for forms submitted with a Source Type of R, I, T, or E.  
**Notes** "U" is not an allowed value for Source Type equal to "N", "A" or "B".

**English Name** Used Oil Transporter  
**Oracle Name** USED\_OIL\_TRANSPORTER  
**Description** Code indicating whether the site transports or collects and transports used oil from more than one generator, or owns and operates a transfer facility. The transporter may aggregate loads for the purposes of transportation but may not process the oil with the exception of incidental processing, such as oil/water separation, that may occur during transportation.  
**Data Type and Length** CHAR (1)  
**Allowed Values** N No  
U Unknown  
Y Yes  
**Default Value** "N" for forms submitted with a Source Type of N, A, or B.  
"U" for forms submitted with a Source Type of R, I, T, or E.  
**Notes** "U" is not an allowed value for Source Type equal to "N", "A" or "B".

**English Name** TSD Date  
**Oracle Name** TSD\_DATE  
**Description** The date that operation of the facility commenced, the date construction on the facility commenced, or the date that operation is expected to begin.  
**Data Type and Length** DATE  
**Allowed Values** If Source Type equals "A" (Part A), then TSD Date must be provided.  
Valid date in MM/DD/YYYY format.  
blank Not provided  
**Default Value** blank

---

## HHANDLER4

---

<b>English Name</b>	Offsite Waste Receipt
<b>Oracle Name</b>	OFF_SITE_RECEIPT
<b>Description</b>	Code indicating that the handler, whether public or private, currently accepts hazardous waste from another site (site identified by a different EPA ID). If information is also available on the specific processes and wastes which are accepted, it is indicated by a flag at the process unit level (Process Unit Group Commercial Status).
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	A            Accepts waste from (any) off-site source(s) N            Verified to be non-commercial R            Accepts waste from only a restricted group of off-site generators blank       Commercial status unknown
<b>Default Value</b>	blank
<b>Notes</b>	Data for this field is no longer collected on the Site Identification Form or Part A Form.

---

<b>English Name</b>	Accessibility
<b>Oracle Name</b>	ACCESSIBILITY
<b>Description</b>	Code indicating the reason why the handler is not accessible for normal RCRA tracking and processing (previously called Bankrupt Indicator).
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	B            Handler has filed for bankruptcy and bankruptcy litigation is in process. C            Transferred to the program or state equivalent.  All RCRA responsibilities for permitting/closure, corrective action, and compliance monitoring and enforcement at the facility have been formally transferred to the CERCLA program or state equivalent. The RCRA program no longer has any responsibility for the aforementioned activities for this facility. F            All responsible parties (owners/operators) for the handler have fled the country or are otherwise not available for prosecution. L            The handler's case is tied up in litigation to the extent that further progress in achieving RCRA compliance through normal enforcement is not possible.  blank       Not provided
<b>Default Value</b>	blank

---

<b>English Name</b>	Reporting Cycle Year
<b>Oracle Name</b>	REPORT_CYCLE
<b>Description</b>	The year for which biennial report data was collected.
<b>Data Type and Length</b>	NUMBER (4.0)
<b>Allowed Values</b>	If Source Type equals "B" or "R" then Reporting Cycle Year must be provided. Valid four-digit biennial report cycle year beginning with 1989. blank       Not provided
<b>Default Value</b>	blank

---

## HHANDLER4

---

<b>English Name</b>	County Code Owner
<b>Oracle Name</b>	COUNTY_OWNER
<b>Description</b>	Indicates the agency that defines the county code.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	HQ           Nationally defined and required
<b>Default Value</b>	
<b>English Name</b>	County Code
<b>Oracle Name</b>	COUNTY_CODE
<b>Description</b>	The Federal Information Processing Standard (FIPS) code for the county in which the facility is located (Ref: FIPS Publication, 6-4, "Counties and Equivalent Entities of the United States, its Possessions, and Associated Areas").
<b>Data Type and Length</b>	VARCHAR2 (5)
<b>Allowed Values</b>	For a complete list of valid county codes by state, refer to: <a href="http://www.itl.nist.gov/fipspubs/co-codes/states.htm">http://www.itl.nist.gov/fipspubs/co-codes/states.htm</a>
<b>Default Value</b>	
<b>Notes</b>	Positions 1 and 2 must be a valid state postal code; Positions 3 through 5 must be a number from 001 - 999.
<b>English Name</b>	Federal Waste Generator Code Owner
<b>Oracle Name</b>	FED_WASTE_GENERATOR_OWNER
<b>Description</b>	Indicates the agency that defines the federal generator status type.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	If Source Type equals "N", "A", "B" or "R" then Federal Waste Generator Code Owner must be provided. If Federal Waste Generator Code is provided then Federal Waste Generator Code Owner must be provided. If Federal Waste Generator Code is not provided then Federal Waste Generator Code Owner must be blank. HQ           Nationally defined blank       Not provided
<b>Default Value</b>	blank
<b>English Name</b>	Federal Waste Generator Code
<b>Oracle Name</b>	FED_WASTE_GENERATOR
<b>Description</b>	Code indicating the regulatory status of the site with respect to the Federal rules to which it is subject as determined by the quantity and/or toxicity of hazardous wastes generated, stored, or accumulated over a specified period of time.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	Valid HQ-defined value in LU_GENERATOR_STATUS2, or blank. If Source Type equals "N", "A", "B" or "R" then Federal Waste Generator Code Owner must be provided.  Existing nationally defined values: 1           Large Quantity Generator

---

## HHANDLER4

---

Handlers that:

- generate 1,000 kg or more of hazardous waste during any calendar month; or
- generate more than 1 kg of acutely hazardous waste during any calendar month; or
- generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or
- generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or
- generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

2

Small Quantity Generator

Handlers that:

- generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or
- generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.

3

Conditionally Exempt Small Quantity Generator

Handlers that:

- generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or
- generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time:
  - a) 1 kg or less of acutely hazardous waste; or
  - b) 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;
 or
- generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time:
  - a) 1 kg or less of acutely hazardous waste; or
  - b) 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any

---

## HHANDLER4

---

	land or water, of acutely hazardous waste.
	N Not a generator, verified
	blank unverified
<b>Default Value</b>	blank
<b>English Name</b>	State Waste Generator Code Owner
<b>Oracle Name</b>	STATE_WASTE_GENERATOR_OWNER
<b>Description</b>	Indicates the agency that defines the state generator status type.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	If State Waste Generator Code is provided then State Waste Generator Code Owner must be provided.
	If State Waste Generator Code is not provided then State Waste Generator Code Owner must be blank.
	State postal code
	blank Not provided
<b>Default Value</b>	blank
<b>English Name</b>	State Waste Generator Code
<b>Oracle Name</b>	STATE_WASTE_GENERATOR
<b>Description</b>	Code indicating the regulatory status of the site in view of the implementing State's "broader in scope" or "more stringent than" rules. Although such an implementing State might use terms that differ for their generators (e.g., "Fully Regulated Generator"), these terms would be translated to match the Federal regulatory term (i.e., LQG, SQG, or CESQG) that best represents the way that the State regulates the generator.
<b>Data Type and Length</b>	CHAR (1)
<b>Allowed Values</b>	If Source Type equals "N", "A", "B" or "R" then State Waste Generator Code must be provided. Valid implementer-defined value in LU_GENERATOR_STATUS2
	blank Not provided
<b>Default Value</b>	blank
<b>English Name</b>	User ID of Last Change
<b>Oracle Name</b>	USERID
<b>Description</b>	Records the user ID of the last person to change the data.
<b>Data Type and Length</b>	VARCHAR2 (6)
<b>Allowed Values</b>	Valid user ID
<b>Default Value</b>	Current user ID



---

## HHANDLER4

---

<b>English Name</b>	Date of Last Change
<b>Oracle Name</b>	LAST_CHANGE
<b>Description</b>	Records the date that the data was last changed.
<b>Data Type and Length</b>	DATE
<b>Allowed Values</b>	Valid date/time stamp
<b>Default Value</b>	Current date and time

---

<b>English Name</b>	Notes
<b>Oracle Name</b>	NOTES
<b>Description</b>	Additional information regarding the handler.
<b>Data Type and Length</b>	VARCHAR2 (2000)
<b>Allowed Values</b>	Any value blank            Not provided
<b>Default Value</b>	blank

**\* End of Report \***