
BGM_WASTE_CODE

English Name	EPA Handler ID (Primary Key)
Oracle Name	HANDLER_ID
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
Default Value	
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

English Name	Activity Location (Primary Key)
Oracle Name	ACTIVITY_LOCATION
Description	Indicates the location of the agency regulating the handler.
Data Type and Length	CHAR (2)
Allowed Values	State postal code
Default Value	Location associated with the current user ID.
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.

English Name	Source Type (Primary Key)
Oracle Name	SOURCE_TYPE
Description	Code indicating the source of information for the associated data (activity, wastes, etc.).
Data Type and Length	CHAR (1)
Allowed Values	B Annual/Biennial Report updated with Notification R Annual/Biennial Report
Default Value	
Notes	If the BR Report Cycle >= 2009 then Source Type must equal 'B'.

English Name	Handler Sequence Number (Primary Key)
Oracle Name	SEQ_NUMBER
Description	Sequence number for each source record about a handler.
Data Type and Length	NUMBER (6.0)
Allowed Values	1 - 999999
Default Value	

BGM_WASTE_CODE

English Name Hazardous Waste Stream GM Form Page Number **(Primary Key)**
Oracle Name HZ_PG
Description Page number of the GM form used to enter the information in the stream segment and all child segments of the stream.
Data Type and Length NUMBER (5.0)
Allowed Values 1 - 99999
Default Value

English Name Hazardous Waste Code Owner **(Primary Key)**
Oracle Name WASTE_CODE_OWNER
Foreign Key Foreign key to OWNER in LU_WASTE_CODE.
Description Indicates the agency that defined the Waste Code.
Data Type and Length CHAR (2)
Allowed Values 01 - 10 Region
 HQ Nationally defined
 State postal code
Default Value

English Name Hazardous Waste Code **(Primary Key)**
Oracle Name WASTE_CODE
Foreign Key Foreign key to WASTE_CODE in LU_WASTE_CODE.
Description State or Federal codes corresponding to the hazardous waste generated by a site. These codes are listed in 40 CFR Part 261, Subparts C and D, or are assigned by States for wastes that are either: 1) regulated and defined as hazardous by the State but are not regulated as RCRA hazardous waste, or 2) State equivalent waste codes for RCRA regulated hazardous wastes.
Data Type and Length VARCHAR2 (6)
Allowed Values Nationally- or implementer-defined value in LU_WASTE_CODE
Default Value
Notes For a list of valid nationally-defined waste codes, refer to the Nationally Defined Value section in the RCRAInfo on-line help utility.

Federal: Four character alphanumeric code that identifies each hazardous waste listed in 40 CFR Part 261, Subpart D and to each characteristic waste identified in 40 CFR Part 261, Subpart C. "D" codes are characteristic waste codes (reactive waste, arsenic, lindane); "F" codes are codes for wastes from non-specific sources (spent cyanide plating bath solutions from electroplating operations); "K" codes are wastes from specific sources (spent potliners from primary aluminum reduction); "P" codes are acutely hazardous compounds (potassium cyanide); "U" codes are toxic compounds (creosote, chloroform).

State: One to six character alphanumeric hazardous waste code assigned by approved States for wastes that are either: 1) Regulated and defined as hazardous by the State but are not regulated as RCRA hazardous waste (e.g., X001 - Contaminated Pesticide Containers) or 2) State equivalent waste codes for RCRA regulated hazardous waste.

BGM_WASTE_CODE

English Name	User ID of Last Change
Oracle Name	USERID
Description	Records the user ID of the last person to change the data.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Valid user ID
Default Value	Current user ID

English Name	Date of Last Change
Oracle Name	LAST_CHANGE
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

*** End of Report ***