
HHANDLER5

- Business Rules**
- The user must be implementer of record for Handler information.
 - Handler ID, Activity Location, Source Type, and Sequence Number must be unique.
 - If Short Term Generator = 'Y' then Notes must be provided.
 - If Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Primary NAICS information (i.e., NAICS Sequence Number = 1) must be provided.
 - If Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Certification information must be provided.
 - If Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Owner information must be provided.
 - If Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Operator information must be provided.
 - If Receive Date >= 1/1/2004 and Federal Generator Status = '1', '2', or '3', or TSD Activity = 'Y' or Recycler Activity = 'Y' or Small Quantity On-site Burner Exemption = 'Y' or Smelting, Melting, and Refining Furnace Exemption = 'Y' then Waste Code information must be provided.
 - If Receive Date >= 1/1/2004 and Source Type = 'A' then Part A Contact information must be provided.
 - If Location Country <> 'US' or blank then the following activities must equal 'N': Federal Generator Status, Importer Activity, Short-Term Generator, Mixed Waste Generator, Transfer Facility, TSD Activity, Recycler Activity, On-site Burner Exemption, Furnace Exemption, Underground Injection Activity, Universal Waste Destination Facility, Used Oil Burner, Used Oil Transfer Facility, Used Oil Processor, Used Oil Refiner, Used Oil Specification Marketer, Used Oil Fuel Marketer, Subpart K-College, Subpart K-Hospital, Subpart K-Non-profit, and Subpart K-Withdrawal.
 - Use of the HHANDLER5 table is mandatory.

English Name	EPA Handler ID (Primary Key)
Oracle Name	HANDLER_ID
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
Default Value	
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

English Name	Activity Location (Primary Key)
Oracle Name	ACTIVITY_LOCATION
Description	Indicates the location of the agency regulating the handler.
Data Type and Length	CHAR (2)
Allowed Values	State postal code
Default Value	Location associated with the current user ID.
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.

HHANDLER5

English Name	Source Type (Primary Key)
Oracle Name	SOURCE_TYPE
Description	Code indicating the source of information for the associated data (activity, wastes, etc.).
Data Type and Length	CHAR (1)
Allowed Values	<p>A Part A Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit.</p> <p>B Annual/Biennial Report updated with Notification</p> <p>E Emergency Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.</p> <p>I Implementer</p> <p>N Notification Indicates that the facility's waste activity is regulated under Subtitle C of the Resource Conservation and Recovery Act and the rules promulgated pursuant to the Act or the facility is an eligible academic entity opting into 40 CFR 262 Subpart K or the facility will begin managing hazardous secondary material under 40 CFR 261.2(a)(2)(ii), 40 CFR 261.4(a)(23), (24), or (25).</p> <p>R Annual/Biennial Report</p> <p>T Temporary</p>
Default Value	
Notes	If the BR Report Cycle >= 2009 then the Source Type must equal 'B'.
English Name	Handler Sequence Number (Primary Key)
Oracle Name	SEQ_NUMBER
Description	Sequence number for each source record about a handler.
Data Type and Length	NUMBER (6,0)
Allowed Values	1 - 999999
Default Value	
English Name	Receive Date
Oracle Name	RECEIVE_DATE
Description	Date that the form (indicated by the associated Source) was received from the handler by the appropriate authority.
Data Type and Length	DATE
Allowed Values	Valid date no later than today in MM/DD/YYYY format
Default Value	
English Name	Handler Name
Oracle Name	HANDLER_NAME
Description	The legal name of the site.
Data Type and Length	VARCHAR2 (80)

HHANDLER5

Allowed Values	Any non-blank value	
Default Value		
English Name	Non-Notifier	
Oracle Name	NON_NOTIFIER	
Description	Flag indicating that the handler has been identified through a source other than Notification and is suspected of conducting RCRA-regulated activities without proper authority.	
Data Type and Length	CHAR (1)	
Allowed Values	E	Initially a non-notifier, subsequently determined to be exempt from requirements to notify
	O	Former non-notifier
	X	Non-notifier
	blank	Not a non-notifier
Default Value	blank	
English Name	Acknowledge Flag Date	
Oracle Name	ACKNOWLEDGE_DATE	
Description	Date acknowledgement of receipt of information is sent to handlers. Acknowledge Flag Date is used in conjunction with Acknowledge Flag for generating an acknowledgement.	
Data Type and Length	DATE	
Allowed Values	Valid date in MM/DD/YYYY format	
	blank	Not provided
Default Value	blank	
English Name	Acknowledge Flag	
Oracle Name	ACKNOWLEDGE_FLAG	
Description	A flag used to mark the handler for having an acknowledgement of receipt sent.	
Data Type and Length	CHAR (1)	
Allowed Values	Any value	
	blank	Not provided
Default Value	blank	
Notes	Automatically set to blank when acknowledgements are generated.	

HHANDLER5

English Name	Accessibility
Oracle Name	ACCESSIBILITY
Description	Code indicating the reason why the handler is not accessible for normal RCRA tracking and processing (previously called Bankrupt Indicator).
Data Type and Length	CHAR (1)
Allowed Values	<p>B Handler has filed for bankruptcy and bankruptcy litigation is in process.</p> <p>C Transferred to the program or state equivalent.</p> <p> All RCRA responsibilities for permitting/closure, corrective action, and compliance monitoring and enforcement at the facility have been formally transferred to the CERCLA program or state equivalent. The RCRA program no longer has any responsibility for the aforementioned activities for this facility.</p> <p>F All responsible parties (owners/operators) for the handler have fled the country or are otherwise not available for prosecution.</p> <p>L The handler's case is tied up in litigation to the extent that further progress in achieving RCRA compliance through normal enforcement is not possible.</p> <p>blank Not provided</p>
Default Value	blank

English Name	Location Street Number
Oracle Name	LOCATION_STREET_NO
Description	Street number from the physical address of the primary site entrance.
Data Type and Length	VARCHAR2 (12)
Allowed Values	<p>Any value</p> <p>blank Not provided</p>
Default Value	blank

English Name	Location Street 1
Oracle Name	LOCATION_STREET1
Description	First line of the street address, route number, or other specific identifier describing the physical address of the primary site entrance.
Data Type and Length	VARCHAR2 (30)
Allowed Values	Any non-blank value
Default Value	

English Name	Location Street 2
Oracle Name	LOCATION_STREET2
Description	Second line of the street address (or the post office box number), route number, or other specific identifier describing the physical address of the primary site entrance.
Data Type and Length	VARCHAR2 (30)
Allowed Values	<p>Any value</p> <p>blank Not provided</p>
Default Value	blank

HHANDLER5

English Name Location City
Oracle Name LOCATION_CITY
Description Name of the city or town in which the handler is physically located.
Data Type and Length VARCHAR2 (25)
Allowed Values Any non-blank value
Default Value

English Name Location State
Oracle Name LOCATION_STATE
Foreign Key If Country Code = 'US' or blank then foreign key to POSTAL_CODE in LU_STATE.

Description If Country Code <> 'US' or blank then foreign key to COUNTRY_CODE in LU_COUNTRY.
State code of the location address.
Data Type and Length CHAR (2)
Allowed Values If Location Country <> US or blank then State code in LU_FOREIGN_STATE
If Location Country = US or blank then State postal code in LU_STATE
blank Not provided
Default Value blank
Notes For a list of valid state codes, refer to the Column Information Report for LU_STATE and LU_FOREIGN_STATE.

If Country Code = 'US' or blank then the Location State must be provided.

If Country Code = 'US' or blank and the first two characters of the Handler ID <> 'NN' (Navajo Nation) then the Location State must equal the first two characters of the Handler ID.

English Name Location Zip Code
Oracle Name LOCATION_ZIP
Description The zip code in which the handler is physically located.
Data Type and Length VARCHAR2 (14)
Allowed Values Any non-blank value
Default Value
Notes Zip code may include dash.

English Name Location Country
Oracle Name LOCATION_COUNTRY
Foreign Key Foreign key to COUNTRY_CODE in LU_COUNTRY.
Description The out-of-country location for transporters coming into the United States.
Data Type and Length CHAR (2)
Allowed Values Country code in LU_COUNTRY

HHANDLER5

Default Value	US blank	United States US (United States)
Notes	US For a list of valid country codes, refer to the Column Information Report for LU_COUNTRY. If Location Country is blank, then a value of 'US' will be assumed.	
English Name	County Code	
Oracle Name	COUNTY_CODE	
Foreign Key	Foreign key to COUNTY_CODE in LU_COUNTRY.	
Description	The Federal Information Processing Standard (FIPS) code for the county in which the facility is located (Ref: FIPS Publication, 6-4, "Counties and Equivalent Entities of the United States, its Possessions, and Associated Areas").	
Data Type and Length	CHAR (5)	
Allowed Values	County code in LU_COUNTRY	
Default Value		
Notes	Positions 1 and 2 must be a valid state postal code; Positions 3 through 5 must be a number from 000 - 999. For a list of valid county codes, refer to the Column Information Report for LU_COUNTRY.	
English Name	State District Owner	
Oracle Name	STATE_DISTRICT_OWNER	
Foreign Key	Foreign key to OWNER in LU_STATE_DISTRICT.	
Description	Indicates the agency that defined the State District.	
Data Type and Length	CHAR (2)	
Allowed Values	01 - 10	Region State postal code
	blank	Not provided
Default Value	blank	
Notes	If State District is provided then State District Owner must be provided.	
English Name	State District	
Oracle Name	STATE_DISTRICT	
Foreign Key	Foreign key to STATE_DISTRICT in LU_STATE_DISTRICT.	
Description	Code indicating the state-designated legislative district(s) in which the site is located.	
Data Type and Length	VARCHAR2 (10)	
Allowed Values	Implementer-defined value in LU_STATE_DISTRICT	
	blank	Not provided
Default Value	blank	
Notes	If State District Owner is provided then State District must be provided.	

HHANDLER5

English Name Land Type
Oracle Name LAND_TYPE
Description Code indicating current ownership status of the land on which the facility is located.
Data Type and Length CHAR (1)
Allowed Values

C	County
D	District
F	Federal
I	Tribal
M	Municipal
O	Other land type
P	Private
S	State
blank	Facility is not located on Indian land. Additional information is not known.

Default Value blank

Notes If the Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then the Land Type must be provided.

English Name Mailing Street Number
Oracle Name MAIL_STREET_NO
Description The street number from the primary business mailing address.
Data Type and Length VARCHAR2 (12)
Allowed Values

Any value	
blank	Not provided

Default Value blank

Notes The mailing address is often different from the location (physical site) address.

English Name Mailing Street 1
Oracle Name MAIL_STREET1
Description First line of the street address (or the post office box number) for primary business mailing purposes.
Data Type and Length VARCHAR2 (30)
Allowed Values

Any value	
blank	Not provided

Default Value blank

Notes The mailing address is often different from the location (physical site) address.

If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Mailing Street 1 must be provided.

HHANDLER5

English Name	Mailing Street 2
Oracle Name	MAIL_STREET2
Description	Second line of the street address (or the post office box number) for primary business mailing purposes.
Data Type and Length	VARCHAR2 (30)
Allowed Values	Any value blank Not provided
Default Value	blank
Notes	The mailing address is often different from the location (physical site) address.
English Name	Mailing City
Oracle Name	MAIL_CITY
Description	Name of the city or town of the handler's mailing address.
Data Type and Length	VARCHAR2 (25)
Allowed Values	Any value blank Not provided
Default Value	blank
Notes	If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Mailing City must be provided.
English Name	Mailing State
Oracle Name	MAIL_STATE
Foreign Key	If Country Code = 'US' or blank then foreign key to POSTAL_CODE in LU_STATE.
Description	If Country Code <> 'US' or blank then foreign key to COUNTRY_CODE in LU_COUNTRY. State code of the mailing address.
Data Type and Length	CHAR (2)
Allowed Values	If Mailing Country <> US or blank then State code in LU_FOREIGN_STATE If Mailing Country = US or blank then State postal code in LU_STATE blank Not provided
Default Value	blank
Notes	For a list of valid state codes, refer to the Column Information Report for LU_STATE and LU_FOREIGN_STATE. If Country Code = 'US' or blank and Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Mailing State must be provided.
English Name	Mailing Zip Code
Oracle Name	MAIL_ZIP
Description	Zip code in the primary business mailing address.
Data Type and Length	VARCHAR2 (14)
Allowed Values	Any value blank Not provided

HHANDLER5

Default Value blank

Notes Zip code may include dash.

The mailing address is often different from the location (physical site) address.

If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Mailing Zip Code must be provided.

English Name Mailing Country

Oracle Name MAIL_COUNTRY

Foreign Key Foreign key to COUNTRY_CODE in LU_COUNTRY.

Description Country code of the mailing address.

Data Type and Length CHAR (2)

Allowed Values Country code in LU_COUNTRY
 US United States
 blank US (United States)

Default Value US

Notes For a list of valid country codes, refer to the Column Information Report for LU_COUNTRY.

If Mailing Country is blank, then a value of 'US' will be assumed.

English Name Contact First Name

Oracle Name CONTACT_FIRST_NAME

Description First name of the primary contact person for the site location who should be reasonably expected to be available at all times and fully aware of the regulated activities being performed at the site.

Data Type and Length VARCHAR2 (15)

Allowed Values Any value
 blank Not provided

Default Value blank

Notes If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Contact First Name must be provided.

English Name Contact Middle Initial

Oracle Name CONTACT_MIDDLE_INITIAL

Description Middle initial of the primary contact person for the site location who should be reasonably expected to be available at all times and fully aware of the regulated activities being performed at the site.

Data Type and Length CHAR (1)

Allowed Values Any value
 Any value
 blank Not provided

Default Value blank

HHANDLER5

English Name Contact Last Name
Oracle Name CONTACT_LAST_NAME
Description Last name of the primary contact person for the site location who should be reasonably expected to be available at all times and fully aware of the regulated activities being performed at the site.
Data Type and Length VARCHAR2 (15)
Allowed Values Any value
 blank Not provided
Default Value blank
Notes If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Contact Last Name must be provided.

English Name Contact Street Number
Oracle Name CONTACT_STREET_NO
Description The street number from the contact street address.
Data Type and Length VARCHAR2 (12)
Allowed Values Any value
 blank Not provided
Default Value blank

English Name Contact Street 1
Oracle Name CONTACT_STREET1
Description First line of the street address (or the post office box number) for the contact.
Data Type and Length VARCHAR2 (30)
Allowed Values Any value
 blank Not provided
Default Value blank

English Name Contact Street 2
Oracle Name CONTACT_STREET2
Description Second line (as needed) of the street address for the contact.
Data Type and Length VARCHAR2 (30)
Allowed Values Any value
 blank Not provided
Default Value blank

HHANDLER5

English Name	Contact City
Oracle Name	CONTACT_CITY
Description	The city or town of the contact address.
Data Type and Length	VARCHAR2 (25)
Allowed Values	Any value blank Not provided
Default Value	blank
English Name	Contact State
Oracle Name	CONTACT_STATE
Foreign Key	If Country Code = 'US' or blank then foreign key to POSTAL_CODE in LU_STATE.
Description	If Country Code <> 'US' or blank then foreign key to COUNTRY_CODE in LU_COUNTRY. State code of the contact address.
Data Type and Length	CHAR (2)
Allowed Values	If Contact Country <> US or blank then State code in LU_FOREIGN_STATE If Contact Country = US or blank then State postal code in LU_STATE blank Not provided
Default Value	blank
Notes	For a list of valid state codes, refer to the Column Information Report for LU_STATE and LU_FOREIGN_STATE.
English Name	Contact Zip
Oracle Name	CONTACT_ZIP
Description	Zip code of the contact address.
Data Type and Length	VARCHAR2 (14)
Allowed Values	Any value blank Not provided
Default Value	blank
Notes	Zip code may include dash.
English Name	Contact Country
Oracle Name	CONTACT_COUNTRY
Foreign Key	Foreign key to COUNTRY_CODE in LU_COUNTRY.
Description	Country code of the contact address.
Data Type and Length	CHAR (2)
Allowed Values	Country code in LU_COUNTRY US United States blank US (United States)
Default Value	US

HHANDLER5

Notes	For a list of valid country codes, refer to the Column Information Report for LU_COUNTRY. If Contact Country is blank, then a value of 'US' will be assumed.
English Name	Contact Telephone Number
Oracle Name	CONTACT_PHONE
Description	Telephone number at which the site contact may be reached.
Data Type and Length	VARCHAR2 (15)
Allowed Values	Any value blank Not provided
Default Value	blank
Notes	If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Contact Telephone Number must be provided. Telephone number can include space, parentheses and hyphen.
English Name	Contact Telephone Extension
Oracle Name	CONTACT_PHONE_EXT
Description	Telephone number extension associated with the contact.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Any value blank Not provided
Default Value	blank
English Name	Contact Facsimile Number
Oracle Name	CONTACT_FAX
Description	Facsimile number at which the site contact may be reached.
Data Type and Length	VARCHAR2 (15)
Allowed Values	Any value blank Not provided
Default Value	blank
Notes	Facsimile number can include space, parentheses and hyphen.

HHANDLER5

English Name Contact E-mail Address
Oracle Name CONTACT_EMAIL_ADDRESS
Description E-mail address associated with the contact.
Data Type and Length VARCHAR2 (80)
Allowed Values Any value
 blank Not provided
Default Value blank

English Name Contact Title
Oracle Name CONTACT_TITLE
Description Title of the site contact person.
Data Type and Length VARCHAR2 (45)
Allowed Values Any value
 blank Not provided
Default Value blank

English Name Federal Waste Generator Code Owner
Oracle Name FED_WASTE_GENERATOR_OWNER
Foreign Key Foreign key to OWNER in LU_GENERATOR_STATUS.
Description Indicates the agency that defined the Federal Generator Status Type.
Data Type and Length CHAR (2)
Allowed Values 01-10 Regionally defined
 State postal code
 blank Not provided
Default Value blank
Notes If Source Type = 'N', 'A', 'R', or 'B' then the Federal Waste Generator Code Owner must be provided.

If Receive Date >= 4/1/2010 and Source Type = 'I', 'E', or 'T' then the Federal Waste Generator Code Owner must be provided.

If Federal Waste Generator Code is provided then Federal Waste Generator Code Owner must be provided.

English Name Federal Waste Generator Code
Oracle Name FED_WASTE_GENERATOR
Foreign Key Foreign key to WASTE_GENERATOR_STATUS_CODE in LU_GENERATOR_STATUS.
Description Code indicating the regulatory status of the site with respect to the Federal rules to which it is subject as determined by the quantity and/or toxicity of hazardous wastes generated, stored, or accumulated over a specified period of time.
Data Type and Length CHAR (1)
Allowed Values Nationally-defined value in LU_GENERATOR_STATUS

HHANDLER5

Existing nationally-defined values:

1 Large Quantity Generator
Handlers that:

- generate 1,000 kg or more of hazardous waste during any calendar month; or
- generate more than 1 kg of acutely hazardous waste during any calendar month; or
- generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or
- generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or
- generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

2 Small Quantity Generator
Handlers that:

- generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or
- generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.

3 Conditionally Exempt Small Quantity Generator
Handlers that:

- generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or
- generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time:
 - a) 1 kg or less of acutely hazardous waste; or
 - b) 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;
 or
- generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time:
 - a) 1 kg or less of acutely hazardous waste; or
 - b) 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any

HHANDLER5

land or water, of acutely hazardous waste.
 N Not a generator, verified
 blank Not provided

Default Value**Notes**

If Source Type = 'N', 'A', 'R', or 'B' then the Federal Waste Generator Code must be provided.

If Receive Date >= 4/1/2010 and Source Type = 'I', 'E', or 'T' then the Federal Waste Generator Code must be provided.

If Federal Waste Generator Code Owner is provided then Federal Waste Generator Code must be provided.

English Name

State Waste Generator Code Owner

Oracle Name

STATE_WASTE_GENERATOR_OWNER

Foreign Key

Foreign key to OWNER in LU_GENERATOR_STATUS.

Description

Indicates the agency that defined the State Generator Status Type.

Data Type and Length

CHAR (2)

Allowed Values

01 - 10 Region
 State postal code
 blank Not provided

Default Value

blank

Notes

If Source Type = 'N', 'A', 'R', or 'B' then the State Waste Generator Code Owner must be provided.

If Receive Date >= 4/1/2010 and Source Type = 'I', 'E', or 'T' then the State Waste Generator Code Owner must be provided.

If State Waste Generator Code is provided then State Waste Generator Code Owner must be provided.

English Name

State Waste Generator Code

Oracle Name

STATE_WASTE_GENERATOR

Foreign Key

Foreign key to WASTE_GENERATOR_STATUS_CODE in LU_GENERATOR_STATUS.

Description

Code indicating the regulatory status of the site in view of the implementing State's "broader in scope" or "more stringent than" rules. Although such an implementing State might use terms that differ for their generators (e.g., "Fully Regulated Generator"), these terms would be translated to match the Federal regulatory term (i.e., LQG, SQG, or CESQG) that best represents the way that the State regulates the generator.

Data Type and Length

CHAR (1)

Allowed Values

Implementer-defined value in LU_GENERATOR_STATUS
 blank Not provided

Default Value

blank

Notes

If Source Type = 'N', 'A', 'R', or 'B' then the State Waste Generator Code must be provided.

If Receive Date >= 4/1/2010 and Source Type = 'I', 'E', or 'T' then the State Waste Generator Code must be provided.

If State Waste Generator Code Owner is provided then State Waste Generator Code must be provided.

HHANDLER5

N Definition varies based on Source and/or Receive Date:
 No [Sources N, A, or B]
 No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
 No [Sources I, R, E, or T and Receive Date >= 4/1/10]
 Y Yes
Default Value N

English Name Transfer Facility Activity
Oracle Name TRANSFER_FACILITY
Description Code indicating whether the handler holds manifested hazardous waste at the site for a period of ten days or less while the waste is in transit. Refer to 40 CFR 263.12 for additional information.
Data Type and Length CHAR (1)
Allowed Values N Definition varies based on Receive Date:
 No [Receive Date >= 4/1/2010]
 No or Unknown [Receive Date < 4/1/2010]
 Y Yes
Default Value N

English Name TSD Activity
Oracle Name TSD_ACTIVITY
Description Code indicating whether the handler is engaged in the treatment, storage, or disposal of hazardous waste which required a RCRA hazardous waste permit. Refer to 40 CFR 264, 265, 266, and 270 for additional information.
Data Type and Length CHAR (1)
Allowed Values N Definition varies based on Source and/or Receive Date:
 No [Sources N, A, or B]
 No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
 No [Sources I, R, E, or T and Receive Date >= 4/1/10]
 Y Yes
Default Value N

English Name Recycler Activity
Oracle Name RECYCLER_ACTIVITY
Description Code indicating whether the site is engaged in the recycling of hazardous waste through activities such as use or reuse as ingredients in industrial processes to make product provided that the materials are not being reclaimed, used or reused as effective substitutes for commercial products, returned to the original process from which they are generated without first being reclaimed. Refer to 40 CFR 261.6 for additional information.
Data Type and Length CHAR (1)
Allowed Values N Definition varies based on Source and/or Receive Date:
 No [Sources N, A, or B]
 No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
 No [Sources I, R, E, or T and Receive Date >= 4/1/10]

HHANDLER5

Default Value	Y N	Yes
English Name	On-site Burner Exemption	
Oracle Name	ONSITE_BURNER_EXEMPTION	
Description	Code indicating whether the handler qualifies for the Small Quantity On-site Burner Exemption. Refer to 40 CFR 266.108 for additional information.	
Data Type and Length	CHAR (1)	
Allowed Values	N	Definition varies based on Source and/or Receive Date: No [Sources N, A, or B] No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10] No [Sources I, R, E, or T and Receive Date >= 4/1/10]
Default Value	Y N	Yes
English Name	Furnace Exemption	
Oracle Name	FURNACE_EXEMPTION	
Description	Code indicating that the handler qualifies for the Smelting, Melting, and Refining Furnace Exemption. Refer to 40 CFR 266.100(d), 266.100(g), and 266.100(h) for additional information.	
Data Type and Length	CHAR (1)	
Allowed Values	N	Definition varies based on Source and/or Receive Date: No [Sources N, A, or B] No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10] No [Sources I, R, E, or T and Receive Date >= 4/1/10]
Default Value	Y N	Yes
Notes	If Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Furnace Exemption cannot equal 'U' - Unknown. If Receive Date >= 4/1/2010 and Source Type = 'I', 'E', or 'T' then Furnace Exemption cannot equal 'U' - Unknown.	
English Name	Underground Injection Activity	
Oracle Name	UNDERGROUND_INJECTION_ACTIVITY	
Description	Code indicating whether the site is engaged in the management of hazardous wastes by subsurface emplacement of fluids through a bored, drilled, or driven well, or a dug well where the depth of the dug well is greater than its largest surface dimension. Refer to 40 CFR 148 for additional information.	
Data Type and Length	CHAR (1)	
Allowed Values	N	Definition varies based on Source and/or Receive Date: No [Sources N, A, or B] No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10] No [Sources I, R, E, or T and Receive Date >= 4/1/10]
Default Value	Y	Yes

HHANDLER5

Default Value	N
English Name	Off-site Waste Receipt
Oracle Name	OFF_SITE_RECEIPT
Description	Code indicating that the handler, whether public or private, currently accepts hazardous waste from another site (site identified by a different EPA ID).
Data Type and Length	CHAR (1)
Allowed Values	N Definition varies based on Receive Date: No [Receive Date >= 4/1/2010] No or Unknown [Receive Date < 4/1/2010]
	Y Yes
Default Value	N
English Name	Universal Waste Destination Facility
Oracle Name	UNIVERSAL_WASTE_DEST_FACILITY
Description	Code indicating whether the facility treats, disposes of, or recycles universal wastes on site. Refer to 40 CFR 261.9 and 40 CFR 273 for additional information.
Data Type and Length	CHAR (1)
Allowed Values	N Definition varies based on Source and/or Receive Date: No [Sources N, A, or B] No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10] No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y Yes
Default Value	N
English Name	Used Oil Transporter
Oracle Name	USED_OIL_TRANSPORTER
Description	Code indicating whether the site transports or collects and transports used oil from more than one generator. The transporter may aggregate loads for the purposes of transportation but may not process the oil with the exception of incidental processing, such as oil/water separation, that may occur during transportation. Refer to 40 CFR 279.40-47 for additional information.
Data Type and Length	CHAR (1)
Allowed Values	N Definition varies based on Source and/or Receive Date: No [Sources N, A, or B] No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10] No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y Yes
Default Value	N

HHANDLER5

English Name	Off-Specification Used Oil Burner
Oracle Name	USED_OIL_BURNER
Description	Code indicating whether the facility burns off-specification used oil for energy recovery in devices or processes such as: 1) Industrial furnaces, boilers for facilities engaged in manufacturing processes, 2) Boilers for the production of electric power, stream heated or cooled air or other gases or fluids for sale, 3) Used oil space heaters provided that the used oil originates from the owner/operator or from do-it-yourself used oil generation, or 4) Hazardous waste incineration.
Data Type and Length	CHAR (1)
Allowed Values	N Definition varies based on Source and/or Receive Date: No [Sources N, A, or B] No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10] No [Sources I, R, E, or T and Receive Date >= 4/1/10] Y Yes
Default Value	N
English Name	Used Oil Fuel Marketer to Burners
Oracle Name	USED_OIL_MARKET_BURNER
Description	Code indicating whether the site directs shipments of off-specification used oil from the facility to used oil burners. Refer to 40 CFR 279.70-75 for additional information.
Data Type and Length	CHAR (1)
Allowed Values	N Definition varies based on Source and/or Receive Date: No [Sources N, A, or B] No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10] No [Sources I, R, E, or T and Receive Date >= 4/1/10] Y Yes
Default Value	N
English Name	Used Oil Specification Marketer
Oracle Name	USED_OIL_SPEC_MARKETER
Description	Code indicating whether the handler first claims that used oil targeted for energy recovery meets used fuel oil specifications. Refer to 40 CFR 279.11 for additional information.
Data Type and Length	CHAR (1)
Allowed Values	N Definition varies based on Source and/or Receive Date: No [Sources N, A, or B] No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10] No [Sources I, R, E, or T and Receive Date >= 4/1/10] Y Yes
Default Value	N

HHANDLER5

English Name	Subpart K - College or University	
Oracle Name	SUBPART_K_COLLEGE	
Description	Code indicating if the handler is managing laboratory hazardous waste under 40 CFR 262 Subpart K as an eligible college or university.	
Data Type and Length	CHAR (1)	
Allowed Values	N	No
	Y	Yes
	blank	Not provided
Default Value	N	
Notes	If Receive Date >= 4/1/2010 then Subpart K - College or University must be provided.	
English Name	Subpart K - Teaching Hospital	
Oracle Name	SUBPART_K_HOSPITAL	
Description	Code indicating if the handler is managing laboratory hazardous waste under 40 CFR 262 Subpart K as an eligible teaching hospital.	
Data Type and Length	CHAR (1)	
Allowed Values	N	No
	Y	Yes
	blank	Not provided
Default Value	N	
Notes	If Receive Date >= 4/1/2010 then Subpart K - Teaching Hospital must be provided.	
English Name	Subpart K - Non-profit Research Institute	
Oracle Name	SUBPART_K_NONPROFIT	
Description	Code indicating if the handler is managing laboratory hazardous waste under 40 CFR 262 Subpart K as an eligible non-profit research institute.	
Data Type and Length	CHAR (1)	
Allowed Values	N	No
	Y	Yes
	blank	Not provided
Default Value	N	
Notes	If Receive Date >= 4/1/2010 then Subpart K - Non-profit Research Institute must be provided.	
English Name	Subpart K - Withdrawal	
Oracle Name	SUBPART_K_WITHDRAWAL	
Description	Code indicating if the handler is withdrawing from managing laboratory hazardous waste under 40 CFR 262 Subpart K.	
Data Type and Length	CHAR (1)	
Allowed Values	N	No
	Y	Yes
	blank	Not provided
Default Value	N	
Notes	If Receive Date >= 4/1/2010 then Subpart K - Withdrawal must be provided.	

HHANDLER5

English Name Include in National Report
Oracle Name INCLUDE_IN_NATIONAL_REPORT
Description Flag indicating that the facility should be included in the National Biennial RCRA Hazardous Waste Report.
Data Type and Length CHAR (1)
Allowed Values N No
U Unknown
Y Yes

Default Value

Notes If Source Type equals 'B' or 'R', then Include in National Report must be provided.

If Report Cycle >= 2001 then Include In National Report cannot be equal to 'U' - Unknown.

Include In National Report has been set to 'U' for BR cycles prior to 2001.

English Name Reporting Cycle Year
Oracle Name REPORT_CYCLE
Description The year for which biennial report data was collected.
Data Type and Length NUMBER (4.0)
Allowed Values Valid four-digit Biennial Report cycle year beginning with 1989
blank Not provided

Default Value

blank

Notes If Source Type equals 'B' or 'R' then Reporting Cycle Year must be provided.

English Name CDX Transaction ID
Oracle Name CDX_TRANSACTION_ID
Description Number assigned to the Site ID Form submitted via the MyRCRAID submission.
Data Type and Length VARCHAR2 (20)
Allowed Values Any value
blank Not provided

Default Value

blank

English Name User ID of Last Change
Oracle Name USERID
Description Records the user ID of the last person to change the data.
Data Type and Length VARCHAR2 (6)
Allowed Values Valid user ID
Default Value Current user ID

HHANDLER5

English Name	Date of Last Change
Oracle Name	LAST_CHANGE
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

English Name	Notes
Oracle Name	NOTES
Description	Additional information regarding the handler.
Data Type and Length	VARCHAR2 (4000)
Allowed Values	Any value blank Not provided
Default Value	blank
Notes	The Notes field may contain information regarding NAICS, Universal Waste, Certification, Other Permit, Hazardous Secondary Material, and State Activity.

*** End of Report ***