HNAICS5					
Business Rules	<ul> <li>User must be the implementer of record for Handler information.</li> <li>Handler ID, Activity Location, Source Type, and Sequence Number must exist in HHANDLER5.</li> <li>Handler ID, Activity Location, Source Type, Sequence Number, and NAICS Sequence Number must be unique.</li> <li>Use of the HNAICS5 table is mandatory.</li> </ul>				
English Name	EPA Handler ID (Primary Key)				
Oracle Name	HANDLER_ID				
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).				
Data Type and Length	VARCHAR2 (12)				
Allowed Values	Valid ID as outlined below:				
	The ID can be a minimum of 4 characters and a maximum of 12 characters.  The first two characters must be a valid state postal code which corresponds to the state in which the handler is located.  Spaces are not allowed.				
Default Value					
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.				
English Name	Activity Location (Primary Key)				
Oracle Name	ACTIVITY_LOCATION				
Description	Indicates the location of the agency regulating the handler.				
Data Type and Length	CHAR (2)				
Allowed Values	State postal code				
Default Value	Location associated with the current user ID.				
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.				
English Name	Source Type (Primary Key)				
Oracle Name	SOURCE_TYPE				
Description	Code indicating the source of information for the associated data (activity, wastes, etc.).				
Data Type and Length	CHAR (1)				
Allowed Values	Α	Part A			
		Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt			
	_	from obtaining a hazardous waste permit.			
	В	Annual/Biennial Report updated with Notification			
	E	Emergency Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.			
	I N	Implementer Notification			

Н	N	ΑI	CS5
		, ,,	

Indicates that the facility's waste activity is regulated under Subtitle C of the Resource Conservation and Recovery Act and the rules promulgated pursuant to the Act or the facility is an eligible academic entity opting into 40 CFR 262 Subpart K or the facility will begin managing hazardous secondary material under 40 CFR 261.2(a)(2)(ii), 40 CFR 261.4(a)(23), (24), or (25).

R Annual/Biennial Report

Τ **Temporary** 

**Default Value** 

Notes If the BR Report Cycle >= 2009 then the Source Type must equal 'B'.

Handler Sequence Number (Primary Key) **English Name** 

**Oracle Name** SEQ NUMBER

Description Sequence number for each source record about a handler.

**Data Type and Length** NUMBER (6.0) **Allowed Values** 1 - 999999

**Default Value** 

NAICS Sequence Number (Primary Key) **English Name** 

NAICS SEQ **Oracle Name** 

Description Sequence number for each NAICS code for the handler.

Data Type and Length NUMBER (4.0) **Allowed Values** 1 - 9999

**Default Value** 

The primary industrial activity should be provided as the first NAICS code (NAICS Sequence Number = 1). Notes

**English Name** NAICS Code Owner **Oracle Name** NAICS OWNER

Foreign key to OWNER in LU\_NAICS. Foreign Key

Description Indicates the agency that defined the NAICS Code.

**Data Type and Length** CHAR (2)

**Allowed Values** HQ

Nationally defined

**Default Value** 

## **HNAICS5**

English Name NAICS (North American Industry Classification System) Code

Oracle Name NAICS\_CODE

**Foreign Key** Foreign key to NAICS\_CODE in LU\_NAICS.

**Description** The industrial activity of the facility as defined by a standard industrial coding system.

Data Type and Length VARCHAR2 (6)

Allowed Values Nationally-defined value in LU\_NAICS

**Default Value** 

**Notes** The primary industrial activity should be provided as the first NAICS code (NAICS Sequence Number = 1).

For a list of valid NAICS codes, refer to the Nationally Defined Value section in the RCRAInfo on-line help utility.

English Name User ID of Last Change

Oracle Name USERID

**Description** Records the user ID of the last person to change the data.

Data Type and LengthVARCHAR2 (6)Allowed ValuesValid user IDDefault ValueCurrent user ID

English Name Date of Last Change Oracle Name LAST\_CHANGE

**Description** Records the date that the data was last changed.

Data Type and Length DATE

Allowed Values Valid date/time stamp

Default Value Current date and time

<sup>\*</sup> End of Report \*