| | HOWNER_OPERATOR5 | | |
|--|---|--|--|
| Business Rules | User must be the implementer of record for Handler information. Handler ID, Activity Location, Source Type, and Sequence Number must exist in HHANDLER5. Handler ID, Activity Location, Source Type, Sequence Number, and Owner/Operator Sequence Number must be unique. Use of the HOWNER_OPERATOR5 table is mandatory. | | |
| English Name Oracle Name Description Data Type and Length Allowed Values | EPA Handler ID (Primary Key) HANDLER_ID Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities). VARCHAR2 (12) Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed. | | |
| Default Value Notes | Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located. | | |
| English Name Oracle Name Description Data Type and Length Allowed Values Default Value Notes | Activity Location (Primary Key) ACTIVITY_LOCATION Indicates the location of the agency regulating the handler. CHAR (2) State postal code Location associated with the current user ID. For a list of valid state postal codes, refer to the Column Information Report for LU_STATE. | | |
| English Name Oracle Name Description Data Type and Length Allowed Values | Source Type (Primary Key) SOURCE_TYPE Code indicating the source of information for the associated data (activity, wastes, etc.). CHAR (1) A Part A Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit. B Annual/Biennial Report updated with Notification E Emergency Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days. I Implementer N Notification | | |

| Default Value Notes | R T If the BR Re | Indicates that the facility's waste activity is regulated under Subtitle C of the Resource Conservation and Recovery Act and the rules promulgated pursuant to the Act or the facility is an eligible academic entity opting into 40 CFR 262 Subpart K or the facility will begin managing hazardous secondary material under 40 CFR 261.2(a)(2)(ii), 40 CFR 261.4(a)(23), (24), or (25). Annual/Biennial Report Temporary | | | |
|--|---|--|--|--|--|
| English Name | Handler Sequence Number (Primary Key) | | | | |
| Oracle Name | | SEQ_NUMBER | | | |
| Description | Sequence number for each source record about a handler. | | | | |
| Data Type and Length | NUMBER (| NUMBER (6.0) | | | |
| Allowed Values | 1 - 999999 | | | | |
| Default Value | | | | | |
| English Name | Owner/Operator Sequence Number (Primary Key) | | | | |
| Oracle Name | OWNER_C | OWNER_OPERATOR_SEQ | | | |
| Description | Sequential number used to order multiple occurrences of owners and operators. | | | | |
| Data Type and Length | NUMBER (4.0) | | | | |
| Allowed Values | 1 - 9999 | | | | |
| Default Value | | | | | |
| | Owner/Operator Indicator | | | | |
| English Name | Owner/Ope | erator Indicator | | | |
| English Name Oracle Name | | Prator Indicator | | | |
| - | OWNER_O Code indica | | | | |
| Oracle Name Description | OWNER_O Code indica operators. | DPERATOR_INDICATOR | | | |
| Oracle Name Description Data Type and Length | OWNER_O Code indica operators. CHAR (2) | DPERATOR_INDICATOR ating whether the data is associated with a current or previous owner or operator. The system will allow multiple current owners and | | | |
| Oracle Name Description | OWNER_O Code indica operators. CHAR (2) CO | DPERATOR_INDICATOR ating whether the data is associated with a current or previous owner or operator. The system will allow multiple current owners and Current owner | | | |
| Oracle Name Description Data Type and Length | OWNER_O Code indica operators. CHAR (2) CO CP | DPERATOR_INDICATOR ating whether the data is associated with a current or previous owner or operator. The system will allow multiple current owners and Current owner Current operator | | | |
| Oracle Name Description Data Type and Length | OWNER_O Code indica operators. CHAR (2) CO CP PO | DPERATOR_INDICATOR ating whether the data is associated with a current or previous owner or operator. The system will allow multiple current owners and Current owner Current operator Previous owner | | | |
| Oracle Name Description Data Type and Length | OWNER_O Code indica operators. CHAR (2) CO CP | DPERATOR_INDICATOR ating whether the data is associated with a current or previous owner or operator. The system will allow multiple current owners and Current owner Current operator | | | |

| English Name Owner/Operator Type Oracle Name OWNER_OPERATOR_TYPE Description Owner Type: Code indicating the type of entity that legally owns the facility. | |
|---|----------------------------|
| | |
| | |
| Operator Type: Code indicating the type of entity that is responsible for the overall operation of the facility. Data Type and Length CHAR (1) | |
| Allowed Values C County | |
| D District | |
| F Federal I Tribal | |
| M Municipal | |
| O Other | |
| P Private S State | |
| Default Value | |
| English Name Owner/Operator Name | |
| Oracle Name OWNER_OPERATOR_NAME | |
| Description Owner Name: The name of the entity (individual, agency, or corporation) having legal ownership of the physical op may or may not be the same as the actual site name or the operator name. | eration. The owner name |
| Operator Name: The name of the entity (individual, agency, or corporation) that is responsible for the overall operator operator name may or may not be the same as the actual site name or the owner name. | ation of the facility. The |
| Data Type and Length VARCHAR2 (40) | |
| Allowed Values Any non-blank value Default Value | |
| English Name Date Became Current | |
| Oracle Name DATE_BECAME_CURRENT | |
| Description Date indicating when the owner/operator became current. Data Type and Length DATE | |
| Allowed Values Valid date greater than or equal to January 1, 1600 in MM/DD/YYYY format blank Not provided | |
| Default Value blank | |
| NotesIf the Receive Date >= 1/1/2004 then the Date Became Current must be provided. | |
| | |
| English Name Date Ended Current | |
| English Name Date Ended Current Oracle Name DATE_ENDED_CURRENT Description Date indicating when the owner/operator changed to a different owner/operator. | |

| HOWNER_OPERATOR5 | | |
|---|---|--|
| Allowed Values | Valid date greater than or equal to the Date Became Current in MM/DD/YYYY format blank Not provided | |
| Default Value | blank | |
| Notes | When entering a new owner/operator, any previous owners/operators that are no longer current should be updated to include a Date Ended Current. | |
| English Name | Owner/Operator Street Number | |
| Oracle Name | STREET_NO | |
| Description | The street number from the address of the facility owner or operator. | |
| Data Type and Length | VARCHAR2 (12) | |
| Allowed Values | Any value blank Not provided | |
| Default Value | blank | |
| English Name Oracle Name Description Data Type and Length Allowed Values | Owner/Operator Street 1 STREET1 First line of the street address or post office box number of the facility owner or operator. VARCHAR2 (30) Any value blank Not provided | |
| Default Value | blank | |
| English Name Oracle Name Description Data Type and Length Allowed Values Default Value | Owner/Operator Street 2 STREET2 Second line of the street address or post office box number of the facility owner or operator. VARCHAR2 (30) Any value blank Not provided blank | |

| English Name | Owner/Operator City |
|----------------------------|--|
| Oracle Name Description | CITY The city or town in the address of the facility owner or operator. |
| Data Type and Length | VARCHAR2 (25) |
| Allowed Values | Any value |
| | blank Not provided |
| Default Value | blank |
| English Name | Owner/Operator State |
| Oracle Name | STATE |
| Foreign Key | If Country Code = 'US' or blank then foreign key to POSTAL_CODE in LU_STATE. |
| | If Country Code <> 'US' or blank then foreign key to COUNTRY_CODE in LU_COUNTRY. |
| Description | The state code in the address of the facility owner or operator. |
| Data Type and Length | CHAR (2) |
| Allowed Values | If Owner/Operator Country <> US or blank then State code in LU_FOREIGN_STATE |
| | If Owner/Operator Country = US or blank then State postal code in LU_STATE blank Not provided |
| Default Value | blank |
| Notes | For a list of valid state codes, refer to the Column Information Report for LU_STATE and LU_FOREIGN_STATE. |
| English Name | Owner/Operator Zip Code |
| Oracle Name | ZIP |
| Description | Zip code in the address of the owner or operator. |
| Data Type and Length | |
| Allowed Values | Any value blank Not provided |
| Default Value | blank |
| English Name | Owner/Operator Country |
| Oracle Name | COUNTRY |
| Foreign Key | Foreign key to COUNTRY_CODE in LU_COUNTRY. |
| Description | The country code in the address of the facility owner or operator. |
| Data Type and Length | |
| Allowed Values | Country code in LU_COUNTRY |
| | US United States |
| Defeult Value | blank US (United States) |
| Default Value | US For a list of valid country codes, refer to the Column Information Report for LU_COUNTRY. |
| Notes | |
| | |

| | If Country is blank, then a value of 'US' will be assumed. | |
|----------------------|---|--|
| English Name | Owner/Operator Telephone Number | |
| Oracle Name | PHONE | |
| Description | Telephone number associated with the owner or operator. | |
| Data Type and Length | VARCHAR2 (15) | |
| Allowed Values | Any value blank Not provided | |
| Default Value | blank | |
| Notes | Telephone number can include space, parentheses and hyphen. | |
| English Name | User ID of Last Change | |
| Oracle Name | USERID | |
| Description | Records the user ID of the last person to change the data. | |
| Data Type and Length | VARCHAR2 (6) | |
| Allowed Values | Valid user ID | |
| Default Value | Current user ID | |
| English Name | Date of Last Change | |
| Oracle Name | LAST_CHANGE | |
| Description | Records the date that the data was last changed. | |
| Data Type and Length | | |
| Allowed Values | Valid date/time stamp | |
| Default Value | Current date and time | |

 English Name
 Notes

 Oracle Name
 NOTES

 Description
 Additional information regarding the owner/operator.

 Data Type and Length
 VARCHAR2 (2000)

 Allowed Values
 Any value blank
 Not provided

 Default Value
 blank
 Varchare

* End of Report *

Page 7