# HUNIVERSAL_WASTE5

| | |
|---|---|
| **Business Rules** | • User must be the implementer of record for Handler information. |
| | • Handler ID, Activity Location, Source Type, and Sequence Number must exist in HHANDLER5. |
| | • Handler ID, Activity Location, Source Type, Sequence Number, Universal Waste Owner, and Universal Waste Type must be unique. |
| | • Either Accumulated or Generated must equal 'Y'. |
| | • Use of the HUNIVERSAL_WASTE5 table is mandatory. |

| | |
|---|---|
| **English Name** | EPA Handler ID **(Primary Key)** |
| **Oracle Name** | HANDLER_ID |
| **Description** | Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities). |
| **Data Type and Length** | VARCHAR2 (12) |
| **Allowed Values** | Valid ID as outlined below: |
| | The ID can be a minimum of 4 characters and a maximum of 12 characters. |
| | The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. |
| | Spaces are not allowed. |
| **Default Value** | |
| **Notes** | Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located. |

| | |
|---|---|
| **English Name** | Activity Location **(Primary Key)** |
| **Oracle Name** | ACTIVITY_LOCATION |
| **Description** | Indicates the location of the agency regulating the handler. |
| **Data Type and Length** | CHAR (2) |
| **Allowed Values** | State postal code |
| **Default Value** | Location associated with the current user ID. |
| **Notes** | For a list of valid state postal codes, refer to the Column Information Report for LU_STATE. |

| | | |
|---|---|---|
| **English Name** | Source Type **(Primary Key)** | |
| **Oracle Name** | SOURCE_TYPE | |
| **Description** | Code indicating the source of information for the associated data (activity, wastes, etc.). | |
| **Data Type and Length** | CHAR (1) | |
| **Allowed Values** | A | Part A |
| | | Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit. |
| | B | Annual/Biennial Report updated with Notification |
| | E | Emergency |
| | | Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days. |
| | I | Implementer |

# HUNIVERSAL_WASTE5

|  |  |
|---|---|
| N | Notification |
|  | Indicates that the facility's waste activity is regulated under Subtitle C of the Resource Conservation and Recovery Act and the rules promulgated pursuant to the Act or the facility is an eligible academic entity opting into 40 CFR 262 Subpart K or the facility will begin managing hazardous secondary material under 40 CFR 261.2(a)(2)(ii), 40 CFR 261.4(a)(23), (24), or (25). |
| R | Annual/Biennial Report |
| T | Temporary |

**Default Value**

**Notes**      If the BR Report Cycle >= 2009 then the Source Type must equal 'B'.

---

**English Name**      Handler Sequence Number **(Primary Key)**
**Oracle Name**      SEQ_NUMBER
**Description**      Sequence number for each source record about a handler.
**Data Type and Length**      NUMBER (6.0)
**Allowed Values**      1 - 999999
**Default Value**

---

**English Name**      Universal Waste Type Owner **(Primary Key)**
**Oracle Name**      UNIVERSAL_WASTE_OWNER
**Foreign Key**      Foreign key to OWNER in LU_UNIVERSAL_WASTE.
**Description**      Indicates the agency that defined the Universal Waste Type.
**Data Type and Length**      CHAR (2)
**Allowed Values**

| | |
|---|---|
| 01 - 10 | Region |
| HQ | Nationally defined |
| State postal code | |

**Default Value**

---

**English Name**      Universal Waste Type **(Primary Key)**
**Oracle Name**      UNIVERSAL_WASTE_TYPE
**Foreign Key**      Foreign key to UNIVERSAL_WASTE_TYPE in LU_UNIVERSAL_WASTE.
**Description**      Code indicating the type of universal waste.
**Data Type and Length**      CHAR (1)
**Allowed Values**      Nationally- or implementer-defined value in LU_UNIVERSAL_WASTE.

Existing nationally-defined values:

| | |
|---|---|
| B | Batteries |
| L | Lamps |
| P | Pesticides |
| T | Mercury containing equipment |

**Default Value**

# HUNIVERSAL_WASTE5

| | |
|---|---|
| **English Name** | Managed Universal Waste |
| **Oracle Name** | ACCUMULATED |
| **Description** | Code indicating that the handler is engaged in managing universal waste on-site. |
| **Data Type and Length** | CHAR (1) |
| **Allowed Values** | N        No |
| | Y        Yes |
| **Default Value** | N |
| **Notes** | If the Universal Waste Type is a nationally-defined type then Managed Universal Waste must equal 'Y'. |

| | |
|---|---|
| **English Name** | Generated Universal Waste |
| **Oracle Name** | GENERATED |
| **Description** | Code indicating that the handler is engaged in generating universal waste on-site. |
| **Data Type and Length** | CHAR (1) |
| **Allowed Values** | N        No |
| | Y        Yes |
| **Default Value** | |
| **Notes** | If the Universal Waste Type is a nationally-defined type then Generated Universal Waste must not be provided. |

| | |
|---|---|
| **English Name** | User ID of Last Change |
| **Oracle Name** | USERID |
| **Description** | Records the user ID of the last person to change the data. |
| **Data Type and Length** | VARCHAR2 (6) |
| **Allowed Values** | Valid user ID |
| **Default Value** | Current user ID |

| | |
|---|---|
| **English Name** | Date of Last Change |
| **Oracle Name** | LAST_CHANGE |
| **Description** | Records the date that the data was last changed. |
| **Data Type and Length** | DATE |
| **Allowed Values** | Valid date/time stamp |
| **Default Value** | Current date and time |

**\* End of Report \***