
HHSM_ACTIVITY5

Business Rules	<ul style="list-style-type: none"> • User must be the implementer of record for Handler information. • Handler ID, Activity Location, Source Type, and Sequence Number must exist in HHSM_BASIC5. • Handler ID, Activity Location, Source Type, Sequence Number, and HSM Sequence Number must be unique. • Use of the HHSM_ACTIVITY5 table is mandatory for States that have adopted the Definition of Solid Waste rule. 														
English Name	EPA Handler ID (Primary Key)														
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).														
Data Type and Length	VARCHAR2 (12)														
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.														
Default Value															
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.														
English Name	Activity Location (Primary Key)														
Description	Indicates the location of the agency regulating the handler.														
Data Type and Length	CHAR (2)														
Allowed Values	State postal code														
Default Value	Location associated with the current user ID.														
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.														
English Name	Source Type (Primary Key)														
Description	Code indicating the source of information for the associated data (activity, wastes, etc.).														
Data Type and Length	CHAR (1)														
Allowed Values	<table style="border: none;"> <tr><td>A</td><td>Part A</td></tr> <tr><td>B</td><td>Annual/Biennial Report updated with Notification</td></tr> <tr><td>E</td><td>Emergency</td></tr> <tr><td>I</td><td>Implementer</td></tr> <tr><td>N</td><td>Notification</td></tr> <tr><td>R</td><td>Annual/Biennial Report</td></tr> <tr><td>T</td><td>Temporary</td></tr> </table>	A	Part A	B	Annual/Biennial Report updated with Notification	E	Emergency	I	Implementer	N	Notification	R	Annual/Biennial Report	T	Temporary
A	Part A														
B	Annual/Biennial Report updated with Notification														
E	Emergency														
I	Implementer														
N	Notification														
R	Annual/Biennial Report														
T	Temporary														
Default Value															
Notes	If the BR Report Cycle >= 2009 then the Source Type must equal 'B'.														
English Name	Handler Sequence Number (Primary Key)														
Description	Sequence number for each source record about a handler.														
Data Type and Length	NUMBER (6.0)														

HHSM_ACTIVITY5

Allowed Values 1 - 999999
Default Value

English Name Hazardous Secondary Material Sequence Number **(Primary Key)**
Description Sequence number for each hazardous secondary material activity record for a handler.
Data Type and Length NUMBER (2.0)
Allowed Values 1 - 99
Default Value

English Name Facility Code Owner
Description Indicates the agency that defined the Facility Code.
Data Type and Length CHAR (2)
Allowed Values HQ Nationally defined
Default Value

English Name Facility Code
Description Code to describe the specific regulation a facility uses to manage its hazardous secondary material and the type of activity the facility performs under that regulation.
Data Type and Length CHAR (2)
Allowed Values Nationally-defined value in LU_HSM_FACILITY_CODE.

Existing nationally-defined values:

- 01 HSM generator reclaiming HSM "on-site"
- 02 HSM generator transferring HSM to reclaimer within the "same company"
- 03 Reclaimer receiving HSM from HSM generator withing the "same company"
- 04 Tolling contractor reclaiming HSM pursuant to a tolling contract
- 05 Toll manufacturer managing HSM pursuant to a tolling contract
- 06 HSM generator transferring HSM off-site to a domestic reclamation facility
- 07 Reclaimer receiving HSM from off-site
- 08 Intermediate facility
- 09 HSM generator exporting HSM off-site to a foreign reclamation facility
- 10 HSM generator importing HSM from a foreign entity to send to another domestic reclamation facility
- 11 HSM generator and reclaimer of imported HSM

Default Value

HHSM_ACTIVITY5

English Name Estimated HSM Managed
Description Estimated short tons of hazardous secondary material to be managed annually.
Data Type and Length NUMBER (10.0)
Allowed Values 0 - 9999999999
Default Value
Notes If Reason for Notification = 'I' or 'R' then Estimated HSM Managed cannot be 0.
 If Reason for Notification = 'S' then Estimated HSM Managed must equal 0.

English Name Actual HSM Managed
Description Actual short tons of hazardous secondary material managed during the most recent odd-numbered year.
Data Type and Length NUMBER (10.0)
Allowed Values 0 - 9999999999
Default Value
Notes If Reason for Notification = 'I' then Actual HSM Managed must equal 0.

English Name Land-based Unit
Description Code that best describes the land-based unit the facility uses or will use to manage hazardous secondary material.
Data Type and Length CHAR (2)
Allowed Values

NA	Not applicable
OT	Other
PL	Pile
SI	Surface impoundment

Default Value

English Name User ID of Last Change
Description Records the user ID of the last person to change the data.
Data Type and Length VARCHAR2 (6)
Allowed Values Valid user ID
Default Value Current user ID

HHSM_ACTIVITY5

English Name	Date of Last Change
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

*** End of Report ***