| HSTATE_ACTIVITY5 | | |
|---|--|--|
| Business Rules | User must be the implementer of record for Handler information. Handler ID, Activity Location, Source Type, and Sequence Number must exist in HHANDLER5. Handler ID, Activity Location, Source Type, Sequence Number, State Activity Owner, and State Activity Type must be unique. Use of the HSTATE_ACTIVITY5 table is optional. | |
| English Name Description | EPA Handler ID (Primary Key) Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities). | |
| Data Type and Length Allowed Values | VARCHAR2 (12) Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed. | |
| Default Value Notes | Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located. | |
| English Name Description Data Type and Length Allowed Values Default Value Notes | Activity Location (Primary Key) Indicates the location of the agency regulating the handler. CHAR (2) State postal code Location associated with the current user ID. For a list of valid state postal codes, refer to the Column Information Report for LU_STATE. | |
| English Name Description Data Type and Length Allowed Values | Source Type (Primary Key) Code indicating the source of information for the associated data (activity, wastes, etc.). CHAR (1) A Part A B Annual/Biennial Report updated with Notification E Emergency I Implementer N Notification R Annual/Biennial Report T Temporary | |
| Default Value Notes | If the BR Report Cycle >= 2009 then the Source Type must equal 'B'. | |
| English Name Description Data Type and Length | Handler Sequence Number (Primary Key) Sequence number for each source record about a handler. NUMBER (6.0) | |

| I age z | Page | 2 |
|---------|------|---|
|---------|------|---|

| HSTATE_ACTIVITY5 | | |
|--|--|--|
| Allowed Values Default Value | 1 - 999999 | |
| English Name Description Data Type and Length Allowed Values | State Activity Type Owner (Primary Key) Indicates the agency that defined the State Activity Type. CHAR (2) 01 - 10 Region State postal code | |
| Default Value | | |
| English Name Description Data Type and Length Allowed Values Default Value | State Activity Type (Primary Key) Code indicating the type of state activity. VARCHAR2 (5) Implementer-defined value in LU_STATE_ACTIVITY | |
| English Name Description Data Type and Length Allowed Values Default Value | User ID of Last Change Records the user ID of the last person to change the data. VARCHAR2 (6) Valid user ID Current user ID | |

HSTATE_ACTIVITY5

English NameDate of Last ChangeDescriptionRecords the date that the data was last changed.Data Type and LengthDATEAllowed ValuesValid date/time stampDefault ValueCurrent date and time

* End of Report *