

## Publications (Refereed articles and solicited reviews)

- S. R. Long, R. M. K. Dale, and I. M. Sussex. (1981) Maturation and germination of *Phaseolus vulgaris* embryonic axes in culture. *Planta* 153:405-415.
- H. M. Meade, S. R. Long, G. B. Ruvkun, S. W. Brown, and F. M. Ausubel. (1982) Physical and genetic characterization of symbiotic and auxotrophic mutants of *Rhizobium meliloti* induced by transposon Tn5 mutagenesis. *J. Bacteriol.* 149:114-122.
- S. R. Long, W. J. Buikema, and F. M. Ausubel. (1982) Cloning of *Rhizobium meliloti* nodulation genes by direct complementation of Nod<sup>-</sup> mutants. *Nature* 298:485-488.
- G. B. Ruvkun, S. R. Long, H. M. Meade, R. C van den Bos, and F. M. Ausubel. (1982) ISRml: A *Rhizobium meliloti* insertion sequence that transposes preferentially into nitrogen fixation genes. *J. Molecular & Applied Genetics* 1:405-418.
- A. M. Friedman, S. R. Long, S. E. Brown, W. J. Buikema, and F. M. Ausubel. (1982) Use of *cos* derivative of pRK290 in constructing a clone bank of *Rhizobium meliloti* DNA. *Gene* 18:289-296.
- A. M. Hirsch, S. R. Long, M. Bang, N. Haskins, and F. M. Ausubel. (1982) Structural studies of alfalfa roots infected with nodulation mutants of *Rhizobium meliloti*. *J. Bacteriol.* 151:411-419.
- S. R. Long. (1982) Use of mutants to study symbiotic nitrogen fixation. In: *Challenging Problems in Plant Health*, [T. Kommedahl and P.H. Williams, eds.] The American Phytopathological Society, St. Paul, Minnesota, Pp. 348-361.
- W. J. Buikema, S. R. Long, S. E. Brown, R. C. van den Bos, C. Earl, and F. M. Ausubel. (1983) Physical and genetic characterization of *Rhizobium meliloti* symbiotic mutants. *J. Molecular & Applied Genetics* 2:249-260.
- D. P. S. Verma and S. R. Long. (1983) The molecular biology of *Rhizobium*-legume symbiosis. In: *International Review of Cytology*, Supplement 14. Academic Press, Inc.
- M. O. Martin and S. R. Long. (1984) Generalized transduction in *Rhizobium meliloti*. *J. Bacteriol.* 159:125-129.
- H. J. McGee, S. R. Long, and W. R. Briggs. (1984) Why whip egg whites in copper bowls? *Nature* 308:667-668.
- S. R. Long. (1984) Genetics of *Rhizobium* nodulation. In: *Plant-Microbe Interactions*, (T. Kosuge and E. Nester, eds.) Macmillan Publishing Co., Inc., New York. Pp. 256-306.
- T. T. Egelhoff, R. F. Risher, T. W. Jacobs, J. T. Mulligan, and S. R. Long. (1985) Nucleotide sequence of *Rhizobium meliloti* 1021 nodulation genes: *nodD* is read divergently from *nodABC*. *DNA* 4:241-248.
- A. M. Hirsch, D. Drake, R. W. Jacobs, and S. R. Long. (1985) Nodules are induced on alfalfa roots by *Agrobacterium tumefaciens* and *Rhizobium trifolii* containing small segments of the *Rhizobium meliloti* nodulation region. *J. Bacteriol.* 161:223-230.
- J. T. Mulligan and S. R. Long. (1985) Induction of *Rhizobium meliloti nodC* expression by plant exudate requires *nodD*. *Proc. Natl. Acad. Sci USA* 82:6609-6613.
- T. T. Egelhoff and S. R. Long. (1985) *Rhizobium meliloti* nodulation genes: identification of *nodDABC* gene products, purification of *nodA* protein, and expression of *nodA* in *Rhizobium meliloti*. *J. Bacteriol.* 164:591-599.

- N. K. Peters, J. W. Frost, and S. R. Long. (1986) A plant flavone, luteolin, induces expression of *Rhizobium meliloti* nodulation genes. *Science* 233:977-980.
- S. R. Long. (1986) *Rhizobium* genetics. In: Genetic Engineering, volume 8, (J. Setlow, A.Hollaender, ed.), Plenum Press, New York, Pp. 135-150.
- M. Dudley, T. W. Jacobs, and S. R. Long. (1987) Microscopic analysis of alfalfa root cell divisions induced by *Rhizobium meliloti*. *Planta* 171:289-301.
- M. M. Yelton, J. T. Mulligan, and S. R. Long. (1987) Expression of *Rhizobium meliloti nod* genes in *Rhizobium* spp. and *Agrobacterium* backgrounds. *J. Bacteriol.* 169:3094-3098.
- R. F. Fisher, H. L. Brierley, J. T. Mulligan, and S. R. Long. (1987) Transcription of *Rhizobium meliloti* nodulation genes: identification of a *nodD* transcription initiation site *in vitro* and *in vivo*. *J. Biol. Chem.* 262:6849-6855.
- J. Swanson, J. K. Tu, J. M. Ogawa, R. Sanga, R. F. Fisher, and S. R. Long. (1987) Extended nodulation gene region in *Rhizobium meliloti* 1021. I. Physical and genetic map of loci in clone pRmJT5. *Genetics* 117:181-189.
- R. F. Fisher, J. Swanson, J. T. Mulligan, and S. R. Long. (1987) Extended nodulation gene region in *Rhizobium meliloti* 1021. II. Sequence and transcription start site for *nodFEGH*. *Genetics* 117:191-201.
- R. F. Fisher, T. T. Egelhoff, J. T. Mulligan, and S. R. Long. (1988) Specific binding of proteins from *Rhizobium meliloti* cell-free extracts containing NodD to DNA sequences upstream of inducible nodulation genes. *Genes Dev.* 2:282-293.
- N. K. Peters and S. R. Long. (1988) Alfalfa root exudates and compounds which promote or inhibit induction of *Rhizobium meliloti* nodulation genes. *Plant Physiol.* 88:396-400.
- S. R. Long. (1989) The *Rhizobium*-legume symbiosis: Life together in the underground. *Cell* 56:203-214.
- S. R. Long. (1989) *Rhizobium* genetics. *Ann. Rev. Genet.* 23:483-506.
- S. R. Long and D. W. Ehrhardt. (1989) New route to a sticky subject. *Nature* 338:545-546.
- M. Dudley and S. R. Long. (1989) A non-nodulating alfalfa mutant displays root hair curling nor early cell division in response to *Rhizobium meliloti*. *Plant Cell* 1:65-72.
- J. T. Mulligan and S. R. Long. (1989) A family of activator genes regulates expression of *Rhizobium meliloti* nodulation genes. *Genetics* 122:7-18.
- J. Schwedock and S. R. Long. (1989) Nucleotide sequence and protein products of two new nodulation genes of *Rhizobium meliloti*, *nodP* and *nodQ*. *Mol. Plant-Microbe Interact.* 2:181-194.
- R. F. Fisher and S. R. Long. (1989) DNA footprint analysis of the transcriptional activator proteins NodD1 and NodD3 on inducible *nod* gene promoters. *J. Bacteriol.* 171:5492-5502.
- S. R. Long and E. Morrey Atkinson. (1990) *Rhizobium* sweet-talking. *Nature* 344:712-713.
- M. J. Barnett and S. R. Long. (1990) DNA sequence and translational product of a new nodulation-regulatory locus: SyrM has sequence similarity to NodD proteins. *J. Bacteriol.* 172:3695-3700.
- M. J. Barnett and S. R. Long. (1990) Nucleotide sequence of an alfalfa calmodulin cDNA. *Nucleic Acids Res.* 18:3395-3395.

- J. Schwedock and S. R. Long. (1990) ATP sulfurylase activity of the *nodP* and *nodQ* gene products of *Rhizobium meliloti*. *Nature* 348:644-647.
- B. G. Rushing, M. M. Yelton, and S. R. Long. (1991) Genetic and physical analysis of the *nodD3* region of *Rhizobium meliloti*. *Nucleic Acids Res.* 19:921-927.
- J. Ogawa, H. Brierley, and S. R. Long. (1991) Analysis of *Rhizobium meliloti* nodulation mutant WL131: novel insertion sequence ISRM3 in *nodG* and altered *nodH* protein product. *J. Bacteriol.* 173:3060-3065.
- W. Margolin, J. C. Corbo, and S. R. Long. (1991) Cloning and characterization of a *Rhizobium meliloti* homolog of the *Escherichia coli* cell division gene *ftsZ*. *J. Bacteriol.* 173:5822-5830.
- S. R. Long. (1992) Genetic analysis of *Rhizobium* nodulation. In: *Biological Nitrogen Fixation*, edited G. Stacey, R. H. Burris and H. J. Evans, Pp. 560-597. Chapman and Hall, New York.
- D. W. Ehrhardt, E. M. Atkinson, and S. R. Long. (1992) *Rhizobium meliloti* Nod factors cause depolarization of alfalfa root hair membrane potential. *Science* 256: 998-1000.
- R. F. Fisher and S. R. Long. (1992) "Stirring dull roots": *Rhizobium*-plant signal exchange. *Nature* 357:655-660.
- J. S. Schwedock and S. R. Long. (1992) Genetic analysis of *R. meliloti* genes involved in sulfate activation: Two copies of *nodPQ* and a new locus, *saa*. *Genetics* 132:899-909.
- E. M. Atkinson and S. R. Long. (1992) Sequence similarity of *R. meliloti nodC* to polysaccharide polymerizing enzymes. *Mol. Plant-Microbe Interact.* 5:439-442.
- R. F. Fisher and S. R. Long. (1993) Interactions of NodD at the *nod* box: NodD binds to two distinct sites on the same face of the helix and induces a bend in the DNA. *J. Mol. Biol.* 233:336-348.
- J. Swanson, J. T. Mulligan, and S. R. Long. (1993) Regulatory interdependence of *syrM* and *nodD3* of *Rhizobium meliloti*. *Genetics* 134:435-444.
- S. R. Long and B. J. Staskawicz. (1993) Prokaryotic plant parasites. *Cell* 73: 921-935.
- W. Margolin and S. R. Long. (1993) Isolation and characterization of a DNA replication origin from the 1700 kilobase pair symbiotic megaplasmid pRmeSU47b of *Rhizobium meliloti*. *J. Bacteriol.* 175:6553-6561.
- J. Cooper and S. R. Long. (1994) Morphogenetic complementation of *Rhizobium meliloti* nodulation mutants by trans-zeatin secretion. *Plant Cell* 6:215-225.
- W. Margolin and S. R. Long. (1994) A second *ftsZ* cell division gene in *Rhizobium meliloti*. *J. Bacteriol.* 176:2033-2043.
- J. S. Schwedock and S. R. Long. (1994) An open reading frame downstream of *Rhizobium meliloti nodQ1* shows nucleotide sequence homology to an *Agrobacterium tumefaciens* insertion sequence. *Mol. Plant-Microbe Interact.* 7:151-153.
- E. M. Atkinson, M. Palcic, O. Hindsgaul, and S. R. Long. (1994) Biosynthesis of *Rhizobium meliloti* lipooligosaccharide Nod factors: NodA is required for an N-acyltransferase activity. *Proc. Natl. Acad. Sci. USA* 91:8418-8422.
- J. S. Schwedock, C.-X. Liu, T. Leyh, and S. R. Long. (1994) *Rhizobium meliloti* NodP and NodQ form a multifunctional sulfate activating complex that requires GTP for activity. *J. Bacteriol.* 176:7055-7064.

- J. Ogawa and S. R. Long. (1995) The *Rhizobium meliloti groELc* locus is required for regulation of early *nod* genes by the transcription activator NodD. *Genes Dev.* 9:714-729.
- H. Brierley, P. Webster, and S. R. Long. (1995) The *Pisum sativum tubA1* gene, a member of a small family of  $\alpha$ -tubulin sequences. *Plant Molecular Biology* 27:715-727.
- D. Ehrhardt, E. M. Atkinson, K. F. Faull, R. Armstrong, and S. R. Long. (1995) *In vitro* sulfotransferase activity of NodH, a nodulation protein of *Rhizobium meliloti* required for host-specific nodulation. *J Bacteriol.* 177:6237-6245.
- B. G. Rushing and S. R. Long. (1995) Cloning and characterization of the *sigA* gene encoding the major sigma subunit of *Rhizobium meliloti*. *J Bacteriol.* 177:6952-6957.
- W. Margolin, D. Bramhill and S. R. Long. (1995) The *dnaA* gene of *Rhizobium meliloti* lies within an unusual gene arrangement. *J. Bacteriol.* 177:2892-2900.
- M. Barnett, B. G. Rushing, R. F. Fisher, and S. R. Long. (1996) Transcription start sites for *syrM* and *nodD3* flank an insertion sequence relic in *Rhizobium meliloti*. *J. Bacteriol.* 178:1782-1787.
- D. W. Ehrhardt, R. Wais, and S. R. Long. (1996) Calcium spiking in plant root hairs responding to *Rhizobium* nodulation signals. *Cell* 85:673-681.
- S. R. Long. (1996) *Rhizobium* symbiosis: Nod factors in perspective. *Plant Cell* 8:1885-1898.
- G. Kalinowski and S. R. Long. (1996) Deletion analysis of the 5' untranslated region of the *Rhizobium meliloti nodF* gene. *Mol. Plant-Microbe Interact.* 9:869-873.
- D. J. Gage, T. Bobo, and S. R. Long. (1996) Use of green fluorescent protein to visualize the early events of symbiosis between *Rhizobium meliloti* and alfalfa (*Medicago sativa*) *J. Bacteriol.* 178:7159-7166.
- M. J. Barnett and S. R. Long. (1997) Identification and characterization of a gene on *Rhizobium meliloti* pSyma, *syrB*, that negatively affects *syrM* expression. *Mol. Plant-Microbe Interact.* 10:550-559.
- M. J. Barnett, J. A. Swanson, and S. R. Long. (1998) Multiple genetic controls on *Rhizobium meliloti* *syrA*, a regulator of exopolysaccharide abundance. *Genetics* 148:19-32.
- L. S. Smith and S. R. Long. (1998) Requirements for *syrM* and *nodD* genes in the nodulation of *M. truncatula* by *Rhizobium meliloti* 1021. *Mol. Plant-Microbe Interact.* 11:937-940.
- D. J. Gage and S. R. Long. (1998)  $\alpha$ -Galactoside uptake in *Rhizobium meliloti*: Isolation and characterization of *appA*, a gene encoding a periplasmic binding protein required for melibiose and raffinose utilization. *J. Bacteriol.* 180:5739-5748.
- P. A. Covitz, L. S. Smith and S. R. Long. (1998) Expressed sequence tags from a root-hair-enriched *Medicago truncatula* cDNA library. *Plant Physiol.* 117:1325-1332.
- V. Oke and S. R. Long. (1999) Bacterial genes induced within the nodule during the *Rhizobium*-legume symbiosis. *Mol. Microbiol.* 32:837-849.
- A. P. Abola, M. G. Willits, R. C. Wang, and S. R. Long. (1999) Reduction of adenosine-5'-phosphosulfate instead of 3'-phosphoadenosine-5'-phosphosulfate in cysteine biosynthesis by *Rhizobium meliloti* and other members of the family *Rhizobiaceae*. *J. Bacteriol.* 181:5280-5287.
- H. U. Stotz and S. R. Long. (1999) Expression of the pea (*Pisum sativum* L.)  $\alpha$ -tubulin gene *tubA1* is correlated with cell division activity. *Plant Molecular Biology* 41:601-614.

- V. Oke and S. R. Long. (1999) Bacteroid formation in the *Rhizobium*-legume symbiosis. *Curr. Opin. Microbiol.* 2:641-646.
- F. Barloy-Hubler, D. Capela, M. Barnett, S. Kalman, N. A. Federspiel, S. R. Long, and F. Galibert. (2000) High-resolution physical map of the *Sinorhizobium meliloti* 1021 pSymA megaplasmid. *J. Bacteriol.* 182:1185-1189.
- M. J. Barnett, V. Oke, and S. R. Long. (2000) New genetic tools for use in the *Rhizobiaceae* and other bacteria. *BioTechniques* 29:240-245, plus cover photo.
- S. L. Shaw, J. Dumais, and S. R. Long. (2000) Cell surface expansion in polarly growing root hairs of *Medicago truncatula*. *Plant Physiol.* 124:959-969, plus cover photo.
- R. J. Wais, C. Galera, G. Oldroyd, R. Catoira, R. V. Penmetsa, D. Cook, C. Gough, J. Dénarié, and S. R. Long. (2000) Genetic analysis of calcium spiking responses in nodulation mutants of *Medicago truncatula*. *Proc. Natl. Acad. Sci. USA* 97:13407-13412.
- S. R. Long. (2000) Genes and Signals in the *Rhizobium*-Legume symbiosis. *Plant Physiol.* 125 :69-72.
- M. J. Barnett, D. Y. Hung, A. Reisenauer, L. Shapiro, and S. R. Long. (2001) A homolog of the CtrA cell cycle regulator is present and essential in *Sinorhizobium meliloti*. *J. Bacteriol.* 183:3204-3210.
- F. Galibert et al. (2001) The composite genome of the legume symbiont *Sinorhizobium meliloti*. *Science* 293:668-672.
- V. Oke, B. G. Rushing, E. J. Fisher, M. Moghadam-Tabrizi, and S. R. Long. (2001) Identification of the heat shock sigma factor RpoH and a second RpoH-like protein in *Sinorhizobium meliloti*. *Microbiology* 147:2399-2408.
- G. E. D. Oldroyd, E. M. Engstrom, and S. R. Long. (2001) Ethylene inhibits the Nod factor perception pathway of *Medicago truncatula*. *Plant Cell* 13:1835-1849.
- M. J. Barnett, et al. (2001) Nucleotide sequence and predicted functions of the entire *Sinorhizobium meliloti* pSymA megaplasmid. *Proc. Acad. Natl. Sci. USA* 98:9883-9888.
- G. E. D. Oldroyd, R. M. Mitra, R. J. Wais, and S. R. Long. (2001). Evidence for structurally specific negative feedback in the Nod factor signal transduction pathway. *Plant J.* 28:191-199, plus cover photo.
- K. C. Yeh, M. C. Peck, and S. R. Long. (2002) Luteolin and GroESL modulate *in vitro* activity of NodD. *J. Bacteriol.* 184:525-530.
- D. H. Wells and S. R. Long. (2002) The *Sinorhizobium meliloti* stringent response affects multiple aspects of symbiosis. *Mol. Microbiol.* 43:1115-1127.
- E. M. Engstrom and S. R. Long. (2002) Pharmacological analysis of Nod factor-induced calcium spiking in *Medicago*: evidence for the requirement of type IIA calcium pumps and phosphoinositide signaling. *Plant Physiol.* 128:1390-1401.
- R. J. Wais, D. H. Keating, and S. R. Long. (2002) Structure-function analysis of Nod factor-induced calcium spiking in the *Rhizobium*-legume symbiosis. *Plant Physiol.* 129:211-224.
- A. M. Southwick and S. R. Long. (2002) Heterologous expression to assay for plant lectins or receptors. *Plant Molecular Biology Reporter* 20:27-41.

- M. C. Peck, T. Gall, R. F. Fisher, R. L. Gourse, and S. R. Long. (2002) Isolation and characterization of the RNA polymerase  $\alpha$  subunit from *Sinorhizobium meliloti*. J. Bacteriol. 184:3808-3814.
- A. M. Southwick, L.-X. Wang, S. R. Long, and Y. C. Lee. (2002) Activity of *Sinorhizobium meliloti* NodAB and NodH enzymes on thiochitooligomers. J. Bacteriol. 184:4039-4043.
- D. H. Keating, M. G. Willits, and S. R. Long. (2002) A *Sinorhizobium meliloti* mutant altered in lipopolysaccharide sulfation is defective in symbiosis. J. Bacteriol. 184:6681-6689.
- R. J. Wais, D. H. Wells, and S. R. Long. (2002) Analysis of differences between *S. meliloti* 1021 and 2011 strains using the host calcium spiking response. Mol. Plant-Microbe Interact. 15:1245-1252.
- G. E. D. Oldroyd and S. R. Long. (2003) Identification and characterization of NSP2, a gene of *Medicago truncatula* involved in Nod factor signaling. Plant Physiol. 131:1027-1032.
- S. L. Shaw, and S. R. Long. (2003) Nod factor elicits two separable calcium responses in *Medicago truncatula* root hair cells. Plant Physiol. 131:976-984.
- R. V. Penmetsa, J. A. Frugoli, L. S. Smith, S. R. Long, and D. R. Cook. (2003) Dual genetic pathways controlling nodule number in *Medicago truncatula*. Plant Physiol. 131:998-1008.
- B. B. Amor, S. L. Shaw, G. E. D. Oldroyd, F. Maillet, R.V. Penmetsa, D. Cook, S. R. Long, J. Dénarié, and C. Gough. (2003) The NFP locus of *Medicago truncatula* controls an early step of Nod factor signal transduction upstream of a rapid calcium flux and root hair deformation. Plant J. 34:495-506.
- S. L. Shaw and S. R. Long. (2003) Nod factor inhibition of reactive oxygen efflux in the host legume. Plant Physiol. 132:2196-2204.
- D. H. Wells and S. R. Long. (2003) Mutations in *rpoBC* rescue the defects of a *Sinorhizobium meliloti* *relA* mutant. J. Bacteriol. 185:5602-5610, plus cover photo.
- J. M. Harris, R. J. Wais, and S. R. Long. (2003) *Rhizobium*-induced calcium spiking in *Lotus japonicus*. Mol. Plant-Microbe Interact. 16: 335-341.
- R. M. Mitra and S. R. Long. (2004) Plant and bacterial symbiotic mutants define three transcriptionally distinct stages in the development of the *Medicago truncatula/Sinorhizobium meliloti* symbiosis. Plant Physiol. 134:595-604.
- J. M. Ané, G. B. Kiss, B. K. Riely, R. V. Penmetsa, G. E. D. Oldroyd, C. Ajax, J. Lévy, F. Debellé, J.-M. Baek, P. Kalo, C. Rosenberg, B. A. Roe, S. R. Long, J. Dénarié, and D. R. Cook. (2004) *Medicago truncatula* *DMI1* required for bacterial and fungal symbioses in legumes. Science 303: 1364-1367.
- R. M. Mitra, C .A. Gleason, A. Edwards, J. Hadfield, J. A. Downie, G. E. D. Oldroyd, and S. R. Long. (2004) A  $Ca^{2+}$ /calmodulin-dependent protein kinase required for symbiotic nodule development: gene identification by transcript-based cloning. Proc. Natl. Acad. Sci. USA 101:4701-4705.
- R. M. Mitra, S. Shaw and S. R. Long. (2004) Six non-nodulating plant mutants defective for nod factor-induced transcriptional changes associated with the legume-*rhizobia* symbiosis. Proc. Natl. Acad. Sci. USA 101:10217-10222.
- J. Dumais, S. R. Long, and S. L. Shaw. (2004) The mechanics of surface expansion anisotropy in *Medicago truncatula* root hairs. Plant Physiol. 136:3266-3275.

- M. J. Barnett, C. J. Toman, R. F. Fisher, and S. R. Long. (2004) A dual-genome symbiosis chip for coordinate study of signal exchange and development in a prokaryote-host interaction. *Proc. Natl. Acad. Sci. USA* 101:16636-16641.
- P. Kaló, C. Gleason, A. Edwards, J. Marsh, R. M. Mitra, S. Hirsch, J. Jakab, S. Sims, S. R. Long, J. Rogers, G. B. Kiss, J. A. Downie, and G. E. D. Oldroyd. (2005) Nodulation signaling in legumes requires NSP2, a member of the GRAS family of transcriptional regulators. *Science* 308:1786-1789.
- J. Dumais, S. L. Shaw, C. R. Steele, S. R. Long, and P. M. Ray. (2006) An anisotropic-viscoplastic model of plant cell morphogenesis by tip growth. *Int. J. Dev. Biol.* 50:209-222.
- C. G. Starker, A. L. Parra-Colmenares, L. S. Smith, R. M. Mitra, and S. R. Long. (2006) Nitrogen fixation mutants of *Medicago truncatula* fail to support plant and bacterial symbiotic gene expression. *Plant Physiol.* 140:671-680.
- M. C. Peck, R. F. Fisher, and S. R. Long. (2006) Diverse flavonoids stimulate NodD1 binding to *nod* gene promoters in *Sinorhizobium meliloti*. *J. Bacteriol.* 188:5417-5427.
- M. J. Barnett and R. F. Fisher. (2006) Global Gene Expression in the rhizobial-legume symbiosis. *Symbiosis* 42:1-24 (senior members of Long lab)
- J. F. Marsh, A. Rakocevic, R. M. Mitra, L. Brocard, J. Sun, A. Eschstruth, S. R. Long, M. Schultze, P. Ratet, and G. E. D. Oldroyd. (2007) *Medicago truncatula* NIN is essential for rhizobial-independent nodule organogenesis induced by autoactive calcium/calmodulin-dependent protein kinase. *Plant Physiol.* 144:324-335
- P. H. Middleton, J. Jakab, R. V. Penmetsa, C. G. Starker J. Doll, P. Kaló, R. Prabhu, J. F. Marsh, R. M. Mitra, A. Kereszt, B. Dudas, K. VandenBosch, S. R. Long, D. R. Cook, G. B. Kiss, and G. E. D. Oldroyd. (2007) An ERF transcription factor in *Medicago truncatula* that is essential for Nod factor signal transduction. *Plant Cell* 19:1221-1234
- K. E. Gibson, M. J. Barnett, C. J. Toman, S. R. Long, and G. C. Walker. (2007) The symbiosis regulator CbrA modulates a complex regulatory network affecting the flagellar apparatus and cell envelope proteins. *J. Bacteriol.* 189:3591-3602
- D. H. Wells, E. J. Chen, and S. R. Long. (2007) ExoR is genetically coupled to the ExoS-ChvI two-component system and located in the periplasm of *Sinorhizobium meliloti*. *Mol. Microbiol.* 64:647-664
- J. Griffiths and S. R. Long. (2008) A symbiotic mutant of *Sinorhizobium meliloti* reveals a novel genetic pathway involving succinoglycan biosynthetic functions. *Mol. Microbiol.* 67:1292-1306
- J. S. Griffiths, R. E. Carlyon, J. H. Erickson, J. L. Moulton, M. J. Barnett, C. J. Toman, and S. R. Long. (2008) A *Sinorhizobium meliloti* osmosensory two-component system required for cyclic glucan export and symbiosis. *Mol. Microbiol.* 69:479-490
- R. V. Penmetsa, P. Uribe, Anderson, J. Lichtenzweig, J.-C. Gish, Y.W. Nam, E. Engstrom, K. Xu, G. Sckisel, M. Pereira, J. M. Baek, M. Lopez-Meyer, S. R. Long, M. J. Harrison, K. B. Singh, G. B. Kiss, and D. R. Cook. (2008) The *Medicago truncatula* ortholog of Arabidopsis EIN2, sickle, is a negative regulator of symbiotic and pathogenic microbial associations. *Plant J.* 55:580-595.
- A. Becker, M. J. Barnett, D. Capela, M. Dondrup, P.-B. Kamp, E. Krol, B. Linke, S. Rüberg, K. Runte, B. K. Schroeder, S. Weidner, S. N. Yurgel, J. Batut, S. R. Long, A. Pühler, and A. Goesmann. (2009) A portal for rhizobial genomes: RhizoGATE integrates a *Sinorhizobium meliloti* genome annotation update with postgenome data. *J. Biotechnol.* 140:45-40

- E. J. Chen, E. A. Sabio, and S. R. Long. (2008) The periplasmic regulator ExoR inhibits ExoS/ChvI two-component signalling in *Sinorhizobium meliloti*. *Mol. Microbiol.* 69:1290-1303.
- E. J. Chen, R. F. Fisher, V. M. Perovich, E. A. Sabio, and S. R. Long. (2009) Identification of direct transcriptional target genes of ExoS/ChvI two-component signaling in *Sinorhizobium meliloti*. *J. Bacteriol.* 191: 6833-6842.
- C. H. Haney and S. R. Long. (2010) Plant flotillins are required for infection by nitrogen-fixing bacteria. *Proc. Natl. Acad. Sci. USA* 107: 478-483.
- M. Gao, M. J. Barnett, S. R. Long, and M. Teplitski (2010) Role of the *Sinorhizobium meliloti* global regulator Hfq in gene regulation and symbiosis. *Mol. Plant Microbe Interact.* 4:355-365.
- D. Wang, J. Griffitts, C. Starker, E. Fedorova, E. Limpens, S. Ivanov, T. Bisseling, and S. R. Long. (2010) A nodule-specific protein secretory pathway required for nitrogen-fixing symbiosis. *Science* 327:1126-1129.
- A. Miyahara, J. Richens, C. Starker, G. Morieri, L. Smith, S. R. Long, J. A. Downie, and G. E. D. Oldroyd. (2010) Conservation in function of a SCAR/WAVE component during infection thread and root hair growth in *Medicago truncatula*. *Mol. Plant-Microbe Interact.* 23:1553-1562.
- E. Schnabel, A. Mukherjee, J. Smith, T. Kassaw, S. R. Long, and J. Frugoli. (2010) The *lss* supernodulation mutant of *Medicago truncatula* reduces expression of the *SUNN* gene. *Plant Physiol.* 154:1390-1402.
- E. Schnabel, L. Smith, S.R. Long, and J. Frugoli. (2010) Transcript profiling in *M. truncatula lss* and *sun1* mutants reveals different expression profiles despite disrupted SUNN gene function in both mutants. *Plant Signal. Behav.* 5:1657-1659
- E. Schnabel, T. Kessaw, L. Smith, J. Marsh, G. E. D. Oldroyd, S. R. Long, and J. Frugoli. (2011) The ROOT DETERMINED NODULATION 1 gene regulates nodule number in roots of *Medicago truncatula* and defines a highly conserved, uncharacterized plant gene family. *Plant Physiol.* 157:328-340.
- C. L. Harrison, M. B. Crook, G. Peco, S. R. Long, and J. S. Griffitts. (2011) Employing site-specific recombination for conditional genetics in *Sinorhizobium meliloti*. *Appl. Environ. Microbiol.* 77:3916-3922
- C. H. Haney, B. Riely, D. Tricoli, D. R. Cook, D. W. Ehrhardt, and S. R. Long. (2011) Symbiotic *rhizobia* bacteria trigger a change in localization and dynamics of the *Medicago truncatula* receptor kinase LYK3. *Plant Cell* 23:2774-2787.
- A. Rightmyer and S. R. Long. (2011) Pseudonodule formation by wild type and symbiotic mutant *Medicago truncatula* in response to auxin transport inhibitors. *Mol. Plant-Microbe Interact.* 24:1372-1384.
- E. Krol, J. Blom, J. Winnebald, A. Berhörster, M. J. Barnett, A. Goesmann, J. Baumbach, and A. Becker. (2011) RhizoRegNet--a database of rhizobial transcription factors and regulatory networks. *J. Biotechnol.* 155:127-134.
- A. T. Fields, C. S. Navarrette, A. Z. Zare, Z. Huang, M. Mostafavi, J. C. Lewis, Y. Rezaeihighighi, B. J. Brezler, S. Ray, A. L. Rizzacasa, M. J. Barnett, S. R. Long, E. J. Chen, and J. C. Chen. (2012) The conserved polarity factor PodJ1 impacts multiple cell envelope associated functions in *Sinorhizobium meliloti*. *Mol. Microbiol.* 84:892-920.



- M. B. Crook, D. P. Lindsay, M. B. Biggs, J. S. Bentley, J. C. Price, S. C. Clement, M. J. Clement, S. R. Long, and J. S. Griffitts. (2012) Rhizobial plasmids that cause impaired symbiotic nitrogen fixation and enhanced host invasion. *Mol. Plant-Microbe Interact.* 25:1026-1033.
- M. J. Barnett, A. N. Bittner, C. J. Toman, V. Oke, and S. R. Long. (2012) Dual RpoH sigma factors and transcriptional plasticity in a symbiotic bacterium. *J. Bacteriol.* 194:4983-4994.
- B. K. Riely, E. Larrainzar, C. H. Haney, J. H. Mun, E. Gil-Quintana, E. M. González, H.J. Yu, D. Tricoli, D. W. Ehrhardt, S. R. Long, and D. R. Cook. (2013) Development of tools for the biochemical characterization of the symbiotic receptor-like kinase DMI2. *Mol Plant Microbe Interact.* 26:216-226.
- J.-P. Schlüter, J. Reinkensmeier, M. J. Barnett, C. Lang, E. Krol, R. Giegerich, S. R. Long, and A. Becker (2013) Global mapping of transcription start sites and promoter motifs in the symbiotic  $\alpha$ -proteobacterium *Sinorhizobium meliloti* 1021. *BMC Genomics* 14:156.
- M. C. Peck, R. F. Fisher, R. Bliss, and S. R. Long (2013) Isolation and characterization of mutant *Sinorhizobium meliloti* NodD1 proteins with altered responses to luteolin. *J. Bacteriol.* 195:3714-3723.
- A. P. Lehman and S. R. Long (2013) Exopolysaccharides from *Sinorhizobium meliloti* can protect against H2O2-dependent damage. *J. Bacteriol.* 195:5362-5369.