

# Technical Memorandum

Date: February 12, 2010

To: Michelle Mullin, USEPA

cc: Jason Smith, Tecumseh Products Company  
Lynn Dennison, Tecumseh Products Company  
Douglas McClure, Colin, McKenney & Philbrick, PC  
David Nunn, Eastman and Smith, Ltd.  
Jeff Woolley, Consolidated Biscuit Company

From: Graham Crockford/Stacy Metz, RMT *GCM*

Project No.: 8070.07

Subject: Status Update – Characterization of Volatile Organic Compounds in Groundwater  
Former Tecumseh Products Company Site, Tecumseh, Michigan

---

## Introduction

Tecumseh Products Company (TPC) is the former owner of a manufacturing site located in Lenawee County, Michigan. The approximately 53-acre former TPC manufacturing site is located at 100 East Patterson Street between Evans Street and Maumee Street. This parcel includes an expanse of interconnected buildings/building additions that occupy approximately 750,000 square feet.

In 2008, a Phase I Environmental Site Assessment (ESA) was conducted by Atwell-Hicks, LLC as part of the sale of the TPC manufacturing site to Consolidated Biscuit Company (CBC). The Phase I ESA Report recommended that a Phase II Subsurface Investigation be conducted to address the identified recognized environmental conditions (RECs). A Phase II ESA was performed by ATC Environmental Consultants (ATC) on behalf of CBC between December 2008 and January 2009. A copy of the Draft Limited Phase II ESA Report was provided to TPC in February 2009.

Since that time, TPC has performed on-site and off-site investigations to define the extent of the chlorinated volatile organic compound (CVOC) affected soil and groundwater. The off-site investigation also generally defined the approximate aerial extent of the CVOC affected groundwater.

In September 2009, RMT, Inc., (RMT) submitted a Current Conditions Report (CCR) to the United States Environmental Protection Agency (USEPA) and the Michigan Department of Environmental Quality (MDEQ now the Michigan Department of Natural Resources and Environment (MDNRE)). The CCR described and summarized the physical setting of the site, the historical operations, sampling data, potentially complete exposure pathways, and voluntary remedial activities undertaken by TPC.

During a USEPA site visit conducted on October 27, 2009, Michelle Mullin of the USEPA provided feedback on the CCR, and TPC agreed to conduct an additional off-site investigation in an attempt to address the remaining data gaps related to the off-site migration of VOCs.

## Technical Memorandum

### Purpose and Scope

This technical memorandum provides a status update regarding off-site migration of CVOCs compounds in the vicinity of the former TPC site. Also included is a description of off-site field activities conducted between November 2009 and January 2010; a summary of recent sampling data, an evaluation of the status of data gaps identified by the USEPA and a summary of proposed field activities to address the remaining data gaps.

### Summary of Field Activities

After receiving USEPA feedback on the CCR, RMT initiated a supplemental investigation to address the identified data gaps related to the off-site migration of VOCs in groundwater. The investigation activities, which were conducted between November 2009 and January 2010 are described below:

- Between November 30 and December 4, 2009 RMT conducted a supplemental off-site subsurface investigation, which included:
  - Advancement of soil borings at nine locations, to evaluate the depth of clay around the perimeter of the area affected by VOCs in groundwater (Attachment A);
  - Installation of 12 new monitoring wells (MW-10d, MW-18s, MW-19s, MW19d, MW-20s, MW-20d, MW-21, MW-22, MW-23, MW-24s, MW-24d, and MW-25s) (Attachment A) to evaluate the lateral and vertical extent of off-site contaminant migration in groundwater (Figure 2);
  - Collection and analysis of one “deep” grab groundwater sample at the location of MW-25s to confirm that VOCs were not present near the top of clay at this location;
  - Collection of two undisturbed Shelby Tube samples for hydraulic conductivity testing. Test results are included in Attachment B;
  - Collection and analysis of four grab soil samples for fraction organic carbon analysis, to be used in subsequent groundwater modeling; and
  - Collection of two additional groundwater samples (B-29b and B-33b) from the backfill surrounding the storm and sanitary system using an air-knife in order to assess the potential for preferential migration of VOCs along the public utility corridors.
- Between December 7 and December 11, 2009, RMT conducted a complete water sample event, which included:
  - Measurement of groundwater elevations at all monitoring well locations and surface water elevations at two points along the River Raisin (Table 1);
  - Collection of groundwater from all monitoring well locations except MW-16s, which was dry, and measurement of field parameters at these locations (Table 2);
  - Analysis of all groundwater sample locations for VOCs (Table 3), and analysis of a subset of groundwater samples for monitored natural attenuation (MNA) parameters (Table 4);
  - Collection and analysis of water from the storm sewer at two locations (STW-1 and STW-2) including PID screening of the air space (Table 5); and

## Technical Memorandum

- Measurement of in situ hydraulic conductivity (slug tests) at eight locations (data to be used in subsequent groundwater modeling).
- Four of the samples collected earlier in December froze prior to reaching the laboratory; therefore on December 30, 2009 RMT conducted a groundwater re-sample event at these locations.
- After reviewing groundwater data from the December 2009 sample event, RMT identified results from six sample locations which had the potential to affect decisions related to future investigation activities. A second sample was collected at these locations on January 13, 2010. Results of this sampling event are included in this report (Table 3).

## Data Analysis

### Nature and Extent of the Lower Clay Confining Unit

As indicated in the CCR, the site geology generally consists of a surficial silty clay interval ranging from 3 to 7 feet thick, underlain by unconsolidated fine to coarse sand and gravel. Prior investigation had identified a second clay interval along the eastern edge of the site, but the continuity and thickness of the lower clay layer had, up to that point, not been thoroughly investigated.

RMT further evaluated the site geology through a review of logs from soil borings advanced at the site during field activities conducted by RMT from November through December 2009. Logs of soil borings and monitoring wells installed during the investigation are included as Attachment A. Two of the geologic cross sections found in the CCR were updated with the new boring data, and two new cross sections were developed from these boring logs to illustrate the geology underlying the former TPC site and study area. Figure 3 shows the orientation of the cross-section transects (A-A', B-B', C-C', and D-D'), while Figures 4 to 7 present the cross sections.

As illustrated in the cross sections, the second clay layer beneath the site is continuous across the entire study area. The elevation of the top of clay ranges from approximately 740 feet above mean sea level (ft MSL) along the western perimeter of the site to an elevation ranging from approximately 750 ft MSL to 770 ft MSL along the eastern extent of the area affected by VOCs. Where clay was encountered, a minimum clay thickness of 2 feet was confirmed. Undisturbed samples of the clay were collected using a Shelby Tube at two locations (MW-10d and MW-19d) and the hydraulic conductivity was measured at the RMT Soils Laboratory in Madison, Wisconsin. The measured hydraulic conductivity of the clay ranged from  $1.5 \times 10^{-8}$  cm/s to  $1.9 \times 10^{-8}$  cm/s (Attachment B). This continuous clay deposit represents a significant confining layer for vertical groundwater movement into deeper aquifers.

### Hydrogeology

The groundwater elevation data collected in December 2009 were used to construct a groundwater contour map and determine the direction of groundwater flow and hydraulic gradient within the unconsolidated sand underlying the site (Figure 2). Several rounds of water levels have been collected (Table 1), and the depth to groundwater and the direction of

## Technical Memorandum

groundwater flow is generally consistent. Groundwater flow at the former TPC site is generally east toward the River Raisin, the nearest body of water located 1,500 to 2,500 feet east of the site. The River Raisin is the regional discharge feature for groundwater beneath the former TPC site. A mean horizontal hydraulic gradient of 0.001 was measured across the site using the December 2009 groundwater elevation data.

Vertical hydraulic gradient in the upper sand/gravel aquifer was evaluated at the four nested well pairs (MW-10s/d, MW-19s/d, MW-20s/d, and MW-24s/d). At MW-19s/d and MW-24s/d, along the western (upgradient) portion of the site, the measured vertical hydraulic was essentially neutral (0.00). At MW-10s/d and MW-20s/d east (downgradient) of the site, a downward hydraulic gradient ranging from (0.13 to 0.23) was measured. This is a significant vertical downward gradient in the upper sand/gravel aquifer, and appears to be the result of a higher conductivity sand and gravel deposit that underlies the sand deposit (see the Cross Section B-B' on Figure 5).

The surface topography drops steeply downgradient of the site from an approximate elevation of 780 ft MSL to an approximate elevation of 750 ft MSL in the wetland area adjacent to the River Raisin. East of the site, in proximity to the change in surface elevation, the horizontal hydraulic gradient increases (Figure 2). The presence of discontinuous gravel and/or sand with gravel units that are more conductive than the bulk of the sand aquifer facilitates the decrease in static water elevation. Where these units are present the static water level appears to mirror the elevation of the top of the clay unit (MW-21, MW-22, B-42, and B-43). The influence of the more conductive gravel unit(s) is illustrated on Cross Sections B-B' (Figure 5) and D-D' (Figure 7). Vertical groundwater movement is impeded by the continuous clay layer underlying the gravel deposit.

### Nature and Extent of Affected Groundwater

Water chemistry data is summarized on Tables 2, 3, and 4. Detected concentrations of CVOCs, are shown on Figure 8. Concentrations of CVOCs at previously sampled locations are generally consistent with historic data (Table 3).

CVOCs were detected above the MDNRE generic drinking water criteria at 6 of the 12 new monitoring well locations (MW-19s, MW-20s, MW-20d, MW-21, MW-22, and MW-23). However, CVOCs were detected above the MDNRE Part 201 generic groundwater/surface water interface (GSI) criteria at only 1 of the 12 new monitoring well locations (MW-21). Figure 9 shows the horizontal extent CVOCs detected above generic drinking water and GSI criteria.

Field indicator parameters (pH, conductivity, redox potential, dissolved oxygen and temperature) were collected at each of the well locations (Table 2), and concentrations of MNA parameters (chloride, nitrate, sulfate, and ferrous iron) were evaluated at 15 monitoring well locations (Table 4). A preliminary review of these data indicates that conditions are favorable for natural attenuation. Field and MNA parameters will be considered in upcoming investigations and data evaluations including groundwater modeling.

## Technical Memorandum

### VOCs in the Storm Sewer

Water chemistry data for storm sewer samples collected in December 2009, can be found on Table 5. VOCs were not detected at sample location STW-01 or STW-02. The air space in the storm sewers at these sample locations was screened with a PID. No VOCs were detected with the PID.

### VOCs in Private Wells

Three of the five remaining private wells identified in the CCR were re-sampled. No VOCs were detected in the water collected from these wells which are located at 607 Mohawk Street, 611 Mohawk Street, and 615 Mohawk Street. Laboratory data from these wells are included in Attachment C. As described in the CCR, these wells are screened in a water bearing zone underlying the laterally contiguous low permeability clay layer. The well located at 307 Kilbuck Street has only an external spigot, which was frozen at the time samples were collected. As reported in the CCR, no VOCs were detected in this well during the April 2009 sample event. This well remains part of the monitoring program and will be sampled as weather permits. Finally the fifth well, a shallow irrigation well located at 509 South Maumee Street was not retested. TCE was detected at this location above Part 201 criteria during the first sample event. TPC is negotiating with the well owner (Todd Klanke) in order to achieve a mutually acceptable strategy for decommissioning or treating this well.

### Summary and Conclusions

This memorandum provides a status update regarding off-site migration of VOCs at the Tecumseh Products Company Site in Tecumseh, Michigan. This memorandum includes boring logs and laboratory data from off-site field activities conducted between November 2009 and January 2010. The data gaps identified by TPC and/or the USEPA including a status evaluation and proposed future activities related to the off-site migration of VOCs are listed below:

- RMT conducted soil borings at nine locations with the intention of installing two upgradient deep wells (MW-19d and MW-24d) and three downgradient deep wells (MW-10d, MW-23d, MW-21d). However the aquifer thickness decreases significantly downgradient of the site and the aquifer thickness was less than 10 feet at the proposed locations of MW-21d and MW-23d. Therefore only one well was installed at these locations. An additional deep well was installed at MW-20d to provide further definition of the deep groundwater south and east of the site. Although MW-10d was installed adjacent to MW-10s, the aquifer thickness is at the location of MW-10s/d was only 11 feet, therefore regular continuous monitoring of MW-10s and MW-10d may not be needed.
- VOCs, particularly CVOCs, were the focus of the investigation conducted by RMT and are expected to drive the scope of corrective action at the site. Field indicator parameters and monitored natural attenuation parameters were also evaluated to aid in future groundwater modeling efforts.
- CVOCs, specifically 1,1,1-TCA, TCE, cis-1,2-DCE, and vinyl chloride, have been identified in groundwater at perimeter and off-site locations.
- Field indicator parameter and MNA parameter data indicate that conditions are favorable for natural attenuation. Field and MNA parameters will be considered in upcoming investigations and data evaluations including groundwater modeling.

## Technical Memorandum

- Deep boring data show that a continuous clay layer is present beneath the site and the downgradient extent of groundwater affected by VOCs. This clay layer, which has a hydraulic conductivity on the order of  $10^{-8}$  cm/s, is expected to impede the vertical migration of VOCs into deeper aquifers.
- There is no measured downward gradient at nested wells immediately west (upgradient) of the site. However a downward gradient was measured east (downgradient) of the site as proximity to the River Raisin (the regional aquifer discharge point) increases. This is a result of a sand and gravel deposit which was identified in the southeast portion of the study area. The thickness of the aquifer east of the site, towards the River Raisin decreases significantly, and consequently the vertical gradients become insignificant.
- Data from the storm sewer and utility corridor sampling (Tables 3 and 5) indicates that neither storm sewers nor utility corridors provide significant preferential pathways for the off-site migration of VOCs.
- Three of the private water supply wells which have been identified in the affected area were retested for VOCs. No VOCs were detected at these locations (607 Mohawk Street, 611 Mohawk Street, and 615 Mohawk Street). The well located at 307 Kilbuck Street has only an external spigot, which was frozen at the time samples were collected. This well remains part of the monitoring program and will be sampled as weather permits.
- The shallow private irrigation well located at 509 South Maumee Street was not retested. TCE was detected at this location above Part 201 criteria during the first sample event. TPC is negotiating with the well owner (Todd Klanke) in order to achieve a mutually acceptable strategy for decommissioning or treating this well.
- There are currently no known instances of ingestion of affected groundwater. Therefore, ingestion of affected groundwater is a relevant, but incomplete, exposure pathway. TPC is working with the City of Tecumseh to enact institution controls to prevent the future installation and/or use of private water supply wells in the area affected by off-site migration of VOCs.
- The horizontal extent of groundwater affected by CVOCs above Part 201 criteria has been generally defined and is shown on Figure 9 with a few data gaps described below.
- A network of monitoring wells with concentrations of VOCs below generic Part 201 has been established around the majority of the horizontal extent of groundwater affected by CVOCs as shown on Figure 9 and as summarized below:
  - Upgradient (western) Extent: From north to south monitoring wells MW-11s, MW-18s, MW-15s and MW-19d define the upgradient extent of VOCs. TCE was not detected at MW-25s located approximately 250 feet south of the former TPC manufacturing building. However TCE was detected above the drinking water criterion at MW-19s (36 ug/L) located approximately 100 feet further south of the former manufacturing building and approximately 150 feet west (upgradient) of the building. Although the presence of TCE at a MW-19s is more logically explained by an alternative source of TCE, TPC intends to install a shallow monitoring well in the right-of-way approximately 130 feet west of MW-19s to define the southwest extent of VOCs in the shallow groundwater.

## Technical Memorandum

- Northern Extent: From west to east monitoring wells MW-24s, MW-24d, and MW-12s define the northern side gradient extent of VOCs.
- Southern Extent: The southern side gradient extent of VOCs is only somewhat defined by monitoring wells MW-19s, MW-25s, MW-20s, MW-20d, and MW-14s. VOCs were detected above drinking water criteria at MW-19s, MW-20s, and MW-20d. In addition to the proposed well near MW19s described above, TPC intends to install two additional monitoring wells (one shallow and one deep) in the right-of-way approximately 500 feet south of MW-20s/d to define the southern extent of VOCs in the shallow groundwater.
- Downgradient (eastern) Extent: From north to south monitoring wells MW-13s, MW-23, MW-10s, MW-10d, MW-22, MW-17s, MW-21and MW-14s were intended to define the downgradient extent of VOCs above Part 201 criteria in groundwater. Of these wells, VOCs were detected above Part 201 drinking water criteria at MW-23, MW-22, and MW-21. GSI criteria are not exceeded at MW-23 or MW-22.
  - Given that TPC intends to implement institution controls to prevent future installation and/or use of private water supply wells in the area, only the GSI criteria represents a relevant and potentially complete exposure pathway. Therefore additional wells downgradient of MW-22 or MW-23 are not needed.
  - As shown on Figure 2, MW-17s is a clean well located downgradient of MW-21. However given the difference in the static groundwater elevations between MW-14s and MW-21, TPC intends to further investigate the direction of groundwater flow near MW-14s. As shown on Figure 7 (Cross Section D-D') although the clay layer observed at MW-14s was sufficiently thick (at least 10 feet) to impede vertical groundwater movement, it is possible that this clay layer is not vertically contiguous with the laterally contiguous clay layer observed across the study area. Therefore, TPC intends to perform a deeper soil boring adjacent to MW-14s to determine if the clay is vertically contiguous to an elevation of approximately 745 feet MSL (approximately 35-40 feet below ground surface). If it is found not to be vertically contiguous, a deeper monitoring well will be installed at that location to further evaluate the migration of VOCs in the deep groundwater adjacent to the top of the laterally contiguous clay. This well will be installed in near the top of clay in the the presumed downgradient direction of MW-21.

The location of the four proposed additional monitoring wells is shown on Figure 9.

- TPC intends to implement a quarterly groundwater monitoring program beginning in the first quarter of 2010 to further characterize groundwater conditions. This program will be implemented and modified as appropriate so that the extent of VOCs are characterized.
- Concentrations of VOCs are below the Part 201 groundwater volatilization to indoor air criteria. However, the USEPA has indicated that the USEPA draft 2002 vapor intrusion guidance document may be applicable. RMT and TPC are in the process of evaluating the MDNRE and USEPA guidance documents related to vapor intrusion. Following this evaluation, a strategy to address the potential for off-site volatilization to indoor air, including site specific screening criteria, will be developed and submitted to USEPA for review.

## **Technical Memorandum**

Tables:

- Table 1: Groundwater and Surface Water Elevations
- Table 2: Summary of Field Parameters in Groundwater
- Table 3: Summary of Detected Volatile Organic Compounds in Groundwater
- Table 4: Summary of Monitored Natural Attenuation Parameters in Groundwater
- Table 5: Summary of Chlorinated Volatile Organic Compound Results for Storm Sewer Samples

Figures:

- Figure 1: Surface Topography and Monitoring Well Locations
- Figure 2: Groundwater Contour Map – December 2009
- Figure 3: Cross Section Location Map
- Figure 4: Geologic Cross Section A-A'
- Figure 5: Geologic Cross Section B-B'
- Figure 6: Geologic Cross Section C-C'
- Figure 7: Geologic Cross Section D-D'
- Figure 8: Summary of December 2009 and January 2010 Groundwater Analytical Data
- Figure 9: Extent of VOCs above Part 201 Criteria and Proposed Monitoring Well Locations

Attachments:

- Attachment A: Soil Boring and Observation Well Logs
- Attachment B: Laboratory Hydraulic Conductivity Tests
- Attachment C: Laboratory Analytical Data

## Tables

**Table 1**  
 Groundwater and Surface Water Elevations  
 Tecumseh Products Company  
 Tecumseh, Michigan  
 December 2009

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-1S	796.53	03/16/09	16.13	780.40
		04/20/09	15.95	780.58
		06/04/09	16.14	780.39
		12/07/09	17.34	779.19
MW-2S	802.14	03/16/09	21.94	780.20
		04/20/09	21.60	780.54
		06/04/09	21.53	780.61
		12/07/09	22.87	779.27
MW-3S	787.00	03/16/09	7.63	779.37
		04/20/09	7.45	779.55
		06/04/09	7.63	779.37
		12/07/09	8.57	778.43
MW-4S	794.42	03/16/09	14.64	779.78
		04/20/09	14.40	780.02
		06/04/09	14.48	779.94
		12/07/09	15.65	778.77
MW-5S	805.59	03/16/09	24.73	780.86
		04/20/09	24.40	781.19
		06/04/09	24.41	781.18
		12/07/09	25.77	779.82
MW-6S	803.73	03/16/09	23.26	780.47
		04/20/09	22.85	780.88
		06/04/09	22.72	781.01
		12/07/09	24.18	779.55
MW-7S	804.4	03/16/09	23.85	780.55
		04/20/09	23.40	781.00
		06/04/09	23.24	781.16
		12/07/09	24.75	779.65
MW-8S	804.39	03/16/09	23.61	780.78
		04/20/09	23.30	781.09
		06/04/09	23.24	781.15
		12/07/09	24.61	779.78
MW-9S	783.97	03/16/09	4.46	779.51
		04/20/09	4.30	779.67
		06/04/09	4.63	779.34
		12/07/09	5.65	778.32
MW-10S	788.65	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	10.46	778.19
		12/07/09	11.57	777.08
MW-10D	788.40	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	12.10	776.30

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not Installed at time of measurement

NM - Not Measured

**Table 1**  
 Groundwater and Surface Water Elevations  
 Tecumseh Products Company  
 Tecumseh, Michigan  
 December 2009

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-11S	809.64	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	28.09	781.55
		12/07/09	29.69	779.95
MW-12S	790.9	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	12.40	778.50
		12/07/09	13.67	777.23
MW-13S	787.35	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	14.88	772.47
		12/07/09	15.81	771.54
MW-14S	780.67	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	5.12	775.55
		12/07/09	6.20	774.47
MW-15S	811.72	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	29.59	782.13
		12/07/09	31.09	780.63
MW-16S	782.9	03/16/09	NI	NI
		04/20/09	NI	NI
		07/23/09	Dry	NM
		12/07/09	Dry	NM
MW-17S	754.49	03/16/09	NI	NI
		04/20/09	NI	NI
		07/23/09	5.33	749.16
		10/15/09	5.40	749.09
MW-18S	805.49	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	25.66	779.83
MW-19S	803.92	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	24.05	779.87
MW-19D	804.04	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	24.17	779.87
MW-20S	783.16	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	4.85	778.31

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not Installed at time of measurement

NM - Not Measured

**Table 1**  
 Groundwater and Surface Water Elevations  
 Tecumseh Products Company  
 Tecumseh, Michigan  
 December 2009

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-20D	783.29	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	11.98	771.31
MW-21	780.85	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	29.69	751.16
MW-22	782.62	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	24.62	758.00
MW-23	787.10	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	9.27	777.83
MW-24S	797.83	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	19.10	778.73
MW-24D	797.93	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	19.20	778.73
MW-25S	798.23	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	18.77	779.46
E. Chicago Blvd (River Raisin)	756.50	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	14.00	742.51
Russell Road (River Raisin)	755.23	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	19.36	735.87

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not Installed at time of measurement

NM - Not Measured

**Table 2**  
 Summary of Field Parameters in Groundwater  
 Tecumseh Products Company  
 Tecumseh, Michigan  
 December 2009

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Temperature
Units		S.U.	umhos/cm	mV	mg/L	°C
MW-01S	12/09/2009	7.29	499	161	5.68	12.64
MW-02S	12/09/2009	6.67	1238	192	3.92	14.78
MW-03S	12/08/2009	6.85	1342	63	1.21	13.67
MW-04S	12/09/2009	6.87	970	68	7.17	15.47
MW-05S	12/10/2009	7.41	765	131	7.19	10.18
MW-06S	12/09/2009	7.18	635	171	2.32	11.72
MW-07S	12/10/2009	7.27	822	95	3.41	10.43
MW-08S	12/10/2009	7.49	828	119	8.60	10.91
MW-09S	12/09/2009	7.14	661	172	6.32	11.63
MW-10S	12/09/2009	7.01	825	-1	6.16	9.99
MW-10D	12/09/2009	6.98	1150	6	1.69	10.05
MW-11S	12/09/2009	7.14	969	140	8.59	10.18
MW-12S	12/10/2009	6.34	906	165	8.03	10.51
MW-13S	12/10/2009	6.51	1264	122	3.26	11.24
MW-14S	12/08/2009	7.04	1251	52	1.26	11.69
MW-15S	12/10/2009	7.07	456	150	9.35	9.76
MW-16S	12/07/2009	NM	NM	NM	NM	NM
MW-17S	12/07/2009	7.32	810	124	8.06	8.82
MW-18S	12/08/2009	7.31	1043	56	4.52	11.59
MW-19S	12/08/2009	6.82	1065	53	2.73	12.37
MW-19D	12/08/2009	6.86	1067	-84	0.71	10.99
MW-20S	12/10/2009	7.48	418	15	2.93	9.75
MW-20D	12/10/2009	6.87	1006	-41	0.82	11.18
MW-21	12/08/2009	7.12	1049	36	4.43	11.30
MW-22	12/07/2009	5.73	1220	190	1.75	9.62
MW-23	12/08/2009	6.63	1520	-29	0.68	12.91
MW-24S	12/08/2009	7.24	1710	5	3.86	13.10
MW-24D	12/08/2009	6.89	3760	-65	0.58	11.89
MW-25S	12/10/2009	7.08	743	71	0.93	11.01

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

°C = degrees Celsius

NM = Not measured

**Table 3**  
 Summary of Detected Volatile Organic Compounds in Groundwater  
 Perimeter and Off-Site Locations  
 Tecumseh Products Company  
 Tecumseh, Michigan  
 December 2009

Analyte	Carbon Disulfide <sup>(2,3)</sup>	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane <sup>(2)</sup>	1,1-Dichloroethene <sup>(2)</sup>	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Toluene <sup>(2)</sup>	1,1,1-Trichloroethane	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Xylenes <sup>(2)</sup>
Residential & Industrial Aesthetic DWC	NC	NC	NC	NC	NC	NC	NC	NC	790	NC	NC	NC	NC	280
Residential Health-Based DWC	800	1,700	880	5.0	7.0	70	100	5.0	1,000	200	5.0	2600	2.0	10000
Industrial Health-Based DWC	2,300	4,800	2,500	5.0	7.0	70	100	5.0	1,000	200	5.0	7300	2.0	10000
GSI Criteria	NC	NC	740	360 <sup>(1)</sup>	65 <sup>(1)</sup>	620	1,500	45 <sup>(1)</sup>	140	200	200 <sup>(1)</sup>	NC	15	35
Residential Volatilization to IAI Criteria	2.5E+5	2.20E+05	1.0E+6	9,600	200	93,000	85,000	25,000	5.30E+05	6.6E+5	15,000	1.1E6	1,100	1.90E+05
Industrial Volatilization to IAI Criteria	5.5E+5	3.00E+05	2.3E+6	59,000	1,300	2.1E+5	2.0E+5	1.7E+5	5.30E+05	1.3E+6	97,000	1.1E6	13,000	1.90E+05
Groundwater Contact Criteria	1.2E+6 (S)	3.00E+05	2.4E+6	19,000	11,000	2.0E+5	2.2E+5	12,000	5.30E+05	1.3E+6	22,000	1.1E6	1,000	1.90E+05
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
B-01 (26°-30')	03/09/2009	<1.0	<1.0	<b>26</b>	<b>1.0</b>	<b>5.9</b>	<b>120</b>	<b>12</b>	<1.0	<b>5.3</b>	<1.0	<b>200</b>	<1.0	<1.0
B-01 (46°-50')	03/09/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>4.2</b>	<1.0	<b>6.8</b>	<1.0	<b>5.0</b>
B-02 (22°-26')	03/10/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>1.8</b>	<1.0	<b>27</b>
B-02 (33°-37')	03/10/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>4.0</b>	<1.0	<b>16</b>
B-03 (26°-30')	03/09/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>2.6</b>	<1.0	<1.0	<1.0	<b>1.4</b>
B-03 (38°-42')	03/09/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>2.2</b>	<1.0	<1.0	<1.0	<3.0
B-04 (19°-23')	03/10/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0
B-04 (19-23'), Dup-01	03/10/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>12</b>
B-04 (29°-33')	03/10/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0
B-05 (14°-18)	03/10/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>11</b>
B-05 (22°-26')	03/10/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>3.7</b>
B-06 (44°-48')	03/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>3.5</b>	<1.0	<1.0	<1.0	<1.0
B-07 (44°-48')	03/16/2009	<b>3.5</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0
B-08 (44°-48')	03/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0
B-10 (24-28')	4/16/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>57</b>	NA	<2.0
B-11 (29-33')	4/16/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0
B-12 (24-28')	4/16/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>2.5</b>	NA	<2.0
B-12 (24-28'), Dup-05	4/16/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>2.2</b>	NA	<2.0
B-13 (29-33')	4/17/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0
B-13 (46-50')	4/16/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0
B-14 (16-20')	4/14/2009	NA	NA	<100	<100	<100	<100	<100	<100	<100	<100	<b>1100</b>	NA	<200
B-14 (36-40')	4/14/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>2.4</b>	NA	<2.0
B-15 (24-28')	4/20/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>1.5</b>	<1.0	<b>9.9</b>	<b>2.8</b>	NA
B-15 (44-48')	4/20/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>8.7</b>	NA	<2.0
B-17 (24-28')	4/20/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<2.0
B-18 (22-26')	4/14/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<b>2.3</b>	<1.0	<1.0	<b>1.4</b>	<1.0	<1.0	NA
B-18 (32-36')	4/14/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<b>1.4</b>	<1.0	<1.0	<b>1.4</b>	<1.0	<1.0	NA

Notes:

Residential and Industrial Aesthetic Drinking Water Criteria (DWC), Residential and Industrial Health-Based DWC, Groundwater Surface Water Interface (GSI) Criteria, Residential and Industrial Groundwater Volatilization to Indoor Air Inhalation (IAI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006.

ug/L = micrograms per liter

NC = No Criteria

NA = Not Analyzed

**bold** font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) Compound may exhibit characteristic reactivity as defined in 40 C.F.R. § 261.23

**Table 3**  
 Summary of Detected Volatile Organic Compounds in Groundwater  
 Perimeter and Off-Site Locations  
 Tecumseh Products Company  
 Tecumseh, Michigan  
 December 2009

Analyte	Carbon Disulfide <sup>(2,3)</sup>	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane <sup>(2)</sup>	1,1-Dichloroethene <sup>(2)</sup>	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Toluene <sup>(2)</sup>	1,1,1-Trichloroethane	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Xylenes <sup>(2)</sup>	
Residential & Industrial Aesthetic DWC	NC	NC	NC	NC	NC	NC	NC	NC	790	NC	NC	NC	NC	280	
Residential Health-Based DWC	800	1,700	880	5.0	7.0	70	100	5.0	1,000	200	5.0	2600	2.0	10000	
Industrial Health-Based DWC	2,300	4,800	2,500	5.0	7.0	70	100	5.0	1,000	200	5.0	7300	2.0	10000	
GSI Criteria	NC	NC	740	360 <sup>(1)</sup>	65 <sup>(1)</sup>	620	1,500	45 <sup>(1)</sup>	140	200	200 <sup>(1)</sup>	NC	15	35	
Residential Volatilization to IAI Criteria	2.5E+5	2.20E+05	1.0E+6	9,600	200	93,000	85,000	25,000	5.30E+05	6.6E+5	15,000	1.1E6	1,100	1.90E+05	
Industrial Volatilization to IAI Criteria	5.5E+5	3.00E+05	2.3E+6	59,000	1,300	2.1E+5	2.0E+5	1.7E+5	5.30E+05	1.3E+6	97,000	1.1E6	13,000	1.90E+05	
Groundwater Contact Criteria	1.2E+6 (S)	3.00E+05	2.4E+6	19,000	11,000	2.0E+5	2.2E+5	12,000	5.30E+05	1.3E+6	22,000	1.1E6	1,000	1.90E+05	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
B-19 (12-16')	4/15/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	11	<2.0	
B-19 (29-33')	4/15/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	1.0	<1.0	<1.0	NA	10	<2.0	
B-20 (18-22')	4/15/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0	
B-20 (8-12')	4/15/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0	
B-21 (13-17')	4/15/2009	NA	NA	8.1	<1.0	<1.0	13	2.2	<1.0	<1.0	3.6	30	NA	58	
B-21 (6-10')	4/15/2009	NA	NA	3.3	<1.0	<1.0	3.6	<1.0	<1.0	<1.0	6.9	NA	1.0	<2.0	
B-22 (18-23')	4/14/2009	NA	NA	<20	<20	<20	<20	<20	<20	53	190	NA	<20	<40	
B-22 (40-44')	4/14/2009	NA	NA	<1.0	<1.0	<1.0	13	<1.0	<1.0	<1.0	1.4	3.0	NA	<1.0	<2.0
B-23a (14-18')	4/13/2009	NA	NA	<2.0	<2.0	<2.0	<2.0	<2.0	4.8	<2.0	23	NA	<2.0	<6.0	
B-23a (14-18'), Dup-01	4/13/2009	NA	NA	<2.0	<2.0	<2.0	<2.0	<2.0	5.0	<2.0	26	NA	<2.0	<6.0	
B-23a (30-34')	4/13/2009	NA	NA	<250	<250	<250	5500	<250	<250	<250	<250	1700	NA	<250	<750
B-23b (14-16')	4/15/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	1.7	<1.0	<1.0	8.9	NA	<1.0	<2.0
B-24a (6-10')	4/13/2009	NA	NA	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	150	NA	<5.0	<15
B-24a (28-32')	4/13/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.6	NA	6.7	<2.0
B-24b (5-7')	4/16/2009	NA	NA	<20	<20	<20	<20	<20	<20	29	740	NA	<20	<40	
B-24b (5-7'), Dup-04	4/16/2009	NA	NA	<50	<50	<50	<50	<50	<50	<50	<50	770	NA	<50	<100
B-25 (7-11')	4/17/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0
B-25 (7-11'), Dup-06	4/17/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0
B-25 (31-35')	4/17/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0
B-26 (16-20')	4/14/2009	NA	NA	<1.0	<1.0	<1.0	3.2	<1.0	<1.0	1.2	<1.0	<1.0	NA	3.1	<2.0
B-26 (29-33')	4/14/2009	NA	NA	<1.0	<1.0	<1.0	7.3	<1.0	<1.0	<1.0	<1.0	<1.0	NA	140	<2.0
B-27b (8-10')	4/15/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	9.2	NA	<1.0	<2.0
B-28b (16-18')	4/16/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	1.7	<2.0
B29 (8-12')	4/13/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0
B29 (38-42')	4/13/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	1.3	1.1
B-29b	11/24/2009	<2.0	<10	27	<2.0	<2.0	6.2	<2.0	210	<2.0	77	76	<2.0	<2.0	<6.0
B-30a (6-11')	4/14/2009	NA	NA	2.4	<1.0	<1.0	36	4.2	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0
B-30a (30-34')	4/14/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	1.1

Notes:

Residential and Industrial Aesthetic Drinking Water Criteria (DWC), Residential and Industrial Health-Based DWC, Groundwater Surface Water Interface (GSI) Criteria, Residential and Industrial Groundwater Volatilization to Indoor Air Inhalation (IAI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006.

ug/L = micrograms per liter

NC = No Criteria

NA = Not Analyzed

**bold** font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) Compound may exhibit characteristic reactivity as defined in 40 C.F.R. § 261.23

**Table 3**  
 Summary of Detected Volatile Organic Compounds in Groundwater  
 Perimeter and Off-Site Locations  
 Tecumseh Products Company  
 Tecumseh, Michigan  
 December 2009

Analyte	Carbon Disulfide <sup>(2,3)</sup>	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane <sup>(2)</sup>	1,1-Dichloroethene <sup>(2)</sup>	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Toluene <sup>(2)</sup>	1,1,1-Trichloroethane	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Xylenes <sup>(2)</sup>	
Residential & Industrial Aesthetic DWC	NC	NC	NC	NC	NC	NC	NC	NC	790	NC	NC	NC	NC	280	
Residential Health-Based DWC	800	1,700	880	5.0	7.0	70	100	5.0	1,000	200	5.0	2600	2.0	10000	
Industrial Health-Based DWC	2,300	4,800	2,500	5.0	7.0	70	100	5.0	1,000	200	5.0	7300	2.0	10000	
GSI Criteria	NC	NC	740	360 <sup>(1)</sup>	65 <sup>(1)</sup>	620	1,500	45 <sup>(1)</sup>	140	200	200 <sup>(1)</sup>	NC	15	35	
Residential Volatilization to IAI Criteria	2.5E+5	2.20E+05	1.0E+6	9,600	200	93,000	85,000	25,000	5.30E+05	6.6E+5	15,000	1.1E6	1,100	1.90E+05	
Industrial Volatilization to IAI Criteria	5.5E+5	3.00E+05	2.3E+6	59,000	1,300	2.1E+5	2.0E+5	1.7E+5	5.30E+05	1.3E+6	97,000	1.1E6	13,000	1.90E+05	
Groundwater Contact Criteria	1.2E+6 (S)	3.00E+05	2.4E+6	19,000	11,000	2.0E+5	2.2E+5	12,000	5.30E+05	1.3E+6	22,000	1.1E6	1,000	1.90E+05	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
B-30a (30-34'), Dup-02	4/14/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0	
B31 (10-14')	4/13/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	7.4	<1.0	<1.0	NA	8.1	<2.0	
B31 (25-29')	4/13/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	1.7	<1.0	<1.0	NA	390	<2.0	
B-32a (10-14')	4/14/2009	NA	NA	<1.0	<1.0	<1.0	13	<1.0	<1.0	1.6	<1.0	<1.0	NA	430	<2.0
B-32a (25-29')	4/14/2009	NA	NA	<100	<100	<100	1200	<100	<100	<100	<100	<100	360	<200	
B-32b (8.5-10.5')	4/15/2009	NA	NA	<1.0	<1.0	<1.0	3.4	<1.0	1.7	<1.0	2.1	13	NA	1.6	<2.0
B-33 (4-8')	4/15/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0	
B-33 (4-8'), Dup-03	4/15/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0	
B-33 (17-21')	4/15/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0	
B-33b	11/24/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.7	<1.0	<3.0	
B-34 (14-18')	4/20/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0	
B-34 (41-45')	4/20/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	<1.0	<2.0	
B-35 (5-9')	4/20/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	1.1	<2.0	
B-35 (30-34')	4/20/2009	NA	NA	<10	<10	<10	<10	<10	<10	<10	<10	NA	450	<20	
B-35 (5-9'), Dup-07	4/20/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	NA	1.1	<2.0	
B-36 (12-16')	5/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
B-36 (16-20')	5/13/2009	<1.0	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
B-36 (16-20'), Dup 01	5/13/2009	<1.0	1.1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
B-37 (38.5-42.5')	5/12/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.3	<1.0	<1.0	<1.0	<1.0	<3.0	
B-38 (15-19')	5/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.1	<1.0	<1.0	<1.0	<1.0	<3.0	
B-38 (36-40')	5/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
B-39 (15-19')	5/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
B-40 (16-20')	5/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
B-40 (42-46')	5/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-25 (46'-51')	12/01/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	37	1.4	<1.0	<1.0	<1.0	<1.0	<3.0	
	03/13/2009	<20	<20	<20	<20	<20	<20	<20	<20	750	2700	<20	<20	<60	
	4/20/2009	NA	NA	<100	<100	<100	<100	<100	<100	1100	2200	NA	<100	<200	
MW-01s (16-21')	12/09/2009	<20	<100	<20	<20	<20	<20	<20	<20	1000	3400	<20	<20	<60	
DUP-01 (MW-01s)	03/13/2009	<20	<20	<20	<20	<20	<20	<20	<20	720	2700	<20	<20	<60	

Notes:

Residential and Industrial Aesthetic Drinking Water Criteria (DWC), Residential and Industrial Health-Based DWC, Groundwater Surface Water Interface (GSI) Criteria, Residential and Industrial Groundwater Volatilization to Indoor Air Inhalation (IAI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006.

ug/L = micrograms per liter

NC = No Criteria

NA = Not Analyzed

**bold** font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) Compound may exhibit characteristic reactivity as defined in 40 C.F.R. § 261.23

**Table 3**  
 Summary of Detected Volatile Organic Compounds in Groundwater  
 Perimeter and Off-Site Locations  
 Tecumseh Products Company  
 Tecumseh, Michigan  
 December 2009

Analyte	Carbon Disulfide <sup>(2,3)</sup>	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane <sup>(2)</sup>	1,1-Dichloroethene <sup>(2)</sup>	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Toluene <sup>(2)</sup>	1,1,1-Trichloroethane	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Xylenes <sup>(2)</sup>
Residential & Industrial Aesthetic DWC	NC	NC	NC	NC	NC	NC	NC	NC	790	NC	NC	NC	NC	280
Residential Health-Based DWC	800	1,700	880	5.0	7.0	70	100	5.0	1,000	200	5.0	2600	2.0	10000
Industrial Health-Based DWC	2,300	4,800	2,500	5.0	7.0	70	100	5.0	1,000	200	5.0	7300	2.0	10000
GSI Criteria	NC	NC	740	360 <sup>(1)</sup>	65 <sup>(1)</sup>	620	1,500	45 <sup>(1)</sup>	140	200	200 <sup>(1)</sup>	NC	15	35
Residential Volatilization to IAI Criteria	2.5E+5	2.20E+05	1.0E+6	9,600	200	93,000	85,000	25,000	5.30E+05	6.6E+5	15,000	1.1E6	1,100	1.90E+05
Industrial Volatilization to IAI Criteria	5.5E+5	3.00E+05	2.3E+6	59,000	1,300	2.1E+5	2.0E+5	1.7E+5	5.30E+05	1.3E+6	97,000	1.1E6	13,000	1.90E+05
Groundwater Contact Criteria	1.2E+6 (S)	3.00E+05	2.4E+6	19,000	11,000	2.0E+5	2.2E+5	12,000	5.30E+05	1.3E+6	22,000	1.1E6	1,000	1.90E+05
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-02s (23-28')	03/13/2009	<2.0	<2.0	<2.0	<2.0	<b>2.4</b>	<2.0	<b>2.2</b>	<2.0	<b>2.5</b>	<b>280</b>	<2.0	<2.0	<6.0
MW-02s (23-28')	4/20/2009	NA	NA	<10	<10	<10	<10	<10	<10	<10	<b>130</b>	NA	<10	<20
MW-02s (23-28')	12/09/2009	<2.0	<10	<2.0	<2.0	<b>3.7</b>	<2.0	<b>2.7</b>	<2.0	<b>2.9</b>	<b>250</b>	<2.0	<2.0	<6.0
MW-03s (9-14')	03/13/2009	<2.0	<2.0	<b>9.1</b>	<2.0	<2.0	<b>240</b>	<b>9.1</b>	<2.0	<2.0	<2.0	<2.0	<2.0	<6.0
MW-03s (9-14')	4/20/2009	NA	NA	<b>18</b>	<10	<10	<b>490</b>	<b>18</b>	<10	<10	<10	<10	<b>210</b>	<20
MW-03s (9-14')	12/08/2009	<25	<120	<b>46</b>	<25	<25	<b>2200</b>	<b>83</b>	<25	<25	<25	<25	<b>130</b>	<75
DUP-01 (MW-03S)	12/08/2009	<25	<120	<b>42</b>	<25	<25	<b>2000</b>	<b>73</b>	<25	<25	<25	<25	<b>120</b>	<75
MW-04s (15-20')	03/13/2009	<25	<25	<25	<25	<25	<b>2100</b>	<b>70</b>	<25	<25	<25	<b>5000</b>	<25	<b>460</b>
MW-04s (15-20')	4/20/2009	NA	NA	<100	<100	<100	<b>1700</b>	<100	<100	<100	<100	<b>4000</b>	NA	<b>520</b>
MW-04s (15-20')	12/09/2009	<50	<250	<50	<50	<50	<b>2500</b>	<b>90</b>	<50	<50	<50	<b>7100</b>	<50	<b>270</b>
MW-05s (25-30')	03/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>3.5</b>	<1.0	<1.0	<b>120</b>	<1.0
MW-05s (25-30')	4/20/2009	NA	NA	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<b>140</b>	NA	<5.0
MW-05s (25-30')	12/10/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>5.3</b>	<1.0	<1.0	<b>190</b>	<1.0
MW-06s (24-29')	03/16/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>21</b>	<1.0	<3.0
MW-06s (24-29')	4/20/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>23</b>	NA	<1.0
MW-06s (24-29')	12/09/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>37</b>	<1.0	<3.0
MW-07s (23.5-28.5')	03/16/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>2.1</b>	<b>10</b>	<1.0	<3.0
MW-07s (23.5-28.5')	4/20/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>1.6</b>	<b>11</b>	NA	<1.0
MW-07s (23.5-28.5')	12/10/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>1.8</b>	<b>14</b>	<1.0	<3.0
MW-08s (23.5-28.5')	03/16/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>11</b>	<1.0	<3.0
MW-08s (23.5-28.5')	4/20/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>10</b>	NA	<1.0
MW-08s (23.5-28.5')	12/10/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>11</b>	<1.0	<3.0
DUP-01 (MW-08s)	4/20/2009	NA	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>10</b>	NA	<1.0
MW-09s (7-12')	03/16/2009	<20	<20	<20	<20	<20	<20	<20	<20	<20	<b>160</b>	<b>1700</b>	<20	<60
MW-09s (7-12')	4/20/2009	NA	NA	<100	<100	<100	<100	<100	<100	<100	<b>220</b>	<b>2100</b>	NA	<200
MW-09s (7-12')	12/09/2009	<20	<100	<20	<20	<20	<20	<20	<20	<20	<b>150</b>	<b>2400</b>	<20	<60

**Notes:**

Residential and Industrial Aesthetic Drinking Water Criteria (DWC), Residential and Industrial Health-Based DWC, Groundwater Surface Water Interface (GSI) Criteria, Residential and Industrial Groundwater Volatilization to Indoor Air Inhalation (IAI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006.

ug/L = micrograms per liter

NC = No Criteria

NA = Not Analyzed

**bold** font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) Compound may exhibit characteristic reactivity as defined in 40 C.F.R. § 261.23

**Table 3**  
 Summary of Detected Volatile Organic Compounds in Groundwater  
 Perimeter and Off-Site Locations  
 Tecumseh Products Company  
 Tecumseh, Michigan  
 December 2009

Analyte	Carbon Disulfide <sup>(2,3)</sup>	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane <sup>(2)</sup>	1,1-Dichloroethene <sup>(2)</sup>	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Toluene <sup>(2)</sup>	1,1,1-Trichloroethane	Trichloroethene	Trichlorofluoromethane	Vinyl Chloride	Xylenes <sup>(2)</sup>	
Residential & Industrial Aesthetic DWC	NC	NC	NC	NC	NC	NC	NC	NC	790	NC	NC	NC	NC	280	
Residential Health-Based DWC	800	1,700	880	5.0	7.0	70	100	5.0	1,000	200	5.0	2600	2.0	10000	
Industrial Health-Based DWC	2,300	4,800	2,500	5.0	7.0	70	100	5.0	1,000	200	5.0	7300	2.0	10000	
GSI Criteria	NC	NC	740	360 <sup>(1)</sup>	65 <sup>(1)</sup>	620	1,500	45 <sup>(1)</sup>	140	200	200 <sup>(1)</sup>	NC	15	35	
Residential Volatilization to IAI Criteria	2.5E+5	2.20E+05	1.0E+6	9,600	200	93,000	85,000	25,000	5.30E+05	6.6E+5	15,000	1.1E6	1,100	1.90E+05	
Industrial Volatilization to IAI Criteria	5.5E+5	3.00E+05	2.3E+6	59,000	1,300	2.1E+5	2.0E+5	1.7E+5	5.30E+05	1.3E+6	97,000	1.1E6	13,000	1.90E+05	
Groundwater Contact Criteria	1.2E+6 (S)	3.00E+05	2.4E+6	19,000	11,000	2.0E+5	2.2E+5	12,000	5.30E+05	1.3E+6	22,000	1.1E6	1,000	1.90E+05	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
MW-10S (8-13')	5/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
DUP-02 (MW-10S)	12/09/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-10D (14-19')	5/15/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-11S (29-34')	5/14/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-12S (12-17')	12/09/2009	<1.0	<5.0	<1.0	<1.0	<b>4.6</b>	<1.0	<1.0	<1.0	<1.0	<b>8.7</b>	<1.0	<1.0	<3.0	
MW-13S (13-18')	01/13/2010	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-12S (12-17')	5/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>1.4</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-13S (13-18')	12/30/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<b>1.4</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-14S (4-9')	5/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-14S (4-9')	12/08/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-15S (30-35')	5/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-17S (3-8')	12/30/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-18S (26-31')	12/07/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-19S (25-30')	12/08/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>1.8</b>	<b>31</b>	<1.0	<1.0	<3.0	
MW-19S (25-30')	01/13/2010	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<b>1.2</b>	<1.0	<b>2.3</b>	<b>36</b>	<1.0	<1.0	<3.0	
MW-19D (40-45')	12/08/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-20s (8-13')	12/30/2009	<1.0	<5.0	<b>48</b>	<1.0	<b>4.0</b>	<b>9.6</b>	<1.0	<1.0	<1.0	<b>150</b>	<b>71</b>	<b>2.9</b>	<1.0	<3.0
MW-20s (8-13')	01/13/2010	<1.0	<5.0	<b>50</b>	<1.0	<b>3.5</b>	<b>9.0</b>	<1.0	<1.0	<1.0	<b>170</b>	<b>70</b>	<b>2.8</b>	<1.0	<3.0
MW-20d (38.5-43.5')	12/30/2009	<1.0	<5.0	<b>1.2</b>	<1.0	<1.0	<b>86</b>	<1.0	<1.0	<1.0	<b>1.9</b>	<1.0	<1.0	<b>3.5</b>	<3.0
MW-20d (38.5-43.5')	01/13/2010	<1.0	<5.0	<1.0	<1.0	<1.0	<b>94</b>	<b>2.0</b>	<1.0	<1.0	<1.0	<1.0	<1.0	<b>3.7</b>	<3.0
MW-21 (28.5-33.5')	12/08/2009	<10	<50	<b>31</b>	<10	<10	<b>59</b>	<10	<10	<10	<b>54</b>	<b>840</b>	<10	<10	<30
MW-21 (28.5-33.5')	01/13/2010	<10	<50	<b>28</b>	<10	<10	<b>62</b>	<10	<10	<10	<b>56</b>	<b>730</b>	<10	<10	<30
MW-22 (25-30')	12/07/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>10</b>	<3.0	
MW-22 (25-30')	12/08/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>3.2</b>	<3.0	
MW-23 (17-22')	01/13/2010	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<b>7.6</b>	<3.0	
MW-24S (18.5-23.5')	12/08/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-24D (39-44')	12/08/2009	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	
MW-25S (20-25')	12/10/2009	<1.0	<5.0	<b>1.7</b>	<1.0	<1.0	<b>8.8</b>	<1.0	<1.0	<1.0	<b>4.8</b>	<1.0	<1.0	<3.0	

**Notes:**

Residential and Industrial Aesthetic Drinking Water Criteria (DWC), Residential and Industrial Health-Based DWC, Groundwater Surface Water Interface (GSI) Criteria, Residential and Industrial Groundwater Volatilization to Indoor Air Inhalation (IAI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006.

ug/L = micrograms per liter

NC = No Criteria

NA = Not Analyzed

**bold** font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) Compound may exhibit characteristic reactivity as defined in 40 C.F.R. § 261.23

**Table 4**  
 Summary of Monitored Natural Attenuation Parameters in Groundwater  
 Tecumseh Products Company  
 Tecumseh, Michigan  
 December 2009

Analyte		Chloride	Nitrate as Nitrogen	Sulfate	Iron II	Alkalinity	Total Organic Carbon
Units		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-01S	12/09/2009	34	3.0	20	0.31	NA	NA
MW-03S	12/08/2009	220	2.1	37	0.11	NA	NA
MW-03S (DUP-01)	12/08/2009	220	2.1	37	0.12	NA	NA
MW-04S	12/09/2009	100	6.8	27	0.079	430	4.4
MW-06S	12/09/2009	60	3.0	40	1.6	NA	NA
MW-09S	12/09/2009	63	1.8	24	0.23	NA	NA
MW-10D	12/09/2009	210	<0.05	44	0.48	NA	NA
MW-14S	12/08/2009	250	0.26	23	0.071	NA	NA
MW-17S	12/07/2009	88	<0.05	37	0.15	NA	NA
MW-18S	12/08/2009	140	1.9	47	0.44	NA	NA
MW-19S	12/08/2009	140	2.9	32	0.073	380	1
MW-19D	12/08/2009	150	<0.05	64	5.0	320	1.1
MW-21	12/08/2009	150	0.66	46	0.11	NA	NA
MW-23	12/08/2009	300	<0.05	63	4.0	NA	NA
MW-24S	12/08/2009	350	3.3	93	0.13	340	1.6
MW-24D	12/08/2009	1100	<0.05	110	6.4	350	1.3

Notes:

mg/L = milligrams per liter

NA = Not Analyzed

**bold** font denotes concentrations detected above laboratory reporting limits

**Table 5**  
 Summary of Chlorinated Volatile Organic Compound Results For Storm Sewer Samples  
 Tecumseh Products Company  
 Tecumseh, Michigan  
 December 2009

Analyte	1,1-Dichloroethene <sup>(2)</sup>	cis-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride
Residential & Industrial Aesthetic DWC	NC	NC	NC	NC	NC	NC
Residential Health-Based DWC	7.0	70	5.0	200	5.0	2.0
Industrial Health-Based DWC	7.0	70	5.0	200	5.0	2.0
GSI Criteria	65 <sup>(1)</sup>	620	45 <sup>(1)</sup>	200	200 <sup>(1)</sup>	15
Residential Volatilization to IAI Criteria	200	93,000	25,000	6.6E+5	15,000	1,100
Industrial Volatilization to IAI Criteria	1,300	2.1E+5	1.7E+5	1.3E+6	97,000	13,000
Groundwater Contact Criteria	11,000	2.0E+5	12,000	1.3E+6	22,000	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
	4/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0
STW #1	12/9/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	4/13/2009	<1.0	<1.0	<1.0	<1.0	<b>23</b>
STW #2	12/9/2009	<1.0	<1.0	<1.0	<1.0	<1.0
STW #3	4/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0
STW #4	4/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0
STW #5	4/13/2009	<1.0	<b>1.6</b>	<1.0	<1.0	<1.0
STW #6	4/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0
STW #7	4/13/2009	<1.0	<1.0	<1.0	<1.0	<b>2.7</b>
STW #8	4/13/2009	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:

Residential and Industrial Aesthetic Drinking Water Criteria (DWC), Residential and Industrial Health-Based DWC, Groundwater Surface Water Interface (GSI) Criteria, Residential and Industrial Groundwater Volatilization to Indoor Air Inhalation (IAI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006.

ug/L = micrograms per liter

NC = No Criteria

NA = Not Analyzed


**bold** font denotes concentrations detected above laboratory reporting limits


[light green box] Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

## Figures





**LEGEND**

— FORMER TECUMSEH PRODUCTS SITE BOUNDARY

— PARCEL BOUNDARY

||||| RAILROAD TRACKS (APPROXIMATE LOCATION)

B-2 ♦ PERIMETER / OFF-SITE INVESTIGATION  
SOIL BORING LOCATION AND NUMBER

MW-4S ▲ MONITORING WELL LOCATION AND NUMBER

NS-6 ♦ NORTHERN SOURCE AREA INVESTIGATION BORING LOCATION  
AND NUMBER

SS-2 ♦ SOUTHERN SOURCE AREA INVESTIGATION BORING  
LOCATION AND NUMBER

STW-2 \* STORM WATER SEWER SAMPLE LOCATION AND NUMBER

750 — APPROXIMATE GROUND TOPOGRAPHY BASED OFF 7.5  
MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP

GROUNDWATER FLOW DIRECTION


740 — 5 FOOT GROUNDWATER CONTOUR LINE

777 — 1 FOOT GROUNDWATER CONTOUR LINE

(778.97) GROUNDWATER ELEVATION

## NOTES

1. BASE MAP DEVELOPED FROM SITE PLAN PROVIDED BY THE CITY OF TECUMSEH, DRAWING NO. CITY.DWG, MARCH 2009.
  2. GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S TOPOGRAPHIC QUADRANGLE MAP AND GROUND SURVEY DATA.




FORMER TECUMSEH PRODUCTS SITE  
TECUMSEH, MICHIGAN


GROUNDWATER CONTOUR MAP  
DECEMBER 2009

SJL	DRAWING SCALE:	PROJECT NO:	J:\080701
SEM	AS INDICATED	FILE NO:	8070.07.02.d
GC	DATE PRINTED:	<b>FIGURE 2</b>	
February 2010			

## FIGURE 2



## CONCEPTUAL GEOLOGIC CROSS SECTION A - A'



## LEGEND

	CONCRETE		ASPHALT		APPROXIMATE GROUND SURFACE
	TOPSOIL		GRAVEL		STRATIGRAPHIC BOUNDARY BASED ON NEAREST SOIL BORING OR MONITORING WELL
	FILL		SILT		APPROXIMATE GROUNDWATER ELEVATION
	SAND (SOME AREAS CONTAIN GRAVEL)		SANDY CLAY		PIEZOMETRIC WATER LEVEL INDICATOR
	CLAY				WELL SCREEN
					TEMPORARY WELL SCREEN

## NOTES


1. GROUND SURFACE AND STRATIGRAPHIC CONTACTS ARE APPROXIMATE AND EXTRAPOLATED FROM NEAREST SOIL BORING DATA.
2. SEE FIGURE 3 FOR LOCATION / ORIENTATION OF THIS GEOLOGIC CROSS SECTION.
3. GROUNDWATER ANALYTICAL DATA REFLECTS MOST RECENT SAMPLE EVENT AS OF JANUARY 2010.
4. THE ELEVATION OF THE TOP OF CLAY IS ESTIMATED BASED ON WELL LOGS FROM THE CITY OF TECUMSEH WELL FIELD, WHICH IS LOCATED APPROXIMATELY 1,000 FT WEST OF MW-11S. TOP OF CLAY AT THE CITY WELL FIELD IS AT APPROXIMATELY 740 FT MSL.

FORMER TECUMSEH PRODUCTS SITE  
TECUMSEH, MICHIGAN

## GEOLOGIC CROSS SECTION A - A'

DRAWN BY:	SJL	PROJECT NUMBER:	J:\08070\07
CHECKED BY:	SBH,GC	FILE NUMBER:	8070.07.04-07.dwg
APPROVED BY:	GC	DATE:	February 2010
3754 Ranchero Drive Ann Arbor, Michigan 48108-2771 Phone: 734-971-7080 Fax: 734-971-9022			RMT

# CONCEPTUAL GEOLOGIC CROSS SECTION B - B'



## LEGEND

CONCRETE	ASPHALT	APPROXIMATE GROUND SURFACE
TOPSOIL	GRAVEL	STRATIGRAPHIC BOUNDARY BASED ON NEAREST SOIL BORING OR MONITORING WELL
FILL	SILT	APPROXIMATE GROUNDWATER ELEVATION
SAND (SOME AREAS CONTAIN GRAVEL)	SANDY CLAY	PIEZOMETRIC WATER LEVEL INDICATOR
CLAY		WELL SCREEN
		TEMPORARY WELL SCREEN

## NOTES

- GROUND SURFACE AND STRATIGRAPHIC CONTACTS ARE APPROXIMATE AND EXTRAPOLATED FROM NEAREST SOIL BORING DATA.
- SEE FIGURE 3 FOR LOCATION / ORIENTATION OF THIS GEOLOGIC CROSS SECTION.
- GROUNDWATER ANALYTICAL DATA REFLECTS MOST RECENT SAMPLE EVENT AS OF JANUARY 2010.

FORMER TECUMSEH PRODUCTS SITE  
TECUMSEH, MICHIGAN


## GEOLOGIC CROSS SECTION B - B'

DRAWN BY:	SJL	PROJECT NUMBER:	J:\08070\07
CHECKED BY:	SBH,GC	FILE NUMBER:	8070.07.04-07.dwg
APPROVED BY:	GC	DATE:	February 2010

3754 Ranchero Drive  
Ann Arbor, Michigan 48108-2771  
Phone: 734-971-7080  
Fax: 734-971-9022

**RMT**

# CONCEPTUAL GEOLOGIC CROSS SECTION C - C'



## LEGEND

CONCRETE	ASPHALT	APPROXIMATE GROUND SURFACE
TOPSOIL	GRANULAR	STRATIGRAPHIC BOUNDARY BASED ON NEAREST SOIL BORING OR MONITORING WELL
FILL	SILT	APPROXIMATE GROUNDWATER ELEVATION
SAND (SOME AREAS CONTAIN GRAVEL)	SANDY CLAY	PIEZOMETRIC WATER LEVEL INDICATOR
CLAY	WELL SCREEN	TEMPORARY WELL SCREEN

## NOTES

1. GROUND SURFACE AND STRATIGRAPHIC CONTACTS ARE APPROXIMATE AND EXTRAPOLATED FROM NEAREST SOIL BORING DATA.
2. SEE FIGURE 3 FOR LOCATION / ORIENTATION OF THIS GEOLOGIC CROSS SECTION.
3. GROUNDWATER ANALYTICAL DATA REFLECTS MOST RECENT SAMPLE EVENT AS OF JANUARY 2010.
4. CLAY INTERFACE PROJECTED FROM BORINGS NORTH AND SOUTH OF THIS CROSS SECTION.

FORMER TECUMSEH PRODUCTS SITE  
TECUMSEH, MICHIGAN


## GEOLOGIC CROSS SECTION C - C'

DRAWN BY:	SJL	PROJECT NUMBER:	J:\08070\07
CHECKED BY:	SBH,GC	FILE NUMBER:	8070.07.04-07.dwg
APPROVED BY:	GC	DATE:	February 2010

3754 Ranchero Drive  
Ann Arbor, Michigan 48108-2771  
Phone: 734-971-7080  
Fax: 734-971-9022

**RMT**

# CONCEPTUAL GEOLOGIC CROSS SECTION D - D'



## LEGEND

CONCRETE	ASPHALT	APPROXIMATE GROUND SURFACE
TOPSOIL	GRAVEL	STRATIGRAPHIC BOUNDARY BASED ON NEAREST SOIL BORING OR MONITORING WELL
FILL	SILT	APPROXIMATE GROUNDWATER ELEVATION
SAND (SOME AREAS CONTAIN GRAVEL)	SANDY CLAY	PIEZOMETRIC WATER LEVEL INDICATOR
CLAY		WELL SCREEN
		TEMPORARY WELL SCREEN

## NOTES

1. GROUND SURFACE AND STRATIGRAPHIC CONTACTS ARE APPROXIMATE AND EXTRAPOLATED FROM NEAREST SOIL BORING DATA.
2. SEE FIGURE 3 FOR LOCATION / ORIENTATION OF THIS GEOLOGIC CROSS SECTION.
3. GROUNDWATER ANALYTICAL DATA REFLECTS MOST RECENT SAMPLE EVENT AS OF JANUARY 2010.


## FORMER TECUMSEH PRODUCTS SITE TECUMSEH, MICHIGAN


### GEOLOGIC CROSS SECTION D - D'

DRAWN BY:	SJL	PROJECT NUMBER:	J:\08070\07
CHECKED BY:	SBH,GC	FILE NUMBER:	8070.07.04-07.dwg
APPROVED BY:	GC	DATE:	February 2010

3754 Ranchero Drive  
Ann Arbor, Michigan 48108-2771  
Phone: 734-971-7080  
Fax: 734-971-9022

**RMT**





PLOT DATA:  
Drawing Name: J108070107.dwg  
Drawing Date: 02/09/2010  
Drawing Time: 07:07:49 AM  
Plot Date: 02/11/2010  
Plot Time: 07:30:51 AM  
Plot Scale: 1:63,360  
Drawing Name: J108070107.dwg  
Drawing Date: 02/09/2010  
Drawing Time: 07:07:49 AM  
Plot Date: 02/11/2010  
Plot Time: 07:30:51 AM  
Plot Scale: 1:63,360

**RMT**

3754 Ranchoero Drive  
Ann Arbor, MI 48108-2237  
Phone: 734-971-7080 • Fax: 734-971-9022


**Attachment A**  
**Soil Boring and Observation Well Logs**

**RMT****WELL CONSTRUCTION LOG****WELL NO. MW-10d**

Page 1 of 2

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation				Date Drilling Started: 11/24/09	Date Drilling Completed: 11/24/09	Project Number: 8070.07				
Drilling Firm: Stearns Drilling		Drilling Method: HSA		Surface Elev. (ft) 785.6	TOC Elevation (ft) 788.40	Total Depth (ft bgs) 23.0	Borehole Dia. (in) 8.5			
Boring Location: On TPC property at 420 S. Maumee Street, about 700 feet east of the corner of Patterson Street and Maumee Street				Personnel Logged By - John Bacon Driller - Bert Graham		Drilling Equipment: CME 1050 ATV				
Civil Town/City or Village: Tecumseh		County: Lenawee	State: MI	Water Level Observations: While Drilling: Date/Time 11/24/09 00:00 □ Depth (ft bgs) 9 After Drilling: Date/Time 11/25/09 11:05 □ Depth (ft bgs) 12.15						
SAMPLE		BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION		USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)									
1 SS	75	2 2 4 5	2	TOPSOIL AND FILL grass, sand, silt, some gravel, dark brown.  SILT WITH SAND mostly silt, little sand, few clay, yellowish brown (10YR 5/6), damp, loose.		ML				NA
2 SS	75	3 7 9 10	4	Same as above.		SP				NA
			6	POORLY GRADED SAND mostly sub-angular to sub-rounded sand, few gravel, damp, poorly sorted.		ML				
			8	SILT WITH SAND mostly silt, little sand, yellowish brown (10YR 5/6), damp, medium dense.		SP				
			10	POORLY GRADED SAND WITH SILT mostly sub-rounded to sub-angular sand, few silt, gray (7.5YR 6/1), saturated, medium dense.		SP-SM				Soil sample collected from 9 to 11 feet bgs at 14:20
			12							

SOIL BORING WELL CONSTRUCTION LOG 8070.07.GPJ RMT CORP GDT 8070.07 2/12/10

Signature: 	Firm: RMT Inc. 3754 Ranchero Drive Ann Arbor, MI 48108	734-971-7080 Fax 734-971-9022
Checked By: Stacy Metz		

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-10d

Page 2 of 2

SAMPLE		BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)								
4 SS	90	3 8 20 16	14	Change to dark gray (7.5YR 4/1), medium dense to dense.	SP-SM			NA	
5 SS	100	5 9 15 21	16 18 20 22	LEAN CLAY mostly clay, few gravel, medium plasticity, saturated, hard.	CL			NA	pp = 4.5 tsf
6 ST	100		24 26 28 30	End of boring at 23.0 feet below ground surface.				NA	Shelby tube collected from 21 to 23 feet bgs at 14:46

**RMT****WELL CONSTRUCTION DIAGRAM**

		WELL ID: MW-10d																																											
PROJ. NO: 8070.07	DATE INSTALLED: 11/24/2009	INSTALLED BY: John Bacon	CHECKED BY: S. Metz																																										
<table border="1"> <thead> <tr> <th>ELEVATION (BENCHMARK: USGS)</th> <th>DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)</th> </tr> </thead> <tbody> <tr><td>788.40</td><td>2.8 TOP OF CASING</td></tr> <tr><td>785.60</td><td>0.0 GROUND SURFACE</td></tr> <tr><td>16.80</td><td>1.0 CEMENT SURFACE PLUG</td></tr> <tr><td></td><td>GROUT/BACKFILL MATERIAL</td></tr> <tr><td></td><td>BENTONITE SLURRY</td></tr> <tr><td></td><td>GROUT/BACKFILL METHOD</td></tr> <tr><td></td><td>TREMIE</td></tr> <tr><td>771.60</td><td>10.0 GROUT</td></tr> <tr><td></td><td>BENTONITE SEAL MATERIAL</td></tr> <tr><td></td><td>MEDIUM CHIPS</td></tr> <tr><td>5.00</td><td>12.0 BENTONITE SEAL</td></tr> <tr><td></td><td>14.0 TOP OF SCREEN</td></tr> <tr><td></td><td>FILTER PACK MATERIAL</td></tr> <tr><td></td><td>MEDIUM, WASHED SAND</td></tr> <tr><td>766.60</td><td>19.0 BOTTOM OF SCREEN</td></tr> <tr><td></td><td>23.0 BOTTOM OF FILTER PACK</td></tr> <tr><td></td><td>-- BENTONITE PLUG</td></tr> <tr><td></td><td>BACKFILL MATERIAL</td></tr> <tr><td></td><td>WASHED SAND</td></tr> <tr><td>762.60</td><td>23.0 HOLE BOTTOM</td></tr> </tbody> </table>		ELEVATION (BENCHMARK: USGS)	DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)	788.40	2.8 TOP OF CASING	785.60	0.0 GROUND SURFACE	16.80	1.0 CEMENT SURFACE PLUG		GROUT/BACKFILL MATERIAL		BENTONITE SLURRY		GROUT/BACKFILL METHOD		TREMIE	771.60	10.0 GROUT		BENTONITE SEAL MATERIAL		MEDIUM CHIPS	5.00	12.0 BENTONITE SEAL		14.0 TOP OF SCREEN		FILTER PACK MATERIAL		MEDIUM, WASHED SAND	766.60	19.0 BOTTOM OF SCREEN		23.0 BOTTOM OF FILTER PACK		-- BENTONITE PLUG		BACKFILL MATERIAL		WASHED SAND	762.60	23.0 HOLE BOTTOM	<b>CASING AND SCREEN DETAILS</b> <p>TYPE OF RISER: <u>2-INCH PVC</u></p> <p>PIPE SCHEDULE: <u>40</u></p> <p>PIPE JOINTS: <u>THREADED O-RINGS</u></p> <p>SOLVENT USED? <u>NO</u></p> <p>SCREEN TYPE: <u>2-INCH PVC</u></p> <p>SCR. SLOT SIZE: <u>0.01-INCH</u></p> <p>BOREHOLE DIAMETER: <u>8.5</u> IN. FROM <u>0</u> TO <u>21</u> FT. <u>3</u> IN. FROM <u>21</u> TO <u>23</u> FT.</p> <p>SURF. CASING DIAMETER: <u>9</u> IN. FROM <u>0</u> TO <u>1</u> FT. <u> </u> IN. FROM <u> </u> TO <u> </u> FT.</p>	
ELEVATION (BENCHMARK: USGS)	DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)																																												
788.40	2.8 TOP OF CASING																																												
785.60	0.0 GROUND SURFACE																																												
16.80	1.0 CEMENT SURFACE PLUG																																												
	GROUT/BACKFILL MATERIAL																																												
	BENTONITE SLURRY																																												
	GROUT/BACKFILL METHOD																																												
	TREMIE																																												
771.60	10.0 GROUT																																												
	BENTONITE SEAL MATERIAL																																												
	MEDIUM CHIPS																																												
5.00	12.0 BENTONITE SEAL																																												
	14.0 TOP OF SCREEN																																												
	FILTER PACK MATERIAL																																												
	MEDIUM, WASHED SAND																																												
766.60	19.0 BOTTOM OF SCREEN																																												
	23.0 BOTTOM OF FILTER PACK																																												
	-- BENTONITE PLUG																																												
	BACKFILL MATERIAL																																												
	WASHED SAND																																												
762.60	23.0 HOLE BOTTOM																																												
<b>WELL DEVELOPMENT</b> <p>DEVELOPMENT METHOD: <u>SURGE AND PUMP</u></p> <p>TIME DEVELOPING: <u>0.35</u> HOURS</p> <p>WATER REMOVED: <u>40</u> GALLONS</p> <p>WATER ADDED: <u>0</u> GALLONS</p> <p>WATER CLARITY BEFORE / AFTER DEVELOPMENT</p> <p>CLARITY BEFORE: <u>Cloudy</u></p> <p>COLOR BEFORE: <u>Brown</u></p> <p>CLARITY AFTER: <u>Clear</u></p> <p>COLOR AFTER: <u>None</u></p> <p>ODOR (IF PRESENT): <u>None</u></p>																																													
<b>WATER LEVEL SUMMARY</b> <table border="1"> <thead> <tr> <th>MEASUREMENT (FEET)</th> <th>DATE</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>DTB BEFORE DEVELOPING:</td><td>22.47</td><td>T/PVC</td><td>12/3/2009</td><td>11:30</td></tr> <tr><td>DTB AFTER DEVELOPING:</td><td>22.48</td><td>T/PVC</td><td>12/3/2009</td><td>12:00</td></tr> <tr><td>SWE BEFORE DEVELOPING:</td><td>12.15</td><td>T/PVC</td><td>12/3/2009</td><td>11:30</td></tr> <tr><td>SWE AFTER DEVELOPING:</td><td>12.21</td><td>T/PVC</td><td>12/3/2009</td><td>12:00</td></tr> <tr><td>OTHER SWE:</td><td></td><td>T/PVC</td><td></td><td></td></tr> <tr><td>OTHER SWE:</td><td></td><td>T/PVC</td><td></td><td></td></tr> </tbody> </table>				MEASUREMENT (FEET)	DATE	TIME	DTB BEFORE DEVELOPING:	22.47	T/PVC	12/3/2009	11:30	DTB AFTER DEVELOPING:	22.48	T/PVC	12/3/2009	12:00	SWE BEFORE DEVELOPING:	12.15	T/PVC	12/3/2009	11:30	SWE AFTER DEVELOPING:	12.21	T/PVC	12/3/2009	12:00	OTHER SWE:		T/PVC			OTHER SWE:		T/PVC											
MEASUREMENT (FEET)	DATE	TIME																																											
DTB BEFORE DEVELOPING:	22.47	T/PVC	12/3/2009	11:30																																									
DTB AFTER DEVELOPING:	22.48	T/PVC	12/3/2009	12:00																																									
SWE BEFORE DEVELOPING:	12.15	T/PVC	12/3/2009	11:30																																									
SWE AFTER DEVELOPING:	12.21	T/PVC	12/3/2009	12:00																																									
OTHER SWE:		T/PVC																																											
OTHER SWE:		T/PVC																																											
<b>PROTECTIVE CASING DETAILS</b> <p>PERMANENT, LEGIBLE WELL LABEL ADDED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO</p> <p>PROTECTIVE COVER AND LOCK INSTALLED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO</p> <p>LOCK KEY NUMBER: <u>3120</u></p>																																													

**RMT****WELL CONSTRUCTION LOG****WELL NO. MW-18s**

Page 1 of 2

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation				Date Drilling Started: 12/4/09	Date Drilling Completed: 12/4/09	Project Number: 8070.07				
Drilling Firm: Terraprobe, Inc.		Drilling Method: Direct Push/HSA		Surface Elev. (ft) 806.1	TOC Elevation (ft) 805.49	Total Depth (ft bgs) 40.0	Borehole Dia. (in) 6.25			
Boring Location: In ROW on the southwest corner of Muscody Street and Evans Street				Personnel Logged By - John Bacon Driller - Steve Bischoff		Drilling Equipment: Geoprobe 6610 DT				
Civil Town/City or Village: Tecumseh		County: Lenawee	State: MI	Water Level Observations: While Drilling: Date/Time 12/4/09 00:00 ▽ Depth (ft bgs) 26 After Drilling: Date/Time 12/4/09 12:35 ▼ Depth (ft bgs) 25.64						
SAMPLE		BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION		USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)									
1 HA	100		2	TOPSOIL AND FILL sand, clay, silt, few gravel, very dark brown (10YR 2/2), damp, loose.		CL			NA	
2 GP	75		4	LEAN CLAY mostly clay, few silt, trace sand, trace gravel, low plasticity, strong brown (7.5YR 4/6), soft.						
3 GP	75		6	WELL GRADED SAND WITH GRAVEL mostly fine to coarse sub-angular to sub-rounded sand, some gravel, brown (7.5YR 4/4), damp, loose.		SW			NA	
4 GP	75		8	Same as above.						
5			10	WELL GRADED SAND mostly fine to coarse sub-angular to sub-rounded sand, few gravel, dark brown (7.5YR 3/3), damp.					NA	
			12	Same as above.						
			14	Change to trace coarse gravel from 14 to 15 ft bgs.		SW			NA	
			16	Same as above.						

SOIL BORING WELL CONSTRUCTION LOG 8070.07.GPJ RMT CORP GDT 2/12/10

Signature:

Firm: RMT Inc.

3754 Ranchero Drive Ann Arbor, MI 48108

734-971-7080

Fax 734-971-9022

Checked By: Stacy Metz

RMT

## WELL CONSTRUCTION LOG

WELL NO. MW-18s

Page 2 of 2

SAMPLE NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USGS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
GP	80			Change to trace fine gravel, brown (7.5YR 4/3), loose.				NA	
6 GP	50		20	Same as above					
			22						
			24						
			26	Same as above.					
7 GP	50		26	<b>POORLY GRADED SAND WITH GRAVEL</b> mostly fine to coarse sub-angular to sub-rounded sand, little to some fine to coarse gravel, damp to saturated, loose.				NA	
			28	Same as above.					
8 GP	90		30	2-inch gravel lens at 29.5 ft bgs.				NA	
			32	2-inch gravel lens at 32.0 ft bgs. Change to brown (7.5YR 5/3), gravel lenses interbedded with sand.	SP				
9 GP	90		34					NA	
			36	Change to gray (7.5YR 5/1) at 35.5 ft bgs. Same as above					
10 GP	80		38					NA	
			40	Boring terminated due to heaving in dual tubes. End of boring at 40.0 feet below ground surface.					

**RMT****WELL CONSTRUCTION DIAGRAM**

PROJ. NAME: Tecumseh Products Company			WELL ID: MW-18s
PROJ. NO: 8070.07	DATE INSTALLED: 12/4/2009	INSTALLED BY: John Bacon	CHECKED BY: S. Metz
ELEVATION (BENCHMARK: USGS)	DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)	CASING AND SCREEN DETAILS	
806.07	0.0 GROUND SURFACE	TYPE OF RISER: <u>2-INCH PVC</u>	
805.49	0.6 TOP OF CASING	PIPE SCHEDULE: <u>40</u>	
	1.0 CEMENT SURFACE PLUG	PIPE JOINTS: <u>THREADED O-RINGS</u>	
	GROUT/BACKFILL MATERIAL	SOLVENT USED? <u>NO</u>	
	NA	SCREEN TYPE: <u>2-INCH PVC</u>	
	GROUT/BACKFILL METHOD	SCR. SLOT SIZE: <u>0.01-INCH</u>	
25.40	NA	BOREHOLE DIAMETER: <u>6.5</u> IN. FROM <u>0</u> TO <u>31</u> FT.	
	-- GROUT	IN. FROM <u>          </u> TO <u>          </u> FT.	
	BENTONITE SEAL MATERIAL	SURF. CASING DIAMETER: <u>9</u> IN. FROM <u>0</u> TO <u>1</u> FT.	
	MEDIUM CHIPS	IN. FROM <u>          </u> TO <u>          </u> FT.	
780.09	21.0 BENTONITE SEAL	WELL DEVELOPMENT	
5.00	26.0 TOP OF SCREEN	DEVELOPMENT METHOD: <u>SURGE AND PUMP</u>	
775.09	FILTER PACK MATERIAL	TIME DEVELOPING: <u>0.9</u> HOURS	
	WASHED SAND & NATURAL COLLAPSE	WATER REMOVED: <u>5</u> GALLONS	
	31.0 BOTTOM OF SCREEN	WATER ADDED: <u>0</u> GALLONS	
	31.0 BOTTOM OF FILTER PACK	WATER CLARITY BEFORE / AFTER DEVELOPMENT	
	-- BENTONITE PLUG	CLARITY BEFORE: <u>Cloudy</u>	
	BACKFILL MATERIAL	COLOR BEFORE: <u>Brown</u>	
	NATURAL COLLAPSE	CLARITY AFTER: <u>Clear</u>	
775.09	31.0 HOLE BOTTOM	COLOR AFTER: <u>None</u>	
NOTES:			
Sand bridged in augers at 26 ft bgs so spun loose and removed one flight. Natural collapse to 21 ft bgs above well screen at 26 ft bgs.			
PROTECTIVE CASING DETAILS			
PERMANENT, LEGIBLE WELL LABEL ADDED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO			
PROTECTIVE COVER AND LOCK INSTALLED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO			
LOCK KEY NUMBER: 3120			

**RMT****WELL CONSTRUCTION LOG****WELL NO. MW-19s**

Page 1 of 2

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation				Date Drilling Started: 12/2/09	Date Drilling Completed: 12/2/09	Project Number: 8070.07						
Drilling Firm: Stearns Drilling		Drilling Method: HSA		Surface Elev. (ft) 804.3	TOC Elevation (ft) 803.92	Total Depth (ft bgs) 30.0	Borehole Dia. (in) 8.5					
Boring Location: East of railroad right-of-way on parcel # 325-0263-00 (fire department) immediately south of Evans Street driveway				Personnel Logged By - John Bacon Driller - Bert Graham		Drilling Equipment: CME 1050 ATV						
Civil Town/City/or Village: Tecumseh		County: Lenawee	State: MI	Water Level Observations: While Drilling: Date/Time 12/2/09 00:00 <input checked="" type="checkbox"/> Depth (ft bgs) 24 After Drilling: Date/Time 12/2/09 14:30 <input checked="" type="checkbox"/> Depth (ft bgs) 24.13								
SAMPLE		BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION				USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)											
1 SS	50	2 6 10 12	2	TOPSOIL AND FILL grass, sand, gravel, silt, poorly sorted, dark brown (7.5YR 3/2), damp. LEAN CLAY WITH SAND mostly clay, little sand, few fine to coarse gravel, low plasticity, damp, very stiff.				CL			NA	pp = 3.5 tsf
2 SS	75	2 4 5 6	4	SANDY LEAN CLAY mostly clay, some sand, some fine to coarse gravel, low plasticity, dark reddish brown (5YR 3/4) damp, medium stiff.				CL			NA	pp = 0.75 tsf
3 SS	50	10 9 5 6	10	WELL GRADED SAND WITH GRAVEL mostly fine to coarse sub-angular to sub-rounded sand, some fine to coarse gravel, trace silt, brown (7.5YR 4/3), damp, medium dense.				SW			NA	
4 SS	75	4 5 6 7	14	POORLY GRADED SAND mostly sub-angular to sub-rounded sand, few fine to coarse gravel, brown (7.5YR 4/3), damp, medium dense.				SP			NA	

SOIL BORING WELL CONSTRUCTION LOG 8070.07.GDT.CORP.GDT 8070.07 2/12/10

Signature: Firm: RMT Inc.  
3754 Ranchero Drive Ann Arbor, MI 48108734-971-7080  
Fax 734-971-9022

Checked By: Stacy Metz

RMT

## WELL CONSTRUCTION LOG

WELL NO. MW-19s

Page 2 of 2

SAMPLE				DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
	NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS							
5 SS		75	5 9 10 10	18	Same as above.					
				20		SP			NA	
				22						
				24	▼ WELL GRADED SAND mostly fine to coarse sub-angular to sub-rounded sand, trace fine gravel, brown (7.5YR 4/3), saturated, medium dense.				NA	
6 SS			8 6 6 6	26		SW				
				28						
				30	End of boring at 30.0 feet below ground surface.					
				32						
				34						
				36						

**RMT****WELL CONSTRUCTION DIAGRAM**

PROJ. NAME: Tecumseh Products Company		WELL ID: MW-19s		
PROJ. NO: 8070.07	DATE INSTALLED: 12/2/2009	INSTALLED BY: John Bacon		
ELEVATION (BENCHMARK: USGS)		DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)		
<p>804.30                    0.0 GROUND SURFACE</p> <p>803.92                    0.4 TOP OF CASING</p> <p>1.0 CEMENT SURFACE PLUG</p> <p>GROUT/BACKFILL MATERIAL</p> <p>BENTONITE SLURRY</p> <p>GROUT/BACKFILL METHOD</p> <p>TREMIE</p> <p>21.0 GROUT</p> <p>BENTONITE SEAL MATERIAL</p> <p>MEDIUM CHIPS</p> <p>23.0 BENTONITE SEAL</p> <p>25.0 TOP OF SCREEN</p> <p>FILTER PACK MATERIAL</p> <p>MEDIUM, WASHED SAND</p> <p>30.0 BOTTOM OF SCREEN</p> <p>30.0 BOTTOM OF FILTER PACK</p> <p>-- BENTONITE PLUG</p> <p>BACKFILL MATERIAL</p> <p>WASHED SAND</p> <p>30.0 HOLE BOTTOM</p>				
<b>CASING AND SCREEN DETAILS</b>				
<b>TYPE OF RISER:</b> 2-INCH PVC <b>PIPE SCHEDULE:</b> 40 <b>PIPE JOINTS:</b> THREADED O-RINGS <b>SOLVENT USED?</b> NO <b>SCREEN TYPE:</b> 2-INCH PVC <b>SCR. SLOT SIZE:</b> 0.01-INCH				
<b>BOREHOLE DIAMETER:</b> 8.5 IN. FROM 0 TO 30 FT. IN. FROM _____ TO _____ FT. <b>SURF. CASING DIAMETER:</b> 9 IN. FROM 0 TO 1 FT. IN. FROM _____ TO _____ FT.				
<b>WELL DEVELOPMENT</b>				
<b>DEVELOPMENT METHOD:</b> SURGE AND PUMP <b>TIME DEVELOPING:</b> 0.4 HOURS <b>WATER REMOVED:</b> 35 GALLONS <b>WATER ADDED:</b> 0 GALLONS				
WATER CLARITY BEFORE / AFTER DEVELOPMENT				
<b>CLARITY BEFORE:</b> Cloudy <b>COLOR BEFORE:</b> Brown <b>CLARITY AFTER:</b> Clear <b>COLOR AFTER:</b> None <b>ODOR (IF PRESENT):</b> None				
<b>WATER LEVEL SUMMARY</b>				
MEASUREMENT (FEET)		DATE	TIME	
DTB BEFORE DEVELOPING:	30.25	T/PVC	12/3/2009	13:30
DTB AFTER DEVELOPING:	30.30	T/PVC	12/3/2009	14:10
SWE BEFORE DEVELOPING:	24.12	T/PVC	12/3/2009	13:30
SWE AFTER DEVELOPING:	24.04	T/PVC	12/3/2009	14:10
OTHER SWE:		T/PVC		
OTHER SWE:		T/PVC		
<b>PROTECTIVE CASING DETAILS</b>				
<b>PERMANENT, LEGIBLE WELL LABEL ADDED?</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO				
<b>PROTECTIVE COVER AND LOCK INSTALLED?</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO				
<b>LOCK KEY NUMBER:</b> 3120				

NOTES:

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-19d

Page 1 of 3

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation				Date Drilling Started: 12/2/09	Date Drilling Completed: 12/2/09	Project Number: 8070.07						
Drilling Firm: Stearns Drilling		Drilling Method: HSA		Surface Elev. (ft) 804.3	TOC Elevation (ft) 804.04	Total Depth (ft bgs) 50.0	Borehole Dia. (in) 8.5					
Boring Location: East of railroad right-of-way on parcel # 325-0263-00 (fire department) immediately south of Evans Street driveway				Personnel Logged By - John Bacon Driller - Bert Graham		Drilling Equipment: CME 1050 ATV						
Civil Town/City or Village: Tecumseh		County: Lenawee	State: MI	Water Level Observations: While Drilling: Date/Time 12/2/09 00:00 <input checked="" type="checkbox"/> Depth (ft bgs) 26 After Drilling: Date/Time 12/2/09 12:40 <input checked="" type="checkbox"/> Depth (ft bgs) 24.16								
SAMPLE		BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION				USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)											
1 SS	75	2 2 4 7	2	TOPSOIL AND FILL grass, sand, gravel, silt, dark brown (7.5YR 3/2), damp, loose, poorly sorted. LEAN CLAY WITH SAND mostly clay, little sand, few gravel, low plasticity, reddish yellow (7.5YR 6/8), damp, very stiff.				CL			NA	pp = 3.5 tsf
2 SS	10	3 2 2 3	4	SANDY LEAN CLAY mostly clay, some sand, some fine to coarse angular to sub-angular gravel, low plasticity, dark reddish brown (5YR 3/4) damp, medium stiff.				CL			NA	low recovery due to stone in sampler pp = 0.75 tsf
3 SS	50	6 6 8 8	6	Same as above.				SP			NA	
4 SS	5	9 10 11 11	10	POORLY GRADED SAND WITH GRAVEL mostly sub-angular to sub-rounded sand, some fine to coarse gravel, trace silt, brown (7.5YR 5/4), damp, medium dense.				SW			NA	
4 SS	5	9 10 11 11	14	WELL GRADED SAND mostly fine to coarse sub-angular to sub-rounded sand, few fine to coarse gravel, brown (7.5YR 4/3), damp, loose to medium dense.				SW			NA	low recovery due to gravel obstruction, blow counts are biased high

SOIL BORING WELL CONSTRUCTION LOG 8070.07 GPU RMT CORP GDT 2012/07/07

Signature:

Firm: RMT Inc.

3754 Ranchero Drive Ann Arbor, MI 48108

734-971-7080

Fax 734-971-9022

Checked By: Stacy Metz

RMIT

## **WELL CONSTRUCTION LOG**

**WELL NO. MW-19d**

Page 2 of 3

SAMPLE		DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	P/D (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)							
5 SS	60	6 8 8 7	Change to brown (7.5YR 4/2).				NA	
6 SS	75	2 4 5 7	▼ Change to trace sub-angular to sub-rounded fine gravel, brown (7.5YR 4/3). ▽ Change to saturated at 25 ft bgs.				NA	
7 SS	75	5 7 8 6	Change to gray (7.5YR 4/1), lens of fine angular gravel at 29.5 ft bgs.	SW			NA	
8 SS	30	1 2 2 3	Change to very loose to loose.				NA	

**FRMIT**

## **WELL CONSTRUCTION LOG**

WELL NO. MW-19d

Page 3 of 3

Page 3 of 3

SAMPLE		BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)								
9 SS				38 Same as above.	SW				
		4 6 6 8	75	40 <b>POORLY GRADED GRAVEL WITH SAND</b> mostly fine sub-angular to rounded gravel, little sand, dark gray (7.5YR 4/1), saturated, medium dense.				NA	
10 SS				42 44 Change to very loose to medium dense.	GP			NA	
		0 5 6 7	75	46 <b>LEAN CLAY</b> mostly clay, few fine to coarse sand, few silt, medium to high plasticity, dark gray (7.5YR 4/1), saturated, medium stiff. Change to trace fine gravel, very stiff.				NA	pp = 3.0 tsf
11 SS				48 Same as above.	CL			NA	Shelby tube collected at 10:45 am
12 ST			100	50 End of boring at 50.0 feet below ground surface.					
				52 54 56 58					

**RMT****WELL CONSTRUCTION DIAGRAM**

PROJ. NAME: Tecumseh Products Company		WELL ID: MW-19d		
PROJ. NO: 8070.07	DATE INSTALLED: 12/2/2009	INSTALLED BY: John Bacon		
CHECKED BY: S. Metz				
<b>ELEVATION</b> (BENCHMARK: USGS)      DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)				
804.32	0.0 GROUND SURFACE			
804.04	0.3 TOP OF CASING			
	1.0 CEMENT SURFACE PLUG			
	GROUT/BACKFILL MATERIAL			
	BENTONITE SLURRY			
	GROUT/BACKFILL METHOD			
39.70	TREMIE			
	36.0 GROUT			
	BENTONITE SEAL MATERIAL			
	MEDIUM CHIPS			
764.34	38.0 BENTONITE SEAL			
5.00	40.0 TOP OF SCREEN			
759.34	FILTER PACK MATERIAL			
	MEDIUM, WASHED SAND			
	45.0 BOTTOM OF SCREEN			
	50.0 BOTTOM OF FILTER PACK			
	-- BENTONITE PLUG			
	BACKFILL MATERIAL			
	NATURAL COLLAPSE			
754.34	50.0 HOLE BOTTOM			
NOTES:				
<b>CASING AND SCREEN DETAILS</b>				
TYPE OF RISER: <u>2-INCH PVC</u> PIPE SCHEDULE: <u>40</u> PIPE JOINTS: <u>THREADED O-RINGS</u> SOLVENT USED? <u>NO</u> SCREEN TYPE: <u>2-INCH PVC</u> SCR. SLOT SIZE: <u>0.01-INCH</u>				
BOREHOLE DIAMETER: <u>8.5</u> IN. FROM <u>0</u> TO <u>48</u> FT. <u>3</u> IN. FROM <u>48</u> TO <u>50</u> FT. SURF. CASING DIAMETER: <u>9</u> IN. FROM <u>0</u> TO <u>1</u> FT. <u> </u> IN. FROM <u> </u> TO <u> </u> FT.				
<b>WELL DEVELOPMENT</b>				
DEVELOPMENT METHOD: <u>SURGE AND PUMP</u> TIME DEVELOPING: <u>0.4</u> HOURS WATER REMOVED: <u>35</u> GALLONS WATER ADDED: <u>0</u> GALLONS				
WATER CLARITY BEFORE / AFTER DEVELOPMENT				
CLARITY BEFORE: <u>Cloudy</u> COLOR BEFORE: <u>Brown</u> CLARITY AFTER: <u>Clear</u> COLOR AFTER: <u>None</u> ODOR (IF PRESENT): <u>None</u>				
<b>WATER LEVEL SUMMARY</b>				
MEASUREMENT (FEET)		DATE	TIME	
DTB BEFORE DEVELOPING:	45.37	T/PVC	12/3/2009	14:00
DTB AFTER DEVELOPING:	45.53	T/PVC	12/3/2009	14:25
SWE BEFORE DEVELOPING:	24.13	T/PVC	12/3/2009	14:00
SWE AFTER DEVELOPING:	24.16	T/PVC	12/3/2009	14:25
OTHER SWE:		T/PVC		
OTHER SWE:		T/PVC		
<b>PROTECTIVE CASING DETAILS</b>				
PERMANENT, LEGIBLE WELL LABEL ADDED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO				
PROTECTIVE COVER AND LOCK INSTALLED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO				
LOCK KEY NUMBER: <u>3120</u>				

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-20s

Page 1 of 1

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation				Date Drilling Started: 11/30/09	Date Drilling Completed: 11/30/09	Project Number: 8070.07	
Drilling Firm: Stearns Drilling		Drilling Method: Hand Auger/HSA		Surface Elev. (ft) 783.6	TOC Elevation (ft) 783.16	Total Depth (ft bgs) 13.0	Borehole Dia. (in) 8.5
Boring Location: In ROW on west side of Maumee Street in front of Martins Home Center, about 1600 feet south of Patterson Street				Personnel Logged By - John Bacon Driller - Bert Graham		Drilling Equipment: CME 1050 ATV	
Civil Town/City/or Village: Tecumseh		County: Lenawee	State: MI	Water Level Observations: While Drilling: Date/Time 11/30/09 00:00 ▽ Depth (ft bgs) 9 After Drilling: Date/Time 11/30/09 15:15 ▽ Depth (ft bgs) 4.29			
SAMPLE		BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION			
NUMBER AND TYPE	RECOVERY (%)			USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)
1 HA	100			TOPSOIL AND FILL grass, silty sand, very dark brown (10YR 2/2), damp, loose.			
2 HA	100			POORLY GRADED SAND WITH SILT mostly sand, few to little silt, very dark brown (10YR 2/2), damp, loose.			
3 SS	85	4 11 13 14		Change to poorly sorted fine to coarse sub-rounded to sub-angular sand, yellowish brown (10YR 6/6).			
4 SS	75	4 7 7 8		▼ POORLY GRADED SAND mostly sub-rounded to sub-angular sand, trace silt, damp, medium dense, poorly sorted.  Change to trace round to sub-angular fine gravel, saturated.			
				End of boring at 13.0 feet below ground surface.			

SOIL BORING WELL CONSTRUCTION LOG 8070.07.GPJ RMT CORP.GDT 8070.07 2/12/10

**RMT****WELL CONSTRUCTION DIAGRAM**

PROJ. NAME: Tecumseh Products Company		WELL ID: MW-20s
PROJ. NO: 8070.07	DATE INSTALLED: 11/30/2009	INSTALLED BY: John Bacon CHECKED BY: S. Metz
<b>ELEVATION</b> (BENCHMARK: USGS)		<b>DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)</b>
 RISER PIPE LENGTH		0.0 GROUND SURFACE 0.5 TOP OF CASING 1.0 CEMENT SURFACE PLUG GROUT/BACKFILL MATERIAL NA GROUT/BACKFILL METHOD NA -- GROUT BENTONITE SEAL MATERIAL MEDIUM CHIPS 6.0 BENTONITE SEAL 8.0 TOP OF SCREEN FILTER PACK MATERIAL MEDIUM, WASHED SAND 13.0 BOTTOM OF SCREEN 13.0 BOTTOM OF FILTER PACK -- BENTONITE PLUG BACKFILL MATERIAL WASHED SAND 13.0 HOLE BOTTOM
<b>CASING AND SCREEN DETAILS</b>		
TYPE OF RISER: 2-INCH PVC PIPE SCHEDULE: 40 PIPE JOINTS: THREADED O-RINGS SOLVENT USED? NO SCREEN TYPE: 2-INCH PVC SCR. SLOT SIZE: 0.01-INCH		
BOREHOLE DIAMETER: 8.5 IN. FROM 0 TO 13 FT. _____ IN. FROM _____ TO _____ FT. SURF. CASING DIAMETER: 9 IN. FROM 0 TO 1 FT. _____ IN. FROM _____ TO _____ FT.		
<b>WELL DEVELOPMENT</b>		
DEVELOPMENT METHOD: SURGE AND PUMP TIME DEVELOPING: 0.25 HOURS WATER REMOVED: 55 GALLONS WATER ADDED: 0 GALLONS		
WATER CLARITY BEFORE / AFTER DEVELOPMENT CLARITY BEFORE: Cloudy COLOR BEFORE: Brown CLARITY AFTER: Clear COLOR AFTER: None ODOR (IF PRESENT): None		
<b>WATER LEVEL SUMMARY</b>		
MEASUREMENT (FEET) DATE TIME		
DTB BEFORE DEVELOPING: 12.79 T/PVC 12/3/2009 12:55		
DTB AFTER DEVELOPING: 12.81 T/PVC 12/3/2009 13:15		
SWE BEFORE DEVELOPING: 4.72 T/PVC 12/3/2009 12:55		
SWE AFTER DEVELOPING: 4.77 T/PVC 12/3/2009 13:15		
OTHER SWE: T/PVC		
OTHER SWE: T/PVC		
<b>PROTECTIVE CASING DETAILS</b>		
PERMANENT, LEGIBLE WELL LABEL ADDED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		
PROTECTIVE COVER AND LOCK INSTALLED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		
LOCK KEY NUMBER: 3120		

RMT

## WELL CONSTRUCTION LOG


WELL NO. MW-20d

Page 1 of 3

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation				Date Drilling Started: 11/30/09	Date Drilling Completed: 11/30/09	Project Number: 8070.07				
Drilling Firm: Stearns Drilling		Drilling Method: Hand Auger/HSA		Surface Elev. (ft) 783.6	TOC Elevation (ft) 783.29	Total Depth (ft bgs) 46.0	Borehole Dia. (in) 8.5			
Boring Location: In ROW on west side of Maumee Street in front of Martins Home Center, about 1600 feet south of Patterson Street				Personnel Logged By - John Bacon Driller - Bert Graham		Drilling Equipment: CME 1050 ATV				
Civil Town/City or Village: Tecumseh		County: Lenawee	State: MI	Water Level Observations: White Drilling: Date/Time 11/30/09 00:00 ▽ Depth (ft bgs) 9 After Drilling: Date/Time 11/30/09 13:25 ▽ Depth (ft bgs) 11.26						
SAMPLE NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION		USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
1 HA		100		TOPSOIL AND FILL sand, silt, gravel, very dark brown (10YR 2/2), damp, loose.						
			2	WELL GRADED SAND WITH SILT mostly fine to coarse sub-rounded to sub-angular sand, few to little silt, brownish yellow (10YR 6/6), damp.		SW-SM			NA	
2 SS		75	4	Same as above.						NA
			6							
			18	POORLY GRADED SAND WITH GRAVEL mostly sand, little fine to coarse gravel, yellowish brown (10YR 5/8), damp, medium dense, sub-rounded to sub-angular.		SP				
			4							
3 SS		75	4	POORLY GRADED SAND mostly sand, trace fine gravel, yellowish brown (10YR 5/8), saturated, medium dense, rounded to sub-angular.						NA
			5							
			7							
			8							
4 SS		5	2	Change to brown (7.5YR 5/4).		SP				Low recovery due to an obstruction
			2							
			4							
			5							

SOIL BORING WELL CONSTRUCTION LOG 8070.07 GPU RMT CORP GDT 8070.07 2/12/10

Signature:



Firm: RMT Inc.

3754 Ranchero Drive Ann Arbor, MI 48108

734-971-7080

Fax 734-971-9022

Checked By: Stacy Metz

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-20d

Page 2 of 3

SAMPLE		DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)							
5 SS	50	1 2 4 5	Change to brown (7.5YR 5/2), loose.	SP			NA	
6 SS	50	4 10 15 17	<b>WELL GRADED SAND WITH GRAVEL</b> mostly fine to course sub-angular to sub-rounded sand, little gravel, trace silt, gray (7.5 YR 5/1), saturated, medium dense to dense.	SW			NA	
7 SS	50	15 21 15 18	Same as above. <b>WELL GRADED GRAVEL WITH SAND</b> mostly fine to coarse gravel, some sand, trace silt and clay, gray (7.5 YR 5/1), saturated, dense.	GW			NA	
8 SS	50	3 8 11 15	<b>POORLY GRADED GRAVEL WITH SAND</b> mostly fine gravel, some sand, gray (7.5 YR 5/1), saturated, medium dense.	GP			NA	

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-20d

Page 3 of 3

SAMPLE	NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
				38						
9 SS	75	4 8 14 14		40	Change to trace silt and clay.	GP			NA	
10 SS	75	5 10 15 22		42						
				44	<b>LEAN CLAY WITH SAND</b> mostly clay, little sand, low plasticity, grayish brown (10 YR 5/2), saturated, very stiff to hard.	CL			NA	Change in stiffness noted by driller at 43.5 ft bgs pp = 4.0 tsf
				46	End of boring at 46.0 feet below ground surface.					
				48						
				50						
				52						
				54						
				56						
				58						



# **WELL CONSTRUCTION DIAGRAM**

PROJ. NAME: Tecumseh Products Company			WELL ID: MW-20d																																			
PROJ. NO: 8070.07	DATE INSTALLED: 11/30/2009	INSTALLED BY: John Bacon	CHECKED BY: S. Metz																																			
<b>ELEVATION</b> (BENCHMARK: USGS)		<b>DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)</b>																																				
		<b>CASING AND SCREEN DETAILS</b>																																				
		<b>TYPE OF RISER:</b> 2-INCH PVC <b>PIPE SCHEDULE:</b> 40 <b>PIPE JOINTS:</b> THREADED O-RINGS <b>SOLVENT USED?</b> NO <b>SCREEN TYPE:</b> 2-INCH PVC <b>SCR. SLOT SIZE:</b> 0.01-INCH																																				
		<b>BOREHOLE DIAMETER:</b> 8.5 IN. FROM 0 TO 34 FT. IN. FROM _____ TO _____ FT.																																				
		<b>SURF. CASING DIAMETER:</b> 9 IN. FROM 0 TO 1 FT. IN. FROM _____ TO _____ FT.																																				
<b>WELL DEVELOPMENT</b>																																						
<b>DEVELOPMENT METHOD:</b> SURGE AND PUMP <b>TIME DEVELOPING:</b> 0.25 HOURS <b>WATER REMOVED:</b> 20 GALLONS <b>WATER ADDED:</b> 0 GALLONS																																						
WATER CLARITY BEFORE / AFTER DEVELOPMENT																																						
<b>CLARITY BEFORE:</b> Cloudy <b>COLOR BEFORE:</b> Brown <b>CLARITY AFTER:</b> Clear <b>COLOR AFTER:</b> None <b>ODOR (IF PRESENT):</b> None																																						
<b>WATER LEVEL SUMMARY</b>																																						
<table border="1"> <thead> <tr> <th></th> <th colspan="2">MEASUREMENT (FEET)</th> <th>DATE</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>DTB BEFORE DEVELOPING:</td> <td>44.03</td> <td>T/PVC</td> <td>12/3/2009</td> <td>12:50</td> </tr> <tr> <td>DTB AFTER DEVELOPING:</td> <td>44.08</td> <td>T/PVC</td> <td>12/3/2009</td> <td>13:10</td> </tr> <tr> <td>SWE BEFORE DEVELOPING:</td> <td>11.55</td> <td>T/PVC</td> <td>12/3/2009</td> <td>12:50</td> </tr> <tr> <td>SWE AFTER DEVELOPING:</td> <td>11.75</td> <td>T/PVC</td> <td>12/3/2009</td> <td>13:10</td> </tr> <tr> <td>OTHER SWE:</td> <td></td> <td>T/PVC</td> <td></td> <td></td> </tr> <tr> <td>OTHER SWE:</td> <td></td> <td>T/PVC</td> <td></td> <td></td> </tr> </tbody> </table>					MEASUREMENT (FEET)		DATE	TIME	DTB BEFORE DEVELOPING:	44.03	T/PVC	12/3/2009	12:50	DTB AFTER DEVELOPING:	44.08	T/PVC	12/3/2009	13:10	SWE BEFORE DEVELOPING:	11.55	T/PVC	12/3/2009	12:50	SWE AFTER DEVELOPING:	11.75	T/PVC	12/3/2009	13:10	OTHER SWE:		T/PVC			OTHER SWE:		T/PVC		
	MEASUREMENT (FEET)		DATE	TIME																																		
DTB BEFORE DEVELOPING:	44.03	T/PVC	12/3/2009	12:50																																		
DTB AFTER DEVELOPING:	44.08	T/PVC	12/3/2009	13:10																																		
SWE BEFORE DEVELOPING:	11.55	T/PVC	12/3/2009	12:50																																		
SWE AFTER DEVELOPING:	11.75	T/PVC	12/3/2009	13:10																																		
OTHER SWE:		T/PVC																																				
OTHER SWE:		T/PVC																																				
<b>PROTECTIVE CASING DETAILS</b>																																						
<b>PERMANENT, LEGIBLE WELL LABEL ADDED?</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <b>PROTECTIVE COVER AND LOCK INSTALLED?</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <b>LOCK KEY NUMBER:</b> 3120																																						

**RMT**


## WELL CONSTRUCTION LOG

WELL NO. MW-21

Page 1 of 2

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation				Date Drilling Started: 11/25/09	Date Drilling Completed: 11/25/09	Project Number: 8070.07			
Drilling Firm: Stearns Drilling		Drilling Method: Hand Auger/HSA		Surface Elev. (ft) 781.2	TOC Elevation (ft) 780.85	Total Depth (ft bgs) 34.0			
Boring Location: In ROW of Mohawk Street adjacent to Birchfield property (parcel # 325-0436-00)		Personnel Logged By - John Bacon Driller - Bert Graham		Borehole Dia. (in) 8.5					
Civil Town/City/or Village: Tecumseh		County: Lenawee	State: MI	Water Level Observations: White Drilling: Date/Time 11/25/09 00:00 After Drilling: Date/Time 11/30/09 09:20					
SAMPLE	NUMBER AND TYPE	RECOVERY (%)	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
1 HA		100	2	SILTY SAND WITH GRAVEL very dark brown (10YR 2/2), dry to damp, loose, poorly sorted, organic material.	SM			NA	
2 SS		10 7 20 19 >50	4	WELL GRADED GRAVEL WITH SAND mostly fine to coarse gravel, some sand, dry, dense to very dense.				NA	Low recovery due to an obstruction, color undetermined due to pulverized material in split spoon.
3 SS		5 15 23 20 21	6 8 10 12	Change to damp.	GW			NA	Low recovery due to an obstruction.
4 SS		4 11 13 12	14	POORLY GRADED GRAVEL WITH SILT AND SAND mostly gravel, little to some sand, few to little silt, brown (7.5YR 5/4), damp, medium dense.	GP-GM			NA	

SOIL BORING WELL CONSTRUCTION LOG 8070.07.GPJ RMT CORP GDT 8070.07 2/12/10

Signature:  Firm: RMT Inc.  
3754 Ranchero Drive Ann Arbor, MI 48108 734-971-7080  
Checked By: Stacy Metz Fax 734-971-9022

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-21

Page 2 of 2

SAMPLE		DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)							
5 SS	90	8 11 9 8	Change to strong brown (7.5YR 5/6).	GP-GM			NA	
6 SS	80	7 14 13 12	POORLY GRADED SAND mostly sand, trace gravel, trace silt, dark brown (7.5YR 3/2), damp, medium dense to dense, poorly graded.	SP			NA	
7 SS	80	12 15 14 14	Change to few gravel, brown (7.5YR 5/4), saturated at 30.5 feet below ground surface.	CL			NA	
8 SS	95		LEAN CLAY mostly clay, few silt, few sand, trace gravel, low to medium plasticity, gray (7.5YR 5/1), saturated, hard.				PP = 4.0 tsf	NA
			End of boring at 34.0 feet below ground surface.					
			34					
			36					

**RMT****WELL CONSTRUCTION DIAGRAM**

PROJ. NAME: Tecumseh Products Company		WELL ID: MW-21																																		
PROJ. NO: 8070.07	DATE INSTALLED: 11/25/2009	INSTALLED BY: John Bacon CHECKED BY: S. Metz																																		
<b>ELEVATION</b> (BENCHMARK: USGS)      DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)		<b>CASING AND SCREEN DETAILS</b> <p><b>TYPE OF RISER:</b> 2-INCH PVC  <b>PIPE SCHEDULE:</b> 40  <b>PIPE JOINTS:</b> THREADED O-RINGS  <b>SOLVENT USED?</b> NO  <b>SCREEN TYPE:</b> 2-INCH PVC  <b>SCR. SLOT SIZE:</b> 0.01-INCH</p> <p><b>BOREHOLE DIAMETER:</b> 8.5 IN. FROM 0 TO 33.5 FT.          _____ IN. FROM _____ TO _____ FT.</p> <p><b>SURF. CASING DIAMETER:</b> 9 IN. FROM 0 TO 1 FT.          _____ IN. FROM _____ TO _____ FT.</p> <p><b>WELL DEVELOPMENT</b></p> <p><b>DEVELOPMENT METHOD:</b> SURGE AND PUMP  <b>TIME DEVELOPING:</b> 0.65 HOURS  <b>WATER REMOVED:</b> 20 GALLONS  <b>WATER ADDED:</b> 0 GALLONS</p> <p><b>WATER CLARITY BEFORE / AFTER DEVELOPMENT</b></p> <p><b>CLARITY BEFORE:</b> Cloudy  <b>COLOR BEFORE:</b> Brown  <b>CLARITY AFTER:</b> Clear  <b>COLOR AFTER:</b> None  <b>ODOR (IF PRESENT):</b> None</p> <p><b>WATER LEVEL SUMMARY</b></p> <table border="1"> <thead> <tr> <th colspan="2">MEASUREMENT (FEET)</th> <th>DATE</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>DTB BEFORE DEVELOPING:</td> <td>33.69</td> <td>T/PVC</td> <td>11/30/2009</td> <td>16:25</td> </tr> <tr> <td>DTB AFTER DEVELOPING:</td> <td>33.77</td> <td>T/PVC</td> <td>11/30/2009</td> <td>17:05</td> </tr> <tr> <td>SWE BEFORE DEVELOPING:</td> <td>29.70</td> <td>T/PVC</td> <td>11/30/2009</td> <td>16:25</td> </tr> <tr> <td>SWE AFTER DEVELOPING:</td> <td>29.81</td> <td>T/PVC</td> <td>11/30/2009</td> <td>17:05</td> </tr> <tr> <td>OTHER SWE:</td> <td></td> <td>T/PVC</td> <td></td> <td></td> </tr> <tr> <td>OTHER SWE:</td> <td></td> <td>T/PVC</td> <td></td> <td></td> </tr> </tbody> </table> <p><b>PROTECTIVE CASING DETAILS</b></p> <p>PERMANENT, LEGIBLE WELL LABEL ADDED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO          PROTECTIVE COVER AND LOCK INSTALLED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO          LOCK KEY NUMBER: 3120</p>	MEASUREMENT (FEET)		DATE	TIME	DTB BEFORE DEVELOPING:	33.69	T/PVC	11/30/2009	16:25	DTB AFTER DEVELOPING:	33.77	T/PVC	11/30/2009	17:05	SWE BEFORE DEVELOPING:	29.70	T/PVC	11/30/2009	16:25	SWE AFTER DEVELOPING:	29.81	T/PVC	11/30/2009	17:05	OTHER SWE:		T/PVC			OTHER SWE:		T/PVC		
MEASUREMENT (FEET)			DATE	TIME																																
DTB BEFORE DEVELOPING:	33.69		T/PVC	11/30/2009	16:25																															
DTB AFTER DEVELOPING:	33.77		T/PVC	11/30/2009	17:05																															
SWE BEFORE DEVELOPING:	29.70		T/PVC	11/30/2009	16:25																															
SWE AFTER DEVELOPING:	29.81		T/PVC	11/30/2009	17:05																															
OTHER SWE:			T/PVC																																	
OTHER SWE:			T/PVC																																	
781.24	0.0 GROUND SURFACE																																			
780.85	0.4 TOP OF CASING																																			
	1.0 CEMENT SURFACE PLUG																																			
	GROUT/BACKFILL MATERIAL																																			
	BENTONITE SLURRY																																			
	GROUT/BACKFILL METHOD																																			
28.10	TREMIE																																			
	24.5 GROUT																																			
	BENTONITE SEAL MATERIAL																																			
	MEDIUM CHIPS																																			
	26.5 BENTONITE SEAL																																			
752.75	28.5 TOP OF SCREEN																																			
5.00	FILTER PACK MATERIAL																																			
	MEDIUM, WASHED SAND																																			
747.75	33.5 BOTTOM OF SCREEN																																			
	33.5 BOTTOM OF FILTER PACK																																			
	-- BENTONITE PLUG																																			
	BACKFILL MATERIAL																																			
	WASHED SAND																																			
747.75	33.5 HOLE BOTTOM																																			
NOTES:																																				

**RMT****WELL CONSTRUCTION LOG****WELL NO. MW-22**

Page 1 of 2

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation				Date Drilling Started: 12/1/09	Date Drilling Completed: 12/1/09	Project Number: 8070.07				
Drilling Firm: Stearns Drilling		Drilling Method: HSA		Surface Elev. (ft) 783.1	TOC Elevation (ft) 782.62	Total Depth (ft bgs) 31.0	Borehole Dia. (in) 8.5			
Boring Location: Northeast corner of Birchfield property (parcel # 325-0435-00)				Personnel Logged By - John Bacon Driller - Bert Graham		Drilling Equipment: CME 1050 ATV				
Civil Town/City/or Village: Tecumseh		County: Lenawee	State: MI	Water Level Observations: While Drilling: Date/Time 12/1/09 00:00 <input checked="" type="checkbox"/> Depth (ft bgs) 25.5 After Drilling: Date/Time 12/1/09 16:50 <input checked="" type="checkbox"/> Depth (ft bgs) 24.66						
SAMPLE		BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION		USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)									
1 SS	75	2	-	TOPSOIL AND FILL grass, sand, silt, clay, fine gravel, strong brown (7.5YR 4/6), damp, very loose to loose.		SW			NA	
		2	-	WELL GRADED SAND mostly fine to coarse sand, few fine gravel, damp, loose.						
		2	-	Change to sub-rounded to sub-angular sand, medium dense.						
		7	-	Same as above.						
2 SS	90	8	-	POORLY GRADED SAND mostly fine to medium sub-rounded to rounded sand, damp, loose to medium dense.		SP			NA	
		10	-							
		12	-							
		11	-							
3 SS	75	2	-	LEAN CLAY WITH SAND mostly clay, little silt, little sand, damp to saturated, stiff.		CL			NA	pp = 1.25 tsf
		3	-							
		5	-							
		7	-							
4 SS	90	2	-						NA	
		2	-							
		2	-							
		11	-							

SOIL BORING WELL CONSTRUCTION LOG 8070.07.GP1 RMT CORP. SDT 8070.07 2/12/10

Signature:

Firm: RMT Inc.

3754 Ranchero Drive Ann Arbor, MI 48108

734-971-7080

Fax 734-971-9022

Checked By: Stacy Metz

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-22

Page 2 of 2

SAMPLE		BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)								
5 SS	50	10 15 15 11	18	WELL GRADED SAND WITH GRAVEL mostly fine to coarse sub-rounded to rounded sand, some fine gravel, brown (10YR 4/3), damp, medium dense.	CL			NA	Change in stiffness noted by driller
6 SS	75	10 10 8 8	22	Change to fine to coarse gravel.	SW			NA	
			24	Change to saturated.					
7 SS	75	6 10 16 20	26	LEAN CLAY mostly clay, some silt, few sand, low to medium plasticity, dark gray (7.5YR 4/1), saturated, hard.	CL			NA	Change in stiffness noted by driller pp = 4.0 tsf
			28	Same as above.					
8 SS	75	8 8 14 14	30	End of boring at 31.0 feet below ground surface.				NA	
			32						
			34						
			36						

**RMT****WELL CONSTRUCTION DIAGRAM**

PROJ. NAME: Tecumseh Products Company			WELL ID: <b>MW-22</b>
PROJ. NO: 8070.07	DATE INSTALLED: 12/1/2009	INSTALLED BY: John Bacon	CHECKED BY: S. Metz
ELEVATION (BENCHMARK: USGS)	DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)	CASING AND SCREEN DETAILS	
783.06	0.0 GROUND SURFACE	TYPE OF RISER: <u>2-INCH PVC</u>	
782.62	0.4 TOP OF CASING	PIPE SCHEDULE: <u>40</u>	
	1.0 CEMENT SURFACE PLUG	PIPE JOINTS: <u>THREADED O-RINGS</u>	
	GROUT/BACKFILL MATERIAL	SOLVENT USED? <u>NO</u>	
	BENTONITE SLURRY	SCREEN TYPE: <u>2-INCH PVC</u>	
	GROUT/BACKFILL METHOD	SCR. SLOT SIZE: <u>0.01-INCH</u>	
24.60	TREMIE	BOREHOLE DIAMETER: <u>8.5</u> IN. FROM <u>0</u> TO <u>30</u> FT.	
	21.0 GROUT	IN. FROM <u>_____</u> TO <u>_____</u> FT.	
	BENTONITE SEAL MATERIAL	SURF. CASING DIAMETER: <u>9</u> IN. FROM <u>0</u> TO <u>1</u> FT.	
	MEDIUM CHIPS	IN. FROM <u>_____</u> TO <u>_____</u> FT.	
	23.0 BENTONITE SEAL	WELL DEVELOPMENT	
758.02	25.0 TOP OF SCREEN	DEVELOPMENT METHOD: <u>SURGE AND PUMP</u>	
5.00	FILTER PACK MATERIAL.	TIME DEVELOPING: <u>0.7</u> HOURS	
	MEDIUM, WASHED SAND	WATER REMOVED: <u>35</u> GALLONS	
	30.0 BOTTOM OF SCREEN	WATER ADDED: <u>0</u> GALLONS	
	30.0 BOTTOM OF FILTER PACK	WATER CLARITY BEFORE / AFTER DEVELOPMENT	
	-- BENTONITE PLUG	CLARITY BEFORE: <u>Cloudy</u>	
	BACKFILL MATERIAL.	COLOR BEFORE: <u>Brown</u>	
	WASHED SAND	CLARITY AFTER: <u>Clear</u>	
	30.0 HOLE BOTTOM	COLOR AFTER: <u>None</u>	
NOTES:			
PROTECTIVE CASING DETAILS			
PERMANENT, LEGIBLE WELL LABEL ADDED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO			
PROTECTIVE COVER AND LOCK INSTALLED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO			
LOCK KEY NUMBER: <u>3120</u>			

**RMT**


## WELL CONSTRUCTION LOG

WELL NO. MW-23

Page 1 of 2

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation				Date Drilling Started: 11/24/09	Date Drilling Completed: 11/24/09	Project Number: 8070.07				
Drilling Firm: Stearns Drilling		Drilling Method: HSA		Surface Elev. (ft) 787.2	TOC Elevation (ft) 787.10	Total Depth (ft bgs) 26.0	Borehole Dia. (in) 8.5			
Boring Location: In ROW on the south side of Kilbuck Street in front of Lenawee County Ambulance, approximately 100 feet west of Wyondotte Street				Personnel Logged By - John Bacon Driller - Bert Graham		Drilling Equipment: CME 1050 ATV				
Civil Town/City or Village: Tecumseh		County: Lenawee	State: MI	Water Level Observations: While Drilling: Date/Time 11/24/09 00:00 ▽ Depth (ft bgs) 15 After Drilling: Date/Time 11/24/09 14:30 ▽ Depth (ft bgs) 9.21						
SAMPLE	NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
1 SS	50	4 2 2 2		4 2 2 2	<b>TOPSOIL</b>  <b>SANDY SILT</b> mostly silt, some sand, trace gravel, light olive brown (2.5Y 5/4), damp, loose.	ML			NA	
2 SS	90	5 6 10 10		6	<b>SILT WITH SAND</b> mostly silt, little sand, few clay, mottled light yellowish brown (2.5Y 6/3) and gray (10YR 6/1), damp, medium dense.	ML			NA	
3 SS	80	5 4 5 11		10	<b>SILTY CLAY</b> mostly clay, some silt, few sand, plastic, grayish brown (10YR 5/2), damp, stiff.	CL- ML			NA	pp = 1.25 tsf
4 SS	100	6 11 10 8		14	Same as above.  <b>POORLY GRADED SAND</b> mostly sub-rounded to sub-angular sand, little fine gravel, dark gray (7.5YR 4/1), saturated, medium dense, poorly sorted.	SP			NA	

SOIL BORING WELL CONSTRUCTION LOG 8070.07 GPJ RMT CORP GDT 8070.07 2/12/10

Signature: 	Firm: RMT Inc. 3754 Ranchero Drive Ann Arbor, MI 48108	734-971-7080 Fax 734-971-9022
Checked By: Stacy Metz		

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-23

Page 2 of 2

SAMPLE	NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
5 SS				18						
	1 3 3 3			20	<b>POORLY GRADED SAND WITH GRAVEL</b> mostly sub-angular to sub-rounded sand, some gravel, dark gray (7.5YR 4/1), saturated, loose, poorly sorted.	SP				Soil sample collected from 19 to 21 feet bgs at 10:55
				22						
6 SS	75	3 5 9 13		24	<b>LEAN CLAY</b> mostly clay, few silt, few sand, plastic, gray (7.5YR 5/1), saturated, stiff.	SP				pp = 1.75 lsf
				26	End of boring at 26.0 feet below ground surface.	CL				
				28						
				30						
				32						
				34						
				36						

**RMT****WELL CONSTRUCTION DIAGRAM**

PROJ. NAME: Tecumseh Products Company		WELL ID: <b>MW-23</b>
PROJ. NO: 8070.07	DATE INSTALLED: 11/24/2009	INSTALLED BY: John Bacon
		CHECKED BY: S. Metz
<b>ELEVATION</b> (BENCHMARK: USGS)		<b>DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)</b>
		<b>CASING AND SCREEN DETAILS</b>
<b>TYPE OF RISER:</b> <u>2-INCH PVC</u> <b>PIPE SCHEDULE:</b> <u>40</u> <b>PIPE JOINTS:</b> <u>THREADED O-RINGS</u> <b>SOLVENT USED?</b> <u>NO</u> <b>SCREEN TYPE:</b> <u>2-INCH PVC</u> <b>SCR. SLOT SIZE:</b> <u>0.01-INCH</u>		
<b>BOREHOLE DIAMETER:</b> <u>8.5</u> IN. FROM <u>0</u> TO <u>24</u> FT. <u>2</u> IN. FROM <u>24</u> TO <u>26</u> FT. <b>SURF. CASING DIAMETER:</b> <u>9</u> IN. FROM <u>0</u> TO <u>1</u> FT. <u> </u> IN. FROM <u> </u> TO <u> </u> FT.		
<b>WELL DEVELOPMENT</b>		
<b>DEVELOPMENT METHOD:</b> <u>SURGE AND PUMP</u> <b>TIME DEVELOPING:</b> <u>0.25</u> HOURS <b>WATER REMOVED:</b> <u>40</u> GALLONS <b>WATER ADDED:</b> <u>0</u> GALLONS		
<b>WATER CLARITY BEFORE / AFTER DEVELOPMENT</b>		
<b>CLARITY BEFORE:</b> <u>Cloudy</u> <b>COLOR BEFORE:</b> <u>Brown</u> <b>CLARITY AFTER:</b> <u>Clear</u> <b>COLOR AFTER:</b> <u>None</u> <b>ODOR (IF PRESENT):</b> <u>None</u>		
<b>WATER LEVEL SUMMARY</b>		
<b>MEASUREMENT (FEET)</b>		<b>DATE</b>
DTB BEFORE DEVELOPING:	<u>21.94</u>	T/PVC <u>12/3/2009</u> 10:55
DTB AFTER DEVELOPING:	<u>22.09</u>	T/PVC <u>12/3/2009</u> 11:15
SWE BEFORE DEVELOPING:	<u>9.33</u>	T/PVC <u>12/3/2009</u> 10:55
SWE AFTER DEVELOPING:	<u>9.33</u>	T/PVC <u>12/3/2009</u> 11:15
OTHER SWE:		T/PVC
OTHER SWE:		T/PVC
<b>PROTECTIVE CASING DETAILS</b>		
<b>PERMANENT, LEGIBLE WELL LABEL ADDED?</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		
<b>PROTECTIVE COVER AND LOCK INSTALLED?</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		
<b>LOCK KEY NUMBER:</b> <u>3120</u>		
<b>NOTES:</b>		

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-24s

Page 1 of 2

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation				Date Drilling Started: 11/23/09	Date Drilling Completed: 11/23/09	Project Number: 8070.07						
Drilling Firm: Stearns Drilling		Drilling Method: HSA		Surface Elev. (ft) 798.3	TOC Elevation (ft) 797.83	Total Depth (ft bgs) 24.0	Borehole Dia. (in) 8.5					
Boring Location: In ROW on the south side of Cummins Street across from 205 Cummins, approximately 200 feet east of Ottawa Street.				Personnel Logged By - John Bacon Driller - Bert Graham		Drilling Equipment: CME 1050 ATV						
Civil Town/City or Village: Tecumseh		County: Lenawee	State: MI	Water Level Observations: While Drilling: Date/Time 11/23/09 00:00 □ Depth (ft bgs) 19.6 After Drilling: Date/Time 11/24/09 14:30 □ Depth (ft bgs) 19.04								
NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION				USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
1 SS	26	1 3 8 7	1	POORLY GRADED SAND mostly fine to medium sand; trace silt, dark brown (7.5YR 3/3), damp, medium dense.				SP			NA	
2 SS	50	5 8 18 12	2					SP			NA	
3 SS	50	19 8 9 7	4	POORLY GRADED SAND WITH GRAVEL mostly coarse to medium sand, some subrounded gravel, brown (7.5YR 4/4), damp, medium dense to dense.				SP			NA	
4 SS	75	19 10 7 7	6					SP			NA	
			8					SP			NA	
			10					SP			NA	
			12					SP			NA	
			14	Same as above.				SP			NA	

SOIL BORING WELL CONSTRUCTION LOG 8070.07 GDT RMT CORP 2/12/10

Signature:

Firm: RMT Inc.

3754 Ranchero Drive Ann Arbor, MI 48108

734-971-7080

Fax 734-971-9022

Checked By: Stacy Metz

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-24s

Page 2 of 2

SAMPLE	NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
5	SS			18						
				18	▼ Change to brown (7.5YR 5/2), saturated at 19.5 feet below ground surface.					
				8						
				6						
				6						
				20						
				22						
				24	End of boring at 24.0 feet below ground surface.					
				26						
				28						
				30						
				32						
				34						
				36						

**RMT****WELL CONSTRUCTION DIAGRAM**

PROJ. NAME: Tecumseh Products Company		WELL ID: MW-24s																																	
PROJ. NO: 8070.07	DATE INSTALLED: 11/23/2009	INSTALLED BY: John Bacon																																	
CHECKED BY: S. Metz																																			
<table border="1"> <tr> <th>ELEVATION (BENCHMARK: USGS)</th> <th>DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)</th> </tr> <tr> <td>798.26</td> <td>0.0 GROUND SURFACE</td> </tr> <tr> <td>797.83</td> <td>0.4 TOP OF CASING</td> </tr> <tr> <td>18.10</td> <td>1.0 CEMENT SURFACE PLUG  GROUT/BACKFILL MATERIAL  BENTONITE SLURRY  GROUT/BACKFILL METHOD  TREMIE</td> </tr> <tr> <td>779.73</td> <td>14.5 GROUT  BENTONITE SEAL MATERIAL  MEDIUM CHIPS  16.5 BENTONITE SEAL</td> </tr> <tr> <td>5.00</td> <td>18.5 TOP OF SCREEN  FILTER PACK MATERIAL  MEDIUM, WASHED SAND</td> </tr> <tr> <td>774.73</td> <td>23.5 BOTTOM OF SCREEN  23.5 BOTTOM OF FILTER PACK  -- BENTONITE PLUG  BACKFILL MATERIAL  NATURAL COLLAPSE</td> </tr> <tr> <td>774.23</td> <td>24.0 HOLE BOTTOM</td> </tr> </table>		ELEVATION (BENCHMARK: USGS)	DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)	798.26	0.0 GROUND SURFACE	797.83	0.4 TOP OF CASING	18.10	1.0 CEMENT SURFACE PLUG  GROUT/BACKFILL MATERIAL  BENTONITE SLURRY  GROUT/BACKFILL METHOD  TREMIE	779.73	14.5 GROUT  BENTONITE SEAL MATERIAL  MEDIUM CHIPS  16.5 BENTONITE SEAL	5.00	18.5 TOP OF SCREEN  FILTER PACK MATERIAL  MEDIUM, WASHED SAND	774.73	23.5 BOTTOM OF SCREEN  23.5 BOTTOM OF FILTER PACK  -- BENTONITE PLUG  BACKFILL MATERIAL  NATURAL COLLAPSE	774.23	24.0 HOLE BOTTOM	CASING AND SCREEN DETAILS																	
ELEVATION (BENCHMARK: USGS)	DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)																																		
798.26	0.0 GROUND SURFACE																																		
797.83	0.4 TOP OF CASING																																		
18.10	1.0 CEMENT SURFACE PLUG  GROUT/BACKFILL MATERIAL  BENTONITE SLURRY  GROUT/BACKFILL METHOD  TREMIE																																		
779.73	14.5 GROUT  BENTONITE SEAL MATERIAL  MEDIUM CHIPS  16.5 BENTONITE SEAL																																		
5.00	18.5 TOP OF SCREEN  FILTER PACK MATERIAL  MEDIUM, WASHED SAND																																		
774.73	23.5 BOTTOM OF SCREEN  23.5 BOTTOM OF FILTER PACK  -- BENTONITE PLUG  BACKFILL MATERIAL  NATURAL COLLAPSE																																		
774.23	24.0 HOLE BOTTOM																																		
		<p><b>TYPE OF RISER:</b> <u>2-INCH PVC</u></p> <p><b>PIPE SCHEDULE:</b> <u>40</u></p> <p><b>PIPE JOINTS:</b> <u>THREADED O-RINGS</u></p> <p><b>SOLVENT USED?</b> <u>NO</u></p> <p><b>SCREEN TYPE:</b> <u>2-INCH PVC</u></p> <p><b>SCR. SLOT SIZE:</b> <u>0.01-INCH</u></p> <p><b>BOREHOLE DIAMETER:</b> <u>8.5</u> IN. FROM <u>0</u> TO <u>24</u> FT. <u>                          </u> IN. FROM <u>            </u> TO <u>            </u> FT.</p> <p><b>SURF. CASING DIAMETER:</b> <u>9</u> IN. FROM <u>0</u> TO <u>1</u> FT. <u>                          </u> IN. FROM <u>            </u> TO <u>            </u> FT.</p>																																	
		<p><b>WELL DEVELOPMENT</b></p> <p><b>DEVELOPMENT METHOD:</b> <u>SURGE AND PUMP</u></p> <p><b>TIME DEVELOPING:</b> <u>0.3</u> HOURS</p> <p><b>WATER REMOVED:</b> <u>30</u> GALLONS</p> <p><b>WATER ADDED:</b> <u>0</u> GALLONS</p> <p><b>WATER CLARITY BEFORE / AFTER DEVELOPMENT</b></p> <p><b>CLARITY BEFORE:</b> <u>Cloudy</u></p> <p><b>COLOR BEFORE:</b> <u>Brown</u></p> <p><b>CLARITY AFTER:</b> <u>Clear</u></p> <p><b>COLOR AFTER:</b> <u>None</u></p> <p><b>ODOR (IF PRESENT):</b> <u>None</u></p>																																	
		<p><b>WATER LEVEL SUMMARY</b></p> <table border="1"> <thead> <tr> <th>MEASUREMENT (FEET)</th> <th>DATE</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>DTB BEFORE DEVELOPING:</td> <td>23.53</td> <td>T/PVC</td> <td>12/3/2009</td> <td>10:05</td> </tr> <tr> <td>DTB AFTER DEVELOPING:</td> <td>23.69</td> <td>T/PVC</td> <td>12/3/2009</td> <td>10:45</td> </tr> <tr> <td>SWE BEFORE DEVELOPING:</td> <td>19.08</td> <td>T/PVC</td> <td>12/3/2009</td> <td>10:05</td> </tr> <tr> <td>SWE AFTER DEVELOPING:</td> <td>19.09</td> <td>T/PVC</td> <td>12/3/2009</td> <td>10:45</td> </tr> <tr> <td>OTHER SWE:</td> <td></td> <td>T/PVC</td> <td></td> <td></td> </tr> <tr> <td>OTHER SWE:</td> <td></td> <td>T/PVC</td> <td></td> <td></td> </tr> </tbody> </table>	MEASUREMENT (FEET)	DATE	TIME	DTB BEFORE DEVELOPING:	23.53	T/PVC	12/3/2009	10:05	DTB AFTER DEVELOPING:	23.69	T/PVC	12/3/2009	10:45	SWE BEFORE DEVELOPING:	19.08	T/PVC	12/3/2009	10:05	SWE AFTER DEVELOPING:	19.09	T/PVC	12/3/2009	10:45	OTHER SWE:		T/PVC			OTHER SWE:		T/PVC		
MEASUREMENT (FEET)	DATE	TIME																																	
DTB BEFORE DEVELOPING:	23.53	T/PVC	12/3/2009	10:05																															
DTB AFTER DEVELOPING:	23.69	T/PVC	12/3/2009	10:45																															
SWE BEFORE DEVELOPING:	19.08	T/PVC	12/3/2009	10:05																															
SWE AFTER DEVELOPING:	19.09	T/PVC	12/3/2009	10:45																															
OTHER SWE:		T/PVC																																	
OTHER SWE:		T/PVC																																	
NOTES:		<p><b>PROTECTIVE CASING DETAILS</b></p> <p>PERMANENT, LEGIBLE WELL LABEL ADDED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO</p> <p>PROTECTIVE COVER AND LOCK INSTALLED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO</p> <p>LOCK KEY NUMBER: <u>3120</u></p>																																	

**RMT**


## WELL CONSTRUCTION LOG

WELL NO. MW-24d

Page 1 of 3

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation				Date Drilling Started: 11/23/09	Date Drilling Completed: 11/23/09	Project Number: 8070.07				
Drilling Firm: Stearns Drilling		Drilling Method: HSA		Surface Elev. (ft) 798.3	TOC Elevation (ft) 797.93	Total Depth (ft bgs) 46.0	Borehole Dia. (in) 8.5			
Boring Location: In ROW on the south side of Cummins Street across from 205 Cummins, approximately 200 feet east of Ottawa Street				Personnel Logged By - John Bacon Driller - Bert Graham		Drilling Equipment: CME 1050 ATV				
Civil Town/City/or Village: Tecumseh		County: Lenawee	State: MI		Water Level Observations: While Drilling: Date/Time 11/23/09 00:00 □ Depth (ft bgs) 19.5 After Drilling: Date/Time 11/24/09 14:30 □ Depth (ft bgs) 19.13					
NUMBER AND TYPE	SAMPLE RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION		USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
1 SS	50	1 2 6 9	1	POORLY GRADED SAND mostly fine to medium sand, trace silt, dark brown (7.5YR 3/3), damp, medium dense.		SP			NA	
2 SS	0	7 25 25 25	2			SP			NA	No recovery due to an obstruction (rock). See boring log for MW-24s as a reference.
3 SS	50	4 11 9 8	4	POORLY GRADED SAND WITH GRAVEL mostly coarse to medium sand, some sub-rounded gravel, brown (7.5YR 4/4), damp, medium dense.		SP			NA	
4 SS	10	6 19 10 9	10	POORLY GRADED SAND mostly coarse to medium sand, few sub-rounded gravel, brown (7.5YR 4/4), moist, medium dense.		SP			NA	

SOIL BORING WELL CONSTRUCTION LOG 8070.07.GPJ RMT CORP GDT 8070.07 2/12/10

Signature: 	Firm: RMT Inc. 3754 Ranchero Drive Ann Arbor, MI 48108	734-971-7080 Fax 734-971-9022
---	---	----------------------------------

Checked By: Stacy Metz

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-24d

Page 2 of 3

SAMPLE		LITHOLOGIC DESCRIPTION				USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS		DEPTH IN FEET						
5 SS	75	5 8 11 10		18						
				20	▼ Change to brown (7.5YR 5/2), saturated at 19.5 feet below ground surface.				NA	
6 SS	75	4 8 9 10		22						
				24	Change to trace gravel, gray (5YR 5/1).				NA	
7 SS	90	10 19 35 32		26						
				28						
				30	SILTY SAND mostly fine sub-rounded to rounded sand, little silt, gray (5YR 6/1), saturated, dense to very dense, moderate sorting.				NA	
8 SS	50	4 17 36 32		32						
				34	Change to some silt.				NA	
				36						

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-24d

Page 3 of 3

SAMPLE		NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
9 SS					38		SM				
					40	<b>POORLY GRADED SAND WITH GRAVEL</b> mostly coarse to medium sub-rounded to sub-angular sand, some sub-rounded to rounded gravel, dark gray (5YR 4/1), saturated, medium dense.	SP				NA
10 SS					42						
					44	<b>LEAN CLAY</b> mostly clay, few silt, few sand, plastic, gray (10YR 5/1), saturated, stiff.	CL				pp = 1.75 tsf
					46	End of boring at 46.0 feet below ground surface.					NA
					48						
					50						
					52						
					54						
					56						
					58						

**RMT****WELL CONSTRUCTION DIAGRAM**

PROJ. NAME: Tecumseh Products Company		WELL ID: MW-24d																						
PROJ. NO: 8070.07	DATE INSTALLED: 11/23/2009	INSTALLED BY: John Bacon																						
CHECKED BY: S. Metz																								
<b>ELEVATION</b> (BENCHMARK: USGS)      DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)		<b>CASING AND SCREEN DETAILS</b>																						
<p>RISER PIPE LENGTH</p> <p>SCREEN LENGTH</p>		<b>TYPE OF RISER:</b> 2-INCH PVC <b>PIPE SCHEDULE:</b> 40 <b>PIPE JOINTS:</b> THREADED O-RINGS <b>SOLVENT USED?</b> NO <b>SCREEN TYPE:</b> 2-INCH PVC <b>SCR. SLOT SIZE:</b> 0.01-INCH  <b>BOREHOLE DIAMETER:</b> 8.5 IN. FROM 0 TO 44 FT. 2 IN. FROM 44 TO 46 FT. <b>SURF. CASING DIAMETER:</b> 9 IN. FROM 0 TO 1 FT. IN. FROM _____ TO _____ FT.																						
798.31 797.93 38.60 759.33 5.00 754.33  752.33		<b>WELL DEVELOPMENT</b>																						
		<b>DEVELOPMENT METHOD:</b> SURGE AND PUMP <b>TIME DEVELOPING:</b> 0.4 HOURS <b>WATER REMOVED:</b> 20 GALLONS <b>WATER ADDED:</b> 0 GALLONS  <b>WATER CLARITY BEFORE / AFTER DEVELOPMENT</b>																						
		<b>CLARITY BEFORE:</b> Cloudy <b>COLOR BEFORE:</b> Brown <b>CLARITY AFTER:</b> Clear <b>COLOR AFTER:</b> None <b>ODOR (IF PRESENT):</b> None																						
		<b>WATER LEVEL SUMMARY</b> <table border="1"> <thead> <tr> <th>MEASUREMENT (FEET)</th> <th>DATE</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>DTB BEFORE DEVELOPING: 44.12 T/PVC</td> <td>12/3/2009</td> <td>10:01</td> </tr> <tr> <td>DTB AFTER DEVELOPING: 44.21 T/PVC</td> <td>12/3/2009</td> <td>10:30</td> </tr> <tr> <td>SWE BEFORE DEVELOPING: 19.18 T/PVC</td> <td>12/3/2009</td> <td>10:01</td> </tr> <tr> <td>SWE AFTER DEVELOPING: 19.19 T/PVC</td> <td>12/3/2009</td> <td>10:30</td> </tr> <tr> <td>OTHER SWE: T/PVC</td> <td></td> <td></td> </tr> <tr> <td>OTHER SWE: T/PVC</td> <td></td> <td></td> </tr> </tbody> </table>		MEASUREMENT (FEET)	DATE	TIME	DTB BEFORE DEVELOPING: 44.12 T/PVC	12/3/2009	10:01	DTB AFTER DEVELOPING: 44.21 T/PVC	12/3/2009	10:30	SWE BEFORE DEVELOPING: 19.18 T/PVC	12/3/2009	10:01	SWE AFTER DEVELOPING: 19.19 T/PVC	12/3/2009	10:30	OTHER SWE: T/PVC			OTHER SWE: T/PVC		
MEASUREMENT (FEET)	DATE	TIME																						
DTB BEFORE DEVELOPING: 44.12 T/PVC	12/3/2009	10:01																						
DTB AFTER DEVELOPING: 44.21 T/PVC	12/3/2009	10:30																						
SWE BEFORE DEVELOPING: 19.18 T/PVC	12/3/2009	10:01																						
SWE AFTER DEVELOPING: 19.19 T/PVC	12/3/2009	10:30																						
OTHER SWE: T/PVC																								
OTHER SWE: T/PVC																								
NOTES:		<b>PROTECTIVE CASING DETAILS</b>																						
		<b>PERMANENT, LEGIBLE WELL LABEL ADDED?</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <b>PROTECTIVE COVER AND LOCK INSTALLED?</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <b>LOCK KEY NUMBER:</b> 3120																						

**RMT**


## WELL CONSTRUCTION LOG

WELL NO. MW-25s

Page 1 of 3

Facility/Project Name: Tecumseh Products Company - Monitoring Well Installation						Date Drilling Started: 12/1/09	Date Drilling Completed: 12/1/09	Project Number: 8070.07		
Drilling Firm: Stearns Drilling			Drilling Method: HSA	Surface Elev. (ft) 798.7	TOC Elevation (ft) 798.23	Total Depth (ft bgs) 56.0	Borehole Dia. (in) 8.5			
Boring Location: On southernmost TPC parcel (#325-0250-00), approximately 129 feet south of TPC fence			Personnel Logged By - John Bacon Driller - Bert Graham		Drilling Equipment: CME 1050 ATV					
CIVL Town/City/or Village: Tecumseh		County: Lenawee	State: MI		Water Level Observations: While Drilling: Date/Time 12/1/09 00:00 □ Depth (ft bgs) 20.5 After Drilling: Date/Time 12/1/09 12:20 □ Depth (ft bgs) 19.04					
NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION		USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
1 SS	75	1 1 4 5	1	TOPSOIL AND FILL grass, poorly sorted sand, few silt, trace gravel, very dark brown (10YR 2/2), damp, loose to very loose, grades to poorly graded sand with gravel.						NA
			2	WELL GRADED SAND WITH GRAVEL mostly fine to coarse angular to sub-rounded sand, little to some fine to coarse sub-rounded to sub-angular gravel, strong brown (7.5YR 4/6), damp, loose.						
2 SS	75	4 4 3 8	4	Same as above.		SW				NA
			6							
			8							
3 SS	50	3 10 12 14	10	WELL GRADED SAND mostly fine to coarse sub-rounded to rounded sand, trace fine to coarse sub-rounded to sub-angular gravel, strong brown (7.5YR 4/6), damp, medium dense. Grades to brown (7.5YR 5/3) at 10.5 ft bgs.						NA
			12			SW				
4 SS	75	6 13 12 12	14	Change to trace sub-rounded to rounded gravel.						NA

SOIL BORING WELL CONSTRUCTION LOG 8070.07-GPJ RMT CORP GDT 8070.07 2/12/10

Signature:  Firm: RMT Inc.  
3754 Ranchero Drive Ann Arbor, MI 48108      734-971-7080  
Checked By: Stacy Meltz      Fax 734-971-9022

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-25s

Page 2 of 3

SAMPLE	NUMBER AND TYPE	RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
5 SS		100	8 9 14 9	18		SW				
				20	<b>WELL GRADED SAND WITH GRAVEL</b> mostly fine to coarse sub-rounded to sub-angular sand, little fine to coarse sub-rounded to sub-angular gravel, dark grayish brown (10YR 4/2), damp to saturated, medium dense.				NA	
6 SS		40	2 4 6 7	22	Change to saturated, loose to medium dense.	SW			NA	
				24						
7 SS		50	1 2 4 5	26						
				28						
				30	<b>WELL GRADED SAND</b> mostly fine to coarse sub-rounded to sub-angular sand, trace fine to coarse sub-rounded to sub-angular gravel, gray (7.5YR 5/1), saturated, loose.				NA	
8 SS		40	1 2 3 6	32		SW				
				34	Change to sub-rounded to rounded sand, no gravel.				NA	
				36						

**RMT**

## WELL CONSTRUCTION LOG

WELL NO. MW-25s

Page 3 of 3

SAMPLE		RECOVERY (%)	BLOW COUNTS	DEPTH IN FEET	LITHOLOGIC DESCRIPTION	USCS	GRAPHIC LOG	WELL DIAGRAM	PID (PPM)	COMMENTS
NUMBER AND TYPE										
9 SS		75	3 5 14 23	38	Change to trace fine to coarse sub-rounded to sub-angular gravel, medium dense to dense.					
10 SS		80	3 4 10 15	40 42 44 46	Same as above, gravel content and density increases with depth.  <b>POORLY GRADED SAND WITH GRAVEL</b> mostly fine to coarse sub-rounded to sub-angular sand, some fine to coarse sub-rounded to sub-angular gravel, gray (7.5YR 5/1), saturated, medium dense.	SW			NA	
11 SS		0	18 15 25 17	48 50 52		SP				Groundwater sample collected from 46 to 51 ft bgs at 11:35
12 SS			10 11 18 22	54		CL			NA	No recovery due to obstruction
13 ST		0		56	LEAN CLAY mostly clay, trace coarse sand, trace gravel, medium plasticity, dark gray (10 YR 4/1), saturated, hard.				NA	Change in stiffness noted by driller pp > 4.5 tsf
				58	End of boring at 56.0 feet below ground surface.				NA	Shelby tube damaged, no recovery

**RMT****WELL CONSTRUCTION DIAGRAM**

PROJ. NAME: Tecumseh Products Company		WELL ID: MW-25s																																										
PROJ. NO: 8070.07	DATE INSTALLED: 11/24/2009	INSTALLED BY: John Bacon																																										
CHECKED BY: S. Metz																																												
<table border="1"> <thead> <tr> <th>ELEVATION (BENCHMARK: USGS)</th> <th>DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)</th> </tr> </thead> <tbody> <tr><td>798.66</td><td>0.0 GROUND SURFACE</td></tr> <tr><td>798.23</td><td>0.4 TOP OF CASING</td></tr> <tr><td>19.60</td><td>1.0 CEMENT SURFACE PLUG</td></tr> <tr><td></td><td>GROUT/BACKFILL MATERIAL</td></tr> <tr><td></td><td>BENTONITE SLURRY</td></tr> <tr><td></td><td>GROUT/BACKFILL METHOD</td></tr> <tr><td></td><td>TREMIE</td></tr> <tr><td>16.0</td><td>16.0 GROUT</td></tr> <tr><td></td><td>BENTONITE SEAL MATERIAL</td></tr> <tr><td></td><td>MEDIUM CHIPS</td></tr> <tr><td>18.0</td><td>18.0 BENTONITE SEAL</td></tr> <tr><td>778.63</td><td>20.0 TOP OF SCREEN</td></tr> <tr><td>5.00</td><td>FILTER PACK MATERIAL</td></tr> <tr><td></td><td>MEDIUM, WASHED SAND</td></tr> <tr><td>773.63</td><td>25.0 BOTTOM OF SCREEN</td></tr> <tr><td></td><td>25.0 BOTTOM OF FILTER PACK</td></tr> <tr><td></td><td>-- BENTONITE PLUG</td></tr> <tr><td></td><td>BACKFILL MATERIAL</td></tr> <tr><td></td><td>NATURAL COLLAPSE</td></tr> <tr><td>742.63</td><td>56.0 HOLE BOTTOM</td></tr> </tbody> </table>		ELEVATION (BENCHMARK: USGS)	DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)	798.66	0.0 GROUND SURFACE	798.23	0.4 TOP OF CASING	19.60	1.0 CEMENT SURFACE PLUG		GROUT/BACKFILL MATERIAL		BENTONITE SLURRY		GROUT/BACKFILL METHOD		TREMIE	16.0	16.0 GROUT		BENTONITE SEAL MATERIAL		MEDIUM CHIPS	18.0	18.0 BENTONITE SEAL	778.63	20.0 TOP OF SCREEN	5.00	FILTER PACK MATERIAL		MEDIUM, WASHED SAND	773.63	25.0 BOTTOM OF SCREEN		25.0 BOTTOM OF FILTER PACK		-- BENTONITE PLUG		BACKFILL MATERIAL		NATURAL COLLAPSE	742.63	56.0 HOLE BOTTOM	CASING AND SCREEN DETAILS
ELEVATION (BENCHMARK: USGS)	DEPTH BELOW OR ABOVE GROUND SURFACE (FEET)																																											
798.66	0.0 GROUND SURFACE																																											
798.23	0.4 TOP OF CASING																																											
19.60	1.0 CEMENT SURFACE PLUG																																											
	GROUT/BACKFILL MATERIAL																																											
	BENTONITE SLURRY																																											
	GROUT/BACKFILL METHOD																																											
	TREMIE																																											
16.0	16.0 GROUT																																											
	BENTONITE SEAL MATERIAL																																											
	MEDIUM CHIPS																																											
18.0	18.0 BENTONITE SEAL																																											
778.63	20.0 TOP OF SCREEN																																											
5.00	FILTER PACK MATERIAL																																											
	MEDIUM, WASHED SAND																																											
773.63	25.0 BOTTOM OF SCREEN																																											
	25.0 BOTTOM OF FILTER PACK																																											
	-- BENTONITE PLUG																																											
	BACKFILL MATERIAL																																											
	NATURAL COLLAPSE																																											
742.63	56.0 HOLE BOTTOM																																											
		TYPE OF RISER: 2-INCH PVC																																										
		PIPE SCHEDULE: 40																																										
		PIPE JOINTS: THREADED O-RINGS																																										
		SOLVENT USED? NO																																										
		SCREEN TYPE: 2-INCH PVC																																										
		SCR. SLOT SIZE: 0.01-INCH																																										
		BOREHOLE DIAMETER: 8.5 IN. FROM 0 TO 54 FT. 3 IN. FROM 54 TO 56 FT.																																										
		SURF. CASING DIAMETER: 9 IN. FROM 0 TO 1 FT. IN. FROM _____ TO _____ FT.																																										
WELL DEVELOPMENT																																												
DEVELOPMENT METHOD: SURGE AND PUMP																																												
TIME DEVELOPING: 0.5 HOURS																																												
WATER REMOVED: 55 GALLONS																																												
WATER ADDED: 0 GALLONS																																												
WATER CLARITY BEFORE / AFTER DEVELOPMENT																																												
CLARITY BEFORE: Cloudy																																												
COLOR BEFORE: Brown																																												
CLARITY AFTER: Clear																																												
COLOR AFTER: None																																												
ODOR (IF PRESENT): None																																												
WATER LEVEL SUMMARY																																												
MEASUREMENT (FEET)		DATE	TIME																																									
DTB BEFORE DEVELOPING:	24.89	T/PVC	12/2/2009	16:00																																								
DTB AFTER DEVELOPING:	25.05	T/PVC	12/2/2009	16:26																																								
SWE BEFORE DEVELOPING:	18.74	T/PVC	12/2/2009	16:00																																								
SWE AFTER DEVELOPING:	18.76	T/PVC	12/2/2009	16:26																																								
OTHER SWE:		T/PVC																																										
OTHER SWE:		T/PVC																																										
PROTECTIVE CASING DETAILS																																												
PERMANENT, LEGIBLE WELL LABEL ADDED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO																																												
PROTECTIVE COVER AND LOCK INSTALLED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO																																												
LOCK KEY NUMBER: 3120																																												

**Attachment B**  
**Laboratory Hydraulic Conductivity Tests**

RMT, Inc. Falling Head Permeability Test (ASTM D5084)													QC: <i>DL</i>	QA: <i>DR</i>			
Project Name:	Tecumseh Products							Cell #:					6				
Project #:	8070.07							USCS Description:					N/A				
Sample Name:	MW-10D, 21-23'							USCS Classification:					N/A				
Visual Descript:	Lean clay							Average Kv =					1.9E-08	cm/sec			
Sample Type:	Undisturbed				Initial	Final											
				Values	Values												
Sample Dia. (in)				2.87	2.87			Permeant:					Water				
Sample Ht. (in)				2.30	2.30			Permeant Specific Gravity:					1.00				
Tare & Wet (g)				420.00	810.80			Sample Specific Gravity:					2.76	Est.			
Tare & Dry (g)				404.20	743.40			Confining Pressure (psi):					100.0				
Tare (g)				278.57	256.09			Burette Diameter (in):					0.250				
Sample Wt. (g)				552.50	554.71			Burette Zero (cm):					100.0				
Moisture (%)				12.6	13.8												
Wet Density (pcf)				141.5	142.0												
Dry Density (pcf)				125.7	124.8			Max. Effect. Stress (psi):					5.9				
Saturation (%)				93.7	100.4			Min. Effect. Stress (psi):					4.6				
								Ave. Effect. Stress (psi):					5.1				
Date Yr.	Mo.	Day	Time Hr.	Run Time Min.	Temp C**	Pressure (psi) Bot Top	Cham.	Cham. Dif.	Bot. Bot. Dif.	Top Top Dif.	Flow Dif.%	Kv *** cm/sec	Ave.*				
1	2009	12	10	14	41.00	0.0	95	95	34.20	12.35	96.25						
2	2009	12	10	15	10.00	1740	19.0	95	95	34.80	0.60	12.45	0.10	95.85	0.40	-60.0	7.8E-08
3	2009	12	10	16	10.00	3600	19.0	95	95	35.60	0.80	12.70	0.25	95.65	0.20	11.1	3.4E-08
4	2009	12	11	7	52.00	56520	19.0	95	95	40.70	5.10	15.60	2.90	93.80	1.85	22.1	2.4E-08
5	2009	12	11	9	51.00	7140	19.0	95	95	41.50	0.80	15.80	0.20	93.60	0.20	0.0	1.6E-08
6	2009	12	11	11	48.00	7020	19.0	95	95	41.80	0.30	16.20	0.40	93.35	0.25	23.1	2.7E-08
7	2009	12	11	13	48.00	7200	19.0	95	95	42.20	0.40	16.50	0.30	93.15	0.20	20.0	2.1E-08
8	2009	12	11	15	8.00		0.0	95	95	41.80		17.00		92.95			
9	2009	12	11	16	16.00	4080	19.0	95	95	42.00	0.20	17.20	0.20	92.80	0.15	14.3	2.6E-08
10	2009	12	14	5	56.00	222000	19.0	95	95	47.60	5.60	25.25	8.05	85.85	6.95	7.3	2.3E-08
11	2009	12	14	8	37.00	9660	20.0	95	95	48.10	0.50	25.60	0.35	85.60	0.25	16.7	2.3E-08
12	2009	12	14	10	38.00	7260	21.0	95	95	49.20	1.10	25.80	0.20	85.45	0.15	14.3	1.7E-08
13	2009	12	14	12	34.00	6960	21.0	95	95	49.25	0.05	26.05	0.25	85.30	0.15	25.0	2.1E-08
14	2009	12	14	14	34.00	7200	20.0	95	95	48.30	-0.95	26.20	0.15	85.05	0.25	-25.0	2.1E-08
15	2009	12	15	5	32.00	53880	19.0	95	95	48.50	0.20	27.65	1.45	83.70	1.35	3.6	2.1E-08
16	2009	12	15	7	36.00	7440	20.0	95	95	49.10	0.60	27.85	0.20	83.55	0.15	14.3	1.9E-08
17	2009	12	15	9	44.00	7680	21.0	95	95	49.80	0.70	28.15	0.30	83.35	0.20	20.0	2.5E-08
18	2009	12	15	11	34.00	6600	19.0	95	95	49.40	-0.40	28.25	0.10	83.20	0.15	-20.0	1.6E-08
19	2009	12	15	13	33.00	7140	21.0	95	95	50.00	0.60	28.45	0.20	83.15	0.05	60.0	1.4E-08
20	2009	12	15	15	34.00	7260	19.0	95	95	48.80	-1.20	28.60	0.15	82.90	0.25	-25.0	2.3E-08
21	2009	12	16	5	56.00	51720	19.0	95	95	49.45	0.65	29.80	1.20	81.85	1.05	6.7	1.9E-08
22	2009	12	16	7	48.00		0.0	95	95	49.50		30.40		82.20			
23	2009	12	16	9	58.00	7800	21.0	95	95	50.40	0.90	30.40	0.00	81.80	0.40	-100.0	2.1E-08
24	2009	12	16	12	0.00	7320	19.0	95	95	49.30	-1.10	30.50	0.10	81.55	0.25	-42.9	2.1E-08
25	2009	12	16	14	0.00	7200	21.0	95	95	50.70	1.40	30.65	0.15	81.40	0.15	0.0	1.8E-08
26	2009	12	16	16	1.00	7260	19.0	95	95	49.50	-1.20	-30.80	-0.15	-81.25	-0.15	-0.0	-1.9E-08

\*\*A zero in this column starts a series of measurements.

\*Average Kv for those rows with a 1 in the Ave. column.

(Termination determined by stable Kv and low flow differential.)

\*\*\*Kv adjusted for temperature.

RMT, Inc. Falling Head Permeability Test (ASTM D5084)													QC: <i>[Signature]</i>	QA: <i>[Signature]</i>	
Project Name: Tecumseh Products Project #: 8070.07 Sample Name: MW-10D, 21-23' Visual Descript: Lean clay							Cell #: 6 USCS Description: N/A USCS Classification: N/A								
Sample Type: Undisturbed				Initial Values	Final Values										
Sample Dia. (in)				2.87	2.87	Permeant:			Water						
Sample Ht. (in)				2.30	2.30	Permeant Specific Gravity:			1.00						
Tare & Wet (g)				420.00	810.80	Sample Specific Gravity:			2.76 Est.						
Tare & Dry (g)				404.20	743.40	Confining Pressure (psi):			100.0						
Tare (g)				278.57	256.09	Burette Diameter (in):			0.250						
Sample Wt. (g)				552.50	554.71	Burette Zero (cm):			100.0						
Moisture (%)				12.6	13.8	Maximum Gradient:			8.1						
Wet Density (pcf)				141.5	142.0	Average Gradient:			7.1						
Dry Density (pcf)				125.7	124.8	Max. Effect. Stress (psi):			5.5						
Saturation (%)				93.7	100.4	Min. Effect. Stress (psi):			4.7						
						Ave. Effect. Stress (psi):			5.0						
Date Yr.	Time Mo.	Run Day	Temp Hr.	Run Time Min.	Temp C**	Pressure (psi) Bot	Pressure (psi) Top	Cham.	Cham. Dif.	Bot. Bot. Dif.	Top Top Dif.	Flow Dif. %	Kv *** cm/sec	Ave.*	
1	2009	12	16	16	1.00	0.0	95	95	49.50	30.80	81.25				
2	2009	12	17	7	39.00	56280	19.0	95	95	50.30	0.80	32.10	1.30	80.20	
3	2009	12	17	9	43.00	7440	19.0	95	95	50.60	0.30	32.25	0.15	80.05	
4	2009	12	17	11	41.00	7080	19.0	95	95	50.50	-0.10	32.35	0.10	79.90	
5	2009	12	17	13	41.00	7200	19.0	95	95	50.60	0.10	32.50	0.15	79.80	
6	2009	12	17	15	41.00	7200	19.0	95	95	50.80	0.20	32.65	0.15	79.65	
7	2009	12	18	7	35.00	57240	19.0	95	95	51.30	0.50	33.80	1.15	78.60	
8	2009	12	18	9	35.00	7200	19.0	95	95	51.50	0.20	33.95	0.15	78.50	
9	2009	12	18	11	35.00	7200	19.0	95	95	51.60	0.10	34.10	0.15	78.35	
10	2009	12	18	13	35.00	7200	20.0	95	95	51.80	0.20	34.25	0.15	78.25	
11	2009	12	18	16	3.00	8880	20.0	95	95	51.80	0.00	34.40	0.15	78.10	
12	2009	12	21	6	6.00	223380	19.0	95	95	53.65	1.85	38.25	3.85	74.90	
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
**A zero in this column starts a series of measurements. (Termination determined by stable Kv and low flow differential.)													*Average Kv for those rows with a 1 in the Ave. column.		
													***Kv adjusted for temperature.		

RMT, Inc. Falling Head Permeability Test (ASTM D5084)													QC: <input checked="" type="checkbox"/>	QA: <input checked="" type="checkbox"/>					
Project Name:	Tecumseh Products	Cell #:											7						
Project #:	8070.07	USCS Description:											N/A						
Sample Name:	MW-19D, 48-50'	USCS Classification:											N/A						
Visual Descript:	Lean clay with sand	Average Kv =											1.5E-08	cm/sec					
Sample Type:	Undisturbed	Initial Values	Final Values																
Sample Dia. (in)		2.86	2.86	Permeant:									Water						
Sample Ht. (in)		2.28	2.28	Permeant Specific Gravity:									1.00						
Tare & Wet (g)		605.70	795.10	Sample Specific Gravity:									2.66	Est.					
Tare & Dry (g)		570.30	736.20	Confining Pressure (psi):									100.0						
Tare (g)		276.96	254.84	Burette Diameter (in):									0.250						
Sample Wt. (g)		541.70	540.26	Burette Zero (cm):									100.0						
Moisture (%)		12.1	12.2																
Wet Density (pcf)		140.5	140.5																
Dry Density (pcf)		125.4	125.2	Max. Effect. Stress (psi):									5.6						
Saturation (%)		99.3	100.1	Min. Effect. Stress (psi):									4.1						
				Ave. Effect. Stress (psi):									4.7						
Date	Time	Run	Temp	Pressure (psi)									Kv **	Ave.*					
Yr.	Mo.	Day	Hr.	Min.	Time	Temp	C**	Bot	Top	Cham.	Dif.	Bot	Bot.	Top	Flow	cm/sec	0.1		
1	2009	12	10	14	43.00			0.0	95	95	52.10		10.00		96.15				
2	2009	12	10	15	11.00			1680	19.0	95	95	53.20	1.10	10.15	0.15	95.55	0.60	-60.0	1.2E-07
3	2009	12	10	16	11.00			3600	19.0	95	95	54.30	1.60	10.15	0.00	95.30	0.25	-100.0	1.8E-08
4	2009	12	11	7	53.00			56520	19.0	95	95	62.80	8.00	11.90	1.75	94.00	1.30	14.8	1.5E-08
5	2009	12	11	9	52.00			7140	19.0	95	95	63.70	0.90	12.15	0.25	93.75	0.25	0.0	1.9E-08
6	2009	12	11	11	49.00			7020	19.0	95	95	64.30	0.60	12.40	0.25	93.60	0.15	25.0	1.6E-08
7	2009	12	11	13	50.00			7260	19.0	95	95	64.60	0.30	12.65	0.25	93.40	0.20	11.1	1.7E-08
8	2009	12	11	15	10.00				0.0	95	95	64.90		6.50		96.10			
9	2009	12	11	16	17.00			4020	19.0	95	95	65.20	0.30	6.65	0.15	95.95	0.15	0.0	1.9E-08
10	2009	12	14	5	57.00			222000	19.0	95	95	72.90	7.70	13.85	7.20	89.55	6.40	5.9	1.7E-08
11	2009	12	14	8	38.00			9660	20.0	95	95	73.80	0.90	14.15	0.30	89.30	0.25	9.1	1.7E-08
12	2009	12	14	10	39.00			7260	21.0	95	95	74.80	1.00	14.35	0.20	89.15	0.15	14.3	1.4E-08
13	2009	12	14	12	35.00			6960	21.0	95	95	75.05	0.25	14.50	0.15	89.00	0.15	0.0	1.2E-08
14	2009	12	14	14	35.00			7200	20.0	95	95	74.00	-1.05	14.75	0.25	88.75	0.25	0.0	2.1E-08
15	2009	12	15	5	33.00			53880	19.0	95	95	74.50	0.50	16.20	1.45	87.35	1.40	1.8	1.7E-08
16	2009	12	15	7	37.00			7440	20.0	95	95	75.10	0.60	16.40	0.20	87.20	0.15	14.3	1.5E-08
17	2009	12	15	9	46.00			7740	21.0	95	95	76.10	1.00	16.60	0.20	87.10	0.10	33.3	1.2E-08
18	2009	12	15	11	35.00			6540	19.0	95	95	74.80	-1.30	16.75	0.15	86.90	0.20	-14.3	1.7E-08
19	2009	12	15	13	33.00			7080	21.0	95	95	76.20	1.40	17.00	0.25	86.75	0.15	25.0	1.7E-08
20	2009	12	15	15	43.00			7800	19.0	95	95	75.20	-1.00	17.15	0.15	86.60	0.15	0.0	1.3E-08
21	2009	12	16	5	56.00			51180	19.0	95	95	75.70	0.50	18.40	1.25	85.35	1.25	0.0	1.6E-08
22	2009	12	16	7	55.00				0.0	95	95	74.80		17.20		94.75			
23	2009	12	16	10	1.00			7560	21.0	95	95	77.30	2.50	16.40	-0.80	93.45	1.30	-420.0	1.8E-08
24	2009	12	16	12	1.00			7200	19.0	95	95	76.50	-0.80	16.55	0.15	93.25	0.20	-14.3	1.4E-08
25	2009	12	16	14	1.00			7200	21.0	95	95	77.80	1.30	16.75	0.20	93.10	0.15	14.3	1.4E-08
26	2009	12	16	16	2.00			7260	19.0	95	95	76.50	-1.30	16.90	0.15	92.90	0.20	-14.3	1.4E-08

\*\*A zero in this column starts a series of measurements.

\*Average Kv for those rows with a 1 in the Ave. column.

(Termination determined by stable Kv and low flow differential.)

\*\*\*Kv adjusted for temperature.

RMT, Inc. Falling Head Permeability Test (ASTM D5084)													QC: <i>dm</i>	QA: <i>AN</i>		
Project Name:	Tecumseh Products	Cell #:	7													
Project #:	8070.07	USCS Description:	N/A													
Sample Name:	MW-19D, 48-50'	USCS Classification:	N/A													
Visual Descript:	Lean clay with sand															
Sample Type:	Undisturbed	Initial Values	Final Values													
Sample Dia. (in)		2.86	2.86	Permeant:	Water											
Sample Ht. (in)		2.28	2.28	Permeant Specific Gravity:	1.00											
Tare & Wet (g)		605.70	795.10	Sample Specific Gravity:	2.66	Est.										
Tare & Dry (g)		570.30	736.20	Confining Pressure (psi):	100.0											
Tare (g)		276.96	254.84	Burette Diameter (in):	0.250											
Sample Wt. (g)		541.70	540.26	Burette Zero (cm):	100.0											
Moisture (%)		12.1	12.2	Maximum Gradient:	12.4											
Wet Density (pcf)		140.5	140.5	Average Gradient:	11.1											
Dry Density (pcf)		125.4	125.2	Max. Effect. Stress (psi):	5.2											
Saturation (%)		99.3	100.1	Min. Effect. Stress (psi):	4.2											
				Ave. Effect. Stress (psi):	4.6											
Date Yr.	Mo.	Day	Time Hr.	Min.	Run Time	Temp C**	Pressure (psi) Bot	Top	Cham. Cham.	Bot. Dif.	Bot. Dif.	Top Top	Flow Dif.%	Kv *** cm/sec	Ave.*	
1	2009	12	16	16	2.00	0.0	95	95	76.50	16.90	16.90	92.90	1.30	1.6E-08	1	
2	2009	12	17	7	41.00	56340	19.0	95	95	77.60	1.10	18.40	1.50	91.45	1.45	1.7
3	2009	12	17	9	44.00	7380	19.0	95	95	77.90	0.30	18.65	0.25	91.30	0.15	25.0
4	2009	12	17	11	42.00	7080	19.0	95	95	77.90	0.00	18.80	0.15	91.20	0.10	20.0
5	2009	12	17	13	42.00	7200	19.0	95	95	78.10	0.20	19.05	0.25	91.00	0.20	11.1
6	2009	12	17	15	42.00	7200	19.0	95	95	78.20	0.10	19.20	0.15	90.80	0.20	-14.3
7	2009	12	18	7	36.00	57240	19.0	95	95	79.20	1.00	20.65	1.45	89.50	1.30	5.5
8	2009	12	18	9	36.00	7200	19.0	95	95	79.40	0.20	20.85	0.20	89.30	0.20	0.0
9	2009	12	18	11	36.00	7200	19.0	95	95	79.50	0.10	21.05	0.20	89.15	0.15	14.3
10	2009	12	18	13	37.00	7260	20.0	95	95	79.90	0.40	21.20	0.15	89.05	0.10	20.0
11	2009	12	18	16	4.00	8820	20.0	95	95	79.80	-0.10	21.40	0.20	88.85	0.20	0.0
12	2009	12	21	6	7.00	223380	19.0	95	95	82.80	3.00	26.35	4.95	84.30	4.55	4.2
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
**A zero in this column starts a series of measurements. (Termination determined by stable Kv and low flow differential.)													*Average Kv for those rows with a 1 in the Ave. column. ***Kv adjusted for temperature.	1.5E-08 cm/sec		

**Attachment C**  
**Laboratory Analytical Data**

December 02, 2009

RMT, Inc. - Ann Arbor Office  
Attn: Ms. Stacy Metz  
3754 Ranchero Drive  
Ann Arbor, MI 48108-2771

**Project: Tecumseh Products**

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report, comprised of the following work order(s), for test samples received by TriMatrix Laboratories:


<b>Work Order</b>	<b>Received</b>	<b>Description</b>
0911515	11/25/2009	Laboratory Services

This report relates only to the sample(s), as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Conference (NELAC). Any qualifications of results, including sample acceptance requirements, are explained in the Statement of Data Qualifications.

Estimates of analytical uncertainties for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,



Jennifer L. Rice  
Project Chemist

Enclosures(s)

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **B-29b**  
 Lab Sample ID: **0911515-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 2  
 QC Batch: 0914436

Work Order: **0911515**  
 Description: Laboratory Services  
 Sampled: 11/24/09 10:47  
 Sampled By: SM  
 Received: 11/25/09 16:00  
 Prepared: 11/29/09 By: DLV  
 Analyzed: 11/30/09 By: DLV  
 Analytical Batch: 9K30057

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
*108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	<b>27</b>	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	<2.0	2.0
156-59-2	cis-1,2-Dichloroethene	<b>6.2</b>	2.0
156-60-5	trans-1,2-Dichloroethene	<2.0	2.0

Continued on next page

\*See Statement of Data Qualifications

Page 2 of 17

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **B-29b**  
 Lab Sample ID: **0911515-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 2  
 QC Batch: 0914436

Work Order: **0911515**  
 Description: Laboratory Services  
 Sampled: 11/24/09 10:47  
 Sampled By: SM  
 Received: 11/25/09 16:00  
 Prepared: 11/29/09 By: DLV  
 Analyzed: 11/30/09 By: DLV  
 Analytical Batch: 9K30057

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	<b>210</b>	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	<b>77</b>	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	<b>76</b>	2.0
75-69-4	Trichlorofluoromethane	<2.0	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **B-29b**  
 Lab Sample ID: **0911515-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 2  
 QC Batch: 0914436

Work Order: **0911515**  
 Description: Laboratory Services  
 Sampled: 11/24/09 10:47  
 Sampled By: SM  
 Received: 11/25/09 16:00  
 Prepared: 11/29/09 By: DLV  
 Analyzed: 11/30/09 By: DLV  
 Analytical Batch: 9K30057

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0
<b>Surrogates:</b>			
Dibromofluoromethane	109	88-115	
1,2-Dichloroethane-d4	114	81-116	
Toluene-d8	101	87-113	
4-Bromofluorobenzene	92	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **B-33b**  
 Lab Sample ID: **0911515-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0914420

Work Order: **0911515**  
 Description: Laboratory Services  
 Sampled: 11/24/09 11:25  
 Sampled By: SM  
 Received: 11/25/09 16:00  
 Prepared: 11/29/09 By: DLV  
 Analyzed: 11/29/09 By: DLV  
 Analytical Batch: 9K30051

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **B-33b**  
 Lab Sample ID: **0911515-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0914420

Work Order: **0911515**  
 Description: Laboratory Services  
 Sampled: 11/24/09 11:25  
 Sampled By: SM  
 Received: 11/25/09 16:00  
 Prepared: 11/29/09 By: DLV  
 Analyzed: 11/29/09 By: DLV  
 Analytical Batch: 9K30051

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<b>4.7</b>	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **B-33b**  
 Lab Sample ID: **0911515-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0914420

Work Order: **0911515**  
 Description: Laboratory Services  
 Sampled: 11/24/09 11:25  
 Sampled By: SM  
 Received: 11/25/09 16:00  
 Prepared: 11/29/09 By: DLV  
 Analyzed: 11/29/09 By: DLV  
 Analytical Batch: 9K30051

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	107	88-115	
<i>1,2-Dichloroethane-d4</i>	113	81-116	
<i>Toluene-d8</i>	101	87-113	
<i>4-Bromofluorobenzene</i>	93	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **0911515-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0914420

Work Order: **0911515**  
 Description: Laboratory Services  
 Sampled: 11/24/09 00:00  
 Sampled By: TML  
 Received: 11/25/09 16:00  
 Prepared: 11/29/09 By: DLV  
 Analyzed: 11/29/09 By: DLV  
 Analytical Batch: 9K30051

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **0911515-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0914420

Work Order: **0911515**  
 Description: Laboratory Services  
 Sampled: 11/24/09 00:00  
 Sampled By: TML  
 Received: 11/25/09 16:00  
 Prepared: 11/29/09 By: DLV  
 Analyzed: 11/29/09 By: DLV  
 Analytical Batch: 9K30051

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **0911515-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0914420

Work Order: **0911515**  
 Description: Laboratory Services  
 Sampled: 11/24/09 00:00  
 Sampled By: TML  
 Received: 11/25/09 16:00  
 Prepared: 11/29/09 By: DLV  
 Analyzed: 11/29/09 By: DLV  
 Analytical Batch: 9K30051

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	109	88-115	
1,2-Dichloroethane-d4	113	81-116	
Toluene-d8	102	87-113	
4-Bromofluorobenzene	93	78-116	

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD RPD	Limits RL
---------	--------------	------------	--------	--------------	----------------	---------	-----------

QC Batch: 0914420 5030B Aqueous Purge & Trap/USEPA-8260B

<b>Method Blank</b>				Analyzed:	11/29/2009	By: DLV
Unit: ug/L				Analytical Batch:	9K30051	
Acetone		<20			20	
Acrylonitrile		<2.0			2.0	
Benzene		<1.0			1.0	
Bromobenzene		<1.0			1.0	
Bromochloromethane		<1.0			1.0	
Bromodichloromethane		<1.0			1.0	
Bromoform		<1.0			1.0	
Bromomethane		<5.0			5.0	
n-Butylbenzene		<1.0			1.0	
sec-Butylbenzene		<1.0			1.0	
tert-Butylbenzene		<1.0			1.0	
Carbon Disulfide		<1.0			1.0	
Carbon Tetrachloride		<1.0			1.0	
Chlorobenzene		<1.0			1.0	
Chloroethane		<5.0			5.0	
Chloroform		<1.0			1.0	
Chloromethane		<5.0			5.0	
1,2-Dibromo-3-chloropropane		<5.0			5.0	
Dibromochloromethane		<1.0			1.0	
1,2-Dibromoethane		<1.0			1.0	
Dibromomethane		<1.0			1.0	
trans-1,4-Dichloro-2-butene		<1.0			1.0	
1,2-Dichlorobenzene		<1.0			1.0	
1,3-Dichlorobenzene		<1.0			1.0	
1,4-Dichlorobenzene		<1.0			1.0	
Dichlorodifluoromethane		<5.0			5.0	
1,1-Dichloroethane		<1.0			1.0	
1,2-Dichloroethane		<1.0			1.0	
1,1-Dichloroethene		<1.0			1.0	
cis-1,2-Dichloroethene		<1.0			1.0	
trans-1,2-Dichloroethene		<1.0			1.0	
1,2-Dichloropropane		<1.0			1.0	
cis-1,3-Dichloropropene		<1.0			1.0	
trans-1,3-Dichloropropene		<1.0			1.0	
Ethylbenzene		<1.0			1.0	
Ethyl Ether		<5.0			5.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0914420 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	11/29/2009	By: DLV
Unit: ug/L				Analytical Batch:	9K30051	
2-Hexanone		<5.0			5.0	
Iodomethane		<1.0			1.0	
Isopropylbenzene		<1.0			1.0	
4-Isopropyltoluene		<5.0			5.0	
Methyl tert-Butyl Ether		<5.0			5.0	
Methylene Chloride		<5.0			5.0	
2-Butanone (MEK)		<5.0			5.0	
2-Methylnaphthalene		<5.0			5.0	
4-Methyl-2-pentanone (MIBK)		<5.0			5.0	
Naphthalene		<5.0			5.0	
n-Propylbenzene		<1.0			1.0	
Styrene		<1.0			1.0	
1,1,1,2-Tetrachloroethane		<1.0			1.0	
1,1,2,2-Tetrachloroethane		<1.0			1.0	
Tetrachloroethene		<1.0			1.0	
Tetrahydrofuran		<5.0			5.0	
Toluene		<1.0			1.0	
1,2,3-Trichlorobenzene		<5.0			5.0	
1,2,4-Trichlorobenzene		<5.0			5.0	
1,1,1-Trichloroethane		<1.0			1.0	
1,1,2-Trichloroethane		<1.0			1.0	
Trichloroethene		<1.0			1.0	
Trichlorofluoromethane		<1.0			1.0	
1,2,3-Trichloropropane		<1.0			1.0	
1,2,4-Trimethylbenzene		<1.0			1.0	
1,3,5-Trimethylbenzene		<1.0			1.0	
Vinyl Chloride		<1.0			1.0	
Xylene, Meta + Para		<2.0			2.0	
Xylene, Ortho		<1.0			1.0	

***Surrogates:***

Dibromofluoromethane	104	88-115
1,2-Dichloroethane-d4	109	81-116
Toluene-d8	99	87-113
4-Bromofluorobenzene	95	78-116

<b>Laboratory Control Sample</b>				Analyzed:	11/29/2009	By: DLV
Unit: ug/L				Analytical Batch:	9K30051	

Benzene	40.0	<b>38.9</b>	97	86-122	1.0
---------	------	-------------	----	--------	-----

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0914420 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Laboratory Control Sample (Continued)</b>	Analyzed:	11/29/2009	By: DLV
Unit: ug/L	Analytical Batch:	9K30051	

Chlorobenzene	40.0	<b>37.2</b>	93	88-114	1.0
1,1-Dichloroethene	40.0	<b>40.1</b>	100	81-125	1.0
Toluene	40.0	<b>37.4</b>	94	87-123	1.0
Trichloroethene	40.0	<b>38.4</b>	96	80-122	1.0

***Surrogates:***

Dibromofluoromethane	102	88-115
1,2-Dichloroethane-d4	104	81-116
Toluene-d8	100	87-113
4-Bromofluorobenzene	102	78-116

**QC Batch: 0914436 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank</b>	Analyzed:	11/30/2009	By: DLV
Unit: ug/L	Analytical Batch:	9K30057	

Acetone	<20	20
Acrylonitrile	<1.0	1.0
Benzene	<1.0	1.0
Bromobenzene	<1.0	1.0
Bromochloromethane	<1.0	1.0
Bromodichloromethane	<1.0	1.0
Bromoform	<1.0	1.0
Bromomethane	<1.0	1.0
n-Butylbenzene	<1.0	1.0
sec-Butylbenzene	<1.0	1.0
tert-Butylbenzene	<1.0	1.0
Carbon Disulfide	<1.0	1.0
Carbon Tetrachloride	<1.0	1.0
Chlorobenzene	<1.0	1.0
Chloroethane	<1.0	1.0
Chloroform	<1.0	1.0
Chloromethane	<1.0	1.0
1,2-Dibromo-3-chloropropane	<1.0	1.0
Dibromochloromethane	<1.0	1.0
1,2-Dibromoethane	<1.0	1.0
Dibromomethane	<1.0	1.0
trans-1,4-Dichloro-2-butene	<1.0	1.0
1,2-Dichlorobenzene	<1.0	1.0

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0914436 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	11/30/2009	By: DLV
Unit: ug/L				Analytical Batch:	9K30057	
1,3-Dichlorobenzene	<1.0				1.0	
1,4-Dichlorobenzene	<1.0				1.0	
Dichlorodifluoromethane	<1.0				1.0	
1,1-Dichloroethane	<1.0				1.0	
1,2-Dichloroethane	<1.0				1.0	
1,1-Dichloroethene	<1.0				1.0	
cis-1,2-Dichloroethene	<1.0				1.0	
trans-1,2-Dichloroethene	<1.0				1.0	
1,2-Dichloropropane	<1.0				1.0	
cis-1,3-Dichloropropene	<1.0				1.0	
trans-1,3-Dichloropropene	<1.0				1.0	
Ethylbenzene	<1.0				1.0	
Ethyl Ether	<5.0				5.0	
2-Hexanone	<5.0				5.0	
Iodomethane	<1.0				1.0	
Isopropylbenzene	<1.0				1.0	
4-Isopropyltoluene	<5.0				5.0	
Methyl tert-Butyl Ether	<5.0				5.0	
Methylene Chloride	<5.0				5.0	
2-Butanone (MEK)	<5.0				5.0	
2-Methylnaphthalene	<5.0				5.0	
4-Methyl-2-pentanone (MIBK)	<5.0				5.0	
Naphthalene	<5.0				5.0	
n-Propylbenzene	<1.0				1.0	
Styrene	<1.0				1.0	
1,1,1,2-Tetrachloroethane	<1.0				1.0	
1,1,2,2-Tetrachloroethane	<1.0				1.0	
Tetrachloroethene	<1.0				1.0	
Tetrahydrofuran	<5.0				5.0	
Toluene	<1.0				1.0	
1,2,3-Trichlorobenzene	<1.0				1.0	
1,2,4-Trichlorobenzene	<5.0				5.0	
1,1,1-Trichloroethane	<1.0				1.0	
1,1,2-Trichloroethane	<1.0				1.0	
Trichloroethene	<1.0				1.0	
Trichlorofluoromethane	<1.0				1.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0914436 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>	Analyzed:	11/30/2009	By: DLV
Unit: ug/L	Analytical Batch:	9K30057	

1,2,3-Trichloropropane	<1.0		1.0
1,2,4-Trimethylbenzene	<1.0		1.0
1,3,5-Trimethylbenzene	<1.0		1.0
Vinyl Chloride	<1.0		1.0
Xylene, Meta + Para	<2.0		2.0
Xylene, Ortho	<1.0		1.0

***Surrogates:***

Dibromofluoromethane	107	88-115
1,2-Dichloroethane-d4	112	81-116
Toluene-d8	101	87-113
4-Bromofluorobenzene	94	78-116

<b>Laboratory Control Sample</b>	Analyzed:	11/29/2009	By: DLV
Unit: ug/L	Analytical Batch:	9K30057	

Benzene	40.0	<b>36.4</b>	91	86-122		1.0
Chlorobenzene	40.0	<b>34.9</b>	<b>87</b>	88-114		1.0
1,1-Dichloroethene	40.0	<b>36.9</b>	92	81-125		1.0
Toluene	40.0	<b>35.0</b>	87	87-123		1.0
Trichloroethene	40.0	<b>35.4</b>	89	80-122		1.0

***Surrogates:***

Dibromofluoromethane	101	88-115
1,2-Dichloroethane-d4	103	81-116
Toluene-d8	101	87-113
4-Bromofluorobenzene	101	78-116

<b>Laboratory Control Sample Duplicate</b>	Analyzed:	11/29/2009	By: DLV
Unit: ug/L	Analytical Batch:	9K30057	

Benzene	40.0	<b>38.1</b>	95	86-122	4	20	1.0
Chlorobenzene	40.0	<b>36.0</b>	90	88-114	3	20	1.0
1,1-Dichloroethene	40.0	<b>39.2</b>	98	81-125	6	20	1.0
Toluene	40.0	<b>36.8</b>	92	87-123	5	20	1.0
Trichloroethene	40.0	<b>37.9</b>	95	80-122	7	20	1.0

***Surrogates:***

Dibromofluoromethane	102	88-115
1,2-Dichloroethane-d4	104	81-116
Toluene-d8	101	87-113

Continued on next page

## QUALITY CONTROL REPORT

## Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD RPD	Limits RL
---------	--------------	------------	--------	--------------	----------------	---------	-----------

QC Batch: 0914436 (Continued) 5030B Aqueous Purge &amp; Trap/USEPA-8260B

Laboratory Control Sample Duplicate (Continued)	Analyzed:	11/29/2009	By: DLV
Unit: ug/L	Analytical Batch:	9K30057	

*Surrogates (Continued):*

4-Bromofluorobenzene

101 78-116

---

## STATEMENT OF DATA QUALIFICATIONS

### Volatile Organic Compounds by EPA Method 8260B

**Qualification:** The LCS recovery was less than the lower control limit but greater than or equal to 10%. A positive result for this analyte in the associated QC batch is considered estimated; a non-detect result for the same analyte is considered as approximate.

Analysis: USEPA-8260B

Sample/Analyte: 0911515-01 B-29b

Chlorobenzene



5560 Corporate Exchange Court SE, Grand Rapids, MI 49512  
Phone (616) 975-4500 Fax (616) 942-7463  
www.trimatrixlabs.com

## Chain of Custody Record COC No. 131191

Cart		For Lab Use Only		Analyses Requested		Page _____ of _____	
VOA Rack/Tray	2	Client Name	Project Name	PRESERVATIVES			
<b>502 - RED</b>		<b>Tecumseh Products Co. RMT</b>	<b>Tecumseh Products Co.</b>	<input checked="" type="checkbox"/> A	NONE pH~7		
Receipt Log No. <b>44-28</b>		Address <b>3754 Ranchero Drive</b>	Client Project No./PO No. <b>8040.67</b>	<input checked="" type="checkbox"/> B	HNO <sub>3</sub> pH<2		
Project Chemist <b>JHR</b>		Ann Arbor MI 48108	Invoice No. <b>8040.67</b>	<input checked="" type="checkbox"/> C	H <sub>2</sub> SO <sub>4</sub> pH<2		
Laboratory Project No. <b>0911515</b>		Phone <b>734 - 971 - 3080</b>	Fax	<input checked="" type="checkbox"/> D	1+1 HCl pH<2		
Test Group	Matrix Code	Laboratory Sample Number	Sample ID	Cooler ID	Sample Date	Sample Time	O R Matrix
01	1	B-29b	TM2086	11/24	10:47	X 6W	<input checked="" type="checkbox"/> A
02	2	B-33b	TM2086	11/24	11:25	X 6W	<input checked="" type="checkbox"/> B
3	MW-23D	19-21'	TM2086	11/24	10:55	X 5	<input checked="" type="checkbox"/> C
4	MW-10D	(9-11')	TM2086	11/24	14:20	X 5	<input checked="" type="checkbox"/> D
5							<input checked="" type="checkbox"/> E
6							<input checked="" type="checkbox"/> F
7							<input checked="" type="checkbox"/> G
8							<input checked="" type="checkbox"/> H
9							MeOH
10							Other (note below)
Sampled By (print) <b>S. Metz</b>		Comments		Number of Containers Submitted		Total	Sample Comments
Sampler's Signature <i>S. Metz</i>		How Shipped? <input checked="" type="radio"/> Hand Carrier _____		3 Container Type (corresponds to Container Packing List) <b>VOCs 8260 FOC</b>			
Company <b>RMT</b>		1. Relinquished By <b>S. Metz</b>	Date <b>11-25-09</b>	Time <b>16:40</b>	2. Reinquished By <b>S. Metz</b>	Date <b>11-25-09</b>	Time <b>16:00</b>
		1. Received By <b>S. Metz</b>	Date <b>11-25-09</b>	Time <b>16:40</b>	2. Received By <b>S. Metz</b>	Date <b>11-25-09</b>	Time <b>16:00</b>



# SAMPLE RECEIVING / LOG-IN CHECKLIST

## Coolers Received

Recorded by (initials/date)

*JN 11/25/09*

Client <i>MT</i>	Project-Submittal No. New / Add To <b>0911515</b>
Receipt Record Page/Line No. <i>44-28</i>	Project Chemist <i>JR</i>
Sample Nos.	

<input type="checkbox"/> Cooler	Qty Received <i>1</i>	<input type="checkbox"/> IR Gun (#202)
<input type="checkbox"/> Box		<input type="checkbox"/> Thermometer Used
<input type="checkbox"/> Other		<input type="checkbox"/> Digital Thermometer (#54)
		<input type="checkbox"/> Other (# _____)
See Additional Cooler Information Form		
<b>Cooler No. <i>TR3086</i> Time <i>18:10</i></b>		
<p><b>Custody Seals:</b></p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> None</li> <li><input type="checkbox"/> Present / Intact</li> <li><input type="checkbox"/> Present / Not Intact</li> </ul> <p><b>Coolant Location:</b></p> <ul style="list-style-type: none"> <li>Dispersed / Top / Middle / Bottom</li> </ul> <p><b>Coolant/Temperature Taken Via:</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Loose Ice / Avg 2-3 containers</li> <li><input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers</li> <li><input type="checkbox"/> Blue Ice / Avg 2-3 containers</li> <li><input checked="" type="checkbox"/> None / Avg 2-3 containers</li> </ul> <p><b>Alternate Temperature Taken Via:</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Temperature Blank (TB)</li> <li><input type="checkbox"/> 1 Container</li> </ul>		
Recorded °C <i>1.78</i>	Correction Factor °C <i>8</i>	Actual °C <i>1.8</i>
Temp Blank: <i>2.67</i>		
TB location: Representative / Not Representative <i>1</i>		
Recorded °C <i>2.67</i>	Correction Factor °C <i>8</i>	Actual °C <i>2.75</i>
Temp Blank: <i>3.51</i>		
TB location: Representative / Not Representative <i>2</i>		
Recorded °C <i>3.51</i>	Correction Factor °C <i>8</i>	Actual °C <i>3.71</i>
Temp Blank: <i>4.00</i>		
TB location: Representative / Not Representative <i>3</i>		
Average °C <i>7.2</i>		
<p><input type="checkbox"/> Cooler ID on COC?</p> <p><input checked="" type="checkbox"/> VOC Trip Blank received?</p>		

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

<b>Paperwork Received</b>																										
N/A	Yes	No																								
<input type="checkbox"/> No COC Received <input checked="" type="checkbox"/> Chain of Custody record(s)? <ul style="list-style-type: none"> <li><input type="checkbox"/></li> <li><input type="checkbox"/> If No, COC Initiated By _____</li> </ul> <input checked="" type="checkbox"/> Rec'd for Lab Signed/Date/Time? <input type="checkbox"/> Shipping document? <input type="checkbox"/> Other																										
COC ID Nos. <i>131191</i>																										
<input type="checkbox"/> TriMatrix <input type="checkbox"/> Other (Name or ID#)																										
<b>Check COC for Accuracy</b> <table border="0"> <tr> <td>Yes</td> <td>No</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/> Sample ID matches COC?</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Sample Date and Time matches COC?</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Container type completed on COC?</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/> All container types indicated are received?</td> </tr> </table>			Yes	No	<input checked="" type="checkbox"/>	<input type="checkbox"/> Sample ID matches COC?	<input type="checkbox"/>	<input type="checkbox"/> Sample Date and Time matches COC?	<input type="checkbox"/>	<input type="checkbox"/> Container type completed on COC?	<input type="checkbox"/>	<input type="checkbox"/> All container types indicated are received?														
Yes	No																									
<input checked="" type="checkbox"/>	<input type="checkbox"/> Sample ID matches COC?																									
<input type="checkbox"/>	<input type="checkbox"/> Sample Date and Time matches COC?																									
<input type="checkbox"/>	<input type="checkbox"/> Container type completed on COC?																									
<input type="checkbox"/>	<input type="checkbox"/> All container types indicated are received?																									
<b>Sample Condition Summary</b> <table border="0"> <tr> <td>N/A</td> <td>Yes</td> <td>No</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/> Broken containers/lids?</td> <td><input type="checkbox"/> Non-TriMatrix containers, see Notes</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/> Missing or incomplete labels?</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/> Illegible information on labels?</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/> Low volume received?</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/> Inappropriate containers received?</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/> VOC vials / TOX containers have headspace?</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/> Extra sample locations / containers not listed on COC?</td> <td></td> </tr> </table>			N/A	Yes	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> Broken containers/lids?	<input type="checkbox"/> Non-TriMatrix containers, see Notes	<input type="checkbox"/>	<input checked="" type="checkbox"/> Missing or incomplete labels?		<input type="checkbox"/>	<input checked="" type="checkbox"/> Illegible information on labels?		<input type="checkbox"/>	<input checked="" type="checkbox"/> Low volume received?		<input type="checkbox"/>	<input checked="" type="checkbox"/> Inappropriate containers received?		<input type="checkbox"/>	<input checked="" type="checkbox"/> VOC vials / TOX containers have headspace?		<input type="checkbox"/>	<input checked="" type="checkbox"/> Extra sample locations / containers not listed on COC?	
N/A	Yes	No																								
<input type="checkbox"/>	<input checked="" type="checkbox"/> Broken containers/lids?	<input type="checkbox"/> Non-TriMatrix containers, see Notes																								
<input type="checkbox"/>	<input checked="" type="checkbox"/> Missing or incomplete labels?																									
<input type="checkbox"/>	<input checked="" type="checkbox"/> Illegible information on labels?																									
<input type="checkbox"/>	<input checked="" type="checkbox"/> Low volume received?																									
<input type="checkbox"/>	<input checked="" type="checkbox"/> Inappropriate containers received?																									
<input type="checkbox"/>	<input checked="" type="checkbox"/> VOC vials / TOX containers have headspace?																									
<input type="checkbox"/>	<input checked="" type="checkbox"/> Extra sample locations / containers not listed on COC?																									
<b>Check Sample Preservation</b> <table border="0"> <tr> <td>N/A</td> <td>Yes</td> <td>No</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/> Average sample temperature ≤6° C?</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Completed Sample Preservation Verification Form?</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/> Samples preserved correctly?</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/> If "No", added orange tag?</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Received pre-preserved VOC soils?</td> <td></td> </tr> <tr> <td></td> <td><input type="checkbox"/> MeOH</td> <td><input type="checkbox"/> Na<sub>2</sub>SO<sub>4</sub></td> </tr> </table>			N/A	Yes	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> Average sample temperature ≤6° C?		<input type="checkbox"/>	<input type="checkbox"/> Completed Sample Preservation Verification Form?		<input type="checkbox"/>	<input checked="" type="checkbox"/> Samples preserved correctly?		<input type="checkbox"/>	<input type="checkbox"/> If "No", added orange tag?		<input type="checkbox"/>	<input type="checkbox"/> Received pre-preserved VOC soils?			<input type="checkbox"/> MeOH	<input type="checkbox"/> Na <sub>2</sub> SO <sub>4</sub>			
N/A	Yes	No																								
<input type="checkbox"/>	<input checked="" type="checkbox"/> Average sample temperature ≤6° C?																									
<input type="checkbox"/>	<input type="checkbox"/> Completed Sample Preservation Verification Form?																									
<input type="checkbox"/>	<input checked="" type="checkbox"/> Samples preserved correctly?																									
<input type="checkbox"/>	<input type="checkbox"/> If "No", added orange tag?																									
<input type="checkbox"/>	<input type="checkbox"/> Received pre-preserved VOC soils?																									
	<input type="checkbox"/> MeOH	<input type="checkbox"/> Na <sub>2</sub> SO <sub>4</sub>																								
<b>Check for Short Hold-Time Prep/Analyses</b> <table border="0"> <tr> <td><input type="checkbox"/> Bacteriological</td> <td colspan="2" style="text-align: right;"><b>AFTER HOURS ONLY:</b></td> </tr> <tr> <td><input type="checkbox"/> Air Bags</td> <td colspan="2" style="text-align: right;">COPIES OF COC TO LAB AREA(S)</td> </tr> <tr> <td><input type="checkbox"/> EnCores / Methanol Pre-Preserved</td> <td colspan="2" style="text-align: right;"><input checked="" type="checkbox"/> NONE RECEIVED</td> </tr> <tr> <td><input type="checkbox"/> Formaldehyde/Aldehyde</td> <td colspan="2" style="text-align: right;"><input type="checkbox"/> RECEIVED, COCs TO LAB(S)</td> </tr> <tr> <td><input type="checkbox"/> Green-tagged containers</td> <td colspan="2"></td> </tr> <tr> <td><input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)</td> <td colspan="2"></td> </tr> </table>			<input type="checkbox"/> Bacteriological	<b>AFTER HOURS ONLY:</b>		<input type="checkbox"/> Air Bags	COPIES OF COC TO LAB AREA(S)		<input type="checkbox"/> EnCores / Methanol Pre-Preserved	<input checked="" type="checkbox"/> NONE RECEIVED		<input type="checkbox"/> Formaldehyde/Aldehyde	<input type="checkbox"/> RECEIVED, COCs TO LAB(S)		<input type="checkbox"/> Green-tagged containers			<input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)								
<input type="checkbox"/> Bacteriological	<b>AFTER HOURS ONLY:</b>																									
<input type="checkbox"/> Air Bags	COPIES OF COC TO LAB AREA(S)																									
<input type="checkbox"/> EnCores / Methanol Pre-Preserved	<input checked="" type="checkbox"/> NONE RECEIVED																									
<input type="checkbox"/> Formaldehyde/Aldehyde	<input type="checkbox"/> RECEIVED, COCs TO LAB(S)																									
<input type="checkbox"/> Green-tagged containers																										
<input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)																										
<b>Notes</b> <i>Trip Blank logged in. 11/25/09</i>																										
<input type="checkbox"/> Trip Blank received <input checked="" type="checkbox"/> Trip Blank not listed on COC <input type="checkbox"/> No COC received, Proj. Chemist reviewed (Init/Date) <input type="checkbox"/> No analysis requested, Proj. Chemist completed (Init/Date)																										
Cooler Received (Date/Time) <i>JN 11/25/09</i>		Paperwork Delivered (Date/Time) <i>JN 11/25/09</i>																								
		≤1 Hour Goal Met? <i>Yes / No</i>																								

December 14, 2009

RMT, Inc. - Ann Arbor Office  
Attn: Ms. Stacy Metz  
3754 Ranchero Drive  
Ann Arbor, MI 48108-2771

**Project: Tecumseh Products**

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report, comprised of the following work order(s), for test samples received by TriMatrix Laboratories:


<b>Work Order</b>	<b>Received</b>	<b>Description</b>
0911516	11/25/2009	Laboratory Services

This report relates only to the sample(s), as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Conference (NELAC). Any qualifications of results, including sample acceptance requirements, are explained in the Statement of Data Qualifications.

Estimates of analytical uncertainties for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,



Jennifer L. Rice  
Project Chemist

Enclosures(s)

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office** Work Order: **0911516**  
Project: Tecumseh Products Description: Laboratory Services  
Client Sample ID: **MW-23D 19-21'** Sampled: 11/24/09 10:55  
Lab Sample ID: **0911516-01** Sampled By: S. Metz  
Matrix: soil Received: 11/25/09 16:00

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
<b>Fractional Organic Carbon</b>	<b>0.0028</b>	0.0010	g C/g Soil	1	ASTM D 2974-87	12/12/09	HLB	0914710

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office** Work Order: **0911516**  
Project: Tecumseh Products Description: Laboratory Services  
Client Sample ID: **MW-10D 9-11'** Sampled: 11/24/09 14:20  
Lab Sample ID: **0911516-02** Sampled By: S. Metz  
Matrix: soil Received: 11/25/09 16:00

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
<b>Fractional Organic Carbon</b>	<b>0.0026</b>	0.0010	g C/g Soil	1	ASTM D 2974-87	12/12/09	HLB	0914710

## QUALITY CONTROL REPORT

## Physical/Chemical Parameters by EPA/APHA/ASTM Methods

QC Type	Sample Conc.	Spike Qty.	Result	Unit	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	------	--------------	----------------	-----	------------	----

**Analyte: Fractional Organic Carbon/ASTM D 2974-87**

QC Batch: 0914710 (Method-Specific Preparation) Analyzed: 12/12/2009 By: HLB

Method Blank		<0.0010		g C/g Soil				0.0010
<b>0911516-01 [MW-23D 19-21']</b>								
Duplicate	0.0028		<b>0.0034</b>	g C/g Soil		18	20	0.0010

---

## STATEMENT OF DATA QUALIFICATIONS

All analyses have been validated and comply with our Quality Control Program.  
No Qualifications required.

## Chain of Custody Record

COC No. 131191

Carton 2  
For Lab Use Only

VOA Rack/Tray <b>502-R02</b>	Client Name <b>Techmisch Produkte Co., RMT</b>	Project Name <b>Techmisch Produkte Co.</b>
Receipt Log No. <b>4413244-28</b>	Address <b>3751 Ranchero Drive</b>	Client Project No./PO No. <b>8070, 67</b>
Project Chemist	Invoice No.	<input type="checkbox"/> Client <input type="checkbox"/> Other (Comments)
Laboratory Project No. <b>0411510</b>	Phone <b>734 - 971 - 7080</b>	Contact/Report To <b>Me 12</b>
Fax		

Analyses Requested							Page _____ of _____
<input checked="" type="checkbox"/> PRESERVATIVES	A	NONE pH>7					
	B	HNO <sub>3</sub> pH<2					
	C	H <sub>2</sub> SO <sub>4</sub> pH<2					
	D	1+1 HCl pH<2					
	E	NaOH pH>12					
	F	ZnO/NaOH pH>9					
	G	MeOH					
	H	Other (note below)					

Container Type (corresponds to Container Packing List)							Total Sample Comments
1	(250 ml Jars)						
2							
3							
4							
5							
6							
7							
8							
9							
10							

Continents							Total Sample Comments
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Sample ID	Cooler ID	Sample Date	Sample Time	C M A	G R B	R A B	Container Type (corresponds to Container Packing List)
1 B-29b	TM286	11/24	10:47	X	6W	2	
2 B-33b	TM286	11/24	11:25	X	6W	2	
3 MW-23D	19-21'	TM286	11/24	X	5	-	
4 MW-10D (9-11')	TM286	11/24	02:26	X	5	1	
5							
6							
7							
8							
9							
10							

Sampled By (print)

S. Mehl

Sampler's Signature

*Mark Mehl*

RMT

Company

How Shipped?  Hand Carrier  
Tracking No.

1. Relinquished By Date Time  
*Mark Mehl 11-24 16:40*

2. Received By Date Time  
*Mark Mehl 11-25-09 13:00*

# SAMPLE RECEIVING / LOG-IN CHECKLIST

**Coolers Received**

Recorded by (initials/date)

*JN 11/25/09*

Client <i>JN MT</i>	Project Submittal No. <i>0911514</i>
Receipt Record Page/Line No. <i>4432</i>	New / Add To <i>11/25/09</i>
	Project Chemist Sample Nos.

<input type="checkbox"/> Cooler	Qty Received <i>1</i>	<input checked="" type="checkbox"/> IR Gun (#202)
<input type="checkbox"/> Box		<input type="checkbox"/> Thermometer Used
<input type="checkbox"/> Other		<input type="checkbox"/> Digital Thermometer (#54)
		<input type="checkbox"/> See Additional Cooler Information Form
		<input type="checkbox"/> Other (#)

 Cooler No. *TP2086* Time *18:10*

## Custody Seals:

- None
- Present / Intact
- Present / Not Intact

## Coolant Location:

Dispersed / Top / Middle / Bottom

## Coolant/Temperature Taken Via:

- Loose Ice / Avg 2-3 containers
- Bagged Ice / Avg 2-3 containers
- Blue Ice / Avg 2-3 containers
- None / Avg 2-3 containers

## Alternate Temperature Taken Via:

- Temperature Blank (TB)
- 1 Container

Recorded °C      Correction Factor °C      Actual °C

Temp Blank:

TB location: Representative / Not Representative

 1 *7.8*      8 *7.8*

 2 *4.7*      8 *6.7*

 3 *7.1*      8 *7.1*

Average °C

6 Cooler ID on COC?

 VOC Trip Blank received?

 Cooler No. *TP2086* Time *18:10*

## Custody Seals:

- None
- Present / Intact
- Present / Not Intact

## Coolant Location:

Dispersed / Top / Middle / Bottom

## Coolant/Temperature Taken Via:

- Loose Ice / Avg 2-3 containers
- Bagged Ice / Avg 2-3 containers
- Blue Ice / Avg 2-3 containers
- None / Avg 2-3 containers

## Alternate Temperature Taken Via:

- Temperature Blank (TB)
- 1 Container

Recorded °C      Correction Factor °C      Actual °C

Temp Blank:

TB location: Representative / Not Representative

1

2

3

Average °C

 Cooler ID on COC?

 VOC Trip Blank received?

 Cooler No. *TP2086* Time *18:10*

## Custody Seals:

- None
- Present / Intact
- Present / Not Intact

## Coolant Location:

Dispersed / Top / Middle / Bottom

## Coolant/Temperature Taken Via:

- Loose Ice / Avg 2-3 containers
- Bagged Ice / Avg 2-3 containers
- Blue Ice / Avg 2-3 containers
- None / Avg 2-3 containers

## Alternate Temperature Taken Via:

- Temperature Blank (TB)
- 1 Container

Recorded °C      Correction Factor °C      Actual °C

Temp Blank:

TB location: Representative / Not Representative

1

2

3

 Cooler No. *TP2086* Time *18:10*

## Custody Seals:

- None
- Present / Intact
- Present / Not Intact

## Coolant Location:

Dispersed / Top / Middle / Bottom

## Coolant/Temperature Taken Via:

- Loose Ice / Avg 2-3 containers
- Bagged Ice / Avg 2-3 containers
- Blue Ice / Avg 2-3 containers
- None / Avg 2-3 containers

## Alternate Temperature Taken Via:

- Temperature Blank (TB)
- 1 Container

Recorded °C      Correction Factor °C      Actual °C

Temp Blank:

TB location: Representative / Not Representative

1

2

3

Average °C

 Cooler ID on COC?

 VOC Trip Blank received?

**If any shaded areas checked, complete Sample Receiving Non-Conformance Form**
**Paperwork Received**
 No COC Received

N/A

Yes

No

 Chain of Custody record(s)?

If No, COC Initiated By \_\_\_\_\_

Rec'd for Lab Signed/Date/Time?

Shipping document?

Other \_\_\_\_\_

COC ID Nos.

*131191*
 TriMatrix

 Other (Name or ID#) \_\_\_\_\_

**Check COC for Accuracy**
 No analysis requested

Yes

No

 Sample ID matches COC?

 Sample Date and Time matches COC?

Container type completed on COC?

All container types indicated are received?

**Sample Condition Summary**
 Non-TriMatrix containers, see Notes

N/A

Yes

No

 Broken containers/lids?

 Missing or incomplete labels?

 Illegible information on labels?

 Low volume received?

 Inappropriate containers received?

 VOC vials / TOX containers have headspace?

 Extra sample locations / containers not listed on COC?

**Check Sample Preservation**

N/A

Yes

No

 Average sample temperature ≤6° C?

Completed Sample Preservation Verification Form?

 Samples preserved correctly?

If "No", added orange tag?

Received pre-preserved VOC soils?

 MeOH

 Na<sub>2</sub>SO<sub>4</sub>
**Check for Short Hold-Time Prep/Analyses**
 Bacteriological

 Air Bags

 EnCores / Methanol Pre-Preserved

 Formaldehyde/Aldehyde

 Green-tagged containers

 Yellow/White-tagged 1L ambers (SV Prep-Lab)

**AFTER HOURS ONLY:**

COPIES OF COC TO LAB AREA(S)

 NONE RECEIVED

 RECEIVED, COCs TO LAB(S)

**Notes**

- Trip Blank received  Trip Blank not listed on COC
- No COC received, Proj. Chemist reviewed (Init/Date)
- No analysis requested, Proj. Chemist completed (Init/Date)

Cooler Received (Date/Time)      Paperwork Delivered (Date/Time)      ≤1 Hour Goal Met?

*JN 11/25/09*      *JN 11/25/09*      Yes / No

December 14, 2009

RMT, Inc. - Ann Arbor Office  
Attn: Ms. Stacy Metz  
3754 Ranchero Drive  
Ann Arbor, MI 48108-2771

**Project: Tecumseh Products**

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report, comprised of the following work order(s), for test samples received by TriMatrix Laboratories:


<b>Work Order</b>	<b>Received</b>	<b>Description</b>
0912072	12/03/2009	Laboratory Services

This report relates only to the sample(s), as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Conference (NELAC). Any qualifications of results, including sample acceptance requirements, are explained in the Statement of Data Qualifications.

Estimates of analytical uncertainties for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,



Jennifer L. Rice  
Project Chemist

Enclosures(s)

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-25S (51')**  
 Lab Sample ID: **0912072-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0914801

Work Order: **0912072**  
 Description: Laboratory Services  
 Sampled: 12/01/09 11:35  
 Sampled By: J. Bacon  
 Received: 12/03/09 09:00  
 Prepared: 12/07/09 By: DLV  
 Analyzed: 12/08/09 By: DLV  
 Analytical Batch: 9L08015

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<b>37</b>	1.0
156-60-5	trans-1,2-Dichloroethene	<b>1.4</b>	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-25S (51')**  
 Lab Sample ID: **0912072-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0914801

Work Order: **0912072**  
 Description: Laboratory Services  
 Sampled: 12/01/09 11:35  
 Sampled By: J. Bacon  
 Received: 12/03/09 09:00  
 Prepared: 12/07/09 By: DLV  
 Analyzed: 12/08/09 By: DLV  
 Analytical Batch: 9L08015

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-25S (51')**  
 Lab Sample ID: **0912072-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0914801

Work Order: **0912072**  
 Description: Laboratory Services  
 Sampled: 12/01/09 11:35  
 Sampled By: J. Bacon  
 Received: 12/03/09 09:00  
 Prepared: 12/07/09 By: DLV  
 Analyzed: 12/08/09 By: DLV  
 Analytical Batch: 9L08015

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	102	88-115	
<i>1,2-Dichloroethane-d4</i>	101	81-116	
<i>Toluene-d8</i>	97	87-113	
<i>4-Bromofluorobenzene</i>	93	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office** Work Order: **0912072**  
Project: Tecumseh Products Description: Laboratory Services  
Client Sample ID: **MW-19D (30-35)** Sampled: 12/02/09 11:40  
Lab Sample ID: **0912072-02** Sampled By: J. Bacon  
Matrix: soil Received: 12/03/09 09:00

**Physical/Chemical Parameters by EPA/APHA/ASTM Methods**

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
<b>Fractional Organic Carbon</b>	<b>0.0045</b>	0.0010	g C/g Soil	1	ASTM D 2974-87	12/12/09	HLB	0914710

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office** Work Order: **0912072**  
Project: Tecumseh Products Description: Laboratory Services  
Client Sample ID: **MW-19S (24-26)** Sampled: 12/02/09 13:50  
Lab Sample ID: **0912072-03** Sampled By: J. Bacon  
Matrix: soil Received: 12/03/09 09:00

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
<b>Fractional Organic Carbon</b>	<b>0.0049</b>	0.0010	g C/g Soil	1	ASTM D 2974-87	12/12/09	HLB	0914710

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank TM2456**  
 Lab Sample ID: **0912072-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0914801

Work Order: **0912072**  
 Description: Laboratory Services  
 Sampled: 12/02/09 13:50  
 Sampled By: J. Bacon  
 Received: 12/03/09 09:00  
 Prepared: 12/07/09 By: DLV  
 Analyzed: 12/08/09 By: DLV  
 Analytical Batch: 9L08015

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank TM2456**  
 Lab Sample ID: **0912072-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0914801

Work Order: **0912072**  
 Description: Laboratory Services  
 Sampled: 12/02/09 13:50  
 Sampled By: J. Bacon  
 Received: 12/03/09 09:00  
 Prepared: 12/07/09 By: DLV  
 Analyzed: 12/08/09 By: DLV  
 Analytical Batch: 9L08015

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office** Work Order: **0912072**  
 Project: Tecumseh Products Description: Laboratory Services  
 Client Sample ID: **Trip Blank TM2456** Sampled: 12/02/09 13:50  
 Lab Sample ID: **0912072-04** Sampled By: J. Bacon  
 Matrix: Water Received: 12/03/09 09:00  
 Unit: ug/L Prepared: 12/07/09 By: DLV  
 Dilution Factor: 1 Analyzed: 12/08/09 By: DLV  
 QC Batch: 0914801 Analytical Batch: 9L08015

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	100	88-115	
1,2-Dichloroethane-d4	100	81-116	
Toluene-d8	97	87-113	
4-Bromofluorobenzene	93	78-116	

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD RPD	Limits RL
---------	--------------	------------	--------	--------------	----------------	---------	-----------

**QC Batch: 0914801 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank</b> Unit: ug/L	Analyzed:	12/07/2009	By: DLV
-----------------------------------	-----------	------------	---------

trans-1,2-Dichloroethene	<1.0	1.0
Tetrachloroethene	<1.0	1.0
Trichloroethene	<1.0	1.0

***Surrogates:***

Dibromofluoromethane	96	88-115
1,2-Dichloroethane-d4	96	81-116
Toluene-d8	96	87-113
4-Bromofluorobenzene	95	78-116

<b>Laboratory Control Sample</b> Unit: ug/L	Analyzed:	12/07/2009	By: DLV
--	-----------	------------	---------

trans-1,2-Dichloroethene	40.0	<b>39.8</b>	99	85-121	1.0
Tetrachloroethene	40.0	<b>39.8</b>	99	85-115	1.0
Trichloroethene	40.0	<b>38.7</b>	97	80-122	1.0

***Surrogates:***

Dibromofluoromethane	98	88-115
1,2-Dichloroethane-d4	94	81-116
Toluene-d8	98	87-113
4-Bromofluorobenzene	97	78-116

**QUALITY CONTROL REPORT****Physical/Chemical Parameters by EPA/APHA/ASTM Methods**

QC Type	Sample Conc.	Spike Qty.	Result	Unit	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	------	--------------	----------------	-----	------------	----

**Analyte: Fractional Organic Carbon/ASTM D 2974-87**

QC Batch: 0914710 (Method-Specific Preparation) Analyzed: 12/12/2009 By: HLB

Method Blank &lt;0.0010 g C/g Soil 0.0010

---

## STATEMENT OF DATA QUALIFICATIONS

All analyses have been validated and comply with our Quality Control Program.  
No Qualifications required.



5560 Corporate Exchange Court SE, Grand Rapids, MI 49512  
Phone (616) 975-4500 Fax (616) 942-7463  
www.trimatrixlabs.com

## Chain of Custody Record COC No. 131190

Cart 2  
For Lab Use Only

VOA Rack Tray 9 Blue  
Receipt Log No. 1-7  
Project Chemist  
Laboratory Project No. D912072  
Phone 734 971 7080  
Fax 734 971 9022

Client Name RWT, INC  
Address 3754 RANCHERO DR.  
City ANN ARBOR MI 48108  
Invoice No. 807007  
 Client  
 Other (comments)

Contact/Report To STACE METZ  
Container Type (corresponds to Container Packing List)  
8260B VOC's Fractional Distiller Carbon  
PCU  
G MeOH  
H Other (note below)

Test Matrix Laboratory Sample Number  
Group Code Sample ID  
Number  
01 01 1 MW-25S (51') TM2456 12/1/09 11:35 ✓ GW 2  
02 02 2 MW-19D (30-35) 12/2/09 11:40 ✓ S 1  
08 03 3 MW-19S (24-26) 12/2/09 13:50 ✓ S 1  
03 04 4 TRIP BUSH  
12/2/09 13:50 W 1  
5  
6  
7  
8  
9  
10

Analyses Requested  
A PRESERVATIVES  
A NONE pH~7  
B HNO<sub>3</sub> pH<2  
C H<sub>2</sub>SO<sub>4</sub> pH<2  
D 1+1 HCl pH<2  
E NaOH pH>12  
F ZnAc/NaOH pH<9  
G MeOH  
H Other (note below)

Sampled By (print)  
John Bacon  
Sampler's Signature  
Company RMT, INC

How Shipped? Hand Carrier FedEx

Tracking No.

Comments

1. Relinquished By Date Time  
John 12/4/09 13:55  
2. Received By Date Time  
John 12/3/09 0900

2. Relinquished By Date Time  
John 12/4/09 13:55  
3. Received By Date Time  
John 12/3/09 0900



# SAMPLE RECEIVING / LOG-IN CHECKLIST

## Coolers Received

Recorded by (Initials/date)

LK 12-3-09

Cooler No. 2454 Time 10:10

### Custody Seals:

- None
- Present / Intact
- Present / Not Intact

### Coolant Location:

Dispersed / Top / Middle  Bottom

### Coolant/Temperature Taken Via:

- Loose Ice / Avg 2-3 containers
- Bagged Ice / Avg 2-3 containers
- Blue Ice / Avg 2-3 containers
- None / Avg 2-3 containers

### Alternate Temperature Taken Via:

- Temperature Blank (TB)
- 1 Container

Recorded °C	Correction Factor °C	Actual °C
Temp Blank:		

TB location: Representative  Not Representative

1 8.1	-	8.1
2 5.4	-	5.4
3 5.4	-	5.4
Average °C		6.3

- Cooler ID on COC?
- VOC Trip Blank received?

Client RMT, INC	Project-Submitted No. 0912072
Receipt Record Page/Line No. 1-7	New / Add To Project Chemist: Sample No.:

<input checked="" type="checkbox"/> Cooler	Qty Received 1	<input checked="" type="checkbox"/> IR Gun (#202)
<input type="checkbox"/> Box		<input type="checkbox"/> Thermometer Used
<input type="checkbox"/> Other		<input type="checkbox"/> Digital Thermometer (#54)
		<input type="checkbox"/> Other (#)

See Additional Cooler Information Form

Cooler No.	Time	Cooler No.	Time
------------	------	------------	------

Custody Seals:		Custody Seals:	
<input type="checkbox"/> None	<input type="checkbox"/> Present / Intact	<input type="checkbox"/> None	<input type="checkbox"/> Present / Intact
<input type="checkbox"/> Present / Not Intact		<input type="checkbox"/> Present / Not Intact	

Coolant Location:		Coolant Location:	
Dispersed / Top / Middle / Bottom		Dispersed / Top / Middle / Bottom	

Coolant/Temperature Taken Via:		Coolant/Temperature Taken Via:	
<input type="checkbox"/> Loose Ice / Avg 2-3 containers	<input type="checkbox"/> Bagged Ice / Avg 2-3 containers	<input type="checkbox"/> Loose Ice / Avg 2-3 containers	<input type="checkbox"/> Bagged Ice / Avg 2-3 containers
<input type="checkbox"/> Blue Ice / Avg 2-3 containers	<input type="checkbox"/> None / Avg 2-3 containers	<input type="checkbox"/> Blue Ice / Avg 2-3 containers	<input type="checkbox"/> None / Avg 2-3 containers

Alternate Temperature Taken Via:		Alternate Temperature Taken Via:	
<input type="checkbox"/> Temperature Blank (TB)	<input type="checkbox"/> 1 Container	<input type="checkbox"/> Temperature Blank (TB)	<input type="checkbox"/> 1 Container

Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank:			Temp Blank:		

TB location: Representative  Not Representative

1	8.1	8.1	1	8.1	8.1
2	5.4	5.4	2	5.4	5.4
3	5.4	5.4	3	5.4	5.4
Average °C		6.3	Average °C		6.3

Cooler ID on COC?  
 VOC Trip Blank received?

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

## Paperwork Received

No COC Received

N/A	Yes	No
<input checked="" type="checkbox"/>	<input type="checkbox"/> Chain of Custody record(s)?	
	If No, COC Initiated By _____	
<input checked="" type="checkbox"/>	Rec'd for Lab Signed/Date/Time?	
<input checked="" type="checkbox"/>	Shipping document?	
<input checked="" type="checkbox"/>	Other _____	

COC ID Nos.

TriMatrix 131190

Other (Name or ID#)

## Check COC for Accuracy

No analysis requested

Yes	No
<input checked="" type="checkbox"/>	<input type="checkbox"/> Sample ID matches COC?
<input checked="" type="checkbox"/>	<input type="checkbox"/> Sample Date and Time matches COC?
<input checked="" type="checkbox"/>	Container type completed on COC?
<input checked="" type="checkbox"/>	<input type="checkbox"/> All container types indicated are received?

## Sample Condition Summary

Non-TriMatrix containers, see Notes

N/A	Yes	No
<input checked="" type="checkbox"/>	<input type="checkbox"/> Broken containers/lids?	
<input checked="" type="checkbox"/>	<input type="checkbox"/> Missing or incomplete labels?	
<input checked="" type="checkbox"/>	<input type="checkbox"/> Illegible information on labels?	
<input checked="" type="checkbox"/>	<input type="checkbox"/> Low volume received?	
<input checked="" type="checkbox"/>	<input type="checkbox"/> Inappropriate containers received?	
<input checked="" type="checkbox"/>	<input type="checkbox"/> VOC vials / TOX containers have headspace?	
<input checked="" type="checkbox"/>	<input type="checkbox"/> Extra sample locations / containers not listed on COC?	

## Check Sample Preservation

N/A	Yes	No
<input checked="" type="checkbox"/>	<input type="checkbox"/> Average sample temperature ≤6°C?	
<input checked="" type="checkbox"/>	<input type="checkbox"/> Completed Sample Preservation Verification Form?	
<input checked="" type="checkbox"/>	<input type="checkbox"/> Samples preserved correctly?	
<input checked="" type="checkbox"/>	<input type="checkbox"/> If "No", added orange tag?	
<input checked="" type="checkbox"/>	<input type="checkbox"/> Received pre-preserved VOC soils?	
	<input type="checkbox"/> MeOH	<input type="checkbox"/> Na <sub>2</sub> SO <sub>4</sub>

## Check for Short Hold-Time Prep/Analyses

<input type="checkbox"/> Bacteriological
<input type="checkbox"/> Air Bags
<input type="checkbox"/> EnCores / Methanol Pre-Preserved
<input type="checkbox"/> Formaldehyde/Aldehyde
<input type="checkbox"/> Green-tagged containers
<input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)

## AFTER HOURS ONLY:

COPIES OF COC TO LAB AREA(S)

NONE RECEIVED

RECEIVED, COCs TO LAB(S)

## Notes

<input type="checkbox"/> Trip Blank received	<input type="checkbox"/> Trip Blank not listed on COC
<input type="checkbox"/> No COC received, Proj. Chemist reviewed (Init/Date) _____	
<input type="checkbox"/> No analysis requested, Proj. Chemist completed (Init/Date) _____	
Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)

12/3/09 0900	12/3/09 1012
≤1 Hour Goal Met? Yes / No	

December 29, 2009

RMT, Inc. - Ann Arbor Office  
Attn: Ms. Stacy Metz  
3754 Ranchero Drive  
Ann Arbor, MI 48108-2771

**Project: Tecumseh Products**

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report, comprised of the following work order(s), for test samples received by TriMatrix Laboratories:


<b>Work Order</b>	<b>Received</b>	<b>Description</b>
0912142	12/08/2009	Laboratory Services
0912171	12/09/2009	Laboratory Services
0912192	12/10/2009	Laboratory Services
0912265	12/14/2009	Laboratory Services

This report relates only to the sample(s), as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Conference (NELAC). Any qualifications of results, including sample acceptance requirements, are explained in the Statement of Data Qualifications.

Estimates of analytical uncertainties for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,



Jennifer L. Rice  
Project Chemist

Enclosures(s)

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-22**  
 Lab Sample ID: **0912142-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **0912142**  
 Description: Laboratory Services  
 Sampled: 12/07/09 13:44  
 Sampled By: J. Bacon  
 Received: 12/08/09 08:45  
 Prepared: 12/09/09 By: JDM  
 Analyzed: 12/09/09 By: JDM  
 Analytical Batch: 9L15028

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromochloromethane	<1.0	1.0
75-25-2	Bromodichloromethane	<1.0	1.0
74-83-9	Bromoform	<1.0	1.0
104-51-8	Bromomethane	<1.0	1.0
135-98-8	n-Butylbenzene	<1.0	1.0
98-06-6	sec-Butylbenzene	<1.0	1.0
75-15-0	tert-Butylbenzene	<1.0	1.0
56-23-5	Carbon Disulfide	<1.0	1.0
108-90-7	Carbon Tetrachloride	<1.0	1.0
75-00-3	Chlorobenzene	<1.0	1.0
67-66-3	Chloroethane	<1.0	1.0
74-87-3	Chloroform	<1.0	1.0
96-12-8	Chloromethane	<1.0	1.0
124-48-1	1,2-Dibromo-3-chloropropane	<1.0	1.0
106-93-4	Dibromochloromethane	<1.0	1.0
74-95-3	1,2-Dibromoethane	<1.0	1.0
110-57-6	Dibromomethane	<1.0	1.0
95-50-1	trans-1,4-Dichloro-2-butene	<1.0	1.0
541-73-1	1,2-Dichlorobenzene	<1.0	1.0
106-46-7	1,3-Dichlorobenzene	<1.0	1.0
75-71-8	1,2-Dichloroethane	<1.0	1.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethene	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-22**  
 Lab Sample ID: **0912142-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **0912142**  
 Description: Laboratory Services  
 Sampled: 12/07/09 13:44  
 Sampled By: J. Bacon  
 Received: 12/08/09 08:45  
 Prepared: 12/09/09 By: JDM  
 Analyzed: 12/09/09 By: JDM  
 Analytical Batch: 9L15028

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-22**  
 Lab Sample ID: **0912142-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **0912142**  
 Description: Laboratory Services  
 Sampled: 12/07/09 13:44  
 Sampled By: J. Bacon  
 Received: 12/08/09 08:45  
 Prepared: 12/09/09 By: JDM  
 Analyzed: 12/09/09 By: JDM  
 Analytical Batch: 9L15028

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<b>10</b>	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	<i>% Recovery</i>	<i>Control Limits</i>	
<i>1,2-Dichloroethane-d4</i>	102	88-115	
<i>Toluene-d8</i>	101	81-116	
<i>4-Bromofluorobenzene</i>	100	87-113	
	92	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-17S**  
 Lab Sample ID: **0912142-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **0912142**  
 Description: Laboratory Services  
 Sampled: 12/07/09 14:47  
 Sampled By: J. Bacon  
 Received: 12/08/09 08:45  
 Prepared: 12/09/09 By: JDM  
 Analyzed: 12/09/09 By: JDM  
 Analytical Batch: 9L15028

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-17S**  
 Lab Sample ID: **0912142-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **0912142**  
 Description: Laboratory Services  
 Sampled: 12/07/09 14:47  
 Sampled By: J. Bacon  
 Received: 12/08/09 08:45  
 Prepared: 12/09/09 By: JDM  
 Analyzed: 12/09/09 By: JDM  
 Analytical Batch: 9L15028

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-17S**  
 Lab Sample ID: **0912142-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **0912142**  
 Description: Laboratory Services  
 Sampled: 12/07/09 14:47  
 Sampled By: J. Bacon  
 Received: 12/08/09 08:45  
 Prepared: 12/09/09 By: JDM  
 Analyzed: 12/09/09 By: JDM  
 Analytical Batch: 9L15028

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	102	88-115	
<i>1,2-Dichloroethane-d4</i>	101	81-116	
<i>Toluene-d8</i>	99	87-113	
<i>4-Bromofluorobenzene</i>	94	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-17S**  
 Lab Sample ID: **0912142-02**  
 Matrix: Water

Work Order: **0912142**  
 Description: Laboratory Services  
 Sampled: 12/07/09 14:47  
 Sampled By: J. Bacon  
 Received: 12/08/09 08:45

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
<b>Chloride</b>	<b>88</b>	1.0	mg/L	1	SM 4500-Cl E 20th	12/10/09	GEH	0914943
<b>*Iron, Ferrous</b>	<b>0.15</b>	0.020	mg/L	1	SM 3500-Fe B 20th	12/08/09	CLD	0914826
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	12/09/09	CKD	0915022
<b>Sulfate</b>	<b>37</b>	10	mg/L	2	ASTM D516-90 (02)	12/10/09	GEH	0914945

\*See Statement of Data Qualifications

Page 8 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-19D**  
 Lab Sample ID: **0912171-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 09:37  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-19D**  
 Lab Sample ID: **0912171-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 09:37  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-19D**  
 Lab Sample ID: **0912171-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 09:37  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	108	88-115	
1,2-Dichloroethane-d4	105	81-116	
Toluene-d8	102	87-113	
4-Bromofluorobenzene	94	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-19D**  
 Lab Sample ID: **0912171-01**  
 Matrix: Water

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 09:37  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Alkalinity, Total	<b>320</b>	2.0	mg/L	1	SM 2320 B 20th	12/10/09	CLD	0914914
Chloride	<b>150</b>	2.0	mg/L	2	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	<b>5.0</b>	1.0	mg/L	50	SM 3500-Fe B 20th	12/09/09	CLD	0914894
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	12/09/09	CKD	0915022
Sulfate	<b>64</b>	10	mg/L	2	ASTM D516-90 (02)	12/10/09	GEH	0914945
Carbon, Total Organic	<b>1.1</b>	1.0	mg/L	1	SM 5310 C 20th	12/15/09	LMA	0915081

\*See Statement of Data Qualifications

Page 12 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-19S**  
 Lab Sample ID: **0912171-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 10:29  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-19S**  
 Lab Sample ID: **0912171-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 10:29  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<b>1.8</b>	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<b>31</b>	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-19S**  
 Lab Sample ID: **0912171-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 10:29  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	107	88-115	
<i>1,2-Dichloroethane-d4</i>	106	81-116	
<i>Toluene-d8</i>	103	87-113	
<i>4-Bromofluorobenzene</i>	94	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-19S**  
 Lab Sample ID: **0912171-02**  
 Matrix: Water

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 10:29  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Alkalinity, Total	<b>380</b>	2.0	mg/L	1	SM 2320 B 20th	12/10/09	CLD	0914914
Chloride	<b>140</b>	2.0	mg/L	2	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	<b>0.073</b>	0.020	mg/L	1	SM 3500-Fe B 20th	12/09/09	CLD	0914894
Nitrogen, Nitrate	<b>2.9</b>	0.25	mg/L	5	SM 4500-NO3 F 20th	12/09/09	CKD	0915022
Sulfate	<b>32</b>	10	mg/L	2	ASTM D516-90 (02)	12/10/09	GEH	0914945
Carbon, Total Organic	<b>1.0</b>	1.0	mg/L	1	SM 5310 C 20th	12/15/09	LMA	0915081

\*See Statement of Data Qualifications

Page 16 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-24S**  
 Lab Sample ID: **0912171-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 12:06  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### **Volatile Organic Compounds by EPA Method 8260B**

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-24S**  
 Lab Sample ID: **0912171-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 12:06  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-24S**  
 Lab Sample ID: **0912171-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 12:06  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	107	88-115	
<i>1,2-Dichloroethane-d4</i>	103	81-116	
<i>Toluene-d8</i>	102	87-113	
<i>4-Bromofluorobenzene</i>	95	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-24S**  
 Lab Sample ID: **0912171-03**  
 Matrix: Water

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 12:06  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Alkalinity, Total	340	2.0	mg/L	1	SM 2320 B 20th	12/10/09	CLD	0914914
Chloride	350	5.0	mg/L	5	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	0.13	0.020	mg/L	1	SM 3500-Fe B 20th	12/09/09	CLD	0914894
Nitrogen, Nitrate	3.3	0.25	mg/L	5	SM 4500-NO3 F 20th	12/09/09	CKD	0915022
Sulfate	93	25	mg/L	5	ASTM D516-90 (02)	12/10/09	GEH	0914945
Carbon, Total Organic	1.6	1.0	mg/L	1	SM 5310 C 20th	12/15/09	LMA	0915081

\*See Statement of Data Qualifications

Page 20 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-24D**  
 Lab Sample ID: **0912171-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 11:30  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-24D**  
 Lab Sample ID: **0912171-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 11:30  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-24D**  
 Lab Sample ID: **0912171-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 11:30  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	108	88-115	
1,2-Dichloroethane-d4	104	81-116	
Toluene-d8	102	87-113	
4-Bromofluorobenzene	92	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-24D**  
 Lab Sample ID: **0912171-04**  
 Matrix: Water

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 11:30  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
*Iron, Ferrous	<b>6.4</b>	2.0	mg/L	100	SM 3500-Fe B 20th	12/09/09	CLD	0914894
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	12/09/09	CKD	0915022
Sulfate	<b>110</b>	25	mg/L	5	ASTM D516-90 (02)	12/10/09	GEH	0914945
Alkalinity, Total	<b>350</b>	2.0	mg/L	1	SM 2320 B 20th	12/10/09	CLD	0914914
Chloride	<b>1100</b>	25	mg/L	25	SM 4500-Cl E 20th	12/10/09	GEH	0914943
Carbon, Total Organic	<b>1.3</b>	1.0	mg/L	1	SM 5310 C 20th	12/15/09	LMA	0915081

\*See Statement of Data Qualifications

Page 24 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-18S**  
 Lab Sample ID: **0912171-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 13:47  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-18S**  
 Lab Sample ID: **0912171-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 13:47  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-18S**  
 Lab Sample ID: **0912171-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 13:47  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	105	88-115	
1,2-Dichloroethane-d4	103	81-116	
Toluene-d8	101	87-113	
4-Bromofluorobenzene	93	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-18S**  
 Lab Sample ID: **0912171-05**  
 Matrix: Water

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 13:47  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
*Iron, Ferrous	<b>0.44</b>	0.020	mg/L	1	SM 3500-Fe B 20th	12/09/09	CLD	0914894
Nitrogen, Nitrate	<b>1.9</b>	0.10	mg/L	2	SM 4500-NO3 F 20th	12/09/09	CKD	0915022
Sulfate	<b>47</b>	10	mg/L	2	ASTM D516-90 (02)	12/10/09	GEH	0914945
Chloride	<b>140</b>	2.0	mg/L	2	SM 4500-Cl E 20th	12/10/09	GEH	0914943

\*See Statement of Data Qualifications

Page 28 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-23**  
 Lab Sample ID: **0912171-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 14:35  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-23**  
 Lab Sample ID: **0912171-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 14:35  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-23**  
 Lab Sample ID: **0912171-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 14:35  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<b>3.2</b>	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	<i>% Recovery</i>	<i>Control Limits</i>	
<i>1,2-Dichloroethane-d4</i>	107	<i>88-115</i>	
<i>Toluene-d8</i>	103	<i>81-116</i>	
<i>4-Bromofluorobenzene</i>	100	<i>87-113</i>	
	93	<i>78-116</i>	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-23**  
 Lab Sample ID: **0912171-06**  
 Matrix: Water

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 14:35  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	12/09/09	CKD	0915022
Sulfate	<b>63</b>	10	mg/L	2	ASTM D516-90 (02)	12/10/09	GEH	0914945
Chloride	<b>300</b>	5.0	mg/L	5	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	<b>4.0</b>	1.0	mg/L	50	SM 3500-Fe B 20th	12/09/09	CLD	0914894

\*See Statement of Data Qualifications

Page 32 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-21**  
 Lab Sample ID: **0912171-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 10  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 15:26  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromoform	<10	10
75-27-4	Bromochloromethane	<10	10
75-25-2	Bromodichloromethane	<10	10
74-83-9	Bromoform	<10	10
104-51-8	Bromomethane	<10	10
135-98-8	n-Butylbenzene	<10	10
98-06-6	sec-Butylbenzene	<10	10
75-15-0	tert-Butylbenzene	<10	10
56-23-5	Carbon Disulfide	<10	10
108-90-7	Carbon Tetrachloride	<10	10
75-00-3	Chlorobenzene	<10	10
67-66-3	Chloroethane	<10	10
74-87-3	Chloroform	<10	10
96-12-8	Chloromethane	<10	10
124-48-1	1,2-Dibromo-3-chloropropane	<10	10
106-93-4	Dibromochloromethane	<10	10
74-95-3	1,2-Dibromoethane	<10	10
110-57-6	Dibromomethane	<10	10
95-50-1	trans-1,4-Dichloro-2-butene	<10	10
541-73-1	1,2-Dichlorobenzene	<10	10
106-46-7	1,3-Dichlorobenzene	<10	10
75-71-8	1,4-Dichlorobenzene	<10	10
75-34-3	Dichlorodifluoromethane	<10	10
107-06-2	1,1-Dichloroethane	<10	10
75-35-4	1,2-Dichloroethane	<10	10
156-59-2	1,2-Dichloroethene	<10	10
156-60-5	cis-1,2-Dichloroethene	<10	10
		<b>31</b>	10
		<b>59</b>	10

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-21**  
 Lab Sample ID: **0912171-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 10  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 15:26  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	<b>54</b>	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	<b>840</b>	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-21**  
 Lab Sample ID: **0912171-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 10  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 15:26  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
<b>Surrogates:</b>			
Dibromofluoromethane	108	88-115	
1,2-Dichloroethane-d4	103	81-116	
Toluene-d8	103	87-113	
4-Bromofluorobenzene	91	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-21**  
 Lab Sample ID: **0912171-07**  
 Matrix: Water

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 15:26  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Sulfate	<b>46</b>	10	mg/L	2	ASTM D516-90 (02)	12/10/09	GEH	0914945
Chloride	<b>150</b>	2.0	mg/L	2	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	<b>0.11</b>	0.020	mg/L	1	SM 3500-Fe B 20th	12/09/09	CLD	0914894
Nitrogen, Nitrate	<b>0.66</b>	0.050	mg/L	1	SM 4500-NO3 F 20th	12/09/09	CKD	0915022

\*See Statement of Data Qualifications

Page 36 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-14S**  
 Lab Sample ID: **0912171-08**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 16:02  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-14S**  
 Lab Sample ID: **0912171-08**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 16:02  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-14S**  
 Lab Sample ID: **0912171-08**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 16:02  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	109	88-115	
1,2-Dichloroethane-d4	106	81-116	
Toluene-d8	102	87-113	
4-Bromofluorobenzene	92	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-14S**  
 Lab Sample ID: **0912171-08**  
 Matrix: Water

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 16:02  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Chloride	250	5.0	mg/L	5	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	0.071	0.020	mg/L	1	SM 3500-Fe B 20th	12/09/09	CLD	0914894
Nitrogen, Nitrate	0.26	0.050	mg/L	1	SM 4500-NO3 F 20th	12/09/09	CKD	0915022
Sulfate	23	5.0	mg/L	1	ASTM D516-90 (02)	12/10/09	GEH	0914945

\*See Statement of Data Qualifications

Page 40 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **DUP-01**  
 Lab Sample ID: **0912171-09**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 25  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 00:00  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<500	500
107-13-1	Acrylonitrile	<50	50
71-43-2	Benzene	<25	25
108-86-1	Bromobenzene	<25	25
74-97-5	Bromoform	<25	25
75-27-4	Bromodichloromethane	<25	25
75-25-2	Bromoform	<25	25
74-83-9	Bromomethane	<120	120
104-51-8	n-Butylbenzene	<25	25
135-98-8	sec-Butylbenzene	<25	25
98-06-6	tert-Butylbenzene	<25	25
75-15-0	Carbon Disulfide	<25	25
56-23-5	Carbon Tetrachloride	<25	25
108-90-7	Chlorobenzene	<25	25
75-00-3	Chloroethane	<120	120
67-66-3	Chloroform	<25	25
74-87-3	Chloromethane	<120	120
96-12-8	1,2-Dibromo-3-chloropropane	<120	120
124-48-1	Dibromochloromethane	<25	25
106-93-4	1,2-Dibromoethane	<25	25
74-95-3	Dibromomethane	<25	25
110-57-6	trans-1,4-Dichloro-2-butene	<25	25
95-50-1	1,2-Dichlorobenzene	<25	25
541-73-1	1,3-Dichlorobenzene	<25	25
106-46-7	1,4-Dichlorobenzene	<25	25
75-71-8	Dichlorodifluoromethane	<120	120
75-34-3	1,1-Dichloroethane	<b>42</b>	25
107-06-2	1,2-Dichloroethane	<25	25
75-35-4	1,1-Dichloroethene	<25	25
156-59-2	cis-1,2-Dichloroethene	<b>2000</b>	25
156-60-5	trans-1,2-Dichloroethene	<b>73</b>	25

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **DUP-01**  
 Lab Sample ID: **0912171-09**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 25  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 00:00  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<25	25
10061-01-5	cis-1,3-Dichloropropene	<25	25
10061-02-6	trans-1,3-Dichloropropene	<25	25
100-41-4	Ethylbenzene	<25	25
60-29-7	Ethyl Ether	<120	120
591-78-6	2-Hexanone	<120	120
74-88-4	Iodomethane	<25	25
98-82-8	Isopropylbenzene	<25	25
99-87-6	4-Isopropyltoluene	<120	120
1634-04-4	Methyl tert-Butyl Ether	<120	120
75-09-2	Methylene Chloride	<120	120
78-93-3	2-Butanone (MEK)	<120	120
91-57-6	2-Methylnaphthalene	<120	120
108-10-1	4-Methyl-2-pentanone (MIBK)	<120	120
91-20-3	Naphthalene	<120	120
103-65-1	n-Propylbenzene	<25	25
100-42-5	Styrene	<25	25
630-20-6	1,1,1,2-Tetrachloroethane	<25	25
79-34-5	1,1,2,2-Tetrachloroethane	<25	25
127-18-4	Tetrachloroethene	<25	25
109-99-9	Tetrahydrofuran	<120	120
108-88-3	Toluene	<25	25
87-61-6	1,2,3-Trichlorobenzene	<120	120
120-82-1	1,2,4-Trichlorobenzene	<120	120
71-55-6	1,1,1-Trichloroethane	<25	25
79-00-5	1,1,2-Trichloroethane	<25	25
79-01-6	Trichloroethene	<25	25
75-69-4	Trichlorofluoromethane	<25	25
96-18-4	1,2,3-Trichloropropane	<25	25
95-63-6	1,2,4-Trimethylbenzene	<25	25
108-67-8	1,3,5-Trimethylbenzene	<25	25

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **DUP-01**  
 Lab Sample ID: **0912171-09**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 25  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 00:00  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<b>120</b>	25
136777-61-2	Xylene, Meta + Para	<50	50
95-47-6	Xylene, Ortho	<25	25
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	110	<i>88-115</i>	
<i>1,2-Dichloroethane-d4</i>	102	<i>81-116</i>	
<i>Toluene-d8</i>	102	<i>87-113</i>	
<i>4-Bromofluorobenzene</i>	91	<i>78-116</i>	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **DUP-01**  
 Lab Sample ID: **0912171-09**  
 Matrix: Water

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 00:00  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Chloride	<b>220</b>	5.0	mg/L	5	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	<b>0.12</b>	0.020	mg/L	1	SM 3500-Fe B 20th	12/09/09	CLD	0914894
Nitrogen, Nitrate	<b>2.1</b>	0.25	mg/L	5	SM 4500-NO3 F 20th	12/09/09	CKD	0915022
Sulfate	<b>37</b>	10	mg/L	2	ASTM D516-90 (02)	12/10/09	GEH	0914945

\*See Statement of Data Qualifications

Page 44 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-35**  
 Lab Sample ID: **0912171-10**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 25  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 16:44  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<500	500
107-13-1	Acrylonitrile	<50	50
71-43-2	Benzene	<25	25
108-86-1	Bromobenzene	<25	25
74-97-5	Bromoform	<25	25
75-27-4	Bromodichloromethane	<25	25
75-25-2	Bromoform	<25	25
74-83-9	Bromomethane	<120	120
104-51-8	n-Butylbenzene	<25	25
135-98-8	sec-Butylbenzene	<25	25
98-06-6	tert-Butylbenzene	<25	25
75-15-0	Carbon Disulfide	<25	25
56-23-5	Carbon Tetrachloride	<25	25
108-90-7	Chlorobenzene	<25	25
75-00-3	Chloroethane	<120	120
67-66-3	Chloroform	<25	25
74-87-3	Chloromethane	<120	120
96-12-8	1,2-Dibromo-3-chloropropane	<120	120
124-48-1	Dibromochloromethane	<25	25
106-93-4	1,2-Dibromoethane	<25	25
74-95-3	Dibromomethane	<25	25
110-57-6	trans-1,4-Dichloro-2-butene	<25	25
95-50-1	1,2-Dichlorobenzene	<25	25
541-73-1	1,3-Dichlorobenzene	<25	25
106-46-7	1,4-Dichlorobenzene	<25	25
75-71-8	Dichlorodifluoromethane	<120	120
75-34-3	1,1-Dichloroethane	<b>46</b>	25
107-06-2	1,2-Dichloroethane	<25	25
75-35-4	1,1-Dichloroethene	<25	25
156-59-2	cis-1,2-Dichloroethene	<b>2200</b>	25
156-60-5	trans-1,2-Dichloroethene	<b>83</b>	25

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-35**  
 Lab Sample ID: **0912171-10**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 25  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 16:44  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<25	25
10061-01-5	cis-1,3-Dichloropropene	<25	25
10061-02-6	trans-1,3-Dichloropropene	<25	25
100-41-4	Ethylbenzene	<25	25
60-29-7	Ethyl Ether	<120	120
591-78-6	2-Hexanone	<120	120
74-88-4	Iodomethane	<25	25
98-82-8	Isopropylbenzene	<25	25
99-87-6	4-Isopropyltoluene	<120	120
1634-04-4	Methyl tert-Butyl Ether	<120	120
75-09-2	Methylene Chloride	<120	120
78-93-3	2-Butanone (MEK)	<120	120
91-57-6	2-Methylnaphthalene	<120	120
108-10-1	4-Methyl-2-pentanone (MIBK)	<120	120
91-20-3	Naphthalene	<120	120
103-65-1	n-Propylbenzene	<25	25
100-42-5	Styrene	<25	25
630-20-6	1,1,1,2-Tetrachloroethane	<25	25
79-34-5	1,1,2,2-Tetrachloroethane	<25	25
127-18-4	Tetrachloroethene	<25	25
109-99-9	Tetrahydrofuran	<120	120
108-88-3	Toluene	<25	25
87-61-6	1,2,3-Trichlorobenzene	<120	120
120-82-1	1,2,4-Trichlorobenzene	<120	120
71-55-6	1,1,1-Trichloroethane	<25	25
79-00-5	1,1,2-Trichloroethane	<25	25
79-01-6	Trichloroethene	<25	25
75-69-4	Trichlorofluoromethane	<25	25
96-18-4	1,2,3-Trichloropropane	<25	25
95-63-6	1,2,4-Trimethylbenzene	<25	25
108-67-8	1,3,5-Trimethylbenzene	<25	25

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-35**  
 Lab Sample ID: **0912171-10**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 25  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 16:44  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<b>130</b>	25
136777-61-2	Xylene, Meta + Para	<50	50
95-47-6	Xylene, Ortho	<25	25
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	<i>% Recovery</i>	<i>Control Limits</i>	
<i>1,2-Dichloroethane-d4</i>	108	88-115	
<i>Toluene-d8</i>	102	81-116	
<i>4-Bromofluorobenzene</i>	102	87-113	
	93	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-35**  
 Lab Sample ID: **0912171-10**  
 Matrix: Water

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 16:44  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Chloride	<b>220</b>	5.0	mg/L	5	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	<b>0.11</b>	0.020	mg/L	1	SM 3500-Fe B 20th	12/09/09	CLD	0914894
Nitrogen, Nitrate	<b>2.1</b>	0.25	mg/L	5	SM 4500-NO3 F 20th	12/09/09	CKD	0915022
Sulfate	<b>37</b>	10	mg/L	2	ASTM D516-90 (02)	12/10/09	GEH	0914945

\*See Statement of Data Qualifications

Page 48 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **0912171-11**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 00:00  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **0912171-11**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 00:00  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **0912171-11**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915139

Work Order: **0912171**  
 Description: Laboratory Services  
 Sampled: 12/08/09 00:00  
 Sampled By: JB/BR  
 Received: 12/09/09 09:30  
 Prepared: 12/12/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	106	88-115	
1,2-Dichloroethane-d4	103	81-116	
Toluene-d8	101	87-113	
4-Bromofluorobenzene	93	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-2S**  
 Lab Sample ID: **0912192-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 2  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 09:26  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	<2.0	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	<2.0	2.0
156-59-2	cis-1,2-Dichloroethene	<b>3.7</b>	2.0
156-60-5	trans-1,2-Dichloroethene	<2.0	2.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-2S**  
 Lab Sample ID: **0912192-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 2  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 09:26  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	<b>2.7</b>	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	<b>2.9</b>	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	<b>250</b>	2.0
75-69-4	Trichlorofluoromethane	<2.0	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-2S**  
 Lab Sample ID: **0912192-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 2  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 09:26  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0
<b>Surrogates:</b>			
Dibromofluoromethane	105	88-115	
1,2-Dichloroethane-d4	100	81-116	
Toluene-d8	102	87-113	
4-Bromofluorobenzene	89	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **0912192-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 00:00  
 Sampled By: TML  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **0912192-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 00:00  
 Sampled By: TML  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **0912192-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 00:00  
 Sampled By: TML  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	110	88-115	
1,2-Dichloroethane-d4	101	81-116	
Toluene-d8	103	87-113	
4-Bromofluorobenzene	91	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-6S**  
 Lab Sample ID: **0912192-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 10:15  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-6S**  
 Lab Sample ID: **0912192-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 10:15  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<b>37</b>	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-6S**  
 Lab Sample ID: **0912192-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 10:15  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	110	88-115	
1,2-Dichloroethane-d4	103	81-116	
Toluene-d8	105	87-113	
4-Bromofluorobenzene	91	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-6S**  
 Lab Sample ID: **0912192-03**  
 Matrix: Water

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 10:15  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Chloride	60	1.0	mg/L	1	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	1.6	0.10	mg/L	5	SM 3500-Fe B 20th	12/10/09	CLD	0914949
*Nitrogen, Nitrate	3.0	0.050	mg/L	1	SM 4500-NO3 F 20th	12/10/09	CKD	0915027
Sulfate	40	10	mg/L	2	ASTM D516-90 (02)	12/10/09	GEH	0914945

\*See Statement of Data Qualifications

Page 61 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office** Work Order: **0912192**  
Project: Tecumseh Products Description: Laboratory Services  
Client Sample ID: **MW-6S** Sampled: 12/09/09 10:15  
Lab Sample ID: **0912192-03RE1** Sampled By: J. Bacon  
Matrix: Water Received: 12/10/09 09:00

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
*Nitrogen, Nitrate	3.0	0.25	mg/L	5	SM 4500-NO3 F 20th	12/14/09	HLB	0915038

\*See Statement of Data Qualifications

Page 62 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-9S**  
 Lab Sample ID: **0912192-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 20  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 11:02  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromoform	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	<20	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	<20	20
156-60-5	trans-1,2-Dichloroethene	<20	20

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-9S**  
 Lab Sample ID: **0912192-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 20  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 11:02  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	<b>150</b>	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	<b>2400</b>	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-9S**  
 Lab Sample ID: **0912192-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 20  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 11:02  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<20	20
136777-61-2	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20
<b>Surrogates:</b>			
Dibromofluoromethane	110	88-115	
1,2-Dichloroethane-d4	101	81-116	
Toluene-d8	105	87-113	
4-Bromofluorobenzene	92	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-9S**  
 Lab Sample ID: **0912192-04**  
 Matrix: Water

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 11:02  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Chloride	<b>63</b>	1.0	mg/L	1	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	<b>0.23</b>	0.020	mg/L	1	SM 3500-Fe B 20th	12/10/09	CLD	0914949
Nitrogen, Nitrate	<b>1.8</b>	0.25	mg/L	5	SM 4500-NO3 F 20th	12/10/09	CKD	0915027
Sulfate	<b>24</b>	5.0	mg/L	1	ASTM D516-90 (02)	12/10/09	GEH	0914945

\*See Statement of Data Qualifications

Page 66 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-1S**  
 Lab Sample ID: **0912192-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 20  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 12:00  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromoform	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	<20	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	<20	20
156-60-5	trans-1,2-Dichloroethene	<20	20

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-1S**  
 Lab Sample ID: **0912192-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 20  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 12:00  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	<b>1000</b>	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	<b>3400</b>	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-1S**  
 Lab Sample ID: **0912192-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 20  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 12:00  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<20	20
136777-61-2	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20
<b>Surrogates:</b>			
Dibromofluoromethane	110	88-115	
1,2-Dichloroethane-d4	101	81-116	
Toluene-d8	103	87-113	
4-Bromofluorobenzene	92	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-1S**  
 Lab Sample ID: **0912192-05**  
 Matrix: Water

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 12:00  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Chloride	34	1.0	mg/L	1	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	0.31	0.020	mg/L	1	SM 3500-Fe B 20th	12/10/09	CLD	0914949
Nitrogen, Nitrate	3.0	0.25	mg/L	5	SM 4500-NO3 F 20th	12/10/09	CKD	0915027
Sulfate	20	5.0	mg/L	1	ASTM D516-90 (02)	12/10/09	GEH	0914945

\*See Statement of Data Qualifications

Page 70 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-10D**  
 Lab Sample ID: **0912192-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 14:13  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-10D**  
 Lab Sample ID: **0912192-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 14:13  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-10D**  
 Lab Sample ID: **0912192-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 14:13  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	108	88-115	
1,2-Dichloroethane-d4	102	81-116	
Toluene-d8	101	87-113	
4-Bromofluorobenzene	91	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-10D**  
 Lab Sample ID: **0912192-06**  
 Matrix: Water

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 14:13  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
<b>Chloride</b>	<b>210</b>	5.0	mg/L	5	SM 4500-Cl E 20th	12/10/09	GEH	0914943
<b>*Iron, Ferrous</b>	<b>0.48</b>	0.040	mg/L	2	SM 3500-Fe B 20th	12/10/09	CLD	0914949
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	12/10/09	CKD	0915027
<b>Sulfate</b>	<b>44</b>	10	mg/L	2	ASTM D516-90 (02)	12/10/09	GEH	0914945

\*See Statement of Data Qualifications

Page 74 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-10S**  
 Lab Sample ID: **0912192-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 14:43  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-10S**  
 Lab Sample ID: **0912192-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 14:43  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-10S**  
 Lab Sample ID: **0912192-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 14:43  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	110	88-115	
1,2-Dichloroethane-d4	104	81-116	
Toluene-d8	102	87-113	
4-Bromofluorobenzene	91	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-4S**  
 Lab Sample ID: **0912192-08**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 50  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 15:40  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<1000	1000
107-13-1	Acrylonitrile	<100	100
71-43-2	Benzene	<50	50
108-86-1	Bromobenzene	<50	50
74-97-5	Bromochloromethane	<50	50
75-27-4	Bromodichloromethane	<50	50
75-25-2	Bromoform	<50	50
74-83-9	Bromomethane	<250	250
104-51-8	n-Butylbenzene	<50	50
135-98-8	sec-Butylbenzene	<50	50
98-06-6	tert-Butylbenzene	<50	50
75-15-0	Carbon Disulfide	<50	50
56-23-5	Carbon Tetrachloride	<50	50
108-90-7	Chlorobenzene	<50	50
75-00-3	Chloroethane	<250	250
67-66-3	Chloroform	<50	50
74-87-3	Chloromethane	<250	250
96-12-8	1,2-Dibromo-3-chloropropane	<250	250
124-48-1	Dibromochloromethane	<50	50
106-93-4	1,2-Dibromoethane	<50	50
74-95-3	Dibromomethane	<50	50
110-57-6	trans-1,4-Dichloro-2-butene	<50	50
95-50-1	1,2-Dichlorobenzene	<50	50
541-73-1	1,3-Dichlorobenzene	<50	50
106-46-7	1,4-Dichlorobenzene	<50	50
75-71-8	Dichlorodifluoromethane	<250	250
75-34-3	1,1-Dichloroethane	<50	50
107-06-2	1,2-Dichloroethane	<50	50
75-35-4	1,1-Dichloroethene	<50	50
156-59-2	cis-1,2-Dichloroethene	<b>2500</b>	50
156-60-5	trans-1,2-Dichloroethene	<b>90</b>	50

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-4S**  
 Lab Sample ID: **0912192-08**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 50  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 15:40  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<50	50
10061-01-5	cis-1,3-Dichloropropene	<50	50
10061-02-6	trans-1,3-Dichloropropene	<50	50
100-41-4	Ethylbenzene	<50	50
60-29-7	Ethyl Ether	<250	250
591-78-6	2-Hexanone	<250	250
74-88-4	Iodomethane	<50	50
98-82-8	Isopropylbenzene	<50	50
99-87-6	4-Isopropyltoluene	<250	250
1634-04-4	Methyl tert-Butyl Ether	<250	250
75-09-2	Methylene Chloride	<250	250
78-93-3	2-Butanone (MEK)	<250	250
91-57-6	2-Methylnaphthalene	<250	250
108-10-1	4-Methyl-2-pentanone (MIBK)	<250	250
91-20-3	Naphthalene	<250	250
103-65-1	n-Propylbenzene	<50	50
100-42-5	Styrene	<50	50
630-20-6	1,1,1,2-Tetrachloroethane	<50	50
79-34-5	1,1,2,2-Tetrachloroethane	<50	50
127-18-4	Tetrachloroethene	<50	50
109-99-9	Tetrahydrofuran	<250	250
108-88-3	Toluene	<50	50
87-61-6	1,2,3-Trichlorobenzene	<250	250
120-82-1	1,2,4-Trichlorobenzene	<250	250
71-55-6	1,1,1-Trichloroethane	<50	50
79-00-5	1,1,2-Trichloroethane	<50	50
79-01-6	Trichloroethene	<b>7100</b>	50
75-69-4	Trichlorofluoromethane	<50	50
96-18-4	1,2,3-Trichloropropane	<50	50
95-63-6	1,2,4-Trimethylbenzene	<50	50
108-67-8	1,3,5-Trimethylbenzene	<50	50

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-4S**  
 Lab Sample ID: **0912192-08**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 50  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 15:40  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/14/09 By: JDM  
 Analyzed: 12/15/09 By: JDM  
 Analytical Batch: 9L17014

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<b>270</b>	50
136777-61-2	Xylene, Meta + Para	<100	100
95-47-6	Xylene, Ortho	<50	50
<b>Surrogates:</b>			
Dibromofluoromethane	% Recovery	Control Limits	
	108	88-115	
1,2-Dichloroethane-d4	104	81-116	
Toluene-d8	104	87-113	
4-Bromofluorobenzene	93	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-4S**  
 Lab Sample ID: **0912192-08**  
 Matrix: Water

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 15:40  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Analyzed	By	QC Batch
Alkalinity, Total	430	2.0	mg/L	1	SM 2320 B 20th	12/11/09	CLD	0914956
Chloride	100	2.0	mg/L	2	SM 4500-Cl E 20th	12/10/09	GEH	0914943
*Iron, Ferrous	0.079	0.020	mg/L	1	SM 3500-Fe B 20th	12/10/09	CLD	0914949
Nitrogen, Nitrate	6.8	1.0	mg/L	20	SM 4500-NO3 F 20th	12/10/09	CKD	0915027
Sulfate	27	5.0	mg/L	1	ASTM D516-90 (02)	12/10/09	GEH	0914945
Carbon, Total Organic	4.4	1.0	mg/L	1	SM 5310 C 20th	12/15/09	LMA	0915081

\*See Statement of Data Qualifications

Page 81 of 134

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-11S**  
 Lab Sample ID: **0912192-09**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 17:08  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<b>4.6</b>	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-11S**  
 Lab Sample ID: **0912192-09**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 17:08  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<b>8.7</b>	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-11S**  
 Lab Sample ID: **0912192-09**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 17:08  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	108	88-115	
1,2-Dichloroethane-d4	105	81-116	
Toluene-d8	105	87-113	
4-Bromofluorobenzene	93	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **STW#1**  
 Lab Sample ID: **0912192-10**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 08:39  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **STW#1**  
 Lab Sample ID: **0912192-10**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 08:39  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **STW#1**  
 Lab Sample ID: **0912192-10**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 08:39  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	110	88-115	
1,2-Dichloroethane-d4	105	81-116	
Toluene-d8	103	87-113	
4-Bromofluorobenzene	91	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **STW#2**  
 Lab Sample ID: **0912192-11**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 08:50  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **STW#2**  
 Lab Sample ID: **0912192-11**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 08:50  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **STW#2**  
 Lab Sample ID: **0912192-11**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912192**  
 Description: Laboratory Services  
 Sampled: 12/09/09 08:50  
 Sampled By: J. Bacon  
 Received: 12/10/09 09:00  
 Prepared: 12/11/09 By: JDM  
 Analyzed: 12/12/09 By: JDM  
 Analytical Batch: 9L17009

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	109	88-115	
1,2-Dichloroethane-d4	102	81-116	
Toluene-d8	102	87-113	
4-Bromofluorobenzene	93	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-13S**  
 Lab Sample ID: **0912265-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 08:26  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-13S**  
 Lab Sample ID: **0912265-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 08:26  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-13S**  
 Lab Sample ID: **0912265-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 08:26  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	103	88-115	
1,2-Dichloroethane-d4	102	81-116	
Toluene-d8	100	87-113	
4-Bromofluorobenzene	91	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-25S**  
 Lab Sample ID: **0912265-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 11:03  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<b>1.7</b>	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<b>8.8</b>	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-25S**  
 Lab Sample ID: **0912265-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 11:03  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<b>4.8</b>	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-25S**  
 Lab Sample ID: **0912265-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 11:03  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	105	88-115	
1,2-Dichloroethane-d4	104	81-116	
Toluene-d8	99	87-113	
4-Bromofluorobenzene	90	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-7S**  
 Lab Sample ID: **0912265-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 13:49  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-7S**  
 Lab Sample ID: **0912265-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 13:49  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<b>1.8</b>	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<b>14</b>	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-7S**  
 Lab Sample ID: **0912265-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 13:49  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	106	88-115	
1,2-Dichloroethane-d4	106	81-116	
Toluene-d8	100	87-113	
4-Bromofluorobenzene	91	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-8S**  
 Lab Sample ID: **0912265-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 15:05  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-8S**  
 Lab Sample ID: **0912265-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 15:05  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<b>11</b>	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-8S**  
 Lab Sample ID: **0912265-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 15:05  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	105	88-115	
1,2-Dichloroethane-d4	103	81-116	
Toluene-d8	100	87-113	
4-Bromofluorobenzene	90	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-5S**  
 Lab Sample ID: **0912265-08**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 15:46  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-5S**  
 Lab Sample ID: **0912265-08**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 15:46  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<b>5.3</b>	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<b>190</b>	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-5S**  
 Lab Sample ID: **0912265-08**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915140

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/10/09 15:46  
 Sampled By: JB  
 Received: 12/14/09 17:30  
 Prepared: 12/17/09 By: JDM  
 Analyzed: 12/17/09 By: JDM  
 Analytical Batch: 9L22022

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	105	88-115	
1,2-Dichloroethane-d4	103	81-116	
Toluene-d8	102	87-113	
4-Bromofluorobenzene	91	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **615 Mohawk**  
 Lab Sample ID: **0912265-10**  
 Matrix: Water  
 Unit: mg/L  
 Dilution Factor: 1  
 QC Batch: 0915307

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/11/09 09:50  
 Sampled By: J. Bacon  
 Received: 12/14/09 17:30  
 Prepared: 12/22/09 By: DLV  
 Analyzed: 12/22/09 By: DLV  
 Analytical Batch: 9L22026

### Volatile Organic Compounds in Drinking Water by EPA Method 524.2

CAS Number	Analyte	Analytical Result	RL
71-43-2	Benzene	<0.0010	0.0010
108-86-1	Bromobenzene	<0.0010	0.0010
75-27-4	Bromodichloromethane	<0.0010	0.0010
75-25-2	Bromoform	<0.0010	0.0010
74-83-9	Bromomethane	<0.0010	0.0010
56-23-5	Carbon Tetrachloride	<0.0010	0.0010
108-90-7	Chlorobenzene	<0.0010	0.0010
75-00-3	Chloroethane	<0.0010	0.0010
67-66-3	Chloroform	<0.0010	0.0010
74-87-3	Chloromethane	<0.0010	0.0010
95-49-8	2-Chlorotoluene	<0.0010	0.0010
106-43-4	4-Chlorotoluene	<0.0010	0.0010
124-48-1	Dibromochloromethane	<0.0010	0.0010
74-95-3	Dibromomethane	<0.0010	0.0010
95-50-1	1,2-Dichlorobenzene	<0.0010	0.0010
541-73-1	1,3-Dichlorobenzene	<0.0010	0.0010
106-46-7	1,4-Dichlorobenzene	<0.0010	0.0010
75-71-8	Dichlorodifluoromethane	<0.0010	0.0010
75-34-3	1,1-Dichloroethane	<0.0010	0.0010
107-06-2	1,2-Dichloroethane	<0.0010	0.0010
75-35-4	1,1-Dichloroethene	<0.0010	0.0010
156-59-2	cis-1,2-Dichloroethene	<0.0010	0.0010
156-60-5	trans-1,2-Dichloroethene	<0.0010	0.0010
78-87-5	1,2-Dichloropropane	<0.0010	0.0010
142-28-9	1,3-Dichloropropane	<0.0010	0.0010
594-20-7	2,2-Dichloropropane	<0.0010	0.0010
563-58-6	1,1-Dichloropropene	<0.0010	0.0010
10061-01-5	cis-1,3-Dichloropropene	<0.0010	0.0010
10061-02-6	trans-1,3-Dichloropropene	<0.0010	0.0010
100-41-4	Ethylbenzene	<0.0010	0.0010
75-09-2	Methylene Chloride	<0.0050	0.0050

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **615 Mohawk**  
 Lab Sample ID: **0912265-10**  
 Matrix: Water  
 Unit: mg/L  
 Dilution Factor: 1  
 QC Batch: 0915307

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/11/09 09:50  
 Sampled By: J. Bacon  
 Received: 12/14/09 17:30  
 Prepared: 12/22/09 By: DLV  
 Analyzed: 12/22/09 By: DLV  
 Analytical Batch: 9L22026

### Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

CAS Number	Analyte	Analytical Result	RL
100-42-5	Styrene	<0.0010	0.0010
630-20-6	1,1,1,2-Tetrachloroethane	<0.0010	0.0010
79-34-5	1,1,2,2-Tetrachloroethane	<0.0010	0.0010
127-18-4	Tetrachloroethene	<0.0010	0.0010
108-88-3	Toluene	<0.0010	0.0010
120-82-1	1,2,4-Trichlorobenzene	<0.0010	0.0010
71-55-6	1,1,1-Trichloroethane	<0.0010	0.0010
79-00-5	1,1,2-Trichloroethane	<0.0010	0.0010
79-01-6	Trichloroethene	<0.0010	0.0010
75-69-4	Trichlorofluoromethane	<0.0010	0.0010
96-18-4	1,2,3-Trichloropropane	<0.0010	0.0010
75-01-4	Vinyl Chloride	<0.0010	0.0010
1330-20-7	Xylene (Total)	<0.0030	0.0030
<b>Surrogates:</b>			
<b>% Recovery      Control Limits</b>			
Dibromofluoromethane	108	82-118	
1,2-Dichloroethane-d4	110	75-128	
Toluene-d8	100	88-108	
4-Bromofluorobenzene	94	82-114	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **611 Mohawk**  
 Lab Sample ID: **0912265-11**  
 Matrix: Water  
 Unit: mg/L  
 Dilution Factor: 1  
 QC Batch: 0915307

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/11/09 10:10  
 Sampled By: J. Bacon  
 Received: 12/14/09 17:30  
 Prepared: 12/22/09 By: DLV  
 Analyzed: 12/22/09 By: DLV  
 Analytical Batch: 9L22026

### Volatile Organic Compounds in Drinking Water by EPA Method 524.2

CAS Number	Analyte	Analytical Result	RL
71-43-2	Benzene	<0.0010	0.0010
108-86-1	Bromobenzene	<0.0010	0.0010
75-27-4	Bromodichloromethane	<0.0010	0.0010
75-25-2	Bromoform	<0.0010	0.0010
74-83-9	Bromomethane	<0.0010	0.0010
56-23-5	Carbon Tetrachloride	<0.0010	0.0010
108-90-7	Chlorobenzene	<0.0010	0.0010
75-00-3	Chloroethane	<0.0010	0.0010
67-66-3	Chloroform	<0.0010	0.0010
74-87-3	Chloromethane	<0.0010	0.0010
95-49-8	2-Chlorotoluene	<0.0010	0.0010
106-43-4	4-Chlorotoluene	<0.0010	0.0010
124-48-1	Dibromochloromethane	<0.0010	0.0010
74-95-3	Dibromomethane	<0.0010	0.0010
95-50-1	1,2-Dichlorobenzene	<0.0010	0.0010
541-73-1	1,3-Dichlorobenzene	<0.0010	0.0010
106-46-7	1,4-Dichlorobenzene	<0.0010	0.0010
75-71-8	Dichlorodifluoromethane	<0.0010	0.0010
75-34-3	1,1-Dichloroethane	<0.0010	0.0010
107-06-2	1,2-Dichloroethane	<0.0010	0.0010
75-35-4	1,1-Dichloroethene	<0.0010	0.0010
156-59-2	cis-1,2-Dichloroethene	<0.0010	0.0010
156-60-5	trans-1,2-Dichloroethene	<0.0010	0.0010
78-87-5	1,2-Dichloropropane	<0.0010	0.0010
142-28-9	1,3-Dichloropropane	<0.0010	0.0010
594-20-7	2,2-Dichloropropane	<0.0010	0.0010
563-58-6	1,1-Dichloropropene	<0.0010	0.0010
10061-01-5	cis-1,3-Dichloropropene	<0.0010	0.0010
10061-02-6	trans-1,3-Dichloropropene	<0.0010	0.0010
100-41-4	Ethylbenzene	<0.0010	0.0010
75-09-2	Methylene Chloride	<0.0050	0.0050

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **611 Mohawk**  
 Lab Sample ID: **0912265-11**  
 Matrix: Water  
 Unit: mg/L  
 Dilution Factor: 1  
 QC Batch: 0915307

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/11/09 10:10  
 Sampled By: J. Bacon  
 Received: 12/14/09 17:30  
 Prepared: 12/22/09 By: DLV  
 Analyzed: 12/22/09 By: DLV  
 Analytical Batch: 9L22026

### Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

CAS Number	Analyte	Analytical Result	RL
100-42-5	Styrene	<0.0010	0.0010
630-20-6	1,1,1,2-Tetrachloroethane	<0.0010	0.0010
79-34-5	1,1,2,2-Tetrachloroethane	<0.0010	0.0010
127-18-4	Tetrachloroethene	<0.0010	0.0010
108-88-3	Toluene	<0.0010	0.0010
120-82-1	1,2,4-Trichlorobenzene	<0.0010	0.0010
71-55-6	1,1,1-Trichloroethane	<0.0010	0.0010
79-00-5	1,1,2-Trichloroethane	<0.0010	0.0010
79-01-6	Trichloroethene	<0.0010	0.0010
75-69-4	Trichlorofluoromethane	<0.0010	0.0010
96-18-4	1,2,3-Trichloropropane	<0.0010	0.0010
75-01-4	Vinyl Chloride	<0.0010	0.0010
1330-20-7	Xylene (Total)	<0.0030	0.0030
<b>Surrogates:</b>			
<b>% Recovery      Control Limits</b>			
Dibromofluoromethane	108	82-118	
1,2-Dichloroethane-d4	110	75-128	
Toluene-d8	98	88-108	
4-Bromofluorobenzene	93	82-114	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **607 Mohawk**  
 Lab Sample ID: **0912265-12**  
 Matrix: Water  
 Unit: mg/L  
 Dilution Factor: 1  
 QC Batch: 0915307

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/11/09 10:45  
 Sampled By: J. Bacon  
 Received: 12/14/09 17:30  
 Prepared: 12/22/09 By: DLV  
 Analyzed: 12/22/09 By: DLV  
 Analytical Batch: 9L22026

### Volatile Organic Compounds in Drinking Water by EPA Method 524.2

CAS Number	Analyte	Analytical Result	RL
71-43-2	Benzene	<0.0010	0.0010
108-86-1	Bromobenzene	<0.0010	0.0010
75-27-4	Bromodichloromethane	<0.0010	0.0010
75-25-2	Bromoform	<0.0010	0.0010
74-83-9	Bromomethane	<0.0010	0.0010
56-23-5	Carbon Tetrachloride	<0.0010	0.0010
108-90-7	Chlorobenzene	<0.0010	0.0010
75-00-3	Chloroethane	<0.0010	0.0010
67-66-3	Chloroform	<0.0010	0.0010
74-87-3	Chloromethane	<0.0010	0.0010
95-49-8	2-Chlorotoluene	<0.0010	0.0010
106-43-4	4-Chlorotoluene	<0.0010	0.0010
124-48-1	Dibromochloromethane	<0.0010	0.0010
74-95-3	Dibromomethane	<0.0010	0.0010
95-50-1	1,2-Dichlorobenzene	<0.0010	0.0010
541-73-1	1,3-Dichlorobenzene	<0.0010	0.0010
106-46-7	1,4-Dichlorobenzene	<0.0010	0.0010
75-71-8	Dichlorodifluoromethane	<0.0010	0.0010
75-34-3	1,1-Dichloroethane	<0.0010	0.0010
107-06-2	1,2-Dichloroethane	<0.0010	0.0010
75-35-4	1,1-Dichloroethene	<0.0010	0.0010
156-59-2	cis-1,2-Dichloroethene	<0.0010	0.0010
156-60-5	trans-1,2-Dichloroethene	<0.0010	0.0010
78-87-5	1,2-Dichloropropane	<0.0010	0.0010
142-28-9	1,3-Dichloropropane	<0.0010	0.0010
594-20-7	2,2-Dichloropropane	<0.0010	0.0010
563-58-6	1,1-Dichloropropene	<0.0010	0.0010
10061-01-5	cis-1,3-Dichloropropene	<0.0010	0.0010
10061-02-6	trans-1,3-Dichloropropene	<0.0010	0.0010
100-41-4	Ethylbenzene	<0.0010	0.0010
75-09-2	Methylene Chloride	<0.0050	0.0050

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **607 Mohawk**  
 Lab Sample ID: **0912265-12**  
 Matrix: Water  
 Unit: mg/L  
 Dilution Factor: 1  
 QC Batch: 0915307

Work Order: **0912265**  
 Description: Laboratory Services  
 Sampled: 12/11/09 10:45  
 Sampled By: J. Bacon  
 Received: 12/14/09 17:30  
 Prepared: 12/22/09 By: DLV  
 Analyzed: 12/22/09 By: DLV  
 Analytical Batch: 9L22026

### Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

CAS Number	Analyte	Analytical Result	RL
100-42-5	Styrene	<0.0010	0.0010
630-20-6	1,1,1,2-Tetrachloroethane	<0.0010	0.0010
79-34-5	1,1,2,2-Tetrachloroethane	<0.0010	0.0010
127-18-4	Tetrachloroethene	<0.0010	0.0010
108-88-3	Toluene	<0.0010	0.0010
120-82-1	1,2,4-Trichlorobenzene	<0.0010	0.0010
71-55-6	1,1,1-Trichloroethane	<0.0010	0.0010
79-00-5	1,1,2-Trichloroethane	<0.0010	0.0010
79-01-6	Trichloroethene	<0.0010	0.0010
75-69-4	Trichlorofluoromethane	<0.0010	0.0010
96-18-4	1,2,3-Trichloropropane	<0.0010	0.0010
75-01-4	Vinyl Chloride	<0.0010	0.0010
1330-20-7	Xylene (Total)	<0.0030	0.0030
<b>Surrogates:</b>			
<b>% Recovery      Control Limits</b>			
Dibromofluoromethane	109	82-118	
1,2-Dichloroethane-d4	111	75-128	
Toluene-d8	99	88-108	
4-Bromofluorobenzene	94	82-114	

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 0915063 5030B Aqueous Purge & Trap/USEPA-8260B

<b>Method Blank</b>				Analyzed:	12/09/2009	By: JDM
Unit: ug/L				Analytical Batch:	9L15028	
Acetone		<20			20	
Acrylonitrile		<2.0			2.0	
Benzene		<1.0			1.0	
Bromobenzene		<1.0			1.0	
Bromochloromethane		<1.0			1.0	
Bromodichloromethane		<1.0			1.0	
Bromoform		<1.0			1.0	
Bromomethane		<5.0			5.0	
n-Butylbenzene		<1.0			1.0	
sec-Butylbenzene		<1.0			1.0	
tert-Butylbenzene		<1.0			1.0	
Carbon Disulfide		<1.0			1.0	
Carbon Tetrachloride		<1.0			1.0	
Chlorobenzene		<1.0			1.0	
Chloroethane		<5.0			5.0	
Chloroform		<1.0			1.0	
Chloromethane		<5.0			5.0	
1,2-Dibromo-3-chloropropane		<5.0			5.0	
Dibromochloromethane		<1.0			1.0	
1,2-Dibromoethane		<1.0			1.0	
Dibromomethane		<1.0			1.0	
trans-1,4-Dichloro-2-butene		<1.0			1.0	
1,2-Dichlorobenzene		<1.0			1.0	
1,3-Dichlorobenzene		<1.0			1.0	
1,4-Dichlorobenzene		<1.0			1.0	
Dichlorodifluoromethane		<5.0			5.0	
1,1-Dichloroethane		<1.0			1.0	
1,2-Dichloroethane		<1.0			1.0	
1,1-Dichloroethene		<1.0			1.0	
cis-1,2-Dichloroethene		<1.0			1.0	
trans-1,2-Dichloroethene		<1.0			1.0	
1,2-Dichloropropane		<1.0			1.0	
cis-1,3-Dichloropropene		<1.0			1.0	
trans-1,3-Dichloropropene		<1.0			1.0	
Ethylbenzene		<1.0			1.0	
Ethyl Ether		<5.0			5.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915063 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	12/09/2009	By: JDM
Unit: ug/L				Analytical Batch:	9L15028	
2-Hexanone		<5.0			5.0	
Iodomethane		<1.0			1.0	
Isopropylbenzene		<1.0			1.0	
4-Isopropyltoluene		<5.0			5.0	
Methyl tert-Butyl Ether		<5.0			5.0	
Methylene Chloride		<5.0			5.0	
2-Butanone (MEK)		<5.0			5.0	
2-Methylnaphthalene		<5.0			5.0	
4-Methyl-2-pentanone (MIBK)		<5.0			5.0	
Naphthalene		<5.0			5.0	
n-Propylbenzene		<1.0			1.0	
Styrene		<1.0			1.0	
1,1,1,2-Tetrachloroethane		<1.0			1.0	
1,1,2,2-Tetrachloroethane		<1.0			1.0	
Tetrachloroethene		<1.0			1.0	
Tetrahydrofuran		<5.0			5.0	
Toluene		<1.0			1.0	
1,2,3-Trichlorobenzene		<5.0			5.0	
1,2,4-Trichlorobenzene		<5.0			5.0	
1,1,1-Trichloroethane		<1.0			1.0	
1,1,2-Trichloroethane		<1.0			1.0	
Trichloroethene		<1.0			1.0	
Trichlorofluoromethane		<1.0			1.0	
1,2,3-Trichloropropane		<1.0			1.0	
1,2,4-Trimethylbenzene		<1.0			1.0	
1,3,5-Trimethylbenzene		<1.0			1.0	
Vinyl Chloride		<1.0			1.0	
Xylene, Meta + Para		<2.0			2.0	
Xylene, Ortho		<1.0			1.0	

***Surrogates:***

Dibromofluoromethane	105	88-115
1,2-Dichloroethane-d4	102	81-116
Toluene-d8	100	87-113
4-Bromofluorobenzene	95	78-116

<b>Laboratory Control Sample</b>				Analyzed:	12/09/2009	By: JDM
Unit: ug/L				Analytical Batch:	9L15028	

Benzene	40.0	<b>38.2</b>	95	86-122	1.0
---------	------	-------------	----	--------	-----

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915063 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Laboratory Control Sample (Continued)</b>	Analyzed:	12/09/2009	By: JDM
Unit: ug/L	Analytical Batch:	9L15028	

Chlorobenzene	40.0	<b>38.8</b>	97	88-114	1.0
1,1-Dichloroethene	40.0	<b>39.1</b>	98	81-125	1.0
Toluene	40.0	<b>38.5</b>	96	87-123	1.0
Trichloroethene	40.0	<b>38.8</b>	97	80-122	1.0

***Surrogates:***

Dibromofluoromethane	103	88-115
1,2-Dichloroethane-d4	97	81-116
Toluene-d8	101	87-113
4-Bromofluorobenzene	100	78-116

<b>Laboratory Control Sample Duplicate</b>	Analyzed:	12/09/2009	By: JDM
Unit: ug/L	Analytical Batch:	9L15028	

Benzene	40.0	<b>38.2</b>	95	86-122	0.03	20	1.0
Chlorobenzene	40.0	<b>39.1</b>	98	88-114	1	20	1.0
1,1-Dichloroethene	40.0	<b>39.2</b>	98	81-125	0.2	20	1.0
Toluene	40.0	<b>38.2</b>	95	87-123	0.8	20	1.0
Trichloroethene	40.0	<b>39.2</b>	98	80-122	0.9	20	1.0

***Surrogates:***

Dibromofluoromethane	101	88-115
1,2-Dichloroethane-d4	97	81-116
Toluene-d8	100	87-113
4-Bromofluorobenzene	102	78-116

**QC Batch: 0915139 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank</b>	Analyzed:	12/12/2009	By: JDM
Unit: ug/L	Analytical Batch:	9L17011	

Acetone	<20	20
Acrylonitrile	<2.0	2.0
Benzene	<1.0	1.0
Bromobenzene	<1.0	1.0
Bromochloromethane	<1.0	1.0
Bromodichloromethane	<1.0	1.0
Bromoform	<1.0	1.0
Bromomethane	<5.0	5.0
n-Butylbenzene	<1.0	1.0
sec-Butylbenzene	<1.0	1.0

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915139 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	12/12/2009	By: JDM
Unit: ug/L				Analytical Batch:	9L17011	
tert-Butylbenzene		<1.0			1.0	
Carbon Disulfide		<1.0			1.0	
Carbon Tetrachloride		<1.0			1.0	
Chlorobenzene		<1.0			1.0	
Chloroethane		<5.0			5.0	
Chloroform		<1.0			1.0	
Chloromethane		<5.0			5.0	
1,2-Dibromo-3-chloropropane		<5.0			5.0	
Dibromochloromethane		<1.0			1.0	
1,2-Dibromoethane		<1.0			1.0	
Dibromomethane		<1.0			1.0	
trans-1,4-Dichloro-2-butene		<1.0			1.0	
1,2-Dichlorobenzene		<1.0			1.0	
1,3-Dichlorobenzene		<1.0			1.0	
1,4-Dichlorobenzene		<1.0			1.0	
Dichlorodifluoromethane		<5.0			5.0	
1,1-Dichloroethane		<1.0			1.0	
1,2-Dichloroethane		<1.0			1.0	
1,1-Dichloroethene		<1.0			1.0	
cis-1,2-Dichloroethene		<1.0			1.0	
trans-1,2-Dichloroethene		<1.0			1.0	
1,2-Dichloropropane		<1.0			1.0	
cis-1,3-Dichloropropene		<1.0			1.0	
trans-1,3-Dichloropropene		<1.0			1.0	
Ethylbenzene		<1.0			1.0	
Ethyl Ether		<5.0			5.0	
2-Hexanone		<5.0			5.0	
Iodomethane		<1.0			1.0	
Isopropylbenzene		<1.0			1.0	
4-Isopropyltoluene		<5.0			5.0	
Methyl tert-Butyl Ether		<5.0			5.0	
Methylene Chloride		<5.0			5.0	
2-Butanone (MEK)		<5.0			5.0	
2-Methylnaphthalene		<5.0			5.0	
4-Methyl-2-pentanone (MIBK)		<5.0			5.0	
Naphthalene		<5.0			5.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915139 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>	Analyzed:	12/12/2009	By: JDM
Unit: ug/L	Analytical Batch:	9L17011	
n-Propylbenzene	<1.0	1.0	
Styrene	<1.0	1.0	
1,1,1,2-Tetrachloroethane	<1.0	1.0	
1,1,2,2-Tetrachloroethane	<1.0	1.0	
Tetrachloroethene	<1.0	1.0	
Tetrahydrofuran	<5.0	5.0	
Toluene	<1.0	1.0	
1,2,3-Trichlorobenzene	<5.0	5.0	
1,2,4-Trichlorobenzene	<5.0	5.0	
1,1,1-Trichloroethane	<1.0	1.0	
1,1,2-Trichloroethane	<1.0	1.0	
Trichloroethene	<1.0	1.0	
Trichlorofluoromethane	<1.0	1.0	
1,2,3-Trichloropropane	<1.0	1.0	
1,2,4-Trimethylbenzene	<1.0	1.0	
1,3,5-Trimethylbenzene	<1.0	1.0	
Vinyl Chloride	<1.0	1.0	
Xylene, Meta + Para	<2.0	2.0	
Xylene, Ortho	<1.0	1.0	

***Surrogates:***

Dibromofluoromethane	107	88-115
1,2-Dichloroethane-d4	104	81-116
Toluene-d8	103	87-113
4-Bromofluorobenzene	94	78-116

<b>Method Blank</b>	Analyzed:	12/14/2009	By: JDM
Unit: ug/L	Analytical Batch:	9L17014	
Acetone	<20	20	
Acrylonitrile	<2.0	2.0	
Benzene	<1.0	1.0	
Bromobenzene	<1.0	1.0	
Bromochloromethane	<1.0	1.0	
Bromodichloromethane	<1.0	1.0	
Bromoform	<1.0	1.0	
Bromomethane	<5.0	5.0	
n-Butylbenzene	<1.0	1.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915139 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	12/14/2009	By: JDM
Unit: ug/L				Analytical Batch:	9L17014	
sec-Butylbenzene			<1.0		1.0	
tert-Butylbenzene			<1.0		1.0	
Carbon Disulfide			<1.0		1.0	
Carbon Tetrachloride			<1.0		1.0	
Chlorobenzene			<1.0		1.0	
Chloroethane			<5.0		5.0	
Chloroform			<1.0		1.0	
Chloromethane			<5.0		5.0	
1,2-Dibromo-3-chloropropane			<5.0		5.0	
Dibromochloromethane			<1.0		1.0	
1,2-Dibromoethane			<1.0		1.0	
Dibromomethane			<1.0		1.0	
trans-1,4-Dichloro-2-butene			<1.0		1.0	
1,2-Dichlorobenzene			<1.0		1.0	
1,3-Dichlorobenzene			<1.0		1.0	
1,4-Dichlorobenzene			<1.0		1.0	
Dichlorodifluoromethane			<5.0		5.0	
1,1-Dichloroethane			<1.0		1.0	
1,2-Dichloroethane			<1.0		1.0	
1,1-Dichloroethene			<1.0		1.0	
cis-1,2-Dichloroethene			<1.0		1.0	
trans-1,2-Dichloroethene			<1.0		1.0	
1,2-Dichloropropane			<1.0		1.0	
cis-1,3-Dichloropropene			<1.0		1.0	
trans-1,3-Dichloropropene			<1.0		1.0	
Ethylbenzene			<1.0		1.0	
Ethyl Ether			<5.0		5.0	
2-Hexanone			<5.0		5.0	
Iodomethane			<1.0		1.0	
Isopropylbenzene			<1.0		1.0	
4-Isopropyltoluene			<5.0		5.0	
Methyl tert-Butyl Ether			<5.0		5.0	
Methylene Chloride			<5.0		5.0	
2-Butanone (MEK)			<5.0		5.0	
2-Methylnaphthalene			<5.0		5.0	
4-Methyl-2-pentanone (MIBK)			<5.0		5.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915139 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	12/14/2009	By: JDM
Unit: ug/L				Analytical Batch:	9L17014	
Naphthalene		<5.0			5.0	
n-Propylbenzene		<1.0			1.0	
Styrene		<1.0			1.0	
1,1,1,2-Tetrachloroethane		<1.0			1.0	
1,1,2,2-Tetrachloroethane		<1.0			1.0	
Tetrachloroethene		<1.0			1.0	
Tetrahydrofuran		<5.0			5.0	
Toluene		<1.0			1.0	
1,2,3-Trichlorobenzene		<5.0			5.0	
1,2,4-Trichlorobenzene		<5.0			5.0	
1,1,1-Trichloroethane		<1.0			1.0	
1,1,2-Trichloroethane		<1.0			1.0	
Trichloroethene		<1.0			1.0	
Trichlorofluoromethane		<1.0			1.0	
1,2,3-Trichloropropane		<1.0			1.0	
1,2,4-Trimethylbenzene		<1.0			1.0	
1,3,5-Trimethylbenzene		<1.0			1.0	
Vinyl Chloride		<1.0			1.0	
Xylene, Meta + Para		<2.0			2.0	
Xylene, Ortho		<1.0			1.0	

***Surrogates:***

Dibromofluoromethane	105	88-115
1,2-Dichloroethane-d4	101	81-116
Toluene-d8	103	87-113
4-Bromofluorobenzene	95	78-116

<b>Laboratory Control Sample</b>				Analyzed:	12/12/2009	By: JDM
Unit: ug/L				Analytical Batch:	9L17011	
Benzene	40.0	<b>39.8</b>	99	86-122		1.0
Chlorobenzene	40.0	<b>39.6</b>	99	88-114		1.0
1,1-Dichloroethene	40.0	<b>40.4</b>	101	81-125		1.0
Toluene	40.0	<b>40.6</b>	101	87-123		1.0
Trichloroethene	40.0	<b>39.6</b>	99	80-122		1.0

***Surrogates:***

Dibromofluoromethane	105	88-115
1,2-Dichloroethane-d4	97	81-116

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915139 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Laboratory Control Sample (Continued)</b> Unit: ug/L	Analyzed:	12/12/2009	By: JDM
	Analytical Batch:	9L17011	

***Surrogates (Continued):***

Toluene-d8	104	87-113
4-Bromofluorobenzene	105	78-116

<b>Laboratory Control Sample</b> Unit: ug/L	Analyzed:	12/14/2009	By: JDM
	Analytical Batch:	9L17014	

Benzene	40.0	<b>41.5</b>	104	86-122	1.0
Chlorobenzene	40.0	<b>41.1</b>	103	88-114	1.0
1,1-Dichloroethene	40.0	<b>43.9</b>	110	81-125	1.0
Toluene	40.0	<b>42.2</b>	105	87-123	1.0
Trichloroethene	40.0	<b>41.3</b>	103	80-122	1.0

***Surrogates:***

Dibromofluoromethane	104	88-115
1,2-Dichloroethane-d4	94	81-116
Toluene-d8	102	87-113
4-Bromofluorobenzene	103	78-116

<b>Laboratory Control Sample Duplicate</b> Unit: ug/L	Analyzed:	12/12/2009	By: JDM
	Analytical Batch:	9L17011	

Benzene	40.0	<b>41.0</b>	102	86-122	3	20	1.0
Chlorobenzene	40.0	<b>40.4</b>	101	88-114	2	20	1.0
1,1-Dichloroethene	40.0	<b>44.1</b>	110	81-125	9	20	1.0
Toluene	40.0	<b>41.4</b>	103	87-123	2	20	1.0
Trichloroethene	40.0	<b>44.8</b>	112	80-122	12	20	1.0

***Surrogates:***

Dibromofluoromethane	104	88-115
1,2-Dichloroethane-d4	97	81-116
Toluene-d8	102	87-113
4-Bromofluorobenzene	104	78-116

**QC Batch: 0915140 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank</b> Unit: ug/L	Analyzed:	12/11/2009	By: JDM
	Analytical Batch:	9L17009	

Acetone	<20	20
Acrylonitrile	<2.0	2.0
Benzene	<1.0	1.0

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915140 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	12/11/2009	By: JDM
Unit: ug/L				Analytical Batch:	9L17009	
Bromobenzene			<1.0		1.0	
Bromochloromethane			<1.0		1.0	
Bromodichloromethane			<1.0		1.0	
Bromoform			<1.0		1.0	
Bromomethane			<5.0		5.0	
n-Butylbenzene			<1.0		1.0	
sec-Butylbenzene			<1.0		1.0	
tert-Butylbenzene			<1.0		1.0	
Carbon Disulfide			<1.0		1.0	
Carbon Tetrachloride			<1.0		1.0	
Chlorobenzene			<1.0		1.0	
Chloroethane			<5.0		5.0	
Chloroform			<1.0		1.0	
Chloromethane			<5.0		5.0	
1,2-Dibromo-3-chloropropane			<5.0		5.0	
Dibromochloromethane			<1.0		1.0	
1,2-Dibromoethane			<1.0		1.0	
Dibromomethane			<1.0		1.0	
trans-1,4-Dichloro-2-butene			<1.0		1.0	
1,2-Dichlorobenzene			<1.0		1.0	
1,3-Dichlorobenzene			<1.0		1.0	
1,4-Dichlorobenzene			<1.0		1.0	
Dichlorodifluoromethane			<5.0		5.0	
1,1-Dichloroethane			<1.0		1.0	
1,2-Dichloroethane			<1.0		1.0	
1,1-Dichloroethene			<1.0		1.0	
cis-1,2-Dichloroethene			<1.0		1.0	
trans-1,2-Dichloroethene			<1.0		1.0	
1,2-Dichloropropane			<1.0		1.0	
cis-1,3-Dichloropropene			<1.0		1.0	
trans-1,3-Dichloropropene			<1.0		1.0	
Ethylbenzene			<1.0		1.0	
Ethyl Ether			<5.0		5.0	
2-Hexanone			<5.0		5.0	
Iodomethane			<1.0		1.0	
Isopropylbenzene			<1.0		1.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915140 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>		Analyzed:	12/11/2009	By: JDM
Unit: ug/L		Analytical Batch:	9L17009	
4-Isopropyltoluene	<5.0		5.0	
Methyl tert-Butyl Ether	<5.0		5.0	
Methylene Chloride	<5.0		5.0	
2-Butanone (MEK)	<5.0		5.0	
2-Methylnaphthalene	<5.0		5.0	
4-Methyl-2-pentanone (MIBK)	<5.0		5.0	
Naphthalene	<5.0		5.0	
n-Propylbenzene	<1.0		1.0	
Styrene	<1.0		1.0	
1,1,1,2-Tetrachloroethane	<1.0		1.0	
1,1,2,2-Tetrachloroethane	<1.0		1.0	
Tetrachloroethene	<1.0		1.0	
Tetrahydrofuran	<5.0		5.0	
Toluene	<1.0		1.0	
1,2,3-Trichlorobenzene	<5.0		5.0	
1,2,4-Trichlorobenzene	<5.0		5.0	
1,1,1-Trichloroethane	<1.0		1.0	
1,1,2-Trichloroethane	<1.0		1.0	
Trichloroethene	<1.0		1.0	
Trichlorofluoromethane	<1.0		1.0	
1,2,3-Trichloropropane	<1.0		1.0	
1,2,4-Trimethylbenzene	<1.0		1.0	
1,3,5-Trimethylbenzene	<1.0		1.0	
Vinyl Chloride	<1.0		1.0	
Xylene, Meta + Para	<2.0		2.0	
Xylene, Ortho	<1.0		1.0	

***Surrogates:***

Dibromofluoromethane	106	88-115
1,2-Dichloroethane-d4	102	81-116
Toluene-d8	102	87-113
4-Bromofluorobenzene	92	78-116

<b>Method Blank</b>		Analyzed:	12/14/2009	By: JDM
Unit: ug/L		Analytical Batch:	9L17014	
Acetone	<20		20	
Acrylonitrile	<2.0		2.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915140 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	12/14/2009	By: JDM
Unit: ug/L				Analytical Batch:	9L17014	
Benzene		<1.0			1.0	
Bromobenzene		<1.0			1.0	
Bromochloromethane		<1.0			1.0	
Bromodichloromethane		<1.0			1.0	
Bromoform		<1.0			1.0	
Bromomethane		<5.0			5.0	
n-Butylbenzene		<1.0			1.0	
sec-Butylbenzene		<1.0			1.0	
tert-Butylbenzene		<1.0			1.0	
Carbon Disulfide		<1.0			1.0	
Carbon Tetrachloride		<1.0			1.0	
Chlorobenzene		<1.0			1.0	
Chloroethane		<5.0			5.0	
Chloroform		<1.0			1.0	
Chloromethane		<5.0			5.0	
1,2-Dibromo-3-chloropropane		<5.0			5.0	
Dibromochloromethane		<1.0			1.0	
1,2-Dibromoethane		<1.0			1.0	
Dibromomethane		<1.0			1.0	
trans-1,4-Dichloro-2-butene		<1.0			1.0	
1,2-Dichlorobenzene		<1.0			1.0	
1,3-Dichlorobenzene		<1.0			1.0	
1,4-Dichlorobenzene		<1.0			1.0	
Dichlorodifluoromethane		<5.0			5.0	
1,1-Dichloroethane		<1.0			1.0	
1,2-Dichloroethane		<1.0			1.0	
1,1-Dichloroethene		<1.0			1.0	
cis-1,2-Dichloroethene		<1.0			1.0	
trans-1,2-Dichloroethene		<1.0			1.0	
1,2-Dichloropropane		<1.0			1.0	
cis-1,3-Dichloropropene		<1.0			1.0	
trans-1,3-Dichloropropene		<1.0			1.0	
Ethylbenzene		<1.0			1.0	
Ethyl Ether		<5.0			5.0	
2-Hexanone		<5.0			5.0	
Iodomethane		<1.0			1.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915140 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>		Analyzed:	12/14/2009	By: JDM
Unit: ug/L		Analytical Batch:	9L17014	
Isopropylbenzene	<1.0		1.0	
4-Isopropyltoluene	<5.0		5.0	
Methyl tert-Butyl Ether	<5.0		5.0	
Methylene Chloride	<5.0		5.0	
2-Butanone (MEK)	<5.0		5.0	
2-Methylnaphthalene	<5.0		5.0	
4-Methyl-2-pentanone (MIBK)	<5.0		5.0	
Naphthalene	<5.0		5.0	
n-Propylbenzene	<1.0		1.0	
Styrene	<1.0		1.0	
1,1,1,2-Tetrachloroethane	<1.0		1.0	
1,1,2,2-Tetrachloroethane	<1.0		1.0	
Tetrachloroethene	<1.0		1.0	
Tetrahydrofuran	<5.0		5.0	
Toluene	<1.0		1.0	
1,2,3-Trichlorobenzene	<5.0		5.0	
1,2,4-Trichlorobenzene	<5.0		5.0	
1,1,1-Trichloroethane	<1.0		1.0	
1,1,2-Trichloroethane	<1.0		1.0	
Trichloroethene	<1.0		1.0	
Trichlorofluoromethane	<1.0		1.0	
1,2,3-Trichloropropane	<1.0		1.0	
1,2,4-Trimethylbenzene	<1.0		1.0	
1,3,5-Trimethylbenzene	<1.0		1.0	
Vinyl Chloride	<1.0		1.0	
Xylene, Meta + Para	<2.0		2.0	
Xylene, Ortho	<1.0		1.0	

**Surrogates:**

Dibromofluoromethane	105	88-115
1,2-Dichloroethane-d4	101	81-116
Toluene-d8	103	87-113
4-Bromofluorobenzene	95	78-116

<b>Method Blank</b>		Analyzed:	12/17/2009	By: JDM
Unit: ug/L		Analytical Batch:	9L22022	

Acetone	<20	20
---------	-----	----

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915140 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	12/17/2009	By: JDM
Unit: ug/L				Analytical Batch:	9L22022	
Acrylonitrile		<2.0			2.0	
Benzene		<1.0			1.0	
Bromobenzene		<1.0			1.0	
Bromochloromethane		<1.0			1.0	
Bromodichloromethane		<1.0			1.0	
Bromoform		<1.0			1.0	
Bromomethane		<5.0			5.0	
n-Butylbenzene		<1.0			1.0	
sec-Butylbenzene		<1.0			1.0	
tert-Butylbenzene		<1.0			1.0	
Carbon Disulfide		<1.0			1.0	
Carbon Tetrachloride		<1.0			1.0	
Chlorobenzene		<1.0			1.0	
Chloroethane		<5.0			5.0	
Chloroform		<1.0			1.0	
Chloromethane		<5.0			5.0	
1,2-Dibromo-3-chloropropane		<5.0			5.0	
Dibromochloromethane		<1.0			1.0	
1,2-Dibromoethane		<1.0			1.0	
Dibromomethane		<1.0			1.0	
trans-1,4-Dichloro-2-butene		<1.0			1.0	
1,2-Dichlorobenzene		<1.0			1.0	
1,3-Dichlorobenzene		<1.0			1.0	
1,4-Dichlorobenzene		<1.0			1.0	
Dichlorodifluoromethane		<5.0			5.0	
1,1-Dichloroethane		<1.0			1.0	
1,2-Dichloroethane		<1.0			1.0	
1,1-Dichloroethene		<1.0			1.0	
cis-1,2-Dichloroethene		<1.0			1.0	
trans-1,2-Dichloroethene		<1.0			1.0	
1,2-Dichloropropane		<1.0			1.0	
cis-1,3-Dichloropropene		<1.0			1.0	
trans-1,3-Dichloropropene		<1.0			1.0	
Ethylbenzene		<1.0			1.0	
Ethyl Ether		<5.0			5.0	
2-Hexanone		<5.0			5.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915140 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	12/17/2009	By: JDM
Unit: ug/L				Analytical Batch:	9L22022	
Iodomethane		<1.0			1.0	
Isopropylbenzene		<1.0			1.0	
4-Isopropyltoluene		<5.0			5.0	
Methyl tert-Butyl Ether		<5.0			5.0	
Methylene Chloride		<5.0			5.0	
2-Butanone (MEK)		<5.0			5.0	
2-Methylnaphthalene		<5.0			5.0	
4-Methyl-2-pentanone (MIBK)		<5.0			5.0	
Naphthalene		<5.0			5.0	
n-Propylbenzene		<1.0			1.0	
Styrene		<1.0			1.0	
1,1,1,2-Tetrachloroethane		<1.0			1.0	
1,1,2,2-Tetrachloroethane		<1.0			1.0	
Tetrachloroethene		<1.0			1.0	
Tetrahydrofuran		<5.0			5.0	
Toluene		<1.0			1.0	
1,2,3-Trichlorobenzene		<5.0			5.0	
1,2,4-Trichlorobenzene		<5.0			5.0	
1,1,1-Trichloroethane		<1.0			1.0	
1,1,2-Trichloroethane		<1.0			1.0	
Trichloroethene		<1.0			1.0	
Trichlorofluoromethane		<1.0			1.0	
1,2,3-Trichloropropane		<1.0			1.0	
1,2,4-Trimethylbenzene		<1.0			1.0	
1,3,5-Trimethylbenzene		<1.0			1.0	
Vinyl Chloride		<1.0			1.0	
Xylene, Meta + Para		<2.0			2.0	
Xylene, Ortho		<1.0			1.0	

***Surrogates:***

Dibromofluoromethane	105	88-115
1,2-Dichloroethane-d4	102	81-116
Toluene-d8	100	87-113
4-Bromofluorobenzene	91	78-116

<b>Laboratory Control Sample</b>	Analyzed:	12/11/2009	By: JDM
Unit: ug/L	Analytical Batch:	9L17009	

Benzene	40.0	<b>42.0</b>	105	86-122	1.0
---------	------	-------------	-----	--------	-----

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915140 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Laboratory Control Sample (Continued)</b>	Analyzed:	12/11/2009	By: JDM
Unit: ug/L	Analytical Batch:	9L17009	

Chlorobenzene	40.0	<b>42.6</b>	107	88-114	1.0
1,1-Dichloroethene	40.0	<b>44.6</b>	111	81-125	1.0
Toluene	40.0	<b>42.7</b>	107	87-123	1.0
Trichloroethene	40.0	<b>42.6</b>	106	80-122	1.0

***Surrogates:***

Dibromofluoromethane	105	88-115
1,2-Dichloroethane-d4	96	81-116
Toluene-d8	103	87-113
4-Bromofluorobenzene	104	78-116

<b>Laboratory Control Sample</b>	Analyzed:	12/14/2009	By: JDM
Unit: ug/L	Analytical Batch:	9L17014	

Benzene	40.0	<b>41.5</b>	104	86-122	1.0
Chlorobenzene	40.0	<b>41.1</b>	103	88-114	1.0
1,1-Dichloroethene	40.0	<b>43.9</b>	110	81-125	1.0
Toluene	40.0	<b>42.2</b>	105	87-123	1.0
Trichloroethene	40.0	<b>41.3</b>	103	80-122	1.0

***Surrogates:***

Dibromofluoromethane	104	88-115
1,2-Dichloroethane-d4	94	81-116
Toluene-d8	102	87-113
4-Bromofluorobenzene	103	78-116

<b>Laboratory Control Sample</b>	Analyzed:	12/17/2009	By: JDM
Unit: ug/L	Analytical Batch:	9L22022	

Benzene	40.0	<b>40.1</b>	100	86-122	1.0
Chlorobenzene	40.0	<b>40.8</b>	102	88-114	1.0
1,1-Dichloroethene	40.0	<b>42.5</b>	106	81-125	1.0
Toluene	40.0	<b>40.4</b>	101	87-123	1.0
Trichloroethene	40.0	<b>39.1</b>	98	80-122	1.0

***Surrogates:***

Dibromofluoromethane	101	88-115
1,2-Dichloroethane-d4	95	81-116
Toluene-d8	100	87-113
4-Bromofluorobenzene	102	78-116

<b>Laboratory Control Sample Duplicate</b>	Analyzed:	12/11/2009	By: JDM
Unit: ug/L	Analytical Batch:	9L17009	

Benzene	40.0	<b>43.2</b>	108	86-122	3	20	1.0
---------	------	-------------	-----	--------	---	----	-----

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915140 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Laboratory Control Sample Duplicate (Continued)</b>					Analyzed:	12/11/2009	By: JDM
Unit: ug/L					Analytical Batch:	9L17009	

Chlorobenzene	40.0	<b>41.6</b>	104	88-114	2	20	1.0
1,1-Dichloroethene	40.0	<b>46.4</b>	116	81-125	4	20	1.0
Toluene	40.0	<b>43.6</b>	109	87-123	2	20	1.0
Trichloroethene	40.0	<b>45.9</b>	115	80-122	7	20	1.0

***Surrogates:***

Dibromofluoromethane	104	88-115
1,2-Dichloroethane-d4	95	81-116
Toluene-d8	103	87-113
4-Bromofluorobenzene	101	78-116

## QUALITY CONTROL REPORT

### Volatile Organic Compounds in Drinking Water by EPA Method 524.2

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915307** 5030B Aqueous Purge & Trap/USEPA-524.2

<b>Method Blank</b>				Analyzed:	12/22/2009	By: DLV
Unit: mg/L				Analytical Batch:	9L22026	
Benzene		<0.0010			0.0010	
Bromobenzene		<0.0010			0.0010	
Bromodichloromethane		<0.0010			0.0010	
Bromoform		<0.0010			0.0010	
Bromomethane		<0.0010			0.0010	
Carbon Tetrachloride		<0.0010			0.0010	
Chlorobenzene		<0.0010			0.0010	
Chloroethane		<0.0010			0.0010	
Chloroform		<0.0010			0.0010	
Chloromethane		<0.0010			0.0010	
2-Chlorotoluene		<0.0010			0.0010	
4-Chlorotoluene		<0.0010			0.0010	
Dibromochloromethane		<0.0010			0.0010	
Dibromomethane		<0.0010			0.0010	
1,2-Dichlorobenzene		<0.0010			0.0010	
1,3-Dichlorobenzene		<0.0010			0.0010	
1,4-Dichlorobenzene		<0.0010			0.0010	
1,1-Dichloroethane		<0.0010			0.0010	
1,2-Dichloroethane		<0.0010			0.0010	
1,1-Dichloroethene		<0.0010			0.0010	
cis-1,2-Dichloroethene		<0.0010			0.0010	
trans-1,2-Dichloroethene		<0.0010			0.0010	
1,2-Dichloropropane		<0.0010			0.0010	
1,3-Dichloropropane		<0.0010			0.0010	
2,2-Dichloropropane		<0.0010			0.0010	
1,1-Dichloropropene		<0.0010			0.0010	
cis-1,3-Dichloropropene		<0.0010			0.0010	
trans-1,3-Dichloropropene		<0.0010			0.0010	
Ethylbenzene		<0.0010			0.0010	
Methylene Chloride		<0.0050			0.0050	
Styrene		<0.0010			0.0010	
1,1,1,2-Tetrachloroethane		<0.0010			0.0010	
1,1,2,2-Tetrachloroethane		<0.0010			0.0010	
Tetrachloroethene		<0.0010			0.0010	
Toluene		<0.0010			0.0010	
1,2,4-Trichlorobenzene		<0.0010			0.0010	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915307 (Continued) 5030B Aqueous Purge & Trap/USEPA-524.2**

<b>Method Blank (Continued)</b>	Analyzed:	12/22/2009	By: DLV
---------------------------------	-----------	------------	---------

Unit: mg/L Analytical Batch: 9L22026

1,1,1-Trichloroethane	<0.0010	0.0010
1,1,2-Trichloroethane	<0.0010	0.0010
Trichloroethene	<0.0010	0.0010
1,2,3-Trichloropropane	<0.0010	0.0010
Vinyl Chloride	<0.0010	0.0010
Xylene (Total)	<0.0030	0.0030

<b>Method Blank</b>	Analyzed:	12/22/2009	By: DLV
---------------------	-----------	------------	---------

Unit: ug/L Analytical Batch: 9L22026

***Surrogates:***

Dibromofluoromethane	107	82-118
1,2-Dichloroethane-d4	109	75-128
Toluene-d8	100	88-108
4-Bromofluorobenzene	96	82-114

<b>Laboratory Control Sample</b>	Analyzed:	12/22/2009	By: DLV
----------------------------------	-----------	------------	---------

Unit: mg/L Analytical Batch: 9L22026

Benzene	0.0100	<b>0.0103</b>	103	70-130	0.0010
Bromobenzene	0.0100	<b>0.00964</b>	96	70-130	0.0010
Bromodichloromethane	0.0100	<b>0.0108</b>	108	70-130	0.0010
Bromoform	0.0100	<b>0.0100</b>	100	70-130	0.0010
Bromomethane	0.0100	<b>0.0114</b>	114	70-130	0.0010
Carbon Tetrachloride	0.0100	<b>0.0115</b>	115	70-130	0.0010
Chlorobenzene	0.0100	<b>0.0102</b>	102	70-130	0.0010
Chloroethane	0.0100	<b>0.0101</b>	101	70-130	0.0010
Chloroform	0.0100	<b>0.0103</b>	103	70-130	0.0010
Chloromethane	0.0100	<b>0.0100</b>	100	70-130	0.0010
2-Chlorotoluene	0.0100	<b>0.0100</b>	100	70-130	0.0010
4-Chlorotoluene	0.0100	<b>0.0105</b>	105	70-130	0.0010
Dibromochloromethane	0.0100	<b>0.0102</b>	102	70-130	0.0010
Dibromomethane	0.0100	<b>0.0100</b>	100	70-130	0.0010
1,2-Dichlorobenzene	0.0100	<b>0.0101</b>	101	70-130	0.0010
1,3-Dichlorobenzene	0.0100	<b>0.0102</b>	102	70-130	0.0010
1,4-Dichlorobenzene	0.0100	<b>0.00975</b>	98	70-130	0.0010
1,1-Dichloroethane	0.0100	<b>0.0100</b>	100	70-130	0.0010
1,2-Dichloroethane	0.0100	<b>0.0103</b>	103	70-130	0.0010
1,1-Dichloroethene	0.0100	<b>0.0108</b>	108	70-130	0.0010

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915307 (Continued) 5030B Aqueous Purge & Trap/USEPA-524.2**

<b>Laboratory Control Sample (Continued)</b>					Analyzed:	12/22/2009	By: DLV
Unit: mg/L					Analytical Batch:	9L22026	
cis-1,2-Dichloroethene	0.0100	<b>0.00990</b>	99	70-130		0.0010	
trans-1,2-Dichloroethene	0.0100	<b>0.0108</b>	108	70-130		0.0010	
1,2-Dichloropropane	0.0100	<b>0.0101</b>	101	70-130		0.0010	
1,3-Dichloropropane	0.0100	<b>0.0103</b>	103	70-130		0.0010	
2,2-Dichloropropane	0.0100	<b>0.0114</b>	114	70-130		0.0010	
1,1-Dichloropropene	0.0100	<b>0.0104</b>	104	70-130		0.0010	
cis-1,3-Dichloropropene	0.0100	<b>0.00966</b>	97	70-130		0.0010	
trans-1,3-Dichloropropene	0.0100	<b>0.00985</b>	98	70-130		0.0010	
Ethylbenzene	0.0100	<b>0.0104</b>	104	70-130		0.0010	
Methylene Chloride	0.0100	<b>0.0107</b>	107	70-130		0.0050	
Styrene	0.0100	<b>0.00950</b>	95	70-130		0.0010	
1,1,1,2-Tetrachloroethane	0.0100	<b>0.0111</b>	111	70-130		0.0010	
1,1,2,2-Tetrachloroethane	0.0100	<b>0.00930</b>	93	70-130		0.0010	
Tetrachloroethene	0.0100	<b>0.0106</b>	106	70-130		0.0010	
Toluene	0.0100	<b>0.00999</b>	100	70-130		0.0010	
1,2,4-Trichlorobenzene	0.0100	<b>0.00979</b>	98	70-130		0.0010	
1,1,1-Trichloroethane	0.0100	<b>0.0109</b>	109	70-130		0.0010	
1,1,2-Trichloroethane	0.0100	<b>0.00963</b>	96	70-130		0.0010	
Trichloroethene	0.0100	<b>0.00976</b>	98	70-130		0.0010	
1,2,3-Trichloropropane	0.0100	<b>0.00957</b>	96	70-130		0.0010	
Vinyl Chloride	0.0100	<b>0.00980</b>	98	70-130		0.0010	
Xylene (Total)	0.0300	<b>0.0309</b>	103	70-130		0.0030	

<b>Laboratory Control Sample</b>	Analyzed:	12/22/2009	By: DLV
Unit: ug/L	Analytical Batch:	9L22026	

***Surrogates:***

Dibromofluoromethane	103	82-118
1,2-Dichloroethane-d4	104	75-128
Toluene-d8	101	88-108
4-Bromofluorobenzene	102	82-114

## QUALITY CONTROL REPORT

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods

QC Type	Sample Conc.	Spike Qty.	Result	Unit	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	------	--------------	----------------	-----	------------	----

**Analyte: Alkalinity, Total/SM 2320 B 20th**

QC Batch: 0914914 (General Inorganic Prep)					Analyzed: 12/10/2009 By: CLD				
Method Blank					<2.0 mg/L				
Laboratory Control Sample					238	236	mg/L	99	91-110
QC Batch: 0914956 (General Inorganic Prep)					Analyzed: 12/11/2009 By: CLD				
Method Blank			<2.0	mg/L					2.0
Laboratory Control Sample		238	236	mg/L	99	91-110			2.0
<b>0912192-08 [MW-4S]</b>									
Matrix Spike	434	238	660	mg/L	95	82-121			2.0
Duplicate	434		424	mg/L			2	20	2.0

**Analyte: Carbon, Total Organic/SM 5310 C 20th**

QC Batch: 0915081 (General Inorganic Prep)					Analyzed: 12/15/2009 By: LMA				
Method Blank					<1.0 mg/L				
Laboratory Control Sample					40.0	38.0	mg/L	95	87-111

**Analyte: Chloride/SM 4500-Cl E 20th**

QC Batch: 0914943 (General Inorganic Prep)					Analyzed: 12/10/2009 By: GEH				
Method Blank					<1.0 mg/L				
Laboratory Control Sample					50.0	49.3	mg/L	99	92-109

**Analyte: Iron, Ferrous/SM 3500-Fe B 20th**

QC Batch: 0914826 (General Inorganic Prep)					Analyzed: 12/08/2009 By: CLD				
Method Blank					<0.020 mg/L				
Laboratory Control Sample					0.320	0.334	mg/L	104	80-120
<b>0912142-02 [MW-17S]</b>									
Matrix Spike	0.151	1.60	2.21	mg/L	129	68-131			0.10
Matrix Spike Duplicate	0.151	1.60	2.20	mg/L	128	68-131	0.6	20	0.10

QC Batch: 0914894 (General Inorganic Prep)					Analyzed: 12/09/2009 By: CLD				
Method Blank					<0.020 mg/L				

Continued on next page

## QUALITY CONTROL REPORT

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods (Continued)

QC Type	Sample Conc.	Spike Qty.	Result	Unit	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
<b>Analyte: Iron, Ferrous/SM 3500-Fe B 20th (Continued)</b>									
QC Batch: 0914894 (Continued) (General Inorganic Prep)									
Laboratory Control Sample	0.320	<b>0.345</b>	mg/L	108	80-120				0.020
<b>0912171-02 [MW-19S]</b>									
Matrix Spike	0.0732	0.320	<b>0.404</b>	mg/L	103	68-131			0.020
Matrix Spike Duplicate	0.0732	0.320	<b>0.417</b>	mg/L	108	68-131	3	20	0.020
QC Batch: 0914949 (General Inorganic Prep)									
Analyzed: 12/10/2009 By: CLD									
Method Blank		<0.020	mg/L						0.020
Laboratory Control Sample	0.320	<b>0.329</b>	mg/L	103	80-120				0.020
<b>0912192-04 [MW-9S]</b>									
Matrix Spike	0.228	8.00	<b>9.19</b>	mg/L	112	68-131			0.50
Matrix Spike Duplicate	0.228	8.00	<b>9.22</b>	mg/L	112	68-131	0.4	20	0.50
<b>Analyte: Nitrogen, Nitrate/SM 4500-NO3 F 20th</b>									
QC Batch: 0915022 (Method-Specific Preparation)									
Analyzed: 12/09/2009 By: CKD									
Method Blank		<0.050	mg/L						0.050
Laboratory Control Sample	0.500	<b>0.495</b>	mg/L	99	90-110				0.050
<b>0912142-02 [MW-17S]</b>									
Matrix Spike	0.0182	0.500	<b>0.527</b>	mg/L	102	90-110			0.050
Matrix Spike Duplicate	0.0182	0.500	<b>0.516</b>	mg/L	100	90-110	2	20	0.050
QC Batch: 0915027 (Method-Specific Preparation)									
Analyzed: 12/10/2009 By: CKD									
Method Blank		<0.050	mg/L						0.050
Laboratory Control Sample	0.500	<b>0.503</b>	mg/L	101	90-110				0.050
<b>0912192-08 [MW-4S]</b>									
Matrix Spike	6.84	10.0	<b>16.8</b>	mg/L	100	90-110			1.0
Matrix Spike Duplicate	6.84	10.0	<b>16.7</b>	mg/L	98	90-110	0.9	20	1.0
QC Batch: 0915038 (Method-Specific Preparation)									
Analyzed: 12/14/2009 By: CKD									
Method Blank		<0.050	mg/L						0.050
Method Blank		<0.050	mg/L						0.050
Laboratory Control Sample	0.500	<b>0.522</b>	mg/L	104	90-110				0.050

Continued on next page

## QUALITY CONTROL REPORT

### Physical/Chemical Parameters by EPA/APHA/ASTM Methods (Continued)

QC Type	Sample Conc.	Spike Qty.	Result	Unit	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	------	--------------	----------------	-----	------------	----

**Analyte: Nitrogen, Nitrate/SM 4500-NO3 F 20th (Continued)**

QC Batch: 0915038 (Continued) (Method-Specific Preparation)						Analyzed: 12/14/2009	By: CKD
Laboratory Control Sample	0.500	<b>0.506</b>	mg/L	101	90-110		0.050

**Analyte: Sulfate/ASTM D516-90 (02)**

QC Batch: 0914945 (General Inorganic Prep)						Analyzed: 12/10/2009	By: GEH
Method Blank		<5.0	mg/L				5.0
Laboratory Control Sample	20.0	<b>20.2</b>	mg/L	101	88-116		5.0

## **STATEMENT OF DATA QUALIFICATIONS**

## Physical/Chemical Parameters by EPA/APHA/ASTM Methods

**Qualification:** The sample was originally analyzed within hold but required a dilution which was analyzed outside of holding time. Both results are reported.

Analysis: SM 4500-NO3 F 20th

Sample/Analyte: 0912192-03RE1 MW-6S Nitrogen, Nitrate

## Nitrogen, Nitrate

**Qualification:** The result for this analyte was above the linear range of the initial calibration curve and must be considered as estimated.

Analysis: SM 4500-NO3 F 20th

Sample/Analyte: 0912192-03 MW-6S Nitrogen, Nitrate

#### Nitrogen, Nitrate

**Qualification:** The referenced method requires analysis occur immediately after sample collection. Since the analysis was not performed in the field, the reported result is considered estimated.

Analysis: SM 3500-Fe B 20th

Sample/Analyte:	0912142-02	MW-17S	Iron, Ferrous
	0912171-01	MW-19D	Iron, Ferrous
	0912171-02	MW-19S	Iron, Ferrous
	0912171-03	MW-24S	Iron, Ferrous
	0912171-04	MW-24D	Iron, Ferrous
	0912171-05	MW-18S	Iron, Ferrous
	0912171-06	MW-23	Iron, Ferrous
	0912171-07	MW-21	Iron, Ferrous
	0912171-08	MW-14S	Iron, Ferrous
	0912171-09	DUP-01	Iron, Ferrous
	0912171-10	MW-35	Iron, Ferrous
	0912192-03	MW-6S	Iron, Ferrous
	0912192-04	MW-9S	Iron, Ferrous
	0912192-05	MW-1S	Iron, Ferrous
	0912192-06	MW-10D	Iron, Ferrous
	0912192-08	MW-4S	Iron, Ferrous



5560 Corporate Exchange Court SE, Grand Rapids, MI 49512  
 Phone (616) 975-4500 Fax (616) 942-7463  
[www.trimatrixlabs.com](http://www.trimatrixlabs.com)

## Chain of Custody Record COC No. 131298

Cart 3  
 For Lab Use Only

VOA Rack/Tray	Client Name	Project Name
<b>525R</b>	<b>RMT, INC</b>	<b>TFC Technologies</b>
Receipt Log No.	Address	Client Project No./PO No.
<b>A-4</b>	<b>3754 RANCHERO DR.</b>	<b>00-08070-07</b>
Project Chemist	Invoice No.	<input type="checkbox"/> Client
Laboratory Project No.		<input type="checkbox"/> Other (comments)
<b>091214Z</b>	Contact/Report To	
Fax		

Test Group	Matrix	Laboratory Sample Number	Sample ID	Cooler ID	Sample Date	Sample Time	C O R M A B Matrix	Container Type (corresponds to Container Packing List)
07	01	1	MW-22	RMT	12/3/09	13:44	GW	1
2	02	2	MW-175	↓	12/4/09	14:47	GW	2
		3						1 ←1 to 2
		4						
		5						
		6						
		7						
		8						
		9						
		10						

Analyses Requested		Page 1 of 1	
<input checked="" type="checkbox"/>	PRESERVATIVES		
<input type="checkbox"/>	A NONE pH~7		
<input type="checkbox"/>	B HNO <sub>3</sub> pH<2		
<input type="checkbox"/>	C H <sub>2</sub> SO <sub>4</sub> pH<2		
<input type="checkbox"/>	D 1+1 HCl pH<2		
<input type="checkbox"/>	E NaOH pH>12		
<input type="checkbox"/>	F ZnAc/NaOH pH>9		
<input type="checkbox"/>	G MeOH		
<input type="checkbox"/>	H Other (note below)		
Total	Sample Comments		
Number of Containers Submitted			

Comments: *Quartz Nitrate and Sulfate (500ml sample container) were field filtered using a 45 micron filter thru filter.*

Sampled By (print) <i>John A. Becker</i>	How Shipped?	Hand	Carrier	FedEx		
Sampler's Signature <i>John A. Becker</i>	Tracking No.					
Company <b>RMT, INC.</b>	1. Relinquished By <i>John A. Becker</i>	Date <b>12/3/09</b>	Time <b>16:05</b>	2. Received By <i>John A. Becker</i>	Date	Time
				3. Relinquished By <i>John A. Becker</i>	Date	Time
				3. Received For Lab By <i>John A. Becker</i>	Date <b>12/3/09</b>	Time <b>0845</b>



# SAMPLE RECEIVING / LOG-IN CHECKLIST

## Coolers Received

Recorded by (initials/date)

WC 12-8-09

Cooler No. TM Time 0945

### Custody Seals:

- None
- Present / Intact
- Present / Not Intact

### Coolant Location:

Dispersed / Top / Middle / Bottom

### Coolant/Temperature Taken Via:

- Loose Ice / Avg 2-3 containers
- Bagged Ice / Avg 2-3 containers
- Blue Ice / Avg 2-3 containers
- None / Avg 2-3 containers

### Alternate Temperature Taken Via:

- Temperature Blank (TB)
- 1 Container

Recorded °C	Correction Factor °C	Actual °C
Temp Blank		

TB location: Representative / Not Representative

1 4.5 - 4.5

2 4.8 - 4.8

3 5.2 - 5.2

Average °C 4.8

- Cooler ID on COC?
- VOC Trip Blank received?

Client RMT	Project-Submittal No. 091214Z
Receipt Record Page/Line No. 9-4	New / Add To: Project Chemist Sample Nos.

Cooler Qty Received IR Gun (#202)  
 Box Thermometer Used Digital Thermometer (#54)  See Additional Cooler  
 Other Other (#) Information Form

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

Cooler No.	Time
------------	------

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

## Paperwork Received

N/A	Yes	No	<input type="checkbox"/> No COC Received
			<input type="checkbox"/> Chain of Custody record(s)?
			If No, COC Initiated By _____
			<input type="checkbox"/> Rec'd for Lab Signed/Date/Time?
			<input type="checkbox"/> Shipping document?
			<input type="checkbox"/> Other

COC ID Nos.

TriMatrix 131298

Other (Name or ID#)

## Check COC for Accuracy

Yes	No	<input type="checkbox"/> No analysis requested
		<input type="checkbox"/> Sample ID matches COC?
		<input type="checkbox"/> Sample Date and Time matches COC?
		Container type completed on COC?
		<input checked="" type="checkbox"/> All container types indicated are received?

## Sample Condition Summary

N/A	Yes	No	<input type="checkbox"/> Non-TriMatrix containers, see Notes
			<input type="checkbox"/> Broken containers/lids?
			<input type="checkbox"/> Missing or incomplete labels?
			<input type="checkbox"/> Illegible information on labels?
			<input type="checkbox"/> Low volume received?
			<input type="checkbox"/> Inappropriate containers received?
			<input type="checkbox"/> VOC vials / TOX containers have headspace?
			<input type="checkbox"/> Extra sample locations / containers not listed on COC?

## Check Sample Preservation

N/A	Yes	No	<input type="checkbox"/> Average sample temperature ≤ 6°C?
			<input type="checkbox"/> Completed Sample Preservation Verification Form?
			<input type="checkbox"/> Samples preserved correctly?
			If "No", added orange tag?
			Received pre-preserved VOC soils?
			<input type="checkbox"/> MeOH <input type="checkbox"/> Na <sub>2</sub> SO <sub>4</sub>

## Check for Short Hold-Time Prep/Analyses

<input type="checkbox"/> Bacteriological	<input type="checkbox"/> AFTER HOURS ONLY: COPIES OF COC TO LAB AREA(S)
<input type="checkbox"/> Air Bags	<input type="checkbox"/> NONE RECEIVED
<input type="checkbox"/> EnCores / Methanol Pre-Preserved	<input checked="" type="checkbox"/> RECEIVED, COCs TO LAB(S)
<input type="checkbox"/> Formaldehyde/Aldehyde	
<input checked="" type="checkbox"/> Green-tagged containers	
<input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)	

## Notes

- Trip Blank received  Trip Blank not listed on COC
- No COC received, Proj. Chemist reviewed (Init/Date) \_\_\_\_\_
- No analysis requested, Proj. Chemist completed (Init/Date) \_\_\_\_\_

Cooler Received (Date/Time) Paperwork Delivered (Date/Time) ≤ 1 Hour Goal Met?

12-8-09 0845 12-8-09 0955 Yes / No



# SAMPLE PRESERVATION VERIFICATION FORM

page \_\_\_\_ of \_\_\_\_

Client RMT	Project-Submittal No. 091214Z
Receipt Log No. 9-4	Completed By (Initials/Date) WC 12-8-09
Project Chemist:	

COC ID No. 131298	Adjusted by: Date:	DO NOT ADJUST pH FOR THESE CONTAINER TYPES					
Container Type 5	4	13	23	3	6	15	
Tag Color Lt. Blue	Blue	Brown	yellow	Green	Red	Red Stripe	
Preservative NaOH	H <sub>2</sub> SO <sub>4</sub>	H <sub>2</sub> SO <sub>4</sub>	HCl	None	HNO <sub>3</sub>	HNO <sub>3</sub>	
Expected pH >12	<2	<2	L2	~7	<2	<2	
COC Line No. 1							
COC Line No. 2	<input checked="" type="checkbox"/>						
COC Line No. 3							
COC Line No. 4							
COC Line No. 5							
COC Line No. 6							
COC Line No. 7							
COC Line No. 8							
COC Line No. 9							
COC Line No. 10							

Comments

pH strip lot No.  
 HC932216

**Aqueous Samples:** For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

COC ID No.	Adjusted by: Date:	DO NOT ADJUST pH FOR THESE CONTAINER TYPES					
Container Type 5	4	13		3	6	15	
Tag Color Lt. Blue	Blue	Brown		Green	Red	Red Stripe	
Preservative NaOH	H <sub>2</sub> SO <sub>4</sub>	H <sub>2</sub> SO <sub>4</sub>		None	HNO <sub>3</sub>	HNO <sub>3</sub>	
Expected pH >12	<2	<2		~7	<2	<2	
COC Line No. 1							
COC Line No. 2							
COC Line No. 3							
COC Line No. 4							
COC Line No. 5							
COC Line No. 6							
COC Line No. 7							
COC Line No. 8							
COC Line No. 9							
COC Line No. 10							

Comments

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5:	NaOH
500	2.5
1000	5.0
Container Type 4:	H <sub>2</sub> SO <sub>4</sub>
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13:	H <sub>2</sub> SO <sub>4</sub>
500	2.5



**TriMatrix**  
Laboratories, Inc.

5560 Corporate Exchange Court SE Grand Rapids, MI 49512

**Phone (616) 975-4500 Fax (616) 975-4501**  
[www.trimatrixlabs.com](http://www.trimatrixlabs.com)

Chain of Custody Record COC No. 131299

COC No. 131299

**TriMatrix** Laboratories, Inc. 5560 Corporate Exchange Court SE Grand Rapids, MI 49512  
 Phone (616) 975-4500 Fax (616) 942-7463  
[www.trimatrixlabs.com](http://www.trimatrixlabs.com)

## Chain of Custody Record COC No. 131299

For Lab Use Only		Analyses Requested										Page _____ of _____	
Cart	4	Client Name		Project Name		PRESERVATIVES							
VOA Rack/Tray	299 R	LMI INC		TRC TECHNOLOGY		A NONE pH>7							
Receipt Log No.	11-0	Address		3254 LANCERO		B HNO <sub>3</sub> pH<2							
Project Chemist		Invoice No.		ANNA MARIE LUSK		C H <sub>2</sub> SO <sub>4</sub> pH<2							
Laboratory Project No.	0912171	Phone		734 971 7080		D 1+1 HCl pH<2							
		Fax		434 971 9022		E NaOH pH>12							
						F ZnAc/NaOH pH>9							
						G MeOH							
						H Other (note below)							
Test Group	Matrix Code	Laboratory Sample Number	Sample ID	Cooler ID	Sample Date	Sample Time	C O R Matrix	Container Type (corresponds to Container Packing List)		Total	Sample Comments		
Number of Containers Submitted													
08	01	1	MW-19D	4608 THERM	12:50P 9/13/01	6:37	CW	2	1 - 1 - 3	6			
	02	2	MW-19S			10:24		2	1 - 1 - 2	5			
	03	3	MW-24S			12:00		2	1 - 1 - 3	6			
	04	4	MW-24D			11:30		2	1 - 1 - 3	6			
	05	5	MW-18S			13:47		2	1 - 1 - 1	4			
	06	6	MW-23			14:35		2	1 - 1 - 1	4			
	07	7	MW-21			15:26		2	1 - 1 - 1	4			
	08	8	MW-14S			16:02		2	1 - 1 - 1	4			
	09	9	DUP-01			-		2	1 - 1 - 1	4			
	10	10	MW-23S			16:44		2	1 - 1 - 1	4			
	11	11	TRC BAG			2		2	1 - 1 - 1	4			
Comments:													
Sampled By (print)		Hand Carrier		Federex		Date		Time		Date		Time	
Sampler's Signature		Tracking No.				2. Relinquished By				3. Relinquished By			
Company		RIVIT, INC				John		12/18/07 12:00		John		12/19/07 09:30	
Reserved By		Date		Time		2. Received By		Date		Time		3. Received For Lab By	



# SAMPLE RECEIVING / LOG-IN CHECKLIST

## Coolers Received

Recorded by (initials/date)

WC 12.9.09

Cooler No. Tm 0008 Time 1030

### Custody Seals:

- None
- Present / Intact
- Present / Not Intact

### Coolant Location:

Dispersed / Top / Middle / Bottom

### Coolant/Temperature Taken Via:

- Loose Ice / Avg 2-3 containers
- Bagged Ice / Avg 2-3 containers
- Blue Ice / Avg 2-3 containers
- None / Avg 2-3 containers

### Alternate Temperature Taken Via:

- Temperature Blank (TB)
- 1 Container

Recorded °C	Correction Factor °C	Actual °C
Temp Blank:		

TB location: Representative / Not Representative

1 4.5	-	4.5
2 4.0	-	4.0
3 4.8	-	4.8

Average °C 4.4

- Cooler ID on COC?
- VOC Trip Blank received?

Client RMT	New / Add To	Project-Submittal No. 0912171
Receipt Record Page/Line No. 11-6	Project Chemist	Sample Nos.

<input checked="" type="checkbox"/> Cooler	Qty Received 1	<input type="checkbox"/> IR Gun (#202)
<input type="checkbox"/> Box		<input type="checkbox"/> Digital Thermometer (#54)
<input type="checkbox"/> Other		<input type="checkbox"/> Other (# )
Thermometer Used		

See Additional Cooler Information Form

Cooler No.	Time

Cooler No.	Time

Cooler No.	Time

Cooler No.	Time

Cooler No.	Time

Cooler No.	Time

Cooler No.	Time

Cooler No.	Time

Cooler No.	Time

Cooler No.	Time

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

## Paperwork Received

No COC Received

- Yes
- No

- Chain of Custody record(s)?  
If No, COC Initiated By \_\_\_\_\_
- Rec'd for Lab Signed/Date/Time?
- Shipping document?
- Other \_\_\_\_\_

COC ID Nos.

TriMatrix 131299

Other (Name or ID#) \_\_\_\_\_

## Check COC for Accuracy

No analysis requested

- Yes
- No

- Sample ID matches COC?
- Sample Date and Time matches COC?
- Container type completed on COC?
- All container types indicated are received?

## Sample Condition Summary

Non-TriMatrix containers, see Notes

- N/A
- Yes
- No

- Broken containers/lids?
- Missing or incomplete labels?
- Illegible information on labels?
- Low volume received?
- Inappropriate containers received?
- VOC vials / TOX containers have headspace?
- Extra sample locations / containers not listed on COC?

## Check Sample Preservation

N/A

Yes

No

- Average sample temperature ≤ 6° C?
- Completed Sample Preservation Verification Form?
- Samples preserved correctly?  
If "No", added orange tag?
- Received pre-preserved VOC soils?  
 MeOH       Na<sub>2</sub>SO<sub>4</sub>

## Check for Short Hold-Time Prep/Analyses

- Bacteriological
- Air Bags
- EnCores / Methanol Pre-Preserved
- Formaldehyde/Aldehyde
- Green-tagged containers
- Yellow/White-tagged 1L ambers (SV Prep-Lab)

### AFTER HOURS ONLY:

COPIES OF COC TO LAB AREA(S)

- NONE RECEIVED
- RECEIVED, COCs TO LAB(S)

## Notes

- Trip Blank received
- Trip Blank not listed on COC
- No COC received, Proj. Chemist reviewed (Init/Date) \_\_\_\_\_
- No analysis requested, Proj. Chemist completed (Init/Date) \_\_\_\_\_

Cooler Received (Date/Time) Paperwork Delivered (Date/Time) ≤1 Hour Goal Met?

12.9.09 0930 12.9.09 1045 Yes /



# SAMPLE PRESERVATION VERIFICATION FORM

page \_\_\_ of \_\_\_

Client	RMT	Project-Submittal No.	0912171
Receipt Log No.	11-6	Completed By (Initials/date)	WC 12-9-09
		Project Chemist	

COC ID No.	Adjusted by: _____		DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
	Date: _____		3	6	15	
Container Type	5	4	13	23		
Tag Color	Lt. Blue	Blue	Brown	yellow	Green	Red
Preservative	NaOH	H <sub>2</sub> SO <sub>4</sub>	H <sub>2</sub> SO <sub>4</sub>	HCl	None	HNO <sub>3</sub>
Expected pH	>12	<2	<2	≤2	~7	<2
COC Line No. 1			✓ ✓			
COC Line No. 2			✓ ✓			
COC Line No. 3			✓ /			
COC Line No. 4			✓ /			
COC Line No. 5			✓ /			
COC Line No. 6			✓ /			
COC Line No. 7			✓ /			
COC Line No. 8			✓ /			
COC Line No. 9			✓ /			
COC Line No. 10			✓ /			

Comments

pH strip lot No.  
 HC932216

**Aqueous Samples:** For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

COC ID No.	Adjusted by: _____		DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
	Date: _____		3	6	15	
Container Type	5	4	13			
Tag Color	Lt. Blue	Blue	Brown	Green	Red	Red Stripe
Preservative	NaOH	H <sub>2</sub> SO <sub>4</sub>	H <sub>2</sub> SO <sub>4</sub>	None	HNO <sub>3</sub>	HNO <sub>3</sub>
Expected pH	>12	<2	<2	-7	<2	<2
COC Line No. 1						
COC Line No. 2						
COC Line No. 3						
COC Line No. 4						
COC Line No. 5						
COC Line No. 6						
COC Line No. 7						
COC Line No. 8						
COC Line No. 9						
COC Line No. 10						

Comments

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5:	NaOH
500	2.5
1000	5.0
Container Type 4:	H <sub>2</sub> SO <sub>4</sub>
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13:	H <sub>2</sub> SO <sub>4</sub>
500	2.5



5560 Corporate Exchange Court SE Grand Rapids, MI 49512  
Phone (616) 975-4500 Fax (616) 942-7463  
www.trimatrixlabs.com

## Chain of Custody Record COC No. 131301

Cart **3**  
For Lab Use Only

Analyses Requested		Page of	
		PRESERVATIVES	
Client Name <i>LWAT INC</i>	Project Name <i>MR TECIMSEN</i>	A NONE pH~7	
Address <i>3254 Ranchero</i>	Client Project No./PO No. <i>8070-07</i>	B HNO <sub>3</sub> pH<2	
Project Chemist	Invoice No.	C H <sub>2</sub> SO <sub>4</sub> pH<2	
Laboratory Project No. <b>0912192</b>	Contact/Report To <i>S. Metz</i>	D 1+1 HCl pH<2	
Phone <i>234 971 3880</i>	Fax <i>234 971 9022</i>	E NaOH pH>12	
		F Zinc/NaOH pH=9	
		G MeOH	
		H Other (note below)	
Test Group	Matrix Code	Sample ID	Container Type (corresponds to Container Packing List)
01	01	1 MW-2S	VOC's CHLORIDE NITRATE SULFATE IRON II TOC Waste Characterization
03	02	2 TRP BULK	1 MW 2
07	03	3 MW-6S	1 MW 2
07	04	4 Composite in Bulk	1 MW 2
07	05	5 MW-9S	1 MW 2
07	06	6 MW-1S	1 MW 2
07	07	7 MW-10S	1 MW 2
07	08	8 MW-4S	1 MW 2
07	09	9 MW-11S	1 MW 2
Sampled By (print) <i>John Rieben</i>		Comments	
Sampler's Signature <i>John Rieben</i>			
How Shipped? Hand Carrier <i>Feder</i>			
Tracking No. <i>12/19/09 17:40</i>			
1. Relinquished By Date Time <i>John Rieben 12/19/09 17:40</i>		2. Relinquished By Date Time 3. Relinquished By Date Time	
1. Received By Date Time <i>John Rieben 12/19/09 17:40</i>		2. Received By Date Time 3. Received For Lab By Date Time <i>John Rieben 12/10/09 09:00</i>	



5560 Corporate Exchange Court SE Grand Rapids, MI 49512  
Phone (616) 975-4500 Fax (616) 942-7463  
[www.msnbc.msn.com](http://www.msnbc.msn.com)

**Chain of Custody Record** COC No. **131300**

COC No. **131300**

**TriMatrix**  
Laboratories, Inc.

5560 Corporate Exchange Court SE Grand Rapids, MI 49512  
Phone (616) 975-4500 Fax (616) 942-7463  
www.trimatrixlabs.com

## Chain of Custody Record COC No. 131300

For Lab Use Only		Analyses Requested										Page _____ of _____	
Cart		VOA Rack/Tray		Client Name		Project Name		PRESERVATIVES					
				<i>Envir. Inc.</i>		<i>SOTPC Techniques</i>		A NONE pH>7					
		Receipt Log No.		13-5		Client Project No./PO No.		B HNO <sub>3</sub> pH<2					
		Address		3254 Ranchero		80400-07		C H <sub>2</sub> SO <sub>4</sub> pH<2					
		Project Chemist		<i>ANNE KELLY M. 48082</i>		Invoice No.		D 1+1 HCl pH<2					
		Project No.		0912192		Contact/Report To		E NaOH pH>12					
		Phone		231-934-2680		<i>S. Meltz</i>		F ZnAc/NaOH pH>9					
		Fax		734-921-9022		Container Type (corresponds to Container Packing List)		G MeOH					
		Test Group		Laboratory Sample Number		Sample ID		H Other (note below)					
Matrix Code	Laboratory Sample Number	Sample ID	Cooler ID	Sample Date	Sample Time	C M A R B	G R A B	Matrix	Total	Comments			
01	10	STW#1 (00754)	TW228	12/9/09	8:39	TW	2		2	82608			
1	11	STW #2	TW229	12/9/09	8:50	TW	2		2				
2	3												
3	4												
4	5												
5	6												
6	7												
7	8												
8	9												
9	10												
Comments													
Sampled By (print)		Analyses Requested											
<i>Anne Kelly Project Chemist</i>		A NONE pH>7											
Sampler's Signature		B HNO <sub>3</sub> pH<2											
<i>Envir. Inc.</i>		C H <sub>2</sub> SO <sub>4</sub> pH<2											
Tracking No.		D 1+1 HCl pH<2											
		E NaOH pH>12											
		F ZnAc/NaOH pH>9											
		G MeOH											
		H Other (note below)											
Relinquished By		Date	Time	2. Relinquished By		Date	Time	3. Relinquished By		Date	Time		
<i>John</i>		12/9/09	17:08										
Date		Time	2. Received By	Date	Time	3. Received For Lab By		Date	Time				
1. Received By													



# SAMPLE RECEIVING / LOG-IN CHECKLIST

## Coolers Received

Recorded by (initials/date)

WC 12-10-09

Cooler No. Tm 2358 Time 1008

### Custody Seals:

- None
- Present / Intact
- Present / Not Intact

### Coolant Location:

Dispersed / Top / Middle / Bottom

### Coolant/Temperature Taken Via:

- Loose Ice / Avg 2-3 containers
- Bagged Ice / Avg 2-3 containers
- Blue Ice / Avg 2-3 containers
- None / Avg 2-3 containers

### Alternate Temperature Taken Via:

- Temperature Blank (TB)
- 1 Container

Recorded °C	Correction Factor °C	Actual °C
Temp Blank:		

TB location: Representative / Not Representative

1 2.10	-	2.10
2 3.0	-	3.0
3 3.3	-	3.3
Average °C		3.0

- Cooler ID on COC?
- VOC Trip Blank received?

Client RMT	Project-Submittal No. 0912192
Receipt Record Page/Line No. 13-5	New / Add To Project Chemist Sample Nos.

IR Gun (#202)  
 Thermometer Used Digital Thermometer (#54) See Additional Cooler Information Form  
 Other (#)

Cooler No. Time



# SAMPLE PRESERVATION VERIFICATION FORM

page 1 of 1

Client RMT	Project-Submittal No. <u>0911192</u>
Receipt Log No. <u>135</u>	Completed By (initials/date) <u>WC 12.10.09</u>
Project Chemist	

COC ID No. <u>131301</u>	Adjusted by: Date:	DO NOT ADJUST pH FOR THESE CONTAINER TYPES					
Container Type 5	4	13	<u>23</u>	3	6	15	
Tag Color Lt. Blue	Blue	Brown	<u>yellow</u>	Green	Red	Red Stripe	
Preservative NaOH	H <sub>2</sub> SO <sub>4</sub>	H <sub>2</sub> SO <sub>4</sub>	<u>HCl</u>	None	HNO <sub>3</sub>	HNO <sub>3</sub>	
Expected pH <u>&gt;12</u>	<u>&lt;2</u>	<u>&lt;2</u>	<u>&lt;2</u>	<u>~7</u>	<u>&lt;2</u>	<u>&lt;2</u>	
COC Line No. 1							
COC Line No. 2							
COC Line No. 3			✓		✓		
COC Line No. 4							
COC Line No. 5			✓		✓		
COC Line No. 6			✓		✓		
COC Line No. 7			✓		✓		
COC Line No. 8							
COC Line No. 9			✓		✓		
COC Line No. 10							

Comments

pH strip lot No.  
 HC932216  
 \_\_\_\_\_

**Aqueous Samples:** For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

COC ID No.	Adjusted by: Date:	DO NOT ADJUST pH FOR THESE CONTAINER TYPES					
Container Type 5	4	13		3	6	15	
Tag Color Lt. Blue	Blue	Brown		Green	Red	Red Stripe	
Preservative NaOH	H <sub>2</sub> SO <sub>4</sub>	H <sub>2</sub> SO <sub>4</sub>		None	HNO <sub>3</sub>	HNO <sub>3</sub>	
Expected pH <u>&gt;12</u>	<u>&lt;2</u>	<u>&lt;2</u>		<u>~7</u>	<u>&lt;2</u>	<u>&lt;2</u>	
COC Line No. 1							
COC Line No. 2							
COC Line No. 3							
COC Line No. 4							
COC Line No. 5							
COC Line No. 6							
COC Line No. 7							
COC Line No. 8							
COC Line No. 9							
COC Line No. 10							

Comments

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5:	NaOH
500	2.5
1000	5.0
Container Type 4:	H <sub>2</sub> SO <sub>4</sub>
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13	H <sub>2</sub> SO <sub>4</sub>
500	2.5



5560 Corporate Exchange Court SE, Grand Rapids, MI 49512  
 Phone (616) 975-4500 Fax (616) 942-7463  
[www.trimatrixlabs.com](http://www.trimatrixlabs.com)

## Chain of Custody Record COC No. 131302

For Lab Use Only

Cart -

VOA Rack/Tray <b>31089-C</b>	Client Name <b>Rut Inc</b>	Project Name <b>PC Technet</b>	PRESERVATIVES
Receipt Log No. <b>19-6</b>	Address <b>3254 Ranchero</b>	Client Project No./PO. No. <b>870-C7</b>	A NONE pH~7
Project Chemist <b>JLR</b>	Invoice No.	<input type="checkbox"/> Client	B HNO <sub>3</sub> pH<2
Laboratory Project No. <b>01226</b>	Phone <b>734 997 7080</b>	<input type="checkbox"/> Other (comments)	C H <sub>2</sub> SO <sub>4</sub> pH<2
Fax <b>734 971 9022</b>		Container Report To <b>S. WETZ</b>	D 1+1 HCl pH<2
Test Matrix Group Code	Laboratory Sample Number	Sample ID	E NaOH pH>12
		Cooler ID	F ZnAc/NaOH pH<9
		Sample Date	G MeOH
		Sample Time	H Other (note below)
		C O R M A	
01	01	1 MW-13S	1
A	02	2 MW-12S	2
J	03	3 MW-15S	2 MW
O1	04	4 MW-25S	2 MW
A	05	5 MW-30S	2 MW
X	6	6 MW-30S	2 MW
O1	06	7 MW-7S	2 MW
O1	07	8 MW-8S	2 MW
O1	08	9 MW-5S	2 MW
A	09	10 Drum Composite T	2 MW
Comments			
Sampled By (print) <i>John Boen</i>			
Sampler's Signature <i>John Boen</i>			
How Shipped? Hand Carrier <b>FedEx</b>			
Tracking No.			
Company <b>RINT INC</b>	Date <b>12/14/09</b>	Time <b>13:15</b>	1. Relinquished By <i>John Boen</i>
	Date <b>12/14/09</b>	Time <b>13:15</b>	2. Relinquished By <i>John Boen</i>
	Date <b>12/14/09</b>	Time <b>13:15</b>	3. Relinquished By <i>John Boen</i>
	Date <b>12/14/09</b>	Time <b>13:15</b>	Date <b>12/14/09</b>
	Date <b>12/14/09</b>	Time <b>13:15</b>	Time <b>17:30</b>
Received By <i>John Boen</i>			
Received For Lab By <i>John Boen</i>			



5560 Corporate Exchange Court SE, Grand Rapids, MI 49512  
 Phone (616) 975-4500 Fax (616) 942-7463  
[www.trimatrixlabs.com](http://www.trimatrixlabs.com)

## Chain of Custody Record

COC No. **128643**

Cart -  
**For Lab Use Only**

VOA Rack/Tray <b>310, 89-G</b>	Client Name <b>PLMT INC</b>	Project Name <b>TTC Tecumseh</b>																		
Receipt Log No. <b>19-6</b>	Address <b>3254 PANCHEE DR.</b>	Client Project No./PO. No. <b>00-08000.07</b>																		
Project Chemist <b>JLR</b>	Invoice No. <b>ANN ARBOR MI 48108</b>	<input type="checkbox"/> Client <input type="checkbox"/> Other (comments)																		
Laboratory Project No. <b>0912205</b>	Fax <b>234 971 7080</b>	Contact/Report To <b>S. Mertz</b>																		
Test Matrix Group Code <b>CU</b>	Laboratory Sample Number <b>10</b>	Sample ID <b>615 MOHAWK</b>	Cooler ID <b>TM1557-12/11/09</b>	Sample Date <b>9:50</b>	Sample Time <b>AM</b>	C <b>✓</b>	G <b>W</b>	R <b>2</b>	M <b>2</b>	A <b>2</b>	B <b>2</b>	C <b>2</b>	H <b>2</b>	D <b>2</b>	E <b>2</b>	F <b>2</b>	ZnAc/NaOH pH>9 <b>2</b>	G <b>2</b>	MeOH <b>2</b>	H <b>2</b>
	11	611 MOHAWK		10:10																
	12	602 MOHAWK		10:45																
	4																			
	5																			
	6																			
	7																			
	8																			
	9																			
	10																			

Analyses Requested												Page 2 of 2	
<input checked="" type="checkbox"/>	PRESERVATIVES												
<input type="checkbox"/>	A	NONE: pH~7											
<input type="checkbox"/>	B	HNO <sub>3</sub> , pH<2											
<input type="checkbox"/>	C	H <sub>2</sub> SO <sub>4</sub> , pH<2											
<input type="checkbox"/>	D	I+I HCl, pH<2											
<input type="checkbox"/>	E	NaOH, pH>12											
<input type="checkbox"/>	F	ZnAc/NaOH, pH>9											
<input type="checkbox"/>	G	MeOH											
<input type="checkbox"/>	H	Other (note below)											

1	2	2	2	2	2	2	2	2	2	2	2	2	2
<i>EPA 524.2</i>													

Sampled By (print)

**John Bacon**

Sampler's Signature

**John Bacon**

Company

**KM INC**

Comments

How Shipped? Hand Carrier  
Tracking No.

1. Relinquished By  
**John Bacon**

Date  
**12/14/09**

Time  
**13:15**

2. Relinquished By  
**John Bacon**

Date  
**12/14/09**

Time  
**13:15**

3. Relinquished By  
**John Bacon**

Date  
**12/14/09**

Time  
**17:30**

Received For Lab By  
**Bugs**

Date  
**12/14/09**

Time  
**17:30**



# SAMPLE RECEIVING / LOG-IN CHECKLIST

## Coolers Received

Recorded by (Initials/date)

*JN 12/14/09*

Cooler No. *JM1557* Time *19:02*

### Custody Seals:

- None
- Present / Intact
- Present / Not Intact

### Coolant Location:

Dispersed / Top / Middle / Bottom

### Coolant/Temperature Taken Via:

- Loose Ice / Avg 2-3 containers
- Bagged Ice / Avg 2-3 containers
- Blue Ice / Avg 2-3 containers
- None / Avg 2-3 containers

### Alternate Temperature Taken Via:

- Temperature Blank (TB)
- 1 Container

Recorded °C *15.7* Correction Factor °C *0* Actual °C *15.7*

Temp Blank: *15.9*

TB location: Representative / Not Representative

*15.7 0 15.7*

*25.9 0 25.9*

*36.1 0 36.1*

Average °C *5.9*

Cooler ID on COC?

VOC Trip Blank received?

Client <i>RMT INC.</i>	Project/Submittal No. <i>09122105</i>
Receipt Record Page/Line No. <i>19-6</i>	New / Add To Project Chemist <i>JLR</i>
Sample Nos.	

<input type="checkbox"/> Cooler	Qty Received <i>/</i>	<input type="checkbox"/> IR Gun (#202)
<input type="checkbox"/> Box		<input type="checkbox"/> Digital Thermometer (#54)
<input type="checkbox"/> Other		<input type="checkbox"/> Other (#)
See Additional Cooler Information Form		

Cooler No.	Time	Cooler No.	Time	Cooler No.	Time
Custody Seals:		Custody Seals:		Custody Seals:	
<input type="checkbox"/> None		<input type="checkbox"/> None		<input type="checkbox"/> None	
<input type="checkbox"/> Present / Intact		<input type="checkbox"/> Present / Intact		<input type="checkbox"/> Present / Intact	
<input type="checkbox"/> Present / Not Intact		<input type="checkbox"/> Present / Not Intact		<input type="checkbox"/> Present / Not Intact	
Coolant Location:		Coolant Location:		Coolant Location:	
Dispersed / Top / Middle / Bottom		Dispersed / Top / Middle / Bottom		Dispersed / Top / Middle / Bottom	
Coolant/Temperature Taken Via:		Coolant/Temperature Taken Via:		Coolant/Temperature Taken Via:	
<input type="checkbox"/> Loose Ice / Avg 2-3 containers		<input type="checkbox"/> Loose Ice / Avg 2-3 containers		<input type="checkbox"/> Loose Ice / Avg 2-3 containers	
<input type="checkbox"/> Bagged Ice / Avg 2-3 containers		<input type="checkbox"/> Bagged Ice / Avg 2-3 containers		<input type="checkbox"/> Bagged Ice / Avg 2-3 containers	
<input type="checkbox"/> Blue Ice / Avg 2-3 containers		<input type="checkbox"/> Blue Ice / Avg 2-3 containers		<input type="checkbox"/> Blue Ice / Avg 2-3 containers	
<input checked="" type="checkbox"/> None / Avg 2-3 containers		<input checked="" type="checkbox"/> None / Avg 2-3 containers		<input checked="" type="checkbox"/> None / Avg 2-3 containers	
Alternate Temperature Taken Via:		Alternate Temperature Taken Via:		Alternate Temperature Taken Via:	
<input type="checkbox"/> Temperature Blank (TB)		<input type="checkbox"/> Temperature Blank (TB)		<input type="checkbox"/> Temperature Blank (TB)	
<input type="checkbox"/> 1 Container		<input type="checkbox"/> 1 Container		<input type="checkbox"/> 1 Container	
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank:			Temp Blank:		
TB location: Representative / Not Representative			TB location: Representative / Not Representative		
<i>15.7 0 15.7</i>			<i>15.9 0 15.9</i>		
<i>25.9 0 25.9</i>			<i>36.1 0 36.1</i>		
Average °C			Average °C		
<input type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?		
<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?		

If **any** shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received			<input type="checkbox"/> No COC Received	Check Sample Preservation			
N/A	Yes	No	<input type="checkbox"/> Chain of Custody record(s)?	N/A	Yes	No	
			If No, COC Initiated By _____				<input checked="" type="checkbox"/> Average sample temperature ≤ 6° C?
			Rec'd for Lab Signed/Date/Time?				<input type="checkbox"/> Completed Sample Preservation Verification Form?
			Shipping document?				<input checked="" type="checkbox"/> Samples preserved correctly?
			Other				If "No", added orange tag?
COC ID Nos. <i>131302, 128643</i>							Received pre-preserved VOC soils?
							<input type="checkbox"/> MeOH <input type="checkbox"/> Na <sub>2</sub> SO <sub>4</sub>
TriMatrix							
<input type="checkbox"/> Other (Name or ID#)							
Check COC for Accuracy			<input type="checkbox"/> No analysis requested	Check for Short Hold-Time Prep/Analyses			
Yes	No		<input type="checkbox"/> Sample ID matches COC?	<input type="checkbox"/> Bacteriological			
<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/> Sample Date and Time matches COC?	<input type="checkbox"/> Air Bags			
<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/> Container type completed on COC?	<input type="checkbox"/> EnCores / Methanol Pre-Preserved			
<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/> All container types indicated are received?	<input type="checkbox"/> Formaldehyde/Aldehyde			
Sample Condition Summary			<input type="checkbox"/> Non-TriMatrix containers, see Notes	<input type="checkbox"/> Green-tagged containers			
N/A	Yes	No	<input type="checkbox"/> Broken containers/lids?	<input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)			
<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/> Missing or incomplete labels?				
<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/> Illegible information on labels?				
<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/> Low volume received?				
<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/> Inappropriate containers received?				
<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/> VOC vials / TOX containers have headspace?				
<input checked="" type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/> Extra sample locations / containers not listed on COC?				
				<b>AFTER HOURS ONLY:</b> COPIES OF COC TO LAB AREA(S)			
				<input checked="" type="checkbox"/> NONE RECEIVED			
				<input type="checkbox"/> RECEIVED, COCs TO LAB(S)			
Notes							
				<input type="checkbox"/> Trip Blank received <input type="checkbox"/> Trip Blank not listed on COC			
				<input type="checkbox"/> No COC received, Proj. Chemist reviewed (Init/Date) _____			
				<input type="checkbox"/> No analysis requested, Proj. Chemist completed (Init/Date) _____			
Cooler Received (Date/Time) <i>JN 12/14/09</i>				Paperwork Delivered (Date/Time) <i>12/14/09</i>	≤1 Hour Goal Met? Yes / No		

January 12, 2010

RMT, Inc. - Ann Arbor Office  
Attn: Ms. Stacy Metz  
3754 Ranchero Drive  
Ann Arbor, MI 48108-2771

**Project: Tecumseh Products**

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report, comprised of the following work order(s), for test samples received by TriMatrix Laboratories:


<b>Work Order</b>	<b>Received</b>	<b>Description</b>
1001020	01/05/2010	Laboratory Services

This report relates only to the sample(s), as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Conference (NELAC). Any qualifications of results, including sample acceptance requirements, are explained in the Statement of Data Qualifications.

Estimates of analytical uncertainties for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,



Jennifer L. Rice  
Project Chemist

Enclosures(s)

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank #01**  
 Lab Sample ID: **1001020-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 00:00  
 Sampled By: TML  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromochloromethane	<1.0	1.0
75-25-2	Bromodichloromethane	<1.0	1.0
74-83-9	Bromoform	<1.0	1.0
104-51-8	Bromomethane	<1.0	1.0
135-98-8	n-Butylbenzene	<1.0	1.0
98-06-6	sec-Butylbenzene	<1.0	1.0
75-15-0	tert-Butylbenzene	<1.0	1.0
56-23-5	Carbon Disulfide	<1.0	1.0
108-90-7	Carbon Tetrachloride	<1.0	1.0
75-00-3	Chlorobenzene	<1.0	1.0
67-66-3	Chloroethane	<1.0	1.0
74-87-3	Chloroform	<1.0	1.0
96-12-8	Chloromethane	<1.0	1.0
124-48-1	1,2-Dibromo-3-chloropropane	<1.0	1.0
106-93-4	Dibromochloromethane	<1.0	1.0
74-95-3	1,2-Dibromoethane	<1.0	1.0
110-57-6	Dibromomethane	<1.0	1.0
95-50-1	trans-1,4-Dichloro-2-butene	<1.0	1.0
541-73-1	1,2-Dichlorobenzene	<1.0	1.0
106-46-7	1,3-Dichlorobenzene	<1.0	1.0
75-71-8	1,4-Dichlorobenzene	<1.0	1.0
75-34-3	Dichlorodifluoromethane	<1.0	1.0
107-06-2	1,1-Dichloroethane	<1.0	1.0
75-35-4	1,2-Dichloroethane	<1.0	1.0
156-59-2	1,1-Dichloroethene	<1.0	1.0
156-60-5	cis-1,2-Dichloroethene	<1.0	1.0
	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank #01**  
 Lab Sample ID: **1001020-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 00:00  
 Sampled By: TML  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office** Work Order: **1001020**  
 Project: Tecumseh Products Description: Laboratory Services  
 Client Sample ID: **Trip Blank #01** Sampled: 12/30/09 00:00  
 Lab Sample ID: **1001020-01** Sampled By: TML  
 Matrix: Water Received: 01/05/10 17:00  
 Unit: ug/L Prepared: 01/07/10 By: JDM  
 Dilution Factor: 1 Analyzed: 01/07/10 By: LEW  
 QC Batch: 0915063 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	% Recovery	Control Limits	
1,2-Dichloroethane-d4	99	88-115	
Toluene-d8	98	81-116	
4-Bromofluorobenzene	99	87-113	
	99	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-12s**  
 Lab Sample ID: **1001020-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 09:56  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-12s**  
 Lab Sample ID: **1001020-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 09:56  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<b>1.4</b>	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-12s**  
 Lab Sample ID: **1001020-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 09:56  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	98	88-115	
1,2-Dichloroethane-d4	98	81-116	
Toluene-d8	99	87-113	
4-Bromofluorobenzene	99	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20s**  
 Lab Sample ID: **1001020-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 11:30  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### **Volatile Organic Compounds by EPA Method 8260B**

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<b>48</b>	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<b>4.0</b>	1.0
156-59-2	cis-1,2-Dichloroethene	<b>9.6</b>	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20s**  
 Lab Sample ID: **1001020-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 11:30  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<b>150</b>	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<b>71</b>	1.0
75-69-4	Trichlorofluoromethane	<b>2.9</b>	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20s**  
 Lab Sample ID: **1001020-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 11:30  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	101	88-115	
1,2-Dichloroethane-d4	97	81-116	
Toluene-d8	98	87-113	
4-Bromofluorobenzene	98	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20d**  
 Lab Sample ID: **1001020-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 12:15  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<b>1.2</b>	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<b>86</b>	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20d**  
 Lab Sample ID: **1001020-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 12:15  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<b>1.9</b>	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20d**  
 Lab Sample ID: **1001020-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 12:15  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	3.5	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	% Recovery	Control Limits	
1,2-Dichloroethane-d4	96	88-115	
Toluene-d8	98	81-116	
4-Bromofluorobenzene	99	87-113	
	99	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-15s**  
 Lab Sample ID: **1001020-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 13:48  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-15s**  
 Lab Sample ID: **1001020-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 13:48  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-15s**  
 Lab Sample ID: **1001020-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 0915063

Work Order: **1001020**  
 Description: Laboratory Services  
 Sampled: 12/30/09 13:48  
 Sampled By: J. Jasso  
 Received: 01/05/10 17:00  
 Prepared: 01/07/10 By: JDM  
 Analyzed: 01/07/10 By: LEW  
 Analytical Batch: OA11031

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	98	88-115	
1,2-Dichloroethane-d4	97	81-116	
Toluene-d8	100	87-113	
4-Bromofluorobenzene	99	78-116	

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915063 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank</b>				Analyzed:	01/07/2010	By: LEW
Unit: ug/L				Analytical Batch:	OA11031	
Acetone		<20			20	
Acrylonitrile		<2.0			2.0	
Benzene		<1.0			1.0	
Bromobenzene		<1.0			1.0	
Bromochloromethane		<1.0			1.0	
Bromodichloromethane		<1.0			1.0	
Bromoform		<1.0			1.0	
Bromomethane		<5.0			5.0	
n-Butylbenzene		<1.0			1.0	
sec-Butylbenzene		<1.0			1.0	
tert-Butylbenzene		<1.0			1.0	
Carbon Disulfide		<1.0			1.0	
Carbon Tetrachloride		<1.0			1.0	
Chlorobenzene		<1.0			1.0	
Chloroethane		<5.0			5.0	
Chloroform		<1.0			1.0	
Chloromethane		<5.0			5.0	
1,2-Dibromo-3-chloropropane		<5.0			5.0	
Dibromochloromethane		<1.0			1.0	
1,2-Dibromoethane		<1.0			1.0	
Dibromomethane		<1.0			1.0	
trans-1,4-Dichloro-2-butene		<1.0			1.0	
1,2-Dichlorobenzene		<1.0			1.0	
1,3-Dichlorobenzene		<1.0			1.0	
1,4-Dichlorobenzene		<1.0			1.0	
Dichlorodifluoromethane		<5.0			5.0	
1,1-Dichloroethane		<1.0			1.0	
1,2-Dichloroethane		<1.0			1.0	
1,1-Dichloroethene		<1.0			1.0	
cis-1,2-Dichloroethene		<1.0			1.0	
trans-1,2-Dichloroethene		<1.0			1.0	
1,2-Dichloropropane		<1.0			1.0	
cis-1,3-Dichloropropene		<1.0			1.0	
trans-1,3-Dichloropropene		<1.0			1.0	
Ethylbenzene		<1.0			1.0	
Ethyl Ether		<5.0			5.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915063 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	01/07/2010	By: LEW
Unit: ug/L				Analytical Batch:	0A11031	
2-Hexanone		<5.0			5.0	
Iodomethane		<1.0			1.0	
Isopropylbenzene		<1.0			1.0	
4-Isopropyltoluene		<5.0			5.0	
Methyl tert-Butyl Ether		<5.0			5.0	
Methylene Chloride		<5.0			5.0	
2-Butanone (MEK)		<5.0			5.0	
2-Methylnaphthalene		<5.0			5.0	
4-Methyl-2-pentanone (MIBK)		<5.0			5.0	
Naphthalene		<5.0			5.0	
n-Propylbenzene		<1.0			1.0	
Styrene		<1.0			1.0	
1,1,1,2-Tetrachloroethane		<1.0			1.0	
1,1,2,2-Tetrachloroethane		<1.0			1.0	
Tetrachloroethene		<1.0			1.0	
Tetrahydrofuran		<5.0			5.0	
Toluene		<1.0			1.0	
1,2,3-Trichlorobenzene		<5.0			5.0	
1,2,4-Trichlorobenzene		<5.0			5.0	
1,1,1-Trichloroethane		<1.0			1.0	
1,1,2-Trichloroethane		<1.0			1.0	
Trichloroethene		<1.0			1.0	
Trichlorofluoromethane		<1.0			1.0	
1,2,3-Trichloropropane		<1.0			1.0	
1,2,4-Trimethylbenzene		<1.0			1.0	
1,3,5-Trimethylbenzene		<1.0			1.0	
Vinyl Chloride		<1.0			1.0	
Xylene, Meta + Para		<2.0			2.0	
Xylene, Ortho		<1.0			1.0	

***Surrogates:***

Dibromofluoromethane	99	88-115
1,2-Dichloroethane-d4	97	81-116
Toluene-d8	99	87-113
4-Bromofluorobenzene	98	78-116

<b>Laboratory Control Sample</b>				Analyzed:	01/07/2010	By: LEW
Unit: ug/L				Analytical Batch:	0A11031	

Benzene	20.0	20.5	102	86-122	1.0
---------	------	------	-----	--------	-----

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 0915063 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Laboratory Control Sample (Continued)</b>	Analyzed:	01/07/2010	By: LEW
Unit: ug/L	Analytical Batch:	0A11031	

Chlorobenzene	20.0	<b>20.6</b>	103	88-114	1.0
1,1-Dichloroethene	20.0	<b>22.1</b>	110	81-125	1.0
Toluene	20.0	<b>20.9</b>	104	87-123	1.0
Trichloroethene	20.0	<b>20.6</b>	103	80-122	1.0

***Surrogates:***

Dibromofluoromethane	103	88-115
1,2-Dichloroethane-d4	98	81-116
Toluene-d8	101	87-113
4-Bromofluorobenzene	93	78-116

---

## STATEMENT OF DATA QUALIFICATIONS

All analyses have been validated and comply with our Quality Control Program.  
No Qualifications required.



5560 Corporate Exchange Court SE, Grand Rapids, MI 49512  
 Phone: (616) 975-4500 Fax: (616) 942-7463  
[www.trimatrixlabs.com](http://www.trimatrixlabs.com)

## Chain of Custody Record COC No. 131089

Cart		For Lab Use Only		Analyses Requested										Page <u>1</u> of <u>1</u>	
VOA Rack/Tray <b>374 - GREEN</b>	Receipt Log No. <b>49-14</b>	Client Name <b>KMT Inc</b>		Project Name <b>Tecumseh Product Co.</b>		Preservatives <input checked="" type="checkbox"/> <b>PRESERVATIVES</b>									
		Address <b>3754 Knechen Dr. W</b>		Client Project# / P.O. No. <b>807007</b>		<input type="checkbox"/> <b>A</b> NONE pH-7									
Project Chemist <b>JLR</b>	Laboratory Project No. <b>57001030</b>	Invoice No. <b>Ana Arbor, MI 48105</b>		<input type="checkbox"/> <b>B</b> HNO <sub>3</sub> , pH<2											
		Phone <b>734-971-7090</b>		<input type="checkbox"/> <b>C</b> H <sub>2</sub> SO <sub>4</sub> , pH<2											
Test Group Matrix	Laboratory Sample Number	Fax <b>734-971-9000</b>		<input type="checkbox"/> <b>D</b> 1+1 HCl pH<2											
				<input type="checkbox"/> <b>E</b> NaOH pH>12											
		Contact Report To <b>60 Ahern Creek Rd</b>		<input type="checkbox"/> <b>F</b> ZnAc/NaOH pH>9											
				<input type="checkbox"/> <b>G</b> MeOH											
				<input type="checkbox"/> <b>H</b> Other (note below)											
		Container Type (corresponds to Container Packing List)													
Sample ID	Cooler ID	Sample Date	Sample Time	C O M P	G R A B	M A B	R A B	Number of Containers Submitted	Total	Sample Comments					
-01	1 Triq Blk #1	2447	1409	-	1409	+	+	1	1						
-02	2 MW-1ds	1409	1409	1409	+	+	+	2	2						
-03	3 mw-90s	1130	1130	1130	+	+	+	2	2						
-04	4 MW 20D	1215	1215	1215	+	+	+	2	2						
-05	5 mw-15s	1348	1348	1348	+	+	+	2	2						
6															
7															
8															
9															
10															
Sampled By (print) <b>JAVIER SAWYER</b>		How Shipped? Hand <input checked="" type="checkbox"/> Carrier		Comments											
Sampler's Signature <b>Javier</b>		Tracking No.													
Company <b>Porter</b>	Date <b>12/30/09</b>	Time <b>15:00</b>	1. Relinquished By <b>JLH</b>	Date <b>1-5-10</b>	Time <b>15:00</b>	2. Relinquished By <b>JLH</b>	Date <b>1-5-10</b>	Time <b>17:00</b>	3. Relinquished By <b>JLH</b>	Date <b>1-5-10</b>	Time <b>17:00</b>				
				Received For lab By <b>J. Hardin</b>		Received For lab By <b>J. Hardin</b>		Received For lab By <b>J. Hardin</b>		Received For lab By <b>J. Hardin</b>					
				Date <b>1-5-10</b>		Date <b>1-5-10</b>		Date <b>1-5-10</b>		Date <b>1-5-10</b>					
				Time <b>15:00</b>		Time <b>17:00</b>		Time <b>17:00</b>		Time <b>17:00</b>					



# SAMPLE RECEIVING / LOG-IN CHECKLIST

## Coolers Received

Recorded by (initials/date)	<i>JN 1-5-10</i>	<input type="checkbox"/> Cooler	Qty Received	<input type="checkbox"/> IR Gun (#202)	Project Submittal No.
		<input type="checkbox"/> Box	/	<input type="checkbox"/> Digital Thermometer (#54)	<i>R-1001020</i>
		<input type="checkbox"/> Other		<input type="checkbox"/> Other (#)	Project Chemist
					Sample No.
Cooler No.	Time	Cooler No.	Time	Cooler No.	Time
<i>TR24/318:23</i>					
Custody Seals:		Custody Seals:		Custody Seals:	
<input checked="" type="checkbox"/> None		<input type="checkbox"/> None		<input type="checkbox"/> None	
<input type="checkbox"/> Present / Intact		<input type="checkbox"/> Present / Intact		<input type="checkbox"/> Present / Intact	
<input type="checkbox"/> Present / Not Intact		<input type="checkbox"/> Present / Not Intact		<input type="checkbox"/> Present / Not Intact	
Coolant Location:		Coolant Location:		Coolant Location:	
Dispersed / Top / Middle / Bottom		Dispersed / Top / Middle / Bottom		Dispersed / Top / Middle / Bottom	
Coolant/Temperature Taken Via:		Coolant/Temperature Taken Via:		Coolant/Temperature Taken Via:	
<input type="checkbox"/> Loose Ice / Avg 2-3 containers		<input type="checkbox"/> Loose Ice / Avg 2-3 containers		<input type="checkbox"/> Loose Ice / Avg 2-3 containers	
<input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers		<input type="checkbox"/> Bagged Ice / Avg 2-3 containers		<input type="checkbox"/> Bagged Ice / Avg 2-3 containers	
<input type="checkbox"/> Blue Ice / Avg 2-3 containers		<input type="checkbox"/> Blue Ice / Avg 2-3 containers		<input type="checkbox"/> Blue Ice / Avg 2-3 containers	
<input type="checkbox"/> None / Avg 2-3 containers		<input checked="" type="checkbox"/> None / Avg 2-3 containers		<input type="checkbox"/> None / Avg 2-3 containers	
Alternate Temperature Taken Via:		Alternate Temperature Taken Via:		Alternate Temperature Taken Via:	
<input type="checkbox"/> Temperature Blank (TB)		<input type="checkbox"/> Temperature Blank (TB)		<input type="checkbox"/> Temperature Blank (TB)	
<input type="checkbox"/> 1 Container		<input type="checkbox"/> 1 Container		<input type="checkbox"/> 1 Container	
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank:			Temp Blank:		
TB location: Representative	/	Not Representative	TB location: Representative	/	Not Representative
1 <i>5.3</i>	<i>0</i>	<i>5.3</i>	1		
2 <i>5.7</i>	<i>0</i>	<i>5.7</i>	2		
3 <i>5.5</i>	<i>0</i>	<i>5.5</i>	3		
Average °C <i>5.5</i>			Average °C		
<input type="checkbox"/> Cooler ID on COC?			<input checked="" type="checkbox"/> Cooler ID on COC?		
<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received			<input type="checkbox"/> No COC Received	Check Sample Preservation			
N/A	Yes	No	<input type="checkbox"/> Chain of Custody record(s)?	N/A	Yes	No	
			If No, COC Initiated By _____				<input type="checkbox"/> Average sample temperature ≤6° C?
			Rec'd for Lab Signed/Date/Time?				<input type="checkbox"/> Completed Sample Preservation Verification Form?
			Shipping document?				<input checked="" type="checkbox"/> Samples preserved correctly?
			Other _____				If "No", added orange tag?
COC ID Nos. <i>131089</i>							Received pre-preserved VOC soils?
<input type="checkbox"/> TriMatrix							<input type="checkbox"/> MeOH <input type="checkbox"/> Na <sub>2</sub> SO <sub>4</sub>
<input type="checkbox"/> Other (Name or ID#) _____							
Check COC for Accuracy			<input type="checkbox"/> No analysis requested	Check for Short Hold-Time Prep/Analyses			
Yes	No	<input checked="" type="checkbox"/> Sample ID matches COC?	<input type="checkbox"/> Bacteriological				
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Sample Date and Time matches COC?	<input type="checkbox"/> Air Bags				
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Container type completed on COC?	<input type="checkbox"/> EnCores / Methanol Pre-Preserved				
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> All container types indicated are received?	<input type="checkbox"/> Formaldehyde/Aldehyde				
Sample Condition Summary			<input type="checkbox"/> Green-tagged containers				
N/A	Yes	No	<input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)				
			<input type="checkbox"/> Non-TriMatrix containers, see Notes				
			<input type="checkbox"/> Trip Blank received				
			<input type="checkbox"/> Trip Blank not listed on COC				
			<input type="checkbox"/> No COC received, Proj. Chemist reviewed (Init/Date) _____				
			<input type="checkbox"/> No analysis requested, Proj. Chemist completed (Init/Date) _____				
			<input type="checkbox"/> AFTER HOURS ONLY: COPIES OF COC TO LAB AREA(S) <input type="checkbox"/> NONE RECEIVED <input type="checkbox"/> RECEIVED, COCs TO LAB(S)				
Notes							
			<input type="checkbox"/> Broken containers/lids?				
			<input type="checkbox"/> Missing or incomplete labels?				
			<input type="checkbox"/> Illegible information on labels?				
			<input type="checkbox"/> Low volume received?				
			<input type="checkbox"/> Inappropriate containers received?				
			<input type="checkbox"/> VOC vials / TOX containers have headspace?				
			<input type="checkbox"/> Extra sample locations / containers not listed on COC?				
			<input type="checkbox"/> Cooler Received (Date/Time) <i>JN 1-5-10</i>				
			<input type="checkbox"/> Paperwork Delivered (Date/Time) <i>JN 1-5-10</i>				
			<input type="checkbox"/> ≤1 Hour Goal Met?				
			<input type="checkbox"/> Yes / No				

January 21, 2010

RMT, Inc. - Ann Arbor Office  
Attn: Ms. Stacy Metz  
3754 Ranchero Drive  
Ann Arbor, MI 48108-2771

**Project: Tecumseh Products**

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report, comprised of the following work order(s), for test samples received by TriMatrix Laboratories:


<b>Work Order</b>	<b>Received</b>	<b>Description</b>
1001192	01/14/2010	Laboratory Services

This report relates only to the sample(s), as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Conference (NELAC). Any qualifications of results, including sample acceptance requirements, are explained in the Statement of Data Qualifications.

Estimates of analytical uncertainties for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,



Jennifer L. Rice  
Project Chemist

Enclosures(s)

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-11S**  
 Lab Sample ID: **1001192-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 11:30  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-11S**  
 Lab Sample ID: **1001192-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 11:30  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-11S**  
 Lab Sample ID: **1001192-01**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 11:30  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	102	88-115	
1,2-Dichloroethane-d4	111	81-116	
Toluene-d8	97	87-113	
4-Bromofluorobenzene	94	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-23S**  
 Lab Sample ID: **1001192-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 13:05  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-23S**  
 Lab Sample ID: **1001192-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 13:05  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-23S**  
 Lab Sample ID: **1001192-02**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 13:05  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<b>7.6</b>	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	106	<i>88-115</i>	
<i>1,2-Dichloroethane-d4</i>	113	<i>81-116</i>	
<i>Toluene-d8</i>	102	<i>87-113</i>	
<i>4-Bromofluorobenzene</i>	96	<i>78-116</i>	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-21**  
 Lab Sample ID: **1001192-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 10  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 14:10  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromoform	<10	10
75-27-4	Bromochloromethane	<10	10
75-25-2	Bromodichloromethane	<10	10
74-83-9	Bromoform	<10	10
104-51-8	Bromomethane	<10	10
135-98-8	n-Butylbenzene	<10	10
98-06-6	sec-Butylbenzene	<10	10
75-15-0	tert-Butylbenzene	<10	10
56-23-5	Carbon Disulfide	<10	10
108-90-7	Carbon Tetrachloride	<10	10
75-00-3	Chlorobenzene	<10	10
67-66-3	Chloroethane	<10	10
74-87-3	Chloroform	<10	10
96-12-8	Chloromethane	<10	10
124-48-1	1,2-Dibromo-3-chloropropane	<10	10
106-93-4	Dibromochloromethane	<10	10
74-95-3	1,2-Dibromoethane	<10	10
110-57-6	Dibromomethane	<10	10
95-50-1	trans-1,4-Dichloro-2-butene	<10	10
541-73-1	1,2-Dichlorobenzene	<10	10
106-46-7	1,3-Dichlorobenzene	<10	10
75-71-8	1,4-Dichlorobenzene	<10	10
75-34-3	Dichlorodifluoromethane	<10	10
107-06-2	1,1-Dichloroethane	<10	10
75-35-4	1,2-Dichloroethane	<10	10
156-59-2	1,2-Dichloroethene	<10	10
156-60-5	cis-1,2-Dichloroethene	<10	10
		<b>28</b>	10
		<b>62</b>	10

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-21**  
 Lab Sample ID: **1001192-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 10  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 14:10  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	<b>56</b>	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	<b>730</b>	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-21**  
 Lab Sample ID: **1001192-03**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 10  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 14:10  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
<b>Surrogates:</b>			
Dibromofluoromethane	100	88-115	
1,2-Dichloroethane-d4	110	81-116	
Toluene-d8	97	87-113	
4-Bromofluorobenzene	95	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-19S**  
 Lab Sample ID: **1001192-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 15:19  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-19S**  
 Lab Sample ID: **1001192-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 15:19  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<b>1.2</b>	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<b>2.3</b>	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<b>36</b>	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-19S**  
 Lab Sample ID: **1001192-04**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 15:19  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	100	88-115	
1,2-Dichloroethane-d4	111	81-116	
Toluene-d8	98	87-113	
4-Bromofluorobenzene	95	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20S**  
 Lab Sample ID: **1001192-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 16:31  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<b>50</b>	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<b>3.5</b>	1.0
156-59-2	cis-1,2-Dichloroethene	<b>9.0</b>	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20S**  
 Lab Sample ID: **1001192-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 16:31  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<b>170</b>	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<b>70</b>	1.0
75-69-4	Trichlorofluoromethane	<b>2.8</b>	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20S**  
 Lab Sample ID: **1001192-05**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 16:31  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	104	88-115	
<i>1,2-Dichloroethane-d4</i>	109	81-116	
<i>Toluene-d8</i>	98	87-113	
<i>4-Bromofluorobenzene</i>	95	78-116	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20D**  
 Lab Sample ID: **1001192-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 16:59  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<b>94</b>	1.0
156-60-5	trans-1,2-Dichloroethene	<b>2.0</b>	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20D**  
 Lab Sample ID: **1001192-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 16:59  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **MW-20D**  
 Lab Sample ID: **1001192-06**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 16:59  
 Sampled By: J. Jasso  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<b>3.7</b>	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
<i>Dibromofluoromethane</i>	100	<i>88-115</i>	
<i>1,2-Dichloroethane-d4</i>	108	<i>81-116</i>	
<i>Toluene-d8</i>	97	<i>87-113</i>	
<i>4-Bromofluorobenzene</i>	94	<i>78-116</i>	

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **1001192-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 00:00  
 Sampled By: TML  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromoform	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **1001192-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 00:00  
 Sampled By: TML  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

## ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**  
 Project: Tecumseh Products  
 Client Sample ID: **Trip Blank**  
 Lab Sample ID: **1001192-07**  
 Matrix: Water  
 Unit: ug/L  
 Dilution Factor: 1  
 QC Batch: 1000519

Work Order: **1001192**  
 Description: Laboratory Services  
 Sampled: 01/13/10 00:00  
 Sampled By: TML  
 Received: 01/14/10 17:50  
 Prepared: 01/20/10 By: DLV  
 Analyzed: 01/20/10 By: DLV  
 Analytical Batch: OA21011

### Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
<b>Surrogates:</b>			
Dibromofluoromethane	101	88-115	
1,2-Dichloroethane-d4	110	81-116	
Toluene-d8	98	87-113	
4-Bromofluorobenzene	96	78-116	

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD RPD	Limits RL
---------	--------------	------------	--------	--------------	----------------	---------	-----------

**QC Batch: 1000519 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank</b>				Analyzed:	01/20/2010	By: DLV
Unit: ug/L				Analytical Batch:	0A21011	
Acetone		<20			20	
Acrylonitrile		<2.0			2.0	
Benzene		<1.0			1.0	
Bromobenzene		<1.0			1.0	
Bromochloromethane		<1.0			1.0	
Bromodichloromethane		<1.0			1.0	
Bromoform		<1.0			1.0	
Bromomethane		<5.0			5.0	
n-Butylbenzene		<1.0			1.0	
sec-Butylbenzene		<1.0			1.0	
tert-Butylbenzene		<1.0			1.0	
Carbon Disulfide		<1.0			1.0	
Carbon Tetrachloride		<1.0			1.0	
Chlorobenzene		<1.0			1.0	
Chloroethane		<5.0			5.0	
Chloroform		<1.0			1.0	
Chloromethane		<5.0			5.0	
1,2-Dibromo-3-chloropropane		<5.0			5.0	
Dibromochloromethane		<1.0			1.0	
1,2-Dibromoethane		<1.0			1.0	
Dibromomethane		<1.0			1.0	
trans-1,4-Dichloro-2-butene		<1.0			1.0	
1,2-Dichlorobenzene		<1.0			1.0	
1,3-Dichlorobenzene		<1.0			1.0	
1,4-Dichlorobenzene		<1.0			1.0	
Dichlorodifluoromethane		<5.0			5.0	
1,1-Dichloroethane		<1.0			1.0	
1,2-Dichloroethane		<1.0			1.0	
1,1-Dichloroethene		<1.0			1.0	
cis-1,2-Dichloroethene		<1.0			1.0	
trans-1,2-Dichloroethene		<1.0			1.0	
1,2-Dichloropropane		<1.0			1.0	
cis-1,3-Dichloropropene		<1.0			1.0	
trans-1,3-Dichloropropene		<1.0			1.0	
Ethylbenzene		<1.0			1.0	
Ethyl Ether		<5.0			5.0	

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 1000519 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Method Blank (Continued)</b>				Analyzed:	01/20/2010	By: DLV
Unit: ug/L				Analytical Batch:	0A21011	
2-Hexanone		<5.0			5.0	
Iodomethane		<1.0			1.0	
Isopropylbenzene		<1.0			1.0	
4-Isopropyltoluene		<5.0			5.0	
Methyl tert-Butyl Ether		<5.0			5.0	
Methylene Chloride		<5.0			5.0	
2-Butanone (MEK)		<5.0			5.0	
2-Methylnaphthalene		<5.0			5.0	
4-Methyl-2-pentanone (MIBK)		<5.0			5.0	
Naphthalene		<5.0			5.0	
n-Propylbenzene		<1.0			1.0	
Styrene		<1.0			1.0	
1,1,1,2-Tetrachloroethane		<1.0			1.0	
1,1,2,2-Tetrachloroethane		<1.0			1.0	
Tetrachloroethene		<1.0			1.0	
Tetrahydrofuran		<5.0			5.0	
Toluene		<1.0			1.0	
1,2,3-Trichlorobenzene		<5.0			5.0	
1,2,4-Trichlorobenzene		<5.0			5.0	
1,1,1-Trichloroethane		<1.0			1.0	
1,1,2-Trichloroethane		<1.0			1.0	
Trichloroethene		<1.0			1.0	
Trichlorofluoromethane		<1.0			1.0	
1,2,3-Trichloropropane		<1.0			1.0	
1,2,4-Trimethylbenzene		<1.0			1.0	
1,3,5-Trimethylbenzene		<1.0			1.0	
Vinyl Chloride		<1.0			1.0	
Xylene, Meta + Para		<2.0			2.0	
Xylene, Ortho		<1.0			1.0	

***Surrogates:***

Dibromofluoromethane	100	88-115
1,2-Dichloroethane-d4	110	81-116
Toluene-d8	98	87-113
4-Bromofluorobenzene	94	78-116

<b>Laboratory Control Sample</b>				Analyzed:	01/20/2010	By: DLV
Unit: ug/L				Analytical Batch:	0A21011	

Benzene	40.0	<b>38.9</b>	97	86-122	1.0
---------	------	-------------	----	--------	-----

Continued on next page

## QUALITY CONTROL REPORT

### Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

**QC Batch: 1000519 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B**

<b>Laboratory Control Sample (Continued)</b>	Analyzed:	01/20/2010	By: DLV
Unit: ug/L	Analytical Batch:	0A21011	

Chlorobenzene	40.0	<b>38.7</b>	97	88-114	1.0
1,1-Dichloroethene	40.0	<b>35.6</b>	89	81-125	1.0
Toluene	40.0	<b>37.2</b>	93	87-123	1.0
Trichloroethene	40.0	<b>37.3</b>	93	80-122	1.0

***Surrogates:***

Dibromofluoromethane	97	88-115
1,2-Dichloroethane-d4	104	81-116
Toluene-d8	96	87-113
4-Bromofluorobenzene	100	78-116

---

## STATEMENT OF DATA QUALIFICATIONS

All analyses have been validated and comply with our Quality Control Program.  
No Qualifications required.





# SAMPLE RECEIVING / LOG-IN CHECKLIST

## Coolers Received

Recorded by (initials/date)	<i>JN 1-14-10</i>	<input type="checkbox"/> Cooler	Qty Received	<input type="checkbox"/> IR Gun (#202)	Project-Submittal No.
		<input type="checkbox"/> Box	/	<input type="checkbox"/> Digital Thermometer (#54)	1001192
		<input type="checkbox"/> Other		<input type="checkbox"/> Other (#)	Project Chemist
					Sample Nos.
Cooler No. <i>TEST AREA 2215</i>		Time	Cooler No.	Time	Cooler No.
Custody Seals:		Custody Seals:		Custody Seals:	
<input checked="" type="checkbox"/> None		<input type="checkbox"/> None		<input type="checkbox"/> None	
<input type="checkbox"/> Present / Intact		<input type="checkbox"/> Present / Intact		<input type="checkbox"/> Present / Intact	
<input type="checkbox"/> Present / Not Intact		<input type="checkbox"/> Present / Not Intact		<input type="checkbox"/> Present / Not Intact	
Coolant Location:		Coolant Location:		Coolant Location:	
Dispersed / Top / Middle / Bottom		Dispersed / Top / Middle / Bottom		Dispersed / Top / Middle / Bottom	
Coolant/Temperature Taken Via:		Coolant/Temperature Taken Via:		Coolant/Temperature Taken Via:	
<input checked="" type="checkbox"/> Loose Ice / Avg 2-3 containers		<input type="checkbox"/> Loose Ice / Avg 2-3 containers		<input type="checkbox"/> Loose Ice / Avg 2-3 containers	
<input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers		<input type="checkbox"/> Bagged Ice / Avg 2-3 containers		<input type="checkbox"/> Bagged Ice / Avg 2-3 containers	
<input type="checkbox"/> Blue Ice / Avg 2-3 containers		<input type="checkbox"/> Blue Ice / Avg 2-3 containers		<input type="checkbox"/> Blue Ice / Avg 2-3 containers	
<input type="checkbox"/> None / Avg 2-3 containers		<input type="checkbox"/> None / Avg 2-3 containers		<input type="checkbox"/> None / Avg 2-3 containers	
Alternate Temperature Taken Via:		Alternate Temperature Taken Via:		Alternate Temperature Taken Via:	
<input type="checkbox"/> Temperature Blank (TB)		<input type="checkbox"/> Temperature Blank (TB)		<input type="checkbox"/> Temperature Blank (TB)	
<input type="checkbox"/> 1 Container		<input type="checkbox"/> 1 Container		<input type="checkbox"/> 1 Container	
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank:			Temp Blank:		
TB location: Representative / Not Representative			TB location: Representative / Not Representative		
<i>1.5.8</i>	<i>0</i>	<i>5.8</i>	<i>1</i>		
<i>2.5.6</i>	<i>0</i>	<i>2.4</i>	<i>2</i>		
<i>3.5.7</i>	<i>0</i>	<i>3.7</i>	<i>3</i>		
Average °C <i>5.7</i>			Average °C		
<input type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?		
<input checked="" type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received			<input type="checkbox"/> No COC Received	Check Sample Preservation				
N/A	Yes	No	<input checked="" type="checkbox"/> Chain of Custody record(s)? If No, COC Initiated By _____  <input checked="" type="checkbox"/> Rec'd for Lab Signed/Date/Time? <input type="checkbox"/> Shipping document? <input type="checkbox"/> Other			<input checked="" type="checkbox"/> Average sample temperature ≤6° C? <input type="checkbox"/> Completed Sample Preservation Verification Form? <input checked="" type="checkbox"/> Samples preserved correctly? If "No", added orange tag? <input type="checkbox"/> Received pre-preserved VOC soils? <input type="checkbox"/> MeOH <input type="checkbox"/> Na <sub>2</sub> SO <sub>4</sub>		
COC ID Nos. <i>128270</i>								
<input type="checkbox"/> TriMatrix								
<input type="checkbox"/> Other (Name or ID#)								
Check COC for Accuracy			<input type="checkbox"/> No analysis requested	Check for Short Hold-Time Prep/Analyses				
Yes	No	<input checked="" type="checkbox"/> Sample ID matches COC? <input checked="" type="checkbox"/> Sample Date and Time matches COC? <input checked="" type="checkbox"/> Container type completed on COC? <input checked="" type="checkbox"/> All container types indicated are received?			<input type="checkbox"/> Bacteriological <input type="checkbox"/> Air Bags <input type="checkbox"/> EnCores / Methanol Pre-Preserved <input type="checkbox"/> Formaldehyde/Aldehyde <input type="checkbox"/> Green-tagged containers <input type="checkbox"/> Yellow/White-tagged IL ambers (SV Prep-Lab)			
Sample Condition Summary			<input type="checkbox"/> Non-TriMatrix containers, see Notes	Notes				
N/A	Yes	No	<input checked="" type="checkbox"/> Broken containers/lids? <input checked="" type="checkbox"/> Missing or incomplete labels? <input checked="" type="checkbox"/> Illegible information on labels? <input checked="" type="checkbox"/> Low volume received? <input checked="" type="checkbox"/> Inappropriate containers received? <input type="checkbox"/> VOC vials / TOX containers have headspace? <input type="checkbox"/> Extra sample locations / containers not listed on COC?			<input checked="" type="checkbox"/> Trip Blank received <input type="checkbox"/> No COC received, Proj. Chemist reviewed (Init/Date) _____ <input type="checkbox"/> No analysis requested, Proj. Chemist completed (Init/Date) _____		
						<b>AFTER HOURS ONLY:</b> COPIES OF COC TO LAB AREA(S) <input checked="" type="checkbox"/> NONE RECEIVED <input type="checkbox"/> RECEIVED, COCs TO LAB(S)		
						Cooler Received (Date/Time) <i>JN 1-14-10</i> Paperwork Delivered (Date/Time) <i>JN 1-14-10</i> ≤1 Hour Goal Met? Yes / No		