



April 15, 2011

Michelle Mullin
Project Manager
USEPA, Region 5
77 West Jackson Boulevard
LU-95
Chicago, IL 60604-3590

**Subject: RCRA 3008(h) Administrative Order on Consent (RCRA-05-2010-0012) –
Tecumseh Products Company
First Quarter 2011 Progress Report – MID 005-049-440**

Dear Ms. Mullin:

Pursuant to Section VI of the above referenced Administrative Order on Consent (Consent Order) effective March 29, 2010, RMT, Inc. (RMT), on behalf of the Respondent, Tecumseh Products Company (TPC) submits this First Quarter 2011 Progress Report. This report covers activities related to the Consent Order completed by TPC during the First Quarter 2011 and planned for completion in the near future. The organization of this document includes as major headings the items required under Sections V through VIII of the Consent Order.

V. Project Manager

- The TPC Project Manager is Graham Crockford of RMT.
- The USEPA Project Manager is Michelle Mullin.

VI. Work to be Performed – Remedial Investigation Report and Environmental Indicators Reports

1. A Description of activities related to the completion of the Remedial Investigation (RI) Report and the Environmental Indicator (EI) Reports:
 - **Investigation Activities**
 - **Characterize Releases at or from the Facility** – Results of the preliminary on-site investigations are presented in the following documents: Environmental Site Assessment for

E:\WPAAM\PJT1\02751\09\1Q11\R0275109001-1Q11.DOCX

Tecumseh Products Company, Tecumseh, Michigan (ENVIRON, October 2007), Phase I Environmental Site Assessment for the Tecumseh Products (Atwell-Hicks, October 2009), Phase II Environmental Site Assessment, Tecumseh Products Company (ATC, September 2009), the Current Conditions Report (RMT, September 2009), and the January 10, 2011 Technical Memorandum titled, "Summary of 2010 Soil and Groundwater Source Area Investigation Activities," which was submitted with the Fourth Quarter 2010 Quarterly Progress Report.

- **Define Appropriate Screening Criteria** – As described in the September 2009 Current Conditions Report (CCR), the Michigan Department of Environmental Quality (MDEQ) Part 201 Criteria will typically be used to assess risk related to ingestion of or direct contact with affected media. Currently groundwater data indicate that groundwater in a well upgradient of the River Raisin, has concentrations slightly above generic Part 201 groundwater/surface water interface (GSI) criteria. Although it is unlikely that the concentrations of VOCs venting to the River Raisin represent a risk to the environment, a mixing zone determination requesting site specific GSI criteria may be submitted to MDEQ.

Proposed screening levels for the volatilization to indoor air migration pathway were included in Technical Memorandum titled "Summary of Off-Site Soil Gas Investigation Activities – March through April 2010, Former Tecumseh Products Company Site, Tecumseh, Michigan" which was submitted as part of the Second Quarter 2010 Progress Report. Proposed groundwater screening levels for the volatilization to indoor air migration pathway (GWSLs) were accepted by USEPA in a comment letter dated August 24, 2010. In the comment letter dated August 24, 2010, Michelle Mullin of USEPA provided alternative residential soil gas screening levels (SGSLs) calculated using an attenuation factor of 0.1. TPC maintains that a soil gas attenuation factor of 0.1 is excessively conservative. However, in the interest of moving the project forward, TPC has agreed to consider the USEPA residential SGSLs when evaluating potential risks from volatilization to indoor air at residential properties.

Data in the USEPA vapor intrusion database is composed primarily of data from single family residential buildings. The potential for volatilization to indoor air is much different in commercial and industrial structures, such as those around perimeter of the former TPC site. Commercial/industrial building properties (slab-on-grade construction, larger building footprints, industrial air handling systems, higher ceilings, more indoor-outdoor air exchange due to loading dock activities, etc.) are expected to result in a lower attenuation factor at these properties. Based on an evaluation of paired indoor air/sub-slab soil gas data

from the TPC manufacturing facility, TPC believes that an attenuation factor of 0.003 is a reasonable, conservative, soil gas attenuation factor for commercial and industrial properties around the TPC site.

- **Define Any Unacceptable Risks to Human Health** – Potential exposure pathways are evaluated in the CCR. As described in the CCR, potentially complete human exposure pathways include the ingestion of affected groundwater and volatilization to indoor air. Water supply sources that are, or have the potential to be, affected by the off-site migration of contaminants were defined in the CCR. An updated evaluation of the potential for off-site vapor intrusion at the site was provided in the January 11, 2011 Technical Memorandum titled, “Summary of Third and Fourth Quarter 2010 Soil Gas Monitoring Data and Activities Completed to Evaluate the Potential for Off-Site Vapor Intrusion,” which was submitted with the Fourth Quarter 2010 Quarterly Progress Report. Investigation of the potentially complete, volatilization to indoor air migration pathway is ongoing.
- **Define Any Unacceptable Risks to the Environment** – The potential for unacceptable risk to the environment related to the discharge of affected groundwater to nearby surface water and wetlands was partially defined in the September 2009 CCR and the February 2010 Technical Memorandum titled Status Update – Characterization of Volatile Organic Compounds in Groundwater. Further investigation was conducted between March 2010 and June 2010 to define the maximum extent of affected groundwater. The results of this investigation were included in a Technical Memorandum titled “Summary of Groundwater Investigation Activities – March 2010 through June 2010, Former Tecumseh Products Company Site, Tecumseh, Michigan,” which was submitted with the Second Quarter 2010 Progress Report. Currently groundwater data indicate that groundwater in a well upgradient of the River Raisin, has concentrations slightly above generic Part 201 GSI criteria. Although it is unlikely that the concentrations of VOCs venting to the River Raisin represent a risk to the environment, a mixing zone determination requesting site specific GSI criteria may be submitted to MDEQ.
- **Determine the Stability of Contaminated Groundwater** – A quarterly groundwater monitoring program is underway to assess the stability of contaminated groundwater. Concentrations of chlorinated volatile organic compounds (CVOCs) at previously sampled locations are generally consistent with historic data. (See Appendix A for a copy of the April 8, 2011 Technical Memorandum titled, “Fourth Quarter 2010 and First Quarter 2011 Groundwater Monitoring Events.”) Once a sufficient quantity of data (typically eight sample events at each location) has been collected, RMT will statistically assess the stability of the CVOCs in groundwater using Mann-Kendall Trend Tests, and other means as appropriate.

■ **Presumptive Corrective Measures**

- **Decommission Affected Private Wells** – Two off-site private wells with affected water were identified. The first was decommissioned in 2009 (parcel number 323-330-00) and the second was decommissioned in November 2010 (parcel number 325-0322-00). Other private wells that are currently in use within the area of potentially affected groundwater are being monitored to confirm that VOCs are not detected.
- **Declaration of Restrictive Covenant** – As part of the Purchase Agreement between TPC and Tecumseh Bakery, LLC, a Declaration of Restrictive Covenant for the facility was recorded with the Lenawee County Register of Deeds. This Restrictive Covenant restricts the installation and use of on-site wells (excluding monitoring wells or other wells installed as part of the environmental work) and restricts Residential and Commercial I land use as defined by the MDNRE at the facility. The License Agreement Regarding Environmental Work provides provisions for additional restrictions to be placed on the property as needed.
- **Enact Local Well Ordinance** – A draft well ordinance has been prepared to restrict the installation of new wells and to decommission existing wells within the area potentially affected by the off-site migration of groundwater. The City of Tecumseh and TPC worked with the MDEQ to develop the proposed well ordinance. On March 25, 2011 RMT, on behalf of TPC, mailed a letter to each of the property owners affected by the proposed ordinance. The letters included a well survey card. RMT and TPC are working to confirm which of the properties in the proposed restricted area of the ordinance have wells which must be abandoned to comply with the proposed ordinance. TPC is working with the City of Tecumseh to finalize the ordinance.
- **Mitigation of Indoor Air (On-Site)** – Recommendations to control the potential for volatilization to indoor air in P-Building (the proposed primary use area for Tecumseh Bakery) were submitted to Tecumseh Bakery in March 2010. Recommendations to control the potential for volatilization to indoor air in the secondary use area were submitted to Tecumseh Bakery in June 2010. These areas remain unoccupied, and TPC is unaware of any plans for future building use. TPC has purchased a new facility for their engineering research and development laboratories, and plans to relocate the remaining TPC staff to this facility in fourth quarter 2011/first quarter 2012.

Mitigation of Indoor Air (Off-Site) – Characterization of the potential for volatilization to indoor air at off-site locations is in progress. At present, five residential properties have been identified in the vicinity of soil gas sample points where soil gas concentrations suggest that

further investigation may be warranted based on USEPA SGSLs. As a presumptive remedy, TPC has offered to install a sub-slab depressurization system at each of these properties. To date, TPC has obtained access agreements to install sub-slab systems at two of the properties.

- **Control Unacceptable Risks to the Environment** – At present no unacceptable risks to the environment have been identified.
- **Stabilize Migration of Contaminated Groundwater** – The determination of stability of the affected groundwater is ongoing. A monitoring well network has been installed, and quarterly monitoring is underway to determine stability.

■ **Reporting**

- **Environmental Indicators Report: Current Human Exposures under Control** – RMT will prepare the Environmental Indicators (Human Exposures) Report following completion of the tasks listed above which relate to the control of any significant of unacceptable current human exposures. This Environmental Indicators (Human Exposures) Report will be submitted to the USEPA no later than September 29, 2011.
- **Environmental Indicators Report: Groundwater Stabilized** – RMT will prepare the Environmental Indicators (Groundwater Stabilized) Report following completion of the tasks listed above which relate to the stabilization of groundwater contamination. This Environmental Indicators (Groundwater Stabilized) Report will be submitted to the USEPA no later than September 29, 2012.
- **Remedial Investigation Report** – RMT will prepare the Remedial Investigation Report following completion of remedial investigation activities which determine the nature and extent of any releases of hazardous waste and hazardous constituents at or from the facility. This Remedial Investigation Report will be submitted to the USEPA no later than September 29, 2012.

2. **Estimate of Percentage of Work Completed:**

- Work related to Remedial Investigation Report: 50% complete
- Work related to the Environmental Indicators Report – Current Human Exposures Under Control: 50% complete
- Work related to the Environmental Indicators Report – Groundwater Stabilized: 50% complete

3. A Summary of Activities during the Reporting Period

- Work related to evaluating the potential need for, and if necessary, the control of on-site human exposures
 - January 2011 – March 2011 – TPC has continued the evaluation of potential source area control measures.
- Work related to evaluating the potential need for, and if necessary, the control of off-site human exposures
 - February 2011 – A permeable reactive barrier (PRB) design investigation was conducted down gradient of the southern source area;
 - March 2011 – TPC requested access agreements to install sub-slab depressurization systems at five residential properties. Access agreements were obtained for two of the properties.
 - March 2011 – A letter describing the proposed well ordinance and a well survey card were sent to property owners within the proposed restricted area;
 - March 2011 – A Workplan to install a PRB downgradient of the southern source area was submitted from USEPA review; and
 - March 2011 – A complete round of off-site soil gas samples were collected.
- Work related to evaluating the stabilization/migration of affected groundwater
 - February 2011 – the first quarter groundwater sample event was conducted; and
 - January 2011 - March 2011 – An evaluation of data from the fourth quarter 2010 (December) and first quarter 2011 (February) groundwater sample events was performed (Appendix A).

4. A Summary of Contacts with Representatives of Local Community, Public Interest Groups, or State Government during the Reporting Period

- As described above TPC communicated with the City of Tecumseh and the MDEQ regarding the proposed well ordinance.
- TPC communicated with the City of Tecumseh in order to update the public repository at City Hall.
- TPC provided well owners within the potentially affected area with results from the private well sampling conducted in December 2010.

- Five monitoring wells are located on private property. As requested by the property owner, TPC provided a summary of groundwater chemistry data from those wells to the affected property owner.
- TPC communicated with the owners of residential properties located in the vicinity of certain soil gas sample points with regard to the possible installation a sub-slab depressurization system at each of these properties. Access agreements were obtained for two of the properties.
- A letter describing the proposed well ordinance and a well survey card were sent to property owners within the proposed restricted area.

5. A Summary of Problems and Potential Problems Encountered During the Reporting Period

- See the Data Quality Assurance section in attached technical memorandum (Appendix A).

6. Action Taken to Rectify Problems Identified Above

- See the Data Quality Assurance section in attached technical memorandum (Appendix A).

7. Changes in Personnel during Reporting Period

- None.

8. Projected Work for the Next Reporting Period

- Work related to evaluating the potential need for, and if necessary, the control of on-site human exposures
 - Continue the evaluation of potential source area control measures.
- Work related to evaluating the potential need for, and if necessary, the control of off-site human exposures
 - As a presumptive remedy, install sub-slab depressurization systems at residential properties where access agreements have been obtained.
 - Continue negotiations to install sub-slab depressurization systems at three residential properties east of the site where access agreements have not yet been obtained;
 - Locate and evaluate the groundwater seep at Blood Road which is reportedly used as a water source during recreational activities on Blood River;

- Compile well survey responses and continue to work with the City of Tecumseh and MDNRE to implement the proposed well ordinance;
- Evaluate March 2010 soil gas data;
- Work with MDEQ to obtain a permit exemption, if required, for the injected portion of the PRB and install the proposed PRB;
- Collect and analyze another round of off-site soil gas samples.
- Work related to evaluating the stabilization/migration of affected groundwater:
 - Conduct the second quarter groundwater sampling event;
 - Evaluate second quarter groundwater sample event data; and
 - Following receipt of USEPA comments, finalize the Quality Assurance Project Plan (QAPP).

VI. Work to be Performed – Final Corrective Measures Proposal

Preparation of the Final Corrective Measures Proposal will be initiated following completion of the Remedial Investigation Report and the Environmental Indicators Reports.

VI. Work to be Performed – Final Corrective Measures Implementation

Work related to the Final Corrective Measures Implementation will be initiated following USEPA's Final Decision.

VI. Work to be Performed – Establish Public Repository of Information

TPC has established a public repository in the City Clerk's office at City Hall. A notice sheet has been posted on the bulletin board at City Hall which lists and briefly describes the documents included in the public repository. TPC will update the public repository as appropriate.

VII. Access

Prior to the installation of four monitoring wells (MW-16s, MW-17s, MW-22, and MW-31), TPC obtained an access agreement with an offsite property owner so that RMT could access these wells for routine groundwater sampling. TPC obtained a revised access agreement which also provides access for USEPA and its representatives on May 11, 2010. On March 25, 2011, TPC obtained access agreements to install sub-slab depressurization systems at the residences located at 610 Mohawk

Michelle Mullin
USEPA, Region 5
April 15, 2011
Page 9

Street and 704 Mohawk Street. TPC has requested access at three additional residential properties; discussions are ongoing. No other access agreements are required at this time.

VIII. Cost Estimates and Assurances of Financial Responsibility

The Initial Cost Estimate was submitted to the USEPA on April 28, 2010. USEPA approved the Cost Estimate in a letter dated June 22, 2010. TPC submitted a draft Financial Assurance document to the USEPA for review on June 23, 2010. USEPA provided comments to the draft Financial Assurance document on June 25, 2010. The Financial Assurance documents were finalized on August 20, 2010. In accordance with the Consent Order, TPC submitted an annually updated cost estimate on January 28, 2011 and updated Financial Assurance documents on March 23, 2011.

If you have any questions regarding this progress report, or the attachments, please contact me at (734) 971-7080, ext 7122, or graham.crockford@rmtinc.com.

Sincerely,

RMT, Inc.



Graham Crockford, C.P.G.
Project Manager

Attachments

Appendix A – April 8, 2011 Technical Memorandum, titled “Summary of Fourth Quarter 2010 and First Quarter 2011 Groundwater Monitoring Events”

cc: Roger Jackson, Tecumseh Products Company
Jason Smith, Tecumseh Products Company
Tina Beresford, Tecumseh Products Company (TPC files)
Douglas McClure, Conlin, McKenney and Philbrick, PC
Stacy Metz, RMT
City of Tecumseh - Public Repository

Appendix A

Technical Memorandum

Date: April 8, 2011

To: Jason Smith, Tecumseh Products Company

cc: Douglas McClure, Colin, McKenney & Philbrick, PC

From: Graham Crockford/Stacy Metz

Project No.: 02751.08

Subject: Fourth Quarter 2010 and First Quarter 2011 Groundwater Monitoring Events
RCRA 3008(h) Consent Order (RCRA-05-2010-0012) - Tecumseh Products Company

Tecumseh Products Company (TPC) retained RMT, Inc. (RMT) to investigate soil and groundwater conditions at the former TPC site located in Tecumseh, Michigan. RMT has been assisting TPC with investigative activities in accordance with the RCRA Agreed Order of Consent (RCRA 05-2010-0012) for the site.

These investigation activities included the installation of 44 groundwater monitoring wells. Quarterly groundwater monitoring was initiated in December 2009. Quarterly sampling activities are conducted in accordance with the Quality Assurance Project Plan (QAPP) which was submitted to the United States Environmental Protection Agency (USEPA) for review in August 2010 and the Quarterly Sampling Plan described below. Quarterly monitoring was implemented to determine the nature and extent of volatile organic compounds (VOCs) in groundwater that exceed groundwater screening levels, and to determine the stability of VOC concentrations in groundwater over time.

Summary of the Quarterly Sampling Plan

The sampling plan is summarized below:

- Quarterly Monitoring
 - Collect static groundwater measurements at each of the groundwater monitoring wells.
 - Collect static water levels at each of the two gauge point locations on the River Raisin.
 - Use low-flow sampling techniques to collect groundwater samples at all groundwater monitoring well locations, except at monitoring wells MW-8s, MW-10d, and MW-16s. The following field parameters are measured during groundwater sample collection: pH, specific conductivity, redox potential, dissolved oxygen, turbidity and temperature. Groundwater samples are submitted to the analytical laboratory for VOCs analysis.
 - Collect a surface water sample from the wetland area for VOCs analysis.
 - Collect groundwater samples at two storm sewer locations for VOCs analysis. The air space at the sample location is monitored with a photo-ionization detector (PID). Note: As described in the July 14, 2010 Technical Memorandum titled "Summary of Groundwater Investigation

Technical Memorandum

Activities – March 2010 through June 2010, Former Tecumseh Products Company Site, Tecumseh, Michigan,” quarterly storm sewer sampling was discontinued in 2011.

- Semi-Annual Monitoring (conducted during the second and fourth quarters)
 - Conduct all quarterly monitoring as described above.
 - At a subset of the groundwater monitoring wells (MW-1s, MW-3s, MW-4s, MW-6s, MW-9s, MW-10s, MW-14s, MW-17s, MW-18s, MW-19s, MW-19d, MW-21, MW-23, MW-24s, MW-24d, MW-27s, MW-27d, MW-32s, MW-33s, and MW-34s) collect samples for analysis of monitored natural attenuation (MNA) parameters: chloride, nitrate, sulfate and ferrous iron.
 - Collect drinking water samples from private wells identified in and around the area of VOC affected groundwater, and submit to the analytical laboratory of VOCs analysis.

This sampling plan was developed to determine the stability of CVOC concentrations in groundwater. As such sampling activities are conducted in accordance with the QAPP which was submitted to the USEPA for review in August 2010, and VOC data are evaluated based on level 4 data quality objectives. Once the stability of CVOCs in groundwater has been assessed using Mann-Kendall Trend Tests, the sampling plan (e.g. sample locations, frequency, and data quality objectives) may be modified to reflect changing project objectives.

Summary of Field Activities

RMT conducted the fourth quarter semi-annual sampling activities from December 10 through December 28, 2010 and first quarter quarterly sampling activities from February 14 through February 24, 2011 in general accordance with the sampling plan described above. Water elevations were collected at groundwater monitoring wells and two surface water gauge point locations along the River Raisin. Groundwater monitoring wells, storm sewer sample locations, the wetland surface water sample location and private wells were sampled by RMT and analyzed by TriMatrix Laboratories, Inc. (TriMatrix). In December 2010, monitoring well MW-9s could not be located due to snow cover, preventing sample collection. Sample locations are shown on Figure 1. Static water elevations are provided in Table 1. Field-collected data (pH, specific conductivity, redox potential, dissolved oxygen, turbidity and temperature) are provided in Table 2. Laboratory analytical data are provided in Attachment 1 (December 2010 Analytical Data) and Attachment 2 (February 2011 Analytical Data). A summary of detected VOCs is included as Table 3, and a summary of MNA parameters is included as Table 4.

Evaluation of Groundwater Chemical Data

Water chemistry data is summarized in Tables 2, 3, and 4. Laboratory analytical data are included in Attachments 1 and 2. The constituents of concern at the site are chlorinated VOCs (CVOCs), specifically trichloroethene (TCE), 1,1,1-trichloroethane (TCA) and their breakdown products (cis-1,2-dichloroethene [cis-DCE] and vinyl chloride). The highest concentrations of TCE (>1000 micrograms per liter [ug/L]) are found in the north at monitoring wells MW-4s and MW-32s and in the south at monitoring wells MW-1s, MW-9s, and MW-34s. The highest concentrations of TCA (>1000 ug/L) are found at monitoring wells

Technical Memorandum

MW-1s and MW-34s in the south. The highest concentrations of degradation products are found downgradient of the northern source area at monitoring wells MW-3s and MW-4s.

CVOC concentrations were compared to Michigan Department of Environmental Quality (MDEQ) Part 201 criteria (Remediation and Redevelopment Division, Operational Memorandum No. 1, January 23, 2006, as amended December 14, 2010). Figure 3 shows the horizontal extent above relevant Part 201 criteria. Two new exceedences of the drinking water criteria were identified. The concentration of trans-1,2-dichloroethene (trans-DCE) at monitoring well MW-3s was 110 ug/L in February 2011 (compared to a drinking water criterion of 100 ug/L). Previous trans-DCE concentrations ranged from 9.1 ug/L to 83 ug/L at monitoring well MW-3s. The concentration of 1,1-dichloroethene (1,1-DCE) at monitoring well MW-34s was 13 ug/L in December 2010 (compared to a drinking water criterion of 7.0 ug/L). 1,1-DCE was not detected at monitoring well MW-34s during any other monitoring events; detection limits ranged from <10 ug/L to <20 ug/L. One new exceedence of the groundwater-to-surface water interface (GSI) criteria was found. The concentration of vinyl chloride at monitoring well MW-23 was 17 ug/L in December 2010 and 18 ug/L in February 2011 (compared to a GSI criterion of 13 ug/L). Previous vinyl chloride concentrations at monitoring well MW-23 ranged from 3.2 ug/L to 9.0 ug/L.

Concentrations of CVOCs at previously sampled locations are generally consistent with historic data (Table 3). Once a sufficient quantity of data (typically eight sample events) has been collected at each well, RMT will statistically assess the stability of the CVOCs in groundwater using Mann-Kendall Trend Tests.

Groundwater Flow Rate and Direction

The groundwater elevation data collected in December 2010 and February 2011 were used to construct a groundwater contour maps and to determine the direction of groundwater flow and hydraulic gradient within the unconsolidated sand underlying the site (Figures 3 and 4). Several rounds of water levels have been collected (Table 1), and the depth to groundwater and the direction of groundwater flow is generally consistent with historical data. Groundwater flow at the former TPC site and surrounding study area is generally east toward the River Raisin, the nearest body of water, located 1,500 to 2,500 feet east of the site. The River Raisin is the regional discharge feature for groundwater beneath the former TPC site. A mean horizontal hydraulic gradient of 0.001 was measured across the former TPC property. Data from *in situ* hydraulic conductivity tests indicates that the hydraulic conductivity of the unconfined sand and gravel aquifer ranges from 0.014 to 0.077 centimeters per second (cm/s), consistent with a sand and gravel aquifer. Assuming a porosity of 0.3, the resultant estimated groundwater velocity ranges from 4.7×10^{-5} to 2.6×10^{-4} cm/s (48 to 265 feet per year).

Vertical hydraulic gradient in the upper sand/gravel aquifer was evaluated at nine of the ten nested well pairs (MW-10s/d, MW-12s/d, MW-19s/d, MW-20s/d, MW-24s/d, MW-27s/d, MW-28s/d, MW-29s/d, and MW-30s/d). Because water at MW-14s is perched with an unsaturated zone between MW-14s and MW-14d, the vertical gradient at this nested well pair was not evaluated. At MW-19s/d, MW-24s/d, and MW-28s/d along the western (upgradient) portion of the site, the measured vertical hydraulic was essentially neutral (ranging from -0.0013 to 0.0015). Northeast of the site the hydraulic gradient varied from downward at MW-29s/d (-0.046 to -0.060) and MW-12s/d (-0.015 and -0.016) to upward at

Technical Memorandum

MW-30s/d (0.0041 and 0.0055). At MW-10s/d, MW-20s/d, and MW-27s/d east/southeast (downgradient) of the site, a downward hydraulic gradient ranging from (-0.13 to -0.67) was measured, with the downward hydraulic gradient increasing to the south. This significant vertical downward gradient in the upper sand/gravel aquifer east/southeast of the site, is the result of a higher conductivity sand and gravel deposit that underlies the sand deposit.

The surface topography drops steeply downgradient of the site from an approximate elevation of 780 feet above mean sea level (ft MSL) to an approximate elevation of 750 ft MSL in the wetland area adjacent to the River Raisin. East of the site, in proximity to the change in surface elevation, the horizontal hydraulic gradient increases (Figures 3 and 4). East/southeast of the site, the presence of discontinuous gravel and/or sand with gravel units that are more conductive than the bulk of the sand aquifer facilitates the decrease in static water elevation. Vertical groundwater movement is impeded by the continuous clay layer underlying the gravel deposit.

VOCs in Wetland Surface Water

The wetland was frozen during both the December 2010 and February 2011 sample event. No samples were collected at sample location WL-01.

VOCs in the Storm Sewer

Water chemistry data for storm sewer sample STW-01, collected in December 2010, can be found in Attachment 1. Insufficient flow at storm sewer sample location STW-02 prevented sample collection. VOCs were not detected at sample location STW-01. The air space in the storm sewer at these sample locations was screened with a PID. No VOCs were detected with the PID.

Data Quality Assurance

December 2010

Field Data

Data were reviewed in accordance with the QAPP. The review of field data found that field staff did not collect duplicate samples or project specific matrix spike/matrix spike duplicate samples (MS/MSD). Although field precision could not be evaluated for this sample event, sample results were consistent with historical data. The data are considered usable. The following corrective measures were taken to ensure all appropriate quantity control (QC) samples are collected during future sample events:

- The project technical coordinator met with field personnel to discuss required QC requirements for the project;
- For each sample event, the project technical coordinator will prepare a technical memorandum for field staff which includes a table listing required QC samples; and

Technical Memorandum

- When reviewing the sample log-in receipt prepared by the analytical laboratory the project technical coordinator will confirm that appropriate QC samples were received by the laboratory.

The field data are usable.

Laboratory Data

Forty-five water samples were collected by RMT between December 10 and December 28, 2010 and analyzed by Trimatrix Laboratories, located in Grand Rapids, Michigan for VOCs. The groundwater and storm sewer samples were analyzed for VOCs by USEPA Method 8260B and drinking water samples were analyzed for VOCs by USEPA Method 524.2 following protocols specified in the QAPP. As noted above, project specific MS/MSD samples were not collected for VOCs analysis. In order to assess laboratory accuracy and precision, Trimatrix prepared a Laboratory Control Sample Duplicate for each analytical batch without a project specific MS/MSD sample.

RMT performed validation of the VOC laboratory data. The data quality objectives and laboratory completeness goals for the project were met, and the data are usable. The procedures specified in the methods were implemented, and the data package contained all of the deliverables necessary for validation of the analytical data. The complete laboratory data validation report is included in Attachment 3.

Of the forty-five water samples collected, a subset of samples (19 total) were analyzed by Trimatrix for chloride (Standard Method 4500-Cl E), nitrate (Standard Method 4500-NO₃ F), sulfate (ASTM Method D516-90) and ferrous iron (Standard Method 3500-Fe B) following protocols specified in the QAPP. The data quality objectives (Level 3) and laboratory completeness goals for the MNA parameters were met, and the data are usable.

February 2011

Field Data

Data were reviewed in accordance with the QAPP. The review of field data found that pH readings were anomalously high on the morning of February 14, 2011. RMT field personnel noted a potential problem after three consecutive samples with pH readings above 9.0. The pH meter was re-calibrated and subsequent sample data is consistent with historical data. The following corrective measures were taken:

- As noted above, the pH meter was re-calibrated by RMT field personnel;
- The three readings affected (MW-24s, MW-24d and MW-12s) are not usable and were not included in Table 2; and
- pH readings recorded in the field notes for the three affected samples were crossed out and noted as invalid.

The remainder of the field data is usable.

Technical Memorandum

Laboratory Data

Forty-four water samples were collected by RMT between February 14 and February 25, 2011 and analyzed by Trimatrix for VOCs. The samples were analyzed for VOCs by USEPA Method 8260B following protocol specified in the QAPP. RMT performed validation of the VOC laboratory data. The data quality objectives and laboratory completeness goals for the project were met, and the data are usable. The procedures specified in the methods were implemented, and the data package contained all of the deliverables necessary for validation of the analytical data. The complete laboratory data validation report is included in Attachment 3.

Technical Memorandum

Tables

Table 1
 Groundwater and Surface Water Elevations
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-01s	796.53	03/16/09	16.13	780.40
		04/20/09	15.95	780.58
		06/04/09	16.14	780.39
		12/07/09	17.34	779.19
		03/23/10	17.58	778.95
		05/10/10	17.40	779.13
		09/02/10	17.55	778.98
		12/10/10	18.13	778.40
		02/14/11	18.45	778.08
MW-02s	802.14	03/16/09	21.94	780.20
		04/20/09	21.60	780.54
		06/04/09	21.53	780.61
		12/07/09	22.87	779.27
		03/23/10	23.27	778.87
		05/10/10	23.10	779.04
		09/02/10	23.00	779.14
		12/10/10	23.64	778.50
		02/14/11	24.04	778.10
MW-03s	787.00	03/16/09	7.63	779.37
		04/20/09	7.45	779.55
		06/04/09	7.63	779.37
		12/07/09	8.57	778.43
		03/23/10	8.79	778.21
		05/10/10	8.60	778.40
		09/02/10	8.70	778.30
		12/10/10	9.20	777.80
		02/14/11	9.58	777.42
MW-04s	794.42	03/16/09	14.64	779.78
		04/20/09	14.40	780.02
		06/04/09	14.48	779.94
		12/07/09	15.65	778.77
		03/23/10	12.91*	781.51
		05/10/10	15.80	778.62
		09/02/10	15.80	778.62
		12/10/10	16.40	778.02
		02/14/11	16.75	777.67

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-05s	805.59	03/16/09	24.73	780.86
		04/20/09	24.40	781.19
		06/04/09	24.41	781.18
		12/07/09	25.77	779.82
		03/23/10	26.16	779.43
		05/10/10	26.00	779.59
		09/02/10	26.00	779.59
		12/10/10	26.62	778.97
		02/14/11	26.95	778.64
MW-06s	803.73	03/16/09	23.26	780.47
		04/20/09	22.85	780.88
		06/04/09	22.72	781.01
		12/07/09	24.18	779.55
		03/23/10	24.65	779.08
		05/10/10	24.58	779.15
		09/02/10	24.35	779.38
		12/10/10	24.99	778.74
		02/14/11	25.40	778.33
MW-07s	804.40	03/16/09	23.85	780.55
		04/20/09	23.40	781.00
		06/04/09	23.24	781.16
		12/07/09	24.75	779.65
		03/23/10	25.19	779.21
		05/10/10	25.08	779.32
		09/02/10	25.00	779.40
		12/10/10	25.59	778.81
		02/14/11	25.53	778.87
MW-08s	804.39	03/16/09	23.61	780.78
		04/20/09	23.30	781.09
		06/04/09	23.24	781.15
		12/07/09	24.61	779.78
		03/23/10	25.00	779.39
		05/10/10	25.06	779.33
		09/02/10	24.80	779.59
		12/10/10	25.47	778.92
		02/14/11	25.79	778.60

Notes:

- Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)
- ft MSL - feet above mean sea level
- ft BTOC - feet below top of casing
- NI - Not installed at time of measurement
- Dry - Insufficient groundwater present for measurement
- NM - Not measured
- * Measured depth to groundwater is anomalous.

Table 1
 Groundwater and Surface Water Elevations
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-09s	783.97	03/16/09	4.46	779.51
		04/20/09	4.30	779.67
		06/04/09	4.63	779.34
		12/07/09	5.65	778.32
		03/23/10	5.78	778.19
		05/10/10	5.60	778.37
		09/02/10	5.85	778.12
		12/10/10	6.98	776.99
		03/01/11	6.04	777.93
MW-10s	788.65	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	10.46	778.19
		12/07/09	11.57	777.08
		03/23/10	11.55	777.10
		05/10/10	11.20	777.45
		09/02/10	11.85	776.80
		12/10/10	12.15	776.50
		02/14/11	12.46	776.19
MW-10d	788.40	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	12.10	776.30
		03/23/10	11.98	776.42
		05/10/10	11.60	776.80
		09/02/10	12.41	775.99
		12/10/10	12.68	775.72
		02/14/11	12.99	775.41
MW-11s	809.64	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	28.09	781.55
		12/07/09	29.69	779.95
		03/23/10	30.29	779.35
		05/10/10	30.20	779.44
		09/02/10	29.90	779.74
		12/10/10	30.49	779.15
		02/14/11	30.95	778.69

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-12s	790.90	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	12.40	778.50
		12/07/09	13.67	777.23
		03/23/10	14.06	776.84
		05/10/10	13.90	777.00
		09/02/10	13.85	777.05
		12/10/10	14.34	776.56
		02/14/11	14.70	776.20
MW-12d	790.48	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	13.93	776.55
		05/10/10	13.81	776.67
		09/02/10	12.70	777.78
		12/10/10	14.23	776.25
		02/14/11	14.61	775.87
MW-13s	787.35	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	14.88	772.47
		12/07/09	15.81	771.54
		03/23/10	15.82	771.53
		05/10/10	15.50	771.85
		09/02/10	15.70	771.65
		12/10/10	16.15	771.20
		02/14/11	16.89	770.46
MW-14s	780.67	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	5.12	775.55
		12/07/09	6.20	774.47
		03/23/10	3.62	777.05
		05/10/10	3.60	777.07
		09/02/10	7.05	773.62
		12/10/10	6.80	773.87
		02/14/11	6.36	774.31

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-14d	780.51	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	29.97	750.54
		05/10/10	29.85	750.66
		09/02/10	30.10	750.41
		12/10/10	30.19	750.32
		02/14/11	30.28	750.23
MW-15s	811.72	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	29.59	782.13
		12/07/09	31.09	780.63
		03/23/10	31.48	780.24
		05/10/10	31.50	780.22
		09/02/10	31.25	780.47
		12/10/10	32.03	779.69
		02/14/11	32.33	779.39
MW-16s	782.90	03/16/09	NI	NI
		04/20/09	NI	NI
		07/23/09	Dry	NM
		12/07/09	Dry	NM
		03/23/10	Dry	NM
		05/10/10	Dry	NM
		09/02/10	Dry	NM
		12/10/10	Dry	NM
		02/14/11	Dry	NM
MW-17s	754.49	03/16/09	NI	NI
		04/20/09	NI	NI
		07/23/09	5.33	749.16
		12/07/09	5.40	749.09
		03/23/10	5.25	749.24
		05/10/10	5.18	749.31
		09/02/10	5.50	748.99
		12/10/10	5.44	749.05
		02/14/11	5.41	749.08

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-18s	805.49	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	25.66	779.83
		03/23/10	26.02	779.47
		05/10/10	25.95	779.54
		09/02/10	25.80	779.69
		12/10/10	26.50	778.99
		02/14/11	26.82	778.67
MW-19s	803.92	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	24.05	779.87
		03/23/10	24.26	779.66
		05/10/10	24.25	779.67
		09/02/10	24.25	779.67
		12/10/10	24.91	779.01
		02/14/11	25.20	778.72
MW-19d	804.04	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	24.17	779.87
		03/23/10	24.41	779.63
		05/10/10	24.35	779.69
		09/02/10	24.40	779.64
		12/10/10	25.03	779.01
		02/14/11	25.34	778.70
MW-20s	783.16	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	4.85	778.31
		03/23/10	4.97	778.19
		05/10/10	4.80	778.36
		09/02/10	5.00	778.16
		12/10/10	5.53	777.63
		02/14/11	5.81	777.35

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-20d	783.29	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	11.98	771.31
		03/23/10	12.62	770.67
		05/10/10	12.80	770.49
		09/02/10	14.10	769.19
		12/10/10	14.91	768.38
		02/14/11	15.17	768.12
MW-21	780.85	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	29.69	751.16
		03/23/10	29.51	751.34
		05/10/10	29.35	751.50
		09/02/10	29.60	751.25
		12/10/10	29.75	751.10
		02/14/11	29.87	750.98
MW-22	782.62	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	24.62	758.00
		03/23/10	24.88	757.74
		05/10/10	24.88	757.74
		09/02/10	25.15	757.47
		12/10/10	25.03	757.59
		02/14/11	24.91	757.71
MW-23	787.10	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	9.27	777.83
		03/23/10	9.50	777.60
		05/10/10	9.45	777.65
		09/02/10	9.45	777.65
		12/10/10	9.97	777.13
		02/14/11	10.32	776.78

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-24s	797.83	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	19.10	778.73
		03/23/10	19.49	778.34
		05/10/10	19.37	778.46
		09/02/10	19.30	778.53
		12/10/10	19.83	778.00
		02/14/11	20.24	777.59
MW24d	797.93	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	19.20	778.73
		03/23/10	19.58	778.35
		05/10/10	19.45	778.48
		09/02/10	19.35	778.58
		12/10/10	19.95	777.98
		02/14/11	20.31	777.62
MW-25s	798.23	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	18.77	779.46
		03/23/10	18.97	779.26
		05/12/10	18.80	779.43
		09/02/10	19.00	779.23
		12/10/10	19.60	778.63
		02/14/11	19.90	778.33
MW-26s	805.73	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		04/06/10	26.10	779.63
		05/10/10	26.00	779.73
		09/02/10	26.00	779.73
		12/10/10	26.68	779.05
		02/14/11	26.95	778.78

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-27s	781.39	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	3.12	778.27
		05/10/10	2.83	778.56
		09/02/10	3.15	778.24
		12/10/10	3.58	777.81
		02/14/11	3.77	777.62
MW-27d	781.40	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	23.63	757.77
		05/10/10	23.50	757.90
		09/02/10	23.65	757.75
		12/10/10	23.94	757.46
		02/14/11	24.08	757.32
MW-28s	804.68	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	25.53	779.15
		05/10/10	25.45	779.23
		09/02/10	25.20	779.48
		12/10/10	25.86	778.82
		02/14/11	26.30	778.38
MW-28d	804.92	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	25.81	779.11
		05/10/10	25.70	779.22
		09/02/10	25.50	779.42
		12/10/10	26.10	778.82
		02/14/11	26.54	778.38

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous.

Table 1
 Groundwater and Surface Water Elevations
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-29s	788.16	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	15.80	772.36
		05/10/10	15.50	772.66
		09/02/10	15.55	772.61
		12/10/10	16.18	771.98
		02/14/11	16.22	771.94
MW-29d	788.16	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	18.74	769.42
		05/10/10	18.60	769.56
		09/02/10	18.55	769.61
		12/10/10	18.28	769.88
		02/14/11	18.95	769.21
MW-30s	787.69	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	9.89	777.80
		05/10/10	9.75	777.94
		09/02/10	9.90	777.79
		12/10/10	10.36	777.33
		02/14/11	10.74	776.95
MW-30d	787.66	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	9.85	777.81
		05/10/10	9.68	777.98
		09/02/10	9.80	777.86
		12/10/10	10.27	777.39
		02/14/11	10.63	777.03

Notes:

- Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)
- ft MSL - feet above mean sea level
- ft BTOC - feet below top of casing
- NI - Not installed at time of measurement
- Dry - Insufficient groundwater present for measurement
- NM - Not measured
- * Measured depth to groundwater is anomalous.

Table 1
 Groundwater and Surface Water Elevations
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-31	782.36	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	NI	NI
		06/18/10	32.60	749.76
		09/02/10	33.00	749.36
		12/10/10	33.03	749.33
		02/14/11	33.03	749.33
MW-32s	802.59	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	NI	NI
		06/18/10	NI	NI
		09/17/10	23.45	779.14
		12/10/10	23.96	778.63
		02/14/11	24.35	778.24
MW-33s	799.49	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	NI	NI
		06/18/10	NI	NI
		09/17/10	20.62	778.87
		12/10/10	21.11	778.38
		02/14/11	21.36	778.13
MW-34s	802.78	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	NI	NI
		03/23/10	NI	NI
		06/18/10	NI	NI
		09/17/10	23.60	779.18
		12/10/10	24.15	778.63
		02/14/11	24.49	778.29

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous.

Table 1
 Groundwater and Surface Water Elevations
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
E. Chicago Blvd (River Raisin)	756.50	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	14.00	742.51
		03/23/10	13.32	743.18
		06/18/10	13.42	743.08
		09/02/10	14.90	741.60
		12/10/10	13.89	742.61
		02/14/11	14.46	742.04
Russell Road (River Raisin)	755.23	03/16/09	NI	NI
		04/20/09	NI	NI
		06/04/09	NI	NI
		12/07/09	19.36	735.87
		03/23/10	18.50	736.73
		06/18/10	18.65	736.58
		09/02/10	20.40	734.83
		12/10/10	22.04	733.19
		02/14/11	19.99	735.24

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to groundwater is anomalous.

Table 2
Summary of Field Parameters in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
First Quarter 2011

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature
Units		S.U.	umhos/cm	mV	mg/L	NTU	°C
MW-01s	12/09/2009	7.29	499	161	5.68	18.3	12.64
	3/17/2010	6.40	521	84	2.4	30.1	13.34
	5/18/2010	7.45	631	110	2.1	10	11.9
	9/10/2010	NM	678	29	3.4	38	15.96
	12/28/2010	6.85	603	140	4.54	29.4	13.08
	2/25/2011	7.67	603	-5	6.80	29.6	11.22
MW-02s	12/09/2009	6.67	1,238	192	3.92	79.1	14.78
	3/17/2010	7.31	859	55	0.80	18.7	14.81
	5/18/2010	7.41	1,379	156	1.2	84	13.9
	9/10/2010	NM	1,413	35	1.6	49	16.16
	12/22/2010	6.97	1,500	28	2.82	33.0	14.90
	2/24/2011	7.06	1,450	-25	2.41	32.7	14.50
MW-03s	12/08/2009	6.85	1,342	63	1.21	30.9	13.67
	3/17/2010	7.11	1,105	70	1.57	25.5	10.47
	5/18/2010	7.25	1,239	160	0.8	10	13.4
	9/10/2010	NM	1,320	11	0.5	39	18.70
	12/22/2010	6.96	1,298	24	0.44	31.9	13.42
	2/25/2011	6.82	1,466	38	0.80	25.2	8.84
MW-04s	12/09/2009	6.87	970	68	7.17	4.70	15.47
	3/17/2010	6.57	763	78	0.22	16.7	15.69
	5/18/2010	7.20	928	168	0.4	5.0	13.6
	9/17/2010	7.03	817	49	0.4	33.3	18.14
	12/22/2010	6.99	838	-10	0.32	29.9	16.41
	2/25/2011	7.06	795	-9	0.60	24.5	14.15
MW-05s	12/10/2009	7.41	765	131	7.19	NM	10.18
	3/17/2010	7.51	678	20	3.24	39.0	12.80
	5/17/2010	7.70	920	134	1.8	10.0	11.8
	9/9/2010	NM	886	46	3.5	56.0	13.80
	12/21/2010	7.28	852	25	4.52	33.6	11.77
	2/24/2011	6.94	857	65	4.32	28.0	11.78
MW-06s	12/09/2009	7.18	635	171	2.32	22.0	11.72
	3/18/2010	7.40	856	0	0.85	28.5	12.94
	5/17/2010	7.77	768	86	0.7	39	12.6
	9/10/2010	NM	1,254	116	0.9	47	12.70
	12/21/2010	7.13	979	-8	1.19	32.0	12.38
	2/18/2011	6.74	977	35	0.83	27.3	12.51

Notes:

- S.U. = standard pH units
- umhos/cm = micromhos per centimeter
- mV = millivolts
- mg/L = milligrams per liter
- NTU = nephelometric turbidity units
- °C = degrees Celsius
- NM = not measured

Table 2
Summary of Field Parameters in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
First Quarter 2011

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature
Units		S.U.	umhos/cm	mV	mg/L	NTU	°C
MW-07s	12/10/2009	7.27	822	95	3.41	NM	10.43
	3/17/2010	7.20	770	-2	1.69	22.9	11.91
	5/17/2010	7.73	930	151	1.5	10	11.8
	9/10/2010	NM	833	109	3.2	39	13.00
	12/21/2010	7.13	846	15	2.80	35.0	12.45
	2/24/2011	6.90	871	92	2.68	25.9	11.95
MW-08s	12/10/2009	7.49	828	119	8.60	NM	10.91
MW-09s	12/09/2009	7.14	661	172	6.32	15.7	11.63
	3/18/2010	7.34	436	121	4.75	44.5	7.32
	5/18/2010	7.56	506	206	3.0	19	10.4
	9/17/2010	7.29	709	58	2.5	46.7	16.92
	2/25/2011	7.45	663	11	6.39	30.0	6.58
MW-10s	12/09/2009	7.01	825	-1	6.16	144	9.99
	3/16/2010	7.28	816	-24	0.17	38.0	7.79
	5/12/2010	5.99	570	223	0.4	28	8.1
	9/3/2010	NM	925	-29	0.3	56	16.10
	12/16/2010	6.95	1,293	-53	0.18	49.5	10.40
	2/15/2011	6.85	1,251	-4	0.68	39.5	7.70
MW-10d	12/09/2009	6.98	1,150	6	1.69	0.88	10.05
MW-11s	12/09/2009	7.14	969	140	8.59	27.2	10.18
	3/15/2010	7.31	632	83	7.05	199	11.43
	5/14/2010	6.89	728	195	2.7	85	12.1
	9/3/2010	NM	828	109	5.4	98	14.50
	12/17/2010	6.71	1,093	108	3.51	51.9	11.00
	2/17/2011	7.04	863	104	5.18	49.5	11.86
MW-12s	12/10/2009	6.34	906	165	8.03	9.80	10.51
	3/15/2010	7.40	965	80	6.61	39.4	10.12
	5/14/2010	7.11	2,000	200	2.7	10	10.6
	9/3/2010	NM	1,650	108	5.4	46	16.30
	12/14/2010	6.97	1,371	34	6.61	35.3	11.70
	2/14/2011	NM	1,228	41	7.72	27.5	10.87
MW-12d	3/18/2010	7.14	1,780	-94	0.23	59.2	12.07
	5/14/2010	7.19	1,880	-46	0.2	15	12.2
	9/3/2010	NM	2,200	-93	0.3	110	15.60
	12/14/2010	6.96	2,250	-91	0.30	32.8	7.60
	2/14/2011	6.84	2,370	-79	0.24	25.3	11.10

Notes:

- S.U. = standard pH units
- umhos/cm = micromhos per centimeter
- mV = millivolts
- mg/L = milligrams per liter
- NTU = nephelometric turbidity units
- °C = degrees Celsius
- NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature
Units		S.U.	umhos/cm	mV	mg/L	NTU	°C
MW-13s	12/10/2009	6.51	1,264	122	3.26	9.70	11.24
	3/15/2010	7.05	1,760	75	2.38	44.0	10.87
	5/14/2010	7.00	2,810	87	1.5	10	11.4
	9/3/2010	NM	2,170	71	2.6	44	15.70
	12/14/2010	6.85	2,050	18	4.70	45.2	11.30
	2/14/2011	6.80	1,870	8	9.32	261	8.86
MW-14s	12/08/2009	7.04	1,251	52	1.26	9.44	11.69
	3/15/2010	7.39	610	-7	4.83	29.9	6.63
	5/12/2010	6.96	733	197	3.0	4.5	9.9
	9/3/2010	NM	1,338	57	0.5	35	19.50
	12/20/2010	6.56	2,020	54	0.70	30.2	9.25
	2/16/2011	7.02	1,373	146	4.15	25.9	6.62
MW-14d	3/23/2010	7.29	1,151	30	1.18	73.6	11.70
	5/14/2010	7.44	1,324	95	0.9	65	12.9
	9/3/2010	NM	1,371	81	1.2	58	14.30
	12/16/2010	6.91	1,397	45	0.88	57.9	10.90
	2/16/2011	7.01	1,403	114	0.94	32.3	11.06
MW-15s	12/10/2009	7.07	456	150	9.35	33.7	9.76
	3/15/2010	6.85	448	93	7.07	57.9	11.03
	5/14/2010	7.50	621	131	2.4	52	12.8
	9/8/2010	NM	895	129	5.5	59	12.54
	12/17/2010	7.14	743	82	4.18	44.0	10.69
	2/17/2011	7.01	662	98	4.71	39.0	11.26
MW-16s	12/07/2009	NM	NM	NM	NM	NM	NM
	3/18/2010	NM	NM	NM	NM	NM	NM
	5/12/2010	NM	NM	NM	NM	NM	NM
	9/8/2010	NM	NM	NM	NM	NM	NM
	12/16/2010	NM	NM	NM	NM	NM	NM
	2/15/2011	NM	NM	NM	NM	NM	NM
MW-17s	12/07/2009	7.32	810	124	8.06	8.51	8.82
	3/18/2010	7.47	847	28	3.27	29.2	5.19
	5/12/2010	7.35	870	218	3.1	10	9.1
	9/8/2010	NM	1,136	115	4.6	58	15.34
	12/16/2010	7.25	903	28	5.88	59.2	7.74
	2/15/2011	7.35	1,028	15	10.07	43.3	5.10

Notes:

- S.U. = standard pH units
- umhos/cm = micromhos per centimeter
- mV = millivolts
- mg/L = milligrams per liter
- NTU = nephelometric turbidity units
- °C = degrees Celsius
- NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature
Units		S.U.	umhos/cm	mV	mg/L	NTU	°C
MW-18s	12/08/2009	7.31	1,043	56	4.52	79.2	11.59
	3/16/2010	6.08	732	107	1.14	97.7	11.82
	5/12/2010	7.82	1,990	208	2.3	10	11.3
	9/8/2010	NM	13	91	3.1	50	13.95
	12/20/2010	6.77	1,259	44	4.28	41.5	11.77
	2/17/2011	7.03	1,236	136	3.14	32.0	11.77
MW-19s	12/08/2009	6.82	1,065	53	2.73	15.6	12.37
	3/16/2010	7.15	895	6	1.95	20.2	12.66
	5/18/2010	6.63	971	150	0.6	10	11.6
	9/10/2010	NM	1,470	114	2.7	43	13.34
	12/20/2010	7.04	1,131	7	1.93	31.9	12.49
	2/18/2011	7.17	1,229	36	2.65	25.5	12.25
MW-19d	12/08/2009	6.86	1,067	-84	0.71	66.6	10.99
	3/16/2010	7.00	913	-76	0.31	96.2	11.89
	5/12/2010	7.91	1,185	-30	0.4	23	11.7
	9/8/2010	NM	1,219	-103	0.2	80	15.75
	12/20/2010	7.18	1,162	-117	0.24	38.0	9.95
	2/18/2011	6.30	1,257	17	0.49	35.3	11.57
MW-20s	12/10/2009	7.48	418	15	2.93	8.30	9.75
	3/17/2010	7.15	411	125	2.08	43.0	6.34
	5/18/2010	6.94	488	177	1.4	47	10.7
	9/10/2010	NM	512	109	1.0	42	18.03
	12/21/2010	7.04	553	94	1.11	35.7	9.63
	2/18/2011	7.58	599	34	1.60	29.7	7.17
MW-20d	12/10/2009	6.87	1,006	-41	0.82	0.77	11.18
	3/17/2010	6.98	928	-89	0.82	22.2	10.85
	5/18/2010	6.92	1,183	27	0.3	10	10.4
	9/10/2010	NM	1,184	-30	0.3	49	15.89
	12/21/2010	6.98	1,205	-110	0.19	34.7	11.08
	2/18/2011	7.38	1,216	-135	0.52	33.5	11.61
MW-21	12/08/2009	7.12	1,049	36	4.43	15.7	11.30
	3/23/2010	7.29	1,002	41	3.48	24.9	12.81
	5/18/2010	7.15	1,134	220	1.8	8.0	12.2
	10/15/2010	6.91	1,160	180	4.2	29.3	13.03
	12/22/2010	7.11	1,084	21	5.00	34.3	11.87
	2/24/2011	6.99	1,243	-10	5.02	28.5	12.03

Notes:

- S.U. = standard pH units
- umhos/cm = micromhos per centimeter
- mV = millivolts
- mg/L = milligrams per liter
- NTU = nephelometric turbidity units
- °C = degrees Celsius
- NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature
Units		S.U.	umhos/cm	mV	mg/L	NTU	°C
MW-22	12/07/2009	5.73	1,220	190	1.75	4.85	9.62
	3/18/2010	7.37	1,010	-121	0.21	17.6	10.64
	5/18/2010	7.07	1,183	-7	0.3	9	9.2
	9/10/2010	NM	1,357	-114	0.2	41	11.12
	12/22/2010	7.00	1,304	-127	0.19	32.8	10.45
	2/24/2011	6.97	1,299	-139	0.38	33.2	10.03
MW-23	12/08/2009	6.63	1,520	-29	0.68	49.0	12.91
	3/16/2010	6.84	1,280	-76	0.25	86.5	10.97
	5/18/2010	7.02	1,600	18	0.2	10	10.6
	9/10/2010	NM	1,550	-87	0.2	44	16.15
	12/21/2010	6.99	1,540	-110	0.65	33.0	12.64
	2/18/2011	6.95	1,540	-127	0.30	37.4	12.23
MW-24s	12/08/2009	7.24	1,710	5	3.86	NM	13.10
	3/15/2010	7.49	1,142	-10	2.29	27.7	12.26
	5/12/2010	7.95	1,262	91	1.7	10	11.3
	9/8/2010	NM	1,495	54	3.2	43	16.10
	12/14/2010	6.76	1,308	152	2.04	32.5	10.85
	2/14/2011	NM	1,203	157	2.48	26.7	12.30
MW-24d	12/08/2009	6.89	3,760	-65	0.58	NM	11.89
	3/15/2010	7.16	2,900	-73	0.73	30.4	12.57
	5/12/2010	7.63	3,600	-9	0.3	9	11.9
	9/8/2010	NM	3,360	114	1.4	44	17.3
	12/14/2010	6.76	4,140	-78	0.40	34.8	7.92
	2/14/2011	NM	4,050	-72	0.32	25.5	11.79
MW-25s	12/10/2009	7.08	743	71	0.93	31.3	11.01
	3/16/2010	7.09	830	38	1.49	23.8	11.69
	5/14/2010	7.72	1,066	118	0.8	52	11.8
	9/8/2010	NM	1,104	77	1.7	40	13.65
	12/22/2010	6.80	1,061	106	1.70	34.0	12.05
	2/24/2011	6.92	1,034	16	1.58	25.2	11.40
MW-26s	4/6/2010	6.09	1,116	140	0.31	16.2	13.08
	5/14/2010	7.81	1,024	-22	0.2	22	14.3
	9/8/2010	NM	1,128	-64	0.2	49	15.08
	12/17/2010	7.22	938	-86	0.15	31.0	11.06
	2/17/2011	6.37	951	91	0.75	63.5	12.29

Notes:

- S.U. = standard pH units
- umhos/cm = micromhos per centimeter
- mV = millivolts
- mg/L = milligrams per liter
- NTU = nephelometric turbidity units
- °C = degrees Celsius
- NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature
Units		S.U.	umhos/cm	mV	mg/L	NTU	°C
MW-27s	3/23/2010	7.38	1,198	-57	0.15	67.8	8.27
	5/17/2010	6.62	1,274	150	0.2	58	11.7
	9/9/2010	NM	1,660	-61	0.3	58	16.68
	12/20/2010	6.87	1,374	1	0.20	45.0	10.62
	2/16/2011	7.19	1,158	40	0.53	31.0	7.37
MW-27d	3/23/2010	7.27	1,175	-108	0.21	23.9	12.79
	5/17/2010	6.90	1,429	127	0.3	3.0	12.7
	9/9/2010	NM	1,468	-12	0.4	35.0	12.89
	12/20/2010	7.01	1,510	-41	0.26	33.9	10.40
	2/16/2011	7.14	1,360	-102	0.29	30.4	12.45
MW-28s	3/23/2010	7.30	778	-1	1.93	22.2	11.50
	5/17/2010	7.48	1,260	148	1.5	10	12.1
	9/9/2010	NM	779	42	1.5	41	12.85
	12/17/2010	6.92	736	130	1.19	35.0	10.10
	2/16/2011	7.18	916	26	1.67	26.0	11.99
MW-28d	3/23/2010	7.26	827	-81	0.31	31.9	11.41
	5/17/2010	7.38	9	148	0.5	16	13.2
	9/9/2010	NM	901	10	0.9	58	13.37
	12/17/2010	7.00	999	-129	0.15	34.9	10.20
	2/16/2011	7.26	936	-174	0.21	29.0	11.33
MW-29s	3/18/2010	7.05	2,820	-59	0.37	24.8	12.71
	5/17/2010	6.98	3,270	-16	0.2	18	12.8
	9/9/2010	NM	4,410	-107	0.3	35	16.30
	12/15/2010	6.61	6,020	-121	0.42	39.5	12.91
	2/15/2011	6.78	4,910	-241	0.34	33.9	12.65
MW-29d	3/18/2010	7.24	1,182	-134	0.21	5,999	13.78
	5/17/2010	7.40	1,405	60	1.0	10	15.0
	9/9/2010	NM	1,437	6	0.6	35	19.35
	12/15/2010	6.99	1,570	-90	1.57	42.3	0.52
	2/15/2011	7.15	1,550	-202	0.30	1,245	11.28
MW-30s	3/23/2010	7.03	2,120	-14	1.68	102	9.98
	5/17/2010	7.40	2,430	69	0.2	22	12.1
	9/9/2010	NM	1,840	-85	0.2	52	17.01
	12/16/2010	6.78	1,800	-95	0.34	51.0	13.60
	2/15/2011	7.01	1,740	-115	0.18	61.0	11.38

Notes:

- S.U. = standard pH units
- umhos/cm = micromhos per centimeter
- mV = millivolts
- mg/L = milligrams per liter
- NTU = nephelometric turbidity units
- °C = degrees Celsius
- NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte		pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature
Units		S.U.	umhos/cm	mV	mg/L	NTU	°C
MW-30d	3/23/2010	6.92	1,670	-94	0.36	36.0	12.10
	5/17/2010	7.48	1,910	-5	0.2	44	13.6
	9/9/2010	NM	1,870	-98	0.2	52	16.35
	12/16/2010	6.88	1,830	-94	0.22	44.5	11.70
	2/15/2011	7.11	1,800	-146	0.78	40.3	12.60
MW-31	6/18/2010	6.93	1,416	139	4.96	14.8	12.96
	9/17/2010	7.03	1,052	107	4.60	86.9	11.79
	12/22/2010	7.05	1,176	11	6.99	34.9	10.75
	2/24/2011	6.88	1,208	8	6.51	32.7	10.91
MW-32s	9/17/2010	7.29	771	-20	0.31	46.8	17.52
	11/19/2010	7.08	800	-101	0.22	25.8	17.56
	12/28/2010	6.80	830	-62	0.24	31.5	17.20
	2/25/2011	7.14	868	-55	0.42	25.8	17.10
MW-33s	9/17/2010	7.13	1,006	-95	0.48	39.2	16.55
	11/19/2010	6.79	1,059	-101	0.22	26.7	17.42
	12/22/2010	6.98	1,056	-128	0.30	33.4	17.55
	2/24/2011	7.00	991	-157	0.37	23.0	17.28
MW-34s	9/17/2010	7.40	562	21	3.83	44.2	16.02
	11/19/2010	7.22	580	27	4.30	30.0	16.07
	12/28/2010	7.08	585	21	5.68	32.5	15.70
	2/25/2011	7.40	630	-15	5.31	25.5	15.55

Notes:

- S.U. = standard pH units
- umhos/cm = micromhos per centimeter
- mV = millivolts
- mg/L = milligrams per liter
- NTU = nephelometric turbidity units
- °C = degrees Celsius
- NM = not measured

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte	2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	
Residential DWC	13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0	
Industrial DWC	38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0	
GSI Criteria	2,200	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾	
Residential GWSL for Vapor Intrusion	4.6E+06	130	390	440	330	11	15,000	58	370	5.0	
Non-Residential GWSL for Vapor Intrusion	6.4E+06	440	550	610	460	37	21,000	190	510	17	
Groundwater Contact Criteria	2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
MW-01s (16-21')	3/13/2009	<100	<20	<20	<20	<20	<20	750	2,700	<20	<20
	4/20/2009	NA	<100	<100	<100	<100	<100	1,100	2,200	NA	<100
	12/09/2009	<100	<20	<20	<20	<20	<20	1,000	3,400	<20	<20
	3/17/2010	<100	<20	<20	<20	<20	<20	1,400	2,500	<20	<20
	5/18/2010	<100	<20	<20	<20	<20	<20	1,000	2,700	<20	<20
	9/3/2010	<100	<20	<20	<20	<20	<20	750	2,400	<20	<20
	12/28/2010	<100	<20	<20	<20	<20	<20	1,100	2,500	<20	<20
2/25/2011	<50	<10	<10	<10	<10	<10	560	1,300	<10	<10	
DUP-01 (MW-01s)	3/13/2009	<20	<20	<20	<20	<20	<20	720	2,700	<20	<20
MW-02s (23-28')	3/13/2009	<10	<2.0	<2.0	2.4	<2.0	2.2	2.5	280	<2.0	<2.0
	4/20/2009	NA	<10	<10	<10	<10	<10	<10	130	NA	<10
	12/09/2009	<10	<2.0	<2.0	3.7	<2.0	2.7	2.9	250	<2.0	<2.0
	3/17/2010	13	<2.0	<2.0	4.1	<2.0	2.3	3.1	290	<2.0	<2.0
	5/18/2010	<10	<2.0	<2.0	2.3	<2.0	2.4	2.6	210	<2.0	<2.0
	9/3/2010	<10	<2.0	<2.0	2.3	<2.0	2.3	2.3	220	<2.0	<2.0
	12/22/2010	<10	<2.0	<2.0	2.4	<2.0	2.3	3.1	240	<2.0	<2.0
2/24/2011	<10	<2.0	<2.0	2.0	<2.0	<2.0	2.6	240	<2.0	<2.0	
MW-03s (9-14')	3/13/2009	<10	9.1	<2.0	240	9.1	<2.0	<2.0	<2.0	<2.0	140
	4/20/2009	NA	18	<10	490	18	<10	<10	<10	NA	210
	12/08/2009	<120	46	<25	2,200	83	<25	<25	<25	<25	130
	3/17/2010	<25	11	<5.0	460	17	<5.0	<5.0	<5.0	<5.0	42
	5/18/2010	<25	14	<5.0	630	24	<5.0	<5.0	<5.0	<5.0	34
	9/3/2010	<50	29	<10	1,600	63	<10	<10	<10	<10	83
	12/22/2010	<50	32	<10	1,800	82	<10	<10	<10	<10	70
2/25/2011	<100	33	<20	2,200	110	<20	<20	<20	<20	75	
DUP-01 (MW-03s)	12/08/2009	<120	42	<25	2,000	73	<25	<25	<25	<25	120
MW-04s (15-20')	3/13/2009	<120	<25	<25	2,100	70	<25	<25	5,000	<25	460
	4/20/2009	NA	<100	<100	1,700	<100	<100	<100	4,000	NA	520
	12/09/2009	<250	<50	<50	2,500	90	<50	<50	7,100	<50	270
	3/17/2010	<250	<50	<50	2,900	82	<50	<50	7,500	<50	520
	5/18/2010	<250	<50	<50	2,100	58	<50	<50	4,700	<50	280
	9/3/2010	<250	<50	<50	2,400	70	<50	<50	5,200	<50	200
	12/22/2010	<250	<50	<50	2,700	91	<50	<50	6,700	<50	270
2/25/2011	<250	<50	<50	2,500	82	<50	<50	5,900	<50	280	

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended December 14, 2010.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GWSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background Denotes concentrations above one or more criteria

"J"-flag indicates that quality control results are outside of the established control limits; the result is approximate.

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte	2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	
Residential DWC	13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0	
Industrial DWC	38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0	
GSI Criteria	2,200	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾	
Residential GWSL for Vapor Intrusion	4.6E+06	130	390	440	330	11	15,000	58	370	5.0	
Non-Residential GWSL for Vapor Intrusion	6.4E+06	440	550	610	460	37	21,000	190	510	17	
Groundwater Contact Criteria	2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
MW-05s (25-30')	3/13/2009	<5.0	<1.0	<1.0	<1.0	<1.0	3.5	<1.0	120	<1.0	<1.0
	4/20/2009	NA	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	140	NA	<5.0
	12/10/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	190	<1.0	<1.0
	3/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	6.3	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.6	<1.0	<1.0
	9/3/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.6	<1.0	<1.0
	12/21/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.9	<1.0	<1.0
2/24/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.4	<1.0	<1.0	
MW-06s (24-29')	3/16/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	21	<1.0	<1.0
	4/20/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	23	NA	<1.0
	12/09/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	37	<1.0	<1.0
	3/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	31	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	33	<1.0	<1.0
	9/3/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	29	<1.0	<1.0
	12/21/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	34	<1.0	<1.0
2/18/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	35	<1.0	<1.0	
MW-07s (23.5-28.5')	3/16/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.1	10	<1.0	<1.0
	4/20/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	1.6	11	NA	<1.0
	12/10/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.8	14	<1.0	<1.0
	3/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.9	13	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.9	13	<1.0	<1.0
	9/3/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.4	12	<1.0	<1.0
	12/21/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.1	16	<1.0	<1.0
2/24/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.6	12	<1.0	<1.0	
MW-08s (23.5-28.5')	3/16/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11	<1.0	<1.0
	4/20/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	10	NA	<1.0
	12/10/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11	<1.0	<1.0
DUP-01 (MW-08s)	4/20/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	10	NA	<1.0

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended December 14, 2010. Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_vSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background Denotes concentrations above one or more criteria

"j"-flag indicates that quality control results are outside of the established control limits; the result is approximate.

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte	2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	
Residential DWC	13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0	
Industrial DWC	38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0	
GSI Criteria	2,200	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾	
Residential GWSL for Vapor Intrusion	4.6E+06	130	390	440	330	11	15,000	58	370	5.0	
Non-Residential GWSL for Vapor Intrusion	6.4E+06	440	550	610	460	37	21,000	190	510	17	
Groundwater Contact Criteria	2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
MW-09s (7-12')	3/16/2009	<100	<20	<20	<20	<20	<20	160	1,700	<20	<20
	4/20/2009	NA	<100	<100	<100	<100	<100	220	2,100	NA	<100
	12/09/2009	<100	<20	<20	<20	<20	<20	150	2,400	<20	<20
	3/18/2010	<100	<20	<20	<20	<20	<20	120	1,500	<20	<20
	5/18/2010	<100	<20	<20	<20	<20	<20	120	1,700	<20	<20
	9/8/2010	<100	<20	<20	<20	<20	<20	120	1,700	<20	<20
2/25/2011	<50	<10	<10	<10	<10	<10	84	1,100	<10	<10	
MW-10s (8-13')	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	12/09/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	3/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	12/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
2/15/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0		
DUP-02 (MW-10s)	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
MW-10d (14-19')	12/09/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
MW-11s (29-34')	5/14/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	1/13/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	12/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
2/17/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0		
DUP-02 (MW-11s)	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
DUP-01 (MW-11s)	9/3/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
MW-12s (12-17')	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	1.4	<1.0	<1.0	<1.0	
	12/30/2009	<5.0	<1.0	<1.0	<1.0	<1.0	1.4	<1.0	<1.0	<1.0	
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	1.0	<1.0	<1.0	<1.0	
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	1.6	<1.0	<1.0	<1.0	
	12/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
2/14/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0		

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended December 14, 2010.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_vSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background Denotes concentrations above one or more criteria

"j"-flag indicates that quality control results are outside of the established control limits; the result is approximate.

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte	2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DWC	13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0
Industrial DWC	38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0
GSI Criteria	2,200	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSL for Vapor Intrusion	4.6E+06	130	390	440	330	11	15,000	58	370	5.0
Non-Residential GWSL for Vapor Intrusion	6.4E+06	440	550	610	460	37	21,000	190	510	17
Groundwater Contact Criteria	2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-12d (33-38')	3/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/14/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-13s (13-18')	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/10/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-14s (4-9')	2/14/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/20/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-14d (37.5-42.5')	2/16/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DUP-01 (MW-14d)	2/16/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-15s (30-35')	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/30/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
2/17/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended December 14, 2010.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GWSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background Denotes concentrations above one or more criteria

"j"-flag indicates that quality control results are outside of the established control limits; the result is approximate.

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte	2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DWC	13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0
Industrial DWC	38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0
GSI Criteria	2,200	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSL for Vapor Intrusion	4.6E+06	130	390	440	330	11	15,000	58	370	5.0
Non-Residential GWSL for Vapor Intrusion	6.4E+06	440	550	610	460	37	21,000	190	510	17
Groundwater Contact Criteria	2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-17s (3-8')	7/23/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/07/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-18s (26-31')	2/15/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-19s (25-30')	12/20/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/17/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.8	31	<1.0
	1/13/2010	<5.0	<1.0	<1.0	<1.0	<1.0	1.2	2.3	36	<1.0
	3/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	1.1	1.7	36	<1.0
	5/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.6	32	<1.0
DUP-03 (MW-19s)	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	1.2	1.8	33	<1.0
	12/20/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.8	37	<1.0
	2/18/2011	<5.0	<1.0	<1.0	<1.0	<1.0	1.1	1.8	41	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	1.0	1.7	32	<1.0
DUP-02 (MW-19s)	2/18/2011	<5.0	<1.0	<1.0	<1.0	<1.0	1.1	1.8	39	<1.0
MW-19d (40-45')	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/20/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DUP-01 (MW-19d)	2/18/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended December 14, 2010. Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_vSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

 Denotes concentrations above one or more criteria

"J"-flag indicates that quality control results are outside of the established control limits; the result is approximate.

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte	2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	
Residential DWC	13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0	
Industrial DWC	38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0	
GSI Criteria	2,200	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾	
Residential GWSL for Vapor Intrusion	4.6E+06	130	390	440	330	11	15,000	58	370	5.0	
Non-Residential GWSL for Vapor Intrusion	6.4E+06	440	550	610	460	37	21,000	190	510	17	
Groundwater Contact Criteria	2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
MW-20s (8-13')	12/30/2009	<5.0	48	4.0	9.6	<1.0	<1.0	150	71	2.9	<1.0
	1/13/2010	<5.0	50	3.5	9.0	<1.0	<1.0	170	70	2.8	<1.0
	3/17/2010	<5.0	51	3.8	9.4	<1.0	<1.0	160	64	3.2	<1.0
	5/18/2010	<10	58	5.1	12	<2.0	<2.0	210	94	3.4	<2.0
	9/9/2010	<10	34	4.2	10	<2.0	<2.0	230	110	3.8	<2.0
	12/21/2010	<10	24	3.6	6.1	<2.0	<2.0	200	89	3.6	<2.0
	2/18/2011	<10	19	3.3	5.5	<2.0	<2.0	190	93	3.5	<2.0
MW-20d (38.5-43.5')	12/30/2009	<5.0	1.2	<1.0	86	<1.0	<1.0	1.9	<1.0	<1.0	3.5
	1/13/2010	<5.0	<1.0	<1.0	94	2.0	<1.0	<1.0	<1.0	<1.0	3.7
	3/17/2010	<5.0	<1.0	<1.0	85	<1.0	<1.0	<1.0	<1.0	<1.0	4.4
	5/18/2010	<5.0	<1.0	<1.0	120	<1.0	<1.0	<1.0	<1.0	<1.0	3.7
	9/8/2010	<5.0	<1.0	<1.0	95	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/21/2010	<5.0	<1.0	<1.0	200	<1.0	<1.0	<1.0	<1.0	<1.0	3.5
2/18/2011	<10	<2.0	<2.0	190	<2.0	<2.0	<2.0	<2.0	<2.0	3.2	
DUP-03 (MW-20d)	5/18/2010	<5.0	<1.0	<1.0	120	1.0	<1.0	<1.0	<1.0	<1.0	3.7
MW-21 (28.5-33.5')	12/08/2009	<50	31	<10	59	<10	<10	54	840	<10	<10
	1/13/2010	<50	28	<10	62	<10	<10	56	730	<10	<10
	3/23/2010	<5.0	33	2.2	81	7.5	<1.0	62	850	<1.0	<1.0
	5/18/2010	<50	35	<10	89	<10	<10	63	830	<10	<10
	10/15/2010	<50	26	<10	80	<10	<10	59	810	<10	<10
	12/22/2010	<50	25	<10	69	<10	<10	55	730	<10	<10
	2/24/2011	<50	25	<10	66	<10	<10	52	730	<10	<10
DUP-02 (MW-21)	3/23/2010	<5.0	33	2.2	79	7.8	<1.0	61	810	<1.0	<1.0
DUP-03 (MW-21)	2/24/2011	<50	24	<10	66	<10	<10	50	740	<10	<10
MW-22 (25-30')	12/07/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	10
	3/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	8.5
	5/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.0
	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.3
	12/22/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.0
	2/24/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.3

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended December 14, 2010.
 Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GWSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background denotes concentrations above one or more criteria

"J"-flag indicates that quality control results are outside of the established control limits; the result is approximate.

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte	2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	
Residential DWC	13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0	
Industrial DWC	38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0	
GSI Criteria	2,200	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾	
Residential GWSL for Vapor Intrusion	4.6E+06	130	390	440	330	11	15,000	58	370	5.0	
Non-Residential GWSL for Vapor Intrusion	6.4E+06	440	550	610	460	37	21,000	190	510	17	
Groundwater Contact Criteria	2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
MW-23 (17-22')	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.2
	1/13/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	7.6
	3/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.0
	5/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	6.1
	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	9.0
	12/21/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	17
MW-24s (18.5'-23.5')	2/18/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	18
	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-24d (39-44')	12/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/14/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/08/2009	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-25s (20-25')	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/14/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/10/2009	<5.0	1.7	<1.0	8.8	<1.0	<1.0	4.8	<1.0	<1.0	<1.0
	3/16/2010	<5.0	1.2	<1.0	<1.0	<1.0	<1.0	17	1.1	<1.0	<1.0
	5/14/2010	<5.0	1.2	<1.0	<1.0	<1.0	<1.0	18	1.0	<1.0	<1.0
DUP-01 (MW-25s)	9/9/2010	<5.0	1.0	<1.0	<1.0	<1.0	<1.0	19	1.4	<1.0	<1.0
	12/22/2010	<5.0	1.2	<1.0	<1.0	<1.0	<1.0	26	2.4	<1.0	<1.0
	2/24/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	19	2.2	<1.0	<1.0
	3/16/2010	<5.0	1.3	<1.0	<1.0	<1.0	<1.0	18	1.0	<1.0	<1.0
	4/6/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-26s (28-33')	5/14/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/17/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended December 14, 2010.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GWSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background Denotes concentrations above one or more criteria

"j"-flag indicates that quality control results are outside of the established control limits; the result is approximate.

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte	2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DWC	13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0
Industrial DWC	38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0
GSI Criteria	2,200	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSL for Vapor Intrusion	4.6E+06	130	390	440	330	11	15,000	58	370	5.0
Non-Residential GWSL for Vapor Intrusion	6.4E+06	440	550	610	460	37	21,000	190	510	17
Groundwater Contact Criteria	2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-27s (7-12')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.0	<1.0
	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/20/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/16/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.4	<1.0
DUP-02 (MW-27s)	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-27d (37.5-42.5')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/20/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/16/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-28s (25-30')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/16/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.0	<1.0
MW-28d (49-54')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/16/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-29s (13-18')	3/18/2010	<5.0	<1.0	<1.0	1.3	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2010	<5.0	<1.0	<1.0	1.4	<1.0	<1.0	<1.0	<1.0	<1.0
	12/15/2010	<5.0	<1.0	<1.0	1.5	<1.0	<1.0	<1.0	<1.0	<1.0
	2/15/2011	<5.0	<1.0	<1.0	1.7	<1.0	<1.0	<1.0	<1.0	<1.0
MW-29d (58.5-63.5')	3/18/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/15/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/15/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended December 14, 2010. Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GWSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background Denotes concentrations above one or more criteria

"J"-flag indicates that quality control results are outside of the established control limits; the result is approximate.

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 First Quarter 2011

Analyte	2-Butanone	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DWC	13,000	880	7.0	70	100	5.0	200	5.0	2600	2.0
Industrial DWC	38,000	2,500	7.0	70	100	5.0	200	5.0	7300	2.0
GSI Criteria	2,200	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSL for Vapor Intrusion	4.6E+06	130	390	440	330	11	15,000	58	370	5.0
Non-Residential GWSL for Vapor Intrusion	6.4E+06	440	550	610	460	37	21,000	190	510	17
Groundwater Contact Criteria	2.4E+08	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-30s (11-16')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/15/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-30d (25.5-30.5')	3/23/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/10/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2010	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/15/2011	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-31 (33.3-38.3')	6/18/2010	<5.0	14	<1.0	19	2.2	<1.0	20	180	<1.0
	9/9/2010	<10	<2.0	<2.0	15	<2.0	<2.0	48	220	<2.0
	12/22/2010	<10	16	<2.0	29	2.9	<2.0	27	260 j	<2.0
	2/24/2011	<10	16	<2.0	31	3.1	<2.0	26	300	<2.0
DUP-01 (MW-31)	6/18/2010	<5.0	12	<1.0	19	2.3	<1.0	21	170	<1.0
MW-32s (23-28')	9/10/2010	<100	150	<20	270	26	<20	220	2,400	<20
	11/18/2010	<100	<20	<20	190	<20	<20	560	2,800	<20
	12/28/2010	<100	<20	<20	200	<20	<20	510	2,300	<20
	2/25/2011	<100	<20	<20	190	<20	<20	420	2,300	<20
MW-33s (21-26')	9/10/2010	<5.0	12	<1.0	13	<1.0	<1.0	76	<1.0	64
	11/18/2010	<5.0	14	<1.0	22	<1.0	<1.0	150	<1.0	56
	12/22/2010	<5.0	14	<1.0	22	1.2	<1.0	10	130	<1.0
	2/24/2011	<5.0	12	<1.0	20	1.0	<1.0	110	<1.0	60
DUP-01 (MW-33s)	11/18/2010	<5.0	14	<1.0	23	<1.0	<1.0	1.2	150	<1.0
MW-34s (23-28')	9/17/2010	<100	<20	<20	<20	<20	<20	1,600	1,100	<20
	11/18/2010	<100	<20	<20	<20	<20	<20	1,600	1,200	<20
	12/28/2010	<50	<10	13	<10	<10	<10	1,400	1,000	<10
	2/25/2011	<50	<10	<10	<10	<10	<10	1,100	900	<10

Notes:

Residential and Industrial Drinking Water Criteria (DWC), Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria (GCC) from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended December 14, 2010. Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_vSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA). Proposed GWSLs were approved by USEPA in a comment letter dated August 24, 2010.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background Denotes concentrations above one or more criteria

"j"-flag indicates that quality control results are outside of the established control limits; the result is approximate.

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

Table 4
 Summary of Monitored Natural Attenuation Parameters in Groundwater
 Tecumseh Products Company
 Tecumseh, Michigan
 First Quarter 2011

Analyte		Chloride	Nitrate as Nitrogen	Sulfate	Iron II	Alkalinity	Total Organic Carbon
Units		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-01s	12/09/2009	34	3.0	20	0.31	NA	NA
	5/18/2010	31	3.3	18	0.027	NA	NA
	12/28/2010	20	2.5	16	0.023	NA	NA
MW-03s	12/08/2009	220	2.1	37	0.11	NA	NA
	5/18/2010	130	0.36	35	0.059	NA	NA
	12/22/2010	170	0.33	30	0.034	NA	NA
MW-03s (DUP-01)	12/08/2009	220	2.1	37	0.12	NA	NA
MW-04s	12/09/2009	100	6.8	27	0.079	430	4.4
	5/18/2010	76	0.87	17	0.04	NA	NA
	12/22/2010	60	<0.050	9.5	<0.020	NA	NA
MW-06s	12/09/2009	60	3.0	40	1.6	NA	NA
	5/17/2010	35	7.5	37	0.027	NA	NA
	12/21/2010	86	5.7	53	<0.020	NA	NA
MW-09s	12/09/2009	63	1.8	24	0.23	NA	NA
	5/18/2010	13	1.4	8.9	0.053	NA	NA
MW-10s	5/12/2010	11	<0.050	26	0.048	NA	NA
	12/16/2010	180	<0.050	49	0.20	NA	NA
MW-10d	12/09/2009	210	<0.050	44	0.48	NA	NA
MW-14s	12/08/2009	250	0.26	23	0.071	NA	NA
	5/12/2010	46	0.12	20	<0.020	NA	NA
	12/20/2010	410	0.24	26	0.032	NA	NA
MW-17s	12/07/2009	88	<0.050	37	0.15	NA	NA
	5/12/2010	87	0.086	36	<0.02	NA	NA
	12/16/2010	95	<0.050	38	0.13	NA	NA
MW-18s	12/08/2009	140	1.9	47	0.44	NA	NA
	5/12/2010	370	2.0	47	<0.020	NA	NA
	12/20/2010	180	2.6	39	0.030	NA	NA
MW-19S	12/08/2009	140	2.9	32	0.073	380	1.0
	5/18/2010	100	1.4	38	0.064	NA	NA
	12/20/2010	120	3.0	32	<0.020	NA	NA
MW-19S (DUP-01)	5/12/2010	120	<0.050	65	0.93	NA	NA
MW-19d	12/08/2009	150	<0.050	64	5.0	320	1.1
	5/12/2010	150	<0.050	64	1.0	NA	NA
	12/20/2010	140	<0.050	62	0.98	NA	NA
MW-21	12/08/2009	150	0.66	46	0.11	NA	NA
	5/18/2010	150	0.55	38	0.060	NA	NA
	12/22/2010	110	0.81	41	0.020	NA	NA
MW-23	12/08/2009	300	<0.050	63	4.0	NA	NA
	5/18/2010	260	<0.050	59	2.4	NA	NA
	12/21/2010	240	<0.050	60	0.24	NA	NA

Notes:

mg/L = milligrams per liter

NA = Not Analyzed

bold font denotes concentrations detected above laboratory reporting limits

Table 4
 Summary of Monitored Natural Attenuation Parameters in Groundwater
 Tecumseh Products Company
 Tecumseh, Michigan
 First Quarter 2011

Analyte		Chloride	Nitrate as Nitrogen	Sulfate	Iron II	Alkalinity	Total Organic Carbon
Units		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-24s	12/08/2009	350	3.3	93	0.13	340	1.6
	5/12/2010	230	3.5	47	0.037	NA	NA
	12/14/2010	140	3.7	93	<0.020	NA	NA
MW-24d	12/08/2009	1,100	<0.050	110	6.4	350	1.3
	5/12/2010	1,000	<0.050	100	2.0	NA	NA
	12/14/2010	1,100	<0.050	110	1.4	NA	NA
MW-27s	5/17/2010	190	0.23	40	0.27	NA	NA
	12/20/2010	220	0.065	53	0.15	NA	NA
MW-27d	5/17/2010	220	0.59	62	0.047	NA	NA
	12/20/2010	240	0.39	67	0.13	NA	NA
MW-32s	12/28/2010	66	1.8	39	0.048	NA	NA
MW-33s	12/22/2010	93	3.7	7.4	0.95	NA	NA
MW-34s	12/28/2010	39	2.3	15	<0.020	NA	NA

Notes:


mg/L = milligrams per liter

NA = Not Analyzed

bold font denotes concentrations detected above laboratory reporting limits

Technical Memorandum

Figures



LEGEND

- FORMER TECUMSEH PRODUCTS SITE BOUNDARY
- PARCEL BOUNDARY
- RAILROAD TRACKS (APPROXIMATE LOCATION)
- APPROXIMATE GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP
- FLOODPLAIN / WOODED WETLAND AREA
- B-2 + PERIMETER / OFF-SITE INVESTIGATION SOIL BORING LOCATION AND NUMBER
- ▲ MW-4S ▲ MONITORING WELL LOCATION AND NUMBER
- + NS-6 + NORTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- + SS-2 + SOUTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- * STW-2 * STORM WATER SEWER SAMPLE LOCATION AND NUMBER
- ▼ WL-01 ▼ WETLAND SURFACE WATER SAMPLE LOCATION
- ✖ SG-02 ✖ SOIL GAS SAMPLE LOCATION AND NUMBER

NOTES

1. BASE MAP DEVELOPED FROM SITE PLAN PROVIDED BY THE CITY OF TECUMSEH, DRAWING NO. CITY.DWG, MARCH 2009.
2. GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S TOPOGRAPHIC QUADRANGLE MAP AND GROUND SURVEY DATA.


2.02751.DWG
 J:\02751\02751_08.11.dwg
 LUCIO, SAM
 Drawing File Scale: 0.38893
 Date: April 8, 2011
 Plot Time: 10:07 AM
 Site Topo and Monitoring Well(1)
 Layout
 Attached Kclics:
 Attached Images:
 1.15 Mb

NO.	BY	DATE	REVISION	APPD.
5.				
4.				
3.				
2.				
1.				

**FORMER TECUMSEH PRODUCTS SITE
TECUMSEH, MICHIGAN**

SURFACE TOPOGRAPHY AND SAMPLE LOCATIONS

DRAWN BY:	S.J.	DRAWING SCALE:	PROJECT NO.:
CHECKED BY:	SEM	AS INDICATED	FILE NO.:
APPROVED BY:	GC	DATE PRINTED:	FIGURE 1
DATE:	April 2011		




LEGEND

- FORMER TECUMSEH PRODUCTS SITE BOUNDARY
- PARCEL BOUNDARY
- ||||| RAILROAD TRACKS (APPROXIMATE LOCATION)
- 750 --- APPROXIMATE GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP
- B-2+ PERIMETER / OFF-SITE INVESTIGATION SOIL BORING LOCATION AND NUMBER
- MW-4S+ MONITORING WELL LOCATION AND NUMBER
- NS-6+ NORTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- SS-2+ SOUTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- STW-2+ STORM WATER SEWER SAMPLE LOCATION AND NUMBER
- WL-01+ WETLAND SURFACE WATER SAMPLE LOCATION
- WETLAND AREA
- FLOODPLAIN / WOODED WETLAND AREA
- EXTENT OF VOCs ABOVE DRINKING WATER CRITERIA
- EXTENT OF VOCs ABOVE GSI CRITERIA

NOTES

- BASE MAP DEVELOPED FROM SITE PLAN PROVIDED BY THE CITY OF TECUMSEH, DRAWING NO. CITY DWG, MARCH 2009.
- GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S TOPOGRAPHIC QUADRANGLE MAP AND GROUND SURVEY DATA.




NO.	BY	DATE	REVISION	APPD.
5.				
4.				
3.				
2.				
1.				

**FORMER TECUMSEH PRODUCTS SITE
TECUMSEH, MICHIGAN**

EXTENT OF VOCs ABOVE PART 201 CRITERIA

DRAWN BY:	S&L	DRAWING SCALE:	PROJECT NO.:
CHECKED BY:	SEM	AS INDICATED	FILE NO.:
APPROVED BY:	GC	DATE PRINTED:	FIGURE 2
DATE:	April 2011		


2:02 PM 4/27/2011 08:12:49
 J:\02751\082751_08_12.dwg
 LUCIO, SAM
 Drawing Plot Scale: 0.38893
 Date Plotted: April 8, 2011
 Plot Time: 10:09:01 AM
 Attached Kicks:
 Attached Images:
 Layout:



LEGEND

- FORMER TECUMSEH PRODUCTS SITE BOUNDARY
- - - - - PARCEL BOUNDARY
- ||||| RAILROAD TRACKS (APPROXIMATE LOCATION)
- 750 --- APPROXIMATE GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP
- B-2+ PERMETER / OFF-SITE INVESTIGATION SOIL BORING LOCATION AND NUMBER
- MW-4S ▲ MONITORING WELL LOCATION AND NUMBER
- NS-6+ NORTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- SS-2+ SOUTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- STW-2 ♦ STORM WATER SEWER SAMPLE LOCATION AND NUMBER
- WL-01 ▼ WETLAND SURFACE WATER SAMPLE LOCATION
- 750 5 FOOT GROUNDWATER CONTOUR LINE
- 749 1 FOOT GROUNDWATER CONTOUR LINE
- GROUNDWATER FLOW DIRECTION
- (750.54) GROUNDWATER ELEVATION
- ▲ FLOODPLAIN / WOODED WETLAND AREA

- NOTES**
1. BASE MAP DEVELOPED FROM SITE PLAN PROVIDED BY THE CITY OF TECUMSEH, DRAWING NO. CITY DWG. MARCH 2009.
 2. GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP AND GROUND SURVEY DATA.
 3. MW-14S IS SCREENED IN A DIFFERENT, PERCHED, WATER BEARING UNIT THAN THE OTHER SHALLOW MONITORING WELLS ON-SITE. THE GROUNDWATER ELEVATION MEASURED AT MW-14D WAS USED TO DEVELOP GROUNDWATER CONTOURS, BECAUSE MW-14D IS SCREENED IN THE DEEPER WATER BEARING UNIT WHICH IS HYDRAULICALLY CONNECTED TO THE SITE.




5.				
4.				
3.				
2.				
1.				
NO.	BY	DATE	REVISION	APPD.

**FORMER TECUMSEH PRODUCTS SITE
TECUMSEH, MICHIGAN**

**GROUNDWATER CONTOUR MAP
DECEMBER 2010**

DRAWN BY:	S&L	DRAWING SCALE:	PROJECT NO.:
CHECKED BY:	SEM	AS INDICATED	FILE NO.:
APPROVED BY:	GC	DATE PRINTED:	
DATE:	April 2011		

2:02 PM 4/15/2011 12:13 PM
 J:\02751\082751_08_13.dwg
 LUCIO, SAM
 0.38893
 Drawing Plot Scale: 0.38893
 Date: April 15, 2011
 Plot Time: 12:13 PM
 Layout:



LEGEND

- FORMER TECUMSEH PRODUCTS SITE BOUNDARY
- PARCEL BOUNDARY
- RAILROAD TRACKS (APPROXIMATE LOCATION)
- APPROXIMATE GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP
- + B-2+ PERIMETER / OFF-SITE INVESTIGATION SOIL BORING LOCATION AND NUMBER
- ▲ MW-4S MONITORING WELL LOCATION AND NUMBER
- + NS-6+ NORTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- + SS-2+ SOUTHERN SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- * STW-2 STORM WATER SEWER SAMPLE LOCATION AND NUMBER
- ♦ WL-01 WETLAND SURFACE WATER SAMPLE LOCATION
- 750 5 FOOT GROUNDWATER CONTOUR LINE
- 749 1 FOOT GROUNDWATER CONTOUR LINE
- GROUNDWATER FLOW DIRECTION
- (750.54) GROUNDWATER ELEVATION
- FLOODPLAIN / WOODED WETLAND AREA

- NOTES**
- BASE MAP DEVELOPED FROM SITE PLAN PROVIDED BY THE CITY OF TECUMSEH, DRAWING NO. CITY.DWG, MARCH 2009.
 - GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP AND GROUND SURVEY DATA.
 - MW-14S IS SCREENED IN A DIFFERENT, PERCHED, WATER BEARING UNIT THAN THE OTHER SHALLOW MONITORING WELLS ON-SITE. THE GROUNDWATER ELEVATION MEASURED AT MW-14S WAS USED TO DEVELOP GROUNDWATER CONTOURS, BECAUSE MW-14S IS SCREENED IN THE DEEPER WATER BEARING UNIT WHICH IS HYDRAULICALLY CONNECTED TO THE SITE.

NO.	BY	DATE	REVISION	APPD.

**FORMER TECUMSEH PRODUCTS SITE
TECUMSEH, MICHIGAN**

**GROUNDWATER CONTOUR MAP
FEBRUARY 2011**

DRAWN BY: J.S.L.	DRAWING SCALE: AS INDICATED	PROJECT NO: J-10275108
CHECKED BY: SEM	DATE PRINTED: APRIL 15, 2011	FILE NO: 02751.08.14.dwg
APPROVED BY: GC	DATE: APRIL 15, 2011	FIGURE 4

DATE: 02/21/11
 DRAWING NO: J-10275108
 PROJECT NO: J-10275108
 FILE NO: 02751.08.14.dwg
 DATE: APRIL 15, 2011
 TIME: 12:11 PM
 DRAWING TITLE: GROUNDWATER CONTOUR MAP
 PROJECT NAME: FORMER TECUMSEH PRODUCTS SITE
 DRAWING SCALE: AS INDICATED

Technical Memorandum

Attachment 1

December 2010 Analytical Data

January 07, 2011

RMT, Inc. - Ann Arbor Office
Attn: Ms. Stacy Metz
3754 Ranchero Drive
Ann Arbor, MI 48108-2771

Project: Tecumseh Products

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report, comprised of the following work order(s), for test samples received by TriMatrix Laboratories:


Work Order	Received	Description
1012210	12/15/2010	Laboratory Services
1012212	12/14/2010	Laboratory Services
1012264	12/17/2010	Laboratory Services
1012304	12/21/2010	Laboratory Services
1012340	12/22/2010	Laboratory Services
1012343	12/23/2010	Laboratory Services
1012376	12/28/2010	Laboratory Services

This report relates only to the sample(s), as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Conference (NELAC). Any qualifications of results, including sample acceptance requirements, are explained in the Statement of Data Qualifications.

Estimates of analytical uncertainties for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,



Jennifer L. Rice
Project Chemist

Enclosures(s)

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24s**
 Lab Sample ID: **1012210-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 09:23
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24s**
 Lab Sample ID: **1012210-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 09:23
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1012210
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-24s	Sampled: 12/14/10 09:23
Lab Sample ID: 1012210-01	Sampled By: J. Jasso
Matrix: Water	Received: 12/15/10 08:00
Unit: ug/L	Prepared: 12/16/10 By: DLV
Dilution Factor: 1	Analyzed: 12/16/10 By: DLV
QC Batch: 1013788	Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:			
		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	99	<i>87-123</i>
	<i>Toluene-d8</i>	100	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	100	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24s**
 Lab Sample ID: **1012210-01**
 Matrix: Water

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 09:23
 Sampled By: J. Jasso
 Received: 12/15/10 08:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	140	2.0	mg/L	2	SM 4500-Cl E 20th	12/20/10 12:05	LMA	1013790
Iron, Ferrous	<0.020	0.020	mg/L	1	SM 3500-Fe B 20th	12/15/10 09:04	CLD	1013680
*Nitrogen, Nitrate	3.7	0.50	mg/L	10	SM 4500-NO3 F 20th	12/15/10 14:45	CAM	1013938
Sulfate	93	25	mg/L	5	ASTM D516-90 (02)	12/20/10 11:37	LMA	1013800

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24d**
 Lab Sample ID: **1012210-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 10:53
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24d**
 Lab Sample ID: **1012210-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 10:53
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1012210
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-24d	Sampled:	12/14/10 10:53
Lab Sample ID:	1012210-02	Sampled By:	J. Jasso
Matrix:	Water	Received:	12/15/10 08:00
Unit:	ug/L	Prepared:	12/16/10 By: DLV
Dilution Factor:	1	Analyzed:	12/16/10 By: DLV
QC Batch:	1013788	Analytical Batch:	0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	100	<i>87-123</i>
	<i>Toluene-d8</i>	101	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	100	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24d**
 Lab Sample ID: **1012210-02**
 Matrix: Water

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 10:53
 Sampled By: J. Jasso
 Received: 12/15/10 08:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	1100	50	mg/L	50	SM 4500-Cl E 20th	12/20/10 12:06	LMA	1013790
Iron, Ferrous	1.4	0.20	mg/L	10	SM 3500-Fe B 20th	12/15/10 09:04	CLD	1013680
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	12/15/10 14:36	CAM	1013938
Sulfate	110	25	mg/L	5	ASTM D516-90 (02)	12/20/10 11:09	LMA	1013800

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12s**
 Lab Sample ID: **1012210-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 12:27
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12s**
 Lab Sample ID: **1012210-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 12:27
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12s**
 Lab Sample ID: **1012210-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 12:27
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	99	<i>87-123</i>
	<i>Toluene-d8</i>	100	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	99	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12d**
 Lab Sample ID: **1012210-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 13:41
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12d**
 Lab Sample ID: **1012210-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 13:41
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12d**
 Lab Sample ID: **1012210-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 13:41
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	100	<i>87-123</i>
	<i>Toluene-d8</i>	101	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	100	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-13s**
 Lab Sample ID: **1012210-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 15:26
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-13s**
 Lab Sample ID: **1012210-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 15:26
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-13s**
 Lab Sample ID: **1012210-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 15:26
 Sampled By: J. Jasso
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	100	<i>87-123</i>
	<i>Toluene-d8</i>	100	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	100	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-02**
 Lab Sample ID: **1012210-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 00:00
 Sampled By: TML
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-02**
 Lab Sample ID: **1012210-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 00:00
 Sampled By: TML
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-02**
 Lab Sample ID: **1012210-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012210**
 Description: Laboratory Services
 Sampled: 12/14/10 00:00
 Sampled By: TML
 Received: 12/15/10 08:00
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	100	<i>87-123</i>
	<i>Toluene-d8</i>	100	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	100	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **STW-1**
 Lab Sample ID: **1012212-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 08:08
 Sampled By: J. Bacon
 Received: 12/14/10 19:30
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **STW-1**
 Lab Sample ID: **1012212-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 08:08
 Sampled By: J. Bacon
 Received: 12/14/10 19:30
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **STW-1**
 Lab Sample ID: **1012212-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 08:08
 Sampled By: J. Bacon
 Received: 12/14/10 19:30
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	100	<i>87-123</i>
	<i>Toluene-d8</i>	100	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	99	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **307 Kilbuck**
 Lab Sample ID: **1012212-02**
 Matrix: Water
 Unit: mg/L
 Dilution Factor: 1
 QC Batch: 1013805

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 10:20
 Sampled By: J. Bacon
 Received: 12/14/10 19:30
 Prepared: 12/20/10 By: DLV
 Analyzed: 12/20/10 By: DLV
 Analytical Batch: 0L20045

Volatile Organic Compounds in Drinking Water by EPA Method 524.2

CAS Number	Analyte	Analytical Result	RL
71-43-2	Benzene	<0.0010	0.0010
108-86-1	Bromobenzene	<0.0010	0.0010
75-27-4	Bromodichloromethane	<0.0010	0.0010
*75-25-2	Bromoform	<0.0010	0.0010
74-83-9	Bromomethane	<0.0010	0.0010
56-23-5	Carbon Tetrachloride	<0.0010	0.0010
108-90-7	Chlorobenzene	<0.0010	0.0010
75-00-3	Chloroethane	<0.0010	0.0010
67-66-3	Chloroform	<0.0010	0.0010
74-87-3	Chloromethane	<0.0010	0.0010
95-49-8	2-Chlorotoluene	<0.0010	0.0010
106-43-4	4-Chlorotoluene	<0.0010	0.0010
124-48-1	Dibromochloromethane	<0.0010	0.0010
74-95-3	Dibromomethane	<0.0010	0.0010
95-50-1	1,2-Dichlorobenzene	<0.0010	0.0010
541-73-1	1,3-Dichlorobenzene	<0.0010	0.0010
106-46-7	1,4-Dichlorobenzene	<0.0010	0.0010
75-71-8	Dichlorodifluoromethane	<0.0010	0.0010
75-34-3	1,1-Dichloroethane	<0.0010	0.0010
107-06-2	1,2-Dichloroethane	<0.0010	0.0010
75-35-4	1,1-Dichloroethene	<0.0010	0.0010
156-59-2	cis-1,2-Dichloroethene	<0.0010	0.0010
156-60-5	trans-1,2-Dichloroethene	<0.0010	0.0010
78-87-5	1,2-Dichloropropane	<0.0010	0.0010
142-28-9	1,3-Dichloropropane	<0.0010	0.0010
594-20-7	2,2-Dichloropropane	<0.0010	0.0010
563-58-6	1,1-Dichloropropene	<0.0010	0.0010
10061-01-5	cis-1,3-Dichloropropene	<0.0010	0.0010
10061-02-6	trans-1,3-Dichloropropene	<0.0010	0.0010
100-41-4	Ethylbenzene	<0.0010	0.0010
75-09-2	Methylene Chloride	<0.0050	0.0050

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **307 Kilbuck**
 Lab Sample ID: **1012212-02**
 Matrix: Water
 Unit: mg/L
 Dilution Factor: 1
 QC Batch: 1013805

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 10:20
 Sampled By: J. Bacon
 Received: 12/14/10 19:30
 Prepared: 12/20/10 By: DLV
 Analyzed: 12/20/10 By: DLV
 Analytical Batch: 0L20045

Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

CAS Number	Analyte	Analytical Result	RL
100-42-5	Styrene	<0.0010	0.0010
630-20-6	1,1,1,2-Tetrachloroethane	<0.0010	0.0010
79-34-5	1,1,2,2-Tetrachloroethane	<0.0010	0.0010
127-18-4	Tetrachloroethene	<0.0010	0.0010
108-88-3	Toluene	<0.0010	0.0010
120-82-1	1,2,4-Trichlorobenzene	<0.0010	0.0010
71-55-6	1,1,1-Trichloroethane	<0.0010	0.0010
79-00-5	1,1,2-Trichloroethane	<0.0010	0.0010
79-01-6	Trichloroethene	<0.0010	0.0010
75-69-4	Trichlorofluoromethane	<0.0010	0.0010
96-18-4	1,2,3-Trichloropropane	<0.0010	0.0010
75-01-4	Vinyl Chloride	<0.0010	0.0010
1330-20-7	Xylene (Total)	<0.0030	0.0030

<i>Surrogates:</i>	<i>% Recovery</i>	<i>Control Limits</i>
<i>Dibromofluoromethane</i>	101	<i>82-118</i>
<i>1,2-Dichloroethane-d4</i>	102	<i>75-128</i>
<i>Toluene-d8</i>	99	<i>88-108</i>
<i>4-Bromofluorobenzene</i>	99	<i>82-114</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **607 Mohawk**
 Lab Sample ID: **1012212-03**
 Matrix: Water
 Unit: mg/L
 Dilution Factor: 1
 QC Batch: 1013805

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 14:22
 Sampled By: J. Bacon
 Received: 12/14/10 19:30
 Prepared: 12/20/10 By: DLV
 Analyzed: 12/20/10 By: DLV
 Analytical Batch: 0L20045

Volatile Organic Compounds in Drinking Water by EPA Method 524.2

CAS Number	Analyte	Analytical Result	RL
71-43-2	Benzene	<0.0010	0.0010
108-86-1	Bromobenzene	<0.0010	0.0010
75-27-4	Bromodichloromethane	<0.0010	0.0010
*75-25-2	Bromoform	<0.0010	0.0010
74-83-9	Bromomethane	<0.0010	0.0010
56-23-5	Carbon Tetrachloride	<0.0010	0.0010
108-90-7	Chlorobenzene	<0.0010	0.0010
75-00-3	Chloroethane	<0.0010	0.0010
67-66-3	Chloroform	<0.0010	0.0010
74-87-3	Chloromethane	<0.0010	0.0010
95-49-8	2-Chlorotoluene	<0.0010	0.0010
106-43-4	4-Chlorotoluene	<0.0010	0.0010
124-48-1	Dibromochloromethane	<0.0010	0.0010
74-95-3	Dibromomethane	<0.0010	0.0010
95-50-1	1,2-Dichlorobenzene	<0.0010	0.0010
541-73-1	1,3-Dichlorobenzene	<0.0010	0.0010
106-46-7	1,4-Dichlorobenzene	<0.0010	0.0010
75-71-8	Dichlorodifluoromethane	<0.0010	0.0010
75-34-3	1,1-Dichloroethane	<0.0010	0.0010
107-06-2	1,2-Dichloroethane	<0.0010	0.0010
75-35-4	1,1-Dichloroethene	<0.0010	0.0010
156-59-2	cis-1,2-Dichloroethene	<0.0010	0.0010
156-60-5	trans-1,2-Dichloroethene	<0.0010	0.0010
78-87-5	1,2-Dichloropropane	<0.0010	0.0010
142-28-9	1,3-Dichloropropane	<0.0010	0.0010
594-20-7	2,2-Dichloropropane	<0.0010	0.0010
563-58-6	1,1-Dichloropropene	<0.0010	0.0010
10061-01-5	cis-1,3-Dichloropropene	<0.0010	0.0010
10061-02-6	trans-1,3-Dichloropropene	<0.0010	0.0010
100-41-4	Ethylbenzene	<0.0010	0.0010
75-09-2	Methylene Chloride	<0.0050	0.0050

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **607 Mohawk**
 Lab Sample ID: **1012212-03**
 Matrix: Water
 Unit: mg/L
 Dilution Factor: 1
 QC Batch: 1013805

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 14:22
 Sampled By: J. Bacon
 Received: 12/14/10 19:30
 Prepared: 12/20/10 By: DLV
 Analyzed: 12/20/10 By: DLV
 Analytical Batch: 0L20045

Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

CAS Number	Analyte	Analytical Result	RL
100-42-5	Styrene	<0.0010	0.0010
630-20-6	1,1,1,2-Tetrachloroethane	<0.0010	0.0010
79-34-5	1,1,2,2-Tetrachloroethane	<0.0010	0.0010
127-18-4	Tetrachloroethene	<0.0010	0.0010
108-88-3	Toluene	<0.0010	0.0010
120-82-1	1,2,4-Trichlorobenzene	<0.0010	0.0010
71-55-6	1,1,1-Trichloroethane	<0.0010	0.0010
79-00-5	1,1,2-Trichloroethane	<0.0010	0.0010
79-01-6	Trichloroethene	<0.0010	0.0010
75-69-4	Trichlorofluoromethane	<0.0010	0.0010
96-18-4	1,2,3-Trichloropropane	<0.0010	0.0010
75-01-4	Vinyl Chloride	<0.0010	0.0010
1330-20-7	Xylene (Total)	<0.0030	0.0030

<i>Surrogates:</i>	<i>% Recovery</i>	<i>Control Limits</i>
<i>Dibromofluoromethane</i>	102	<i>82-118</i>
<i>1,2-Dichloroethane-d4</i>	101	<i>75-128</i>
<i>Toluene-d8</i>	100	<i>88-108</i>
<i>4-Bromofluorobenzene</i>	97	<i>82-114</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **611 Mohawk**
 Lab Sample ID: **1012212-04**
 Matrix: Water
 Unit: mg/L
 Dilution Factor: 1
 QC Batch: 1013805

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 14:35
 Sampled By: J. Bacon
 Received: 12/14/10 19:30
 Prepared: 12/20/10 By: DLV
 Analyzed: 12/20/10 By: DLV
 Analytical Batch: 0L20045

Volatile Organic Compounds in Drinking Water by EPA Method 524.2

CAS Number	Analyte	Analytical Result	RL
71-43-2	Benzene	<0.0010	0.0010
108-86-1	Bromobenzene	<0.0010	0.0010
75-27-4	Bromodichloromethane	<0.0010	0.0010
*75-25-2	Bromoform	<0.0010	0.0010
74-83-9	Bromomethane	<0.0010	0.0010
56-23-5	Carbon Tetrachloride	<0.0010	0.0010
108-90-7	Chlorobenzene	<0.0010	0.0010
75-00-3	Chloroethane	<0.0010	0.0010
67-66-3	Chloroform	<0.0010	0.0010
74-87-3	Chloromethane	<0.0010	0.0010
95-49-8	2-Chlorotoluene	<0.0010	0.0010
106-43-4	4-Chlorotoluene	<0.0010	0.0010
124-48-1	Dibromochloromethane	<0.0010	0.0010
74-95-3	Dibromomethane	<0.0010	0.0010
95-50-1	1,2-Dichlorobenzene	<0.0010	0.0010
541-73-1	1,3-Dichlorobenzene	<0.0010	0.0010
106-46-7	1,4-Dichlorobenzene	<0.0010	0.0010
75-71-8	Dichlorodifluoromethane	<0.0010	0.0010
75-34-3	1,1-Dichloroethane	<0.0010	0.0010
107-06-2	1,2-Dichloroethane	<0.0010	0.0010
75-35-4	1,1-Dichloroethene	<0.0010	0.0010
156-59-2	cis-1,2-Dichloroethene	<0.0010	0.0010
156-60-5	trans-1,2-Dichloroethene	<0.0010	0.0010
78-87-5	1,2-Dichloropropane	<0.0010	0.0010
142-28-9	1,3-Dichloropropane	<0.0010	0.0010
594-20-7	2,2-Dichloropropane	<0.0010	0.0010
563-58-6	1,1-Dichloropropene	<0.0010	0.0010
10061-01-5	cis-1,3-Dichloropropene	<0.0010	0.0010
10061-02-6	trans-1,3-Dichloropropene	<0.0010	0.0010
100-41-4	Ethylbenzene	<0.0010	0.0010
75-09-2	Methylene Chloride	<0.0050	0.0050

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **611 Mohawk**
 Lab Sample ID: **1012212-04**
 Matrix: Water
 Unit: mg/L
 Dilution Factor: 1
 QC Batch: 1013805

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 14:35
 Sampled By: J. Bacon
 Received: 12/14/10 19:30
 Prepared: 12/20/10 By: DLV
 Analyzed: 12/20/10 By: DLV
 Analytical Batch: 0L20045

Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

CAS Number	Analyte	Analytical Result	RL
100-42-5	Styrene	<0.0010	0.0010
630-20-6	1,1,1,2-Tetrachloroethane	<0.0010	0.0010
79-34-5	1,1,2,2-Tetrachloroethane	<0.0010	0.0010
127-18-4	Tetrachloroethene	<0.0010	0.0010
108-88-3	Toluene	<0.0010	0.0010
120-82-1	1,2,4-Trichlorobenzene	<0.0010	0.0010
71-55-6	1,1,1-Trichloroethane	<0.0010	0.0010
79-00-5	1,1,2-Trichloroethane	<0.0010	0.0010
79-01-6	Trichloroethene	<0.0010	0.0010
75-69-4	Trichlorofluoromethane	<0.0010	0.0010
96-18-4	1,2,3-Trichloropropane	<0.0010	0.0010
75-01-4	Vinyl Chloride	<0.0010	0.0010
1330-20-7	Xylene (Total)	<0.0030	0.0030

<i>Surrogates:</i>	<i>% Recovery</i>	<i>Control Limits</i>
<i>Dibromofluoromethane</i>	103	<i>82-118</i>
<i>1,2-Dichloroethane-d4</i>	101	<i>75-128</i>
<i>Toluene-d8</i>	101	<i>88-108</i>
<i>4-Bromofluorobenzene</i>	98	<i>82-114</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **615 Mohawk**
 Lab Sample ID: **1012212-05**
 Matrix: Water
 Unit: mg/L
 Dilution Factor: 1
 QC Batch: 1013805

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 15:03
 Sampled By: J. Bacon
 Received: 12/14/10 19:30
 Prepared: 12/20/10 By: DLV
 Analyzed: 12/20/10 By: DLV
 Analytical Batch: 0L20045

Volatile Organic Compounds in Drinking Water by EPA Method 524.2

CAS Number	Analyte	Analytical Result	RL
71-43-2	Benzene	<0.0010	0.0010
108-86-1	Bromobenzene	<0.0010	0.0010
75-27-4	Bromodichloromethane	<0.0010	0.0010
*75-25-2	Bromoform	<0.0010	0.0010
74-83-9	Bromomethane	<0.0010	0.0010
56-23-5	Carbon Tetrachloride	<0.0010	0.0010
108-90-7	Chlorobenzene	<0.0010	0.0010
75-00-3	Chloroethane	<0.0010	0.0010
67-66-3	Chloroform	<0.0010	0.0010
74-87-3	Chloromethane	<0.0010	0.0010
95-49-8	2-Chlorotoluene	<0.0010	0.0010
106-43-4	4-Chlorotoluene	<0.0010	0.0010
124-48-1	Dibromochloromethane	<0.0010	0.0010
74-95-3	Dibromomethane	<0.0010	0.0010
95-50-1	1,2-Dichlorobenzene	<0.0010	0.0010
541-73-1	1,3-Dichlorobenzene	<0.0010	0.0010
106-46-7	1,4-Dichlorobenzene	<0.0010	0.0010
75-71-8	Dichlorodifluoromethane	<0.0010	0.0010
75-34-3	1,1-Dichloroethane	<0.0010	0.0010
107-06-2	1,2-Dichloroethane	<0.0010	0.0010
75-35-4	1,1-Dichloroethene	<0.0010	0.0010
156-59-2	cis-1,2-Dichloroethene	<0.0010	0.0010
156-60-5	trans-1,2-Dichloroethene	<0.0010	0.0010
78-87-5	1,2-Dichloropropane	<0.0010	0.0010
142-28-9	1,3-Dichloropropane	<0.0010	0.0010
594-20-7	2,2-Dichloropropane	<0.0010	0.0010
563-58-6	1,1-Dichloropropene	<0.0010	0.0010
10061-01-5	cis-1,3-Dichloropropene	<0.0010	0.0010
10061-02-6	trans-1,3-Dichloropropene	<0.0010	0.0010
100-41-4	Ethylbenzene	<0.0010	0.0010
75-09-2	Methylene Chloride	<0.0050	0.0050

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **615 Mohawk**
 Lab Sample ID: **1012212-05**
 Matrix: Water
 Unit: mg/L
 Dilution Factor: 1
 QC Batch: 1013805

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 15:03
 Sampled By: J. Bacon
 Received: 12/14/10 19:30
 Prepared: 12/20/10 By: DLV
 Analyzed: 12/20/10 By: DLV
 Analytical Batch: 0L20045

Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

CAS Number	Analyte	Analytical Result	RL
100-42-5	Styrene	<0.0010	0.0010
630-20-6	1,1,1,2-Tetrachloroethane	<0.0010	0.0010
79-34-5	1,1,2,2-Tetrachloroethane	<0.0010	0.0010
127-18-4	Tetrachloroethene	<0.0010	0.0010
108-88-3	Toluene	<0.0010	0.0010
120-82-1	1,2,4-Trichlorobenzene	<0.0010	0.0010
71-55-6	1,1,1-Trichloroethane	<0.0010	0.0010
79-00-5	1,1,2-Trichloroethane	<0.0010	0.0010
79-01-6	Trichloroethene	<0.0010	0.0010
75-69-4	Trichlorofluoromethane	<0.0010	0.0010
96-18-4	1,2,3-Trichloropropane	<0.0010	0.0010
75-01-4	Vinyl Chloride	<0.0010	0.0010
1330-20-7	Xylene (Total)	<0.0030	0.0030

<i>Surrogates:</i>	<i>% Recovery</i>	<i>Control Limits</i>
<i>Dibromofluoromethane</i>	102	<i>82-118</i>
<i>1,2-Dichloroethane-d4</i>	101	<i>75-128</i>
<i>Toluene-d8</i>	100	<i>88-108</i>
<i>4-Bromofluorobenzene</i>	99	<i>82-114</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-01**
 Lab Sample ID: **1012212-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 14:14
 Sampled By: TML
 Received: 12/14/10 19:30
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-01**
 Lab Sample ID: **1012212-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013788

Work Order: **1012212**
 Description: Laboratory Services
 Sampled: 12/10/10 14:14
 Sampled By: TML
 Received: 12/14/10 19:30
 Prepared: 12/16/10 By: DLV
 Analyzed: 12/16/10 By: DLV
 Analytical Batch: 0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1012212
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	TB-01	Sampled:	12/10/10 14:14
Lab Sample ID:	1012212-06	Sampled By:	TML
Matrix:	Water	Received:	12/14/10 19:30
Unit:	ug/L	Prepared:	12/16/10 By: DLV
Dilution Factor:	1	Analyzed:	12/16/10 By: DLV
QC Batch:	1013788	Analytical Batch:	0L20037

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	101	<i>87-123</i>
	<i>Toluene-d8</i>	101	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	100	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29s**
 Lab Sample ID: **1012264-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/15/10 08:25
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	1.5	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29s**
 Lab Sample ID: **1012264-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/15/10 08:25
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29s**
 Lab Sample ID: **1012264-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/15/10 08:25
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	97	88-116
	<i>1,2-Dichloroethane-d4</i>	102	87-123
	<i>Toluene-d8</i>	95	91-107
	<i>4-Bromofluorobenzene</i>	98	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29d**
 Lab Sample ID: **1012264-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/15/10 09:10
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29d**
 Lab Sample ID: **1012264-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/15/10 09:10
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1012264
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-29d	Sampled:	12/15/10 09:10
Lab Sample ID:	1012264-02	Sampled By:	J. Jasso
Matrix:	Water	Received:	12/17/10 07:45
Unit:	ug/L	Prepared:	12/27/10 By: DLV
Dilution Factor:	1	Analyzed:	12/27/10 By: DLV
QC Batch:	1013992	Analytical Batch:	0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	99	88-116
	<i>1,2-Dichloroethane-d4</i>	102	87-123
	<i>Toluene-d8</i>	95	91-107
	<i>4-Bromofluorobenzene</i>	98	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-03**
 Lab Sample ID: **1012264-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/15/10 00:00
 Sampled By: TML
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-03**
 Lab Sample ID: **1012264-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/15/10 00:00
 Sampled By: TML
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1012264
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	TB-03	Sampled:	12/15/10 00:00
Lab Sample ID:	1012264-03	Sampled By:	TML
Matrix:	Water	Received:	12/17/10 07:45
Unit:	ug/L	Prepared:	12/27/10 By: DLV
Dilution Factor:	1	Analyzed:	12/27/10 By: DLV
QC Batch:	1013992	Analytical Batch:	0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	96	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	101	<i>87-123</i>
	<i>Toluene-d8</i>	95	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	99	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30s**
 Lab Sample ID: **1012264-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 08:57
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30s**
 Lab Sample ID: **1012264-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 08:57
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30s**
 Lab Sample ID: **1012264-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 08:57
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	103	<i>87-123</i>
	<i>Toluene-d8</i>	96	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	99	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30d**
 Lab Sample ID: **1012264-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 10:15
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30d**
 Lab Sample ID: **1012264-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 10:15
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30d**
 Lab Sample ID: **1012264-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 10:15
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	99	88-116
	<i>1,2-Dichloroethane-d4</i>	102	87-123
	<i>Toluene-d8</i>	94	91-107
	<i>4-Bromofluorobenzene</i>	98	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-10s**
 Lab Sample ID: **1012264-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 11:32
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-10s**
 Lab Sample ID: **1012264-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 11:32
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-10s**
 Lab Sample ID: **1012264-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 11:32
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	101	<i>87-123</i>
	<i>Toluene-d8</i>	96	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	99	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-10s**
 Lab Sample ID: **1012264-06**
 Matrix: Water

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 11:32
 Sampled By: J. Jasso
 Received: 12/17/10 07:45

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	180	2.0	mg/L	2	SM 4500-Cl E 20th	12/20/10 12:06	LMA	1013790
*Iron, Ferrous	0.20	0.020	mg/L	1	SM 3500-Fe B 20th	12/17/10 09:31	CLD	1013766
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	12/17/10 09:45	CAM	1013938
Sulfate	49	10	mg/L	2	ASTM D516-90 (02)	12/20/10 11:09	LMA	1013800

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-17s**
 Lab Sample ID: **1012264-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 12:58
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-17s**
 Lab Sample ID: **1012264-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 12:58
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-17s**
 Lab Sample ID: **1012264-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 12:58
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	102	<i>87-123</i>
	<i>Toluene-d8</i>	95	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	97	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-17s**
 Lab Sample ID: **1012264-07**
 Matrix: Water

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 12:58
 Sampled By: J. Jasso
 Received: 12/17/10 07:45

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	95	1.0	mg/L	1	SM 4500-Cl E 20th	12/20/10 10:41	LMA	1013790
*Iron, Ferrous	0.13	0.020	mg/L	1	SM 3500-Fe B 20th	12/17/10 09:31	CLD	1013766
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	12/17/10 09:51	CAM	1013938
Sulfate	38	10	mg/L	2	ASTM D516-90 (02)	12/20/10 11:09	LMA	1013800

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14d**
 Lab Sample ID: **1012264-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 15:21
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14d**
 Lab Sample ID: **1012264-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 15:21
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14d**
 Lab Sample ID: **1012264-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012264**
 Description: Laboratory Services
 Sampled: 12/16/10 15:21
 Sampled By: J. Jasso
 Received: 12/17/10 07:45
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	99	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	103	<i>87-123</i>
	<i>Toluene-d8</i>	96	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	99	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-04**
 Lab Sample ID: **1012304-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 08:00
 Sampled By: TML
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-04**
 Lab Sample ID: **1012304-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 08:00
 Sampled By: TML
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-04**
 Lab Sample ID: **1012304-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 08:00
 Sampled By: TML
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

<i>Surrogates:</i>	<i>% Recovery</i>	<i>Control Limits</i>
<i>Dibromofluoromethane</i>	99	<i>88-116</i>
<i>1,2-Dichloroethane-d4</i>	104	<i>87-123</i>
<i>Toluene-d8</i>	95	<i>91-107</i>
<i>4-Bromofluorobenzene</i>	98	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28s**
 Lab Sample ID: **1012304-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 08:34
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28s**
 Lab Sample ID: **1012304-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 08:34
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28s**
 Lab Sample ID: **1012304-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 08:34
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	104	<i>87-123</i>
	<i>Toluene-d8</i>	96	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	99	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28d**
 Lab Sample ID: **1012304-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 09:28
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28d**
 Lab Sample ID: **1012304-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 09:28
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28d**
 Lab Sample ID: **1012304-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 09:28
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:			
		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	103	<i>87-123</i>
	<i>Toluene-d8</i>	96	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	100	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-11s**
 Lab Sample ID: **1012304-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 11:06
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-11s**
 Lab Sample ID: **1012304-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 11:06
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1012304
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-11s	Sampled: 12/17/10 11:06
Lab Sample ID: 1012304-04	Sampled By: J. Jasso
Matrix: Water	Received: 12/21/10 11:00
Unit: ug/L	Prepared: 12/27/10 By: DLV
Dilution Factor: 1	Analyzed: 12/27/10 By: DLV
QC Batch: 1013992	Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:			
	% Recovery	Control Limits	
<i>Dibromofluoromethane</i>	100	<i>88-116</i>	
<i>1,2-Dichloroethane-d4</i>	105	<i>87-123</i>	
<i>Toluene-d8</i>	96	<i>91-107</i>	
<i>4-Bromofluorobenzene</i>	97	<i>84-106</i>	

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-15s**
 Lab Sample ID: **1012304-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 12:44
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-15s**
 Lab Sample ID: **1012304-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 12:44
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-15s**
 Lab Sample ID: **1012304-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 12:44
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	103	<i>87-123</i>
	<i>Toluene-d8</i>	94	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	99	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-26s**
 Lab Sample ID: **1012304-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 14:00
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-26s**
 Lab Sample ID: **1012304-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 14:00
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-26s**
 Lab Sample ID: **1012304-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1013992

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/17/10 14:00
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/27/10 By: DLV
 Analyzed: 12/27/10 By: DLV
 Analytical Batch: 0L27036

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	103	<i>87-123</i>
	<i>Toluene-d8</i>	94	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	100	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14s**
 Lab Sample ID: **1012304-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 08:50
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14s**
 Lab Sample ID: **1012304-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 08:50
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14s**
 Lab Sample ID: **1012304-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 08:50
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	105	<i>87-123</i>
	<i>Toluene-d8</i>	94	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	100	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14s**
 Lab Sample ID: **1012304-07**
 Matrix: Water

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 08:50
 Sampled By: J. Jasso
 Received: 12/21/10 11:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	410	5.0	mg/L	5	SM 4500-Cl E 20th	12/27/10 10:39	LMA	1013979
*Iron, Ferrous	0.032	0.020	mg/L	1	SM 3500-Fe B 20th	12/21/10 12:31	CLD	1013870
Nitrogen, Nitrate	0.24	0.050	mg/L	1	SM 4500-NO3 F 20th	12/21/10 15:43	CAM	1014102
Sulfate	26	5.0	mg/L	1	ASTM D516-90 (02)	12/27/10 09:19	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27s**
 Lab Sample ID: **1012304-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 10:13
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27s**
 Lab Sample ID: **1012304-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 10:13
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27s**
 Lab Sample ID: **1012304-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 10:13
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	99	88-116
	<i>1,2-Dichloroethane-d4</i>	106	87-123
	<i>Toluene-d8</i>	96	91-107
	<i>4-Bromofluorobenzene</i>	101	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27s**
 Lab Sample ID: **1012304-08**
 Matrix: Water

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 10:13
 Sampled By: J. Jasso
 Received: 12/21/10 11:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	220	5.0	mg/L	5	SM 4500-Cl E 20th	12/27/10 10:39	LMA	1013979
*Iron, Ferrous	0.15	0.020	mg/L	1	SM 3500-Fe B 20th	12/21/10 12:31	CLD	1013870
*Nitrogen, Nitrate	0.065	0.050	mg/L	1	SM 4500-NO3 F 20th	12/21/10 15:44	CAM	1014102
Sulfate	53	10	mg/L	2	ASTM D516-90 (02)	12/27/10 10:40	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27d**
 Lab Sample ID: **1012304-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 11:01
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27d**
 Lab Sample ID: **1012304-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 11:01
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1012304
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-27d	Sampled:	12/20/10 11:01
Lab Sample ID:	1012304-09	Sampled By:	J. Jasso
Matrix:	Water	Received:	12/21/10 11:00
Unit:	ug/L	Prepared:	12/30/10 By: DLV
Dilution Factor:	1	Analyzed:	12/30/10 By: DLV
QC Batch:	1100008	Analytical Batch:	1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	106	<i>87-123</i>
	<i>Toluene-d8</i>	96	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	101	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27d**
 Lab Sample ID: **1012304-09**
 Matrix: Water

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 11:01
 Sampled By: J. Jasso
 Received: 12/21/10 11:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	240	5.0	mg/L	5	SM 4500-Cl E 20th	12/27/10 10:50	LMA	1013979
*Iron, Ferrous	0.13	0.020	mg/L	1	SM 3500-Fe B 20th	12/21/10 12:31	CLD	1013870
Nitrogen, Nitrate	0.39	0.050	mg/L	1	SM 4500-NO3 F 20th	12/21/10 15:47	CAM	1014102
Sulfate	67	10	mg/L	2	ASTM D516-90 (02)	12/27/10 10:40	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-18s**
 Lab Sample ID: **1012304-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 12:49
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-18s**
 Lab Sample ID: **1012304-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 12:49
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1012304
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-18s	Sampled:	12/20/10 12:49
Lab Sample ID:	1012304-10	Sampled By:	J. Jasso
Matrix:	Water	Received:	12/21/10 11:00
Unit:	ug/L	Prepared:	12/30/10 By: DLV
Dilution Factor:	1	Analyzed:	12/30/10 By: DLV
QC Batch:	1100008	Analytical Batch:	1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	95	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	99	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-18s**
 Lab Sample ID: **1012304-10**
 Matrix: Water

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 12:49
 Sampled By: J. Jasso
 Received: 12/21/10 11:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	180	5.0	mg/L	5	SM 4500-Cl E 20th	12/27/10 10:50	LMA	1013979
*Iron, Ferrous	0.030	0.020	mg/L	1	SM 3500-Fe B 20th	12/21/10 12:31	CLD	1013870
Nitrogen, Nitrate	2.6	0.25	mg/L	5	SM 4500-NO3 F 20th	12/21/10 15:48	CAM	1014102
Sulfate	39	10	mg/L	2	ASTM D516-90 (02)	12/27/10 10:40	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19d**
 Lab Sample ID: **1012304-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 14:14
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19d**
 Lab Sample ID: **1012304-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 14:14
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19d**
 Lab Sample ID: **1012304-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 14:14
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	96	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	100	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19d**
 Lab Sample ID: **1012304-11**
 Matrix: Water

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 14:14
 Sampled By: J. Jasso
 Received: 12/21/10 11:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	140	2.0	mg/L	2	SM 4500-Cl E 20th	12/27/10 10:39	LMA	1013979
*Iron, Ferrous	0.98	0.20	mg/L	10	SM 3500-Fe B 20th	12/21/10 12:31	CLD	1013870
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	12/21/10 15:50	CAM	1014102
Sulfate	62	10	mg/L	2	ASTM D516-90 (02)	12/27/10 10:41	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-01**
 Lab Sample ID: **1012304-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 14:22
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-01**
 Lab Sample ID: **1012304-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 14:22
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-01**
 Lab Sample ID: **1012304-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 14:22
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	99	88-116
	<i>1,2-Dichloroethane-d4</i>	109	87-123
	<i>Toluene-d8</i>	95	91-107
	<i>4-Bromofluorobenzene</i>	98	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19s**
 Lab Sample ID: **1012304-13**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 15:18
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19s**
 Lab Sample ID: **1012304-13**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 15:18
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	1.8	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	37	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19s**
 Lab Sample ID: **1012304-13**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 15:18
 Sampled By: J. Jasso
 Received: 12/21/10 11:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	101	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19s**
 Lab Sample ID: **1012304-13**
 Matrix: Water

Work Order: **1012304**
 Description: Laboratory Services
 Sampled: 12/20/10 15:18
 Sampled By: J. Jasso
 Received: 12/21/10 11:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	120	2.0	mg/L	2	SM 4500-Cl E 20th	12/27/10 10:39	LMA	1013979
*Iron, Ferrous	<0.020	0.020	mg/L	1	SM 3500-Fe B 20th	12/21/10 12:31	CLD	1013870
Nitrogen, Nitrate	3.0	0.25	mg/L	5	SM 4500-NO3 F 20th	12/21/10 15:51	CAM	1014102
Sulfate	32	5.0	mg/L	1	ASTM D516-90 (02)	12/27/10 09:25	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-23**
 Lab Sample ID: **1012340-01**
 Matrix: Water

Work Order: **1012340**
 Description: Laboratory Services
 Sampled: 12/21/10 10:36
 Sampled By: J. Jasso
 Received: 12/22/10 11:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	240	5.0	mg/L	5	SM 4500-Cl E 20th	12/27/10 13:25	LMA	1013979
*Iron, Ferrous	0.24	0.020	mg/L	1	SM 3500-Fe B 20th	12/22/10 12:40	CLD	1013951
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	12/22/10 14:03	CAM	1014102
Sulfate	60	10	mg/L	2	ASTM D516-90 (02)	12/27/10 13:17	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-6s**
 Lab Sample ID: **1012340-02**
 Matrix: Water

Work Order: **1012340**
 Description: Laboratory Services
 Sampled: 12/21/10 11:40
 Sampled By: J. Jasso
 Received: 12/22/10 11:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	86	1.0	mg/L	1	SM 4500-Cl E 20th	12/27/10 12:11	LMA	1013979
*Iron, Ferrous	<0.020	0.020	mg/L	1	SM 3500-Fe B 20th	12/22/10 12:40	CLD	1013951
Nitrogen, Nitrate	5.7	0.50	mg/L	10	SM 4500-NO3 F 20th	12/22/10 14:26	CAM	1014102
Sulfate	53	10	mg/L	2	ASTM D516-90 (02)	12/27/10 13:17	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-05**
 Lab Sample ID: **1012343-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 08:00
 Sampled By: TML
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-05**
 Lab Sample ID: **1012343-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 08:00
 Sampled By: TML
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-05**
 Lab Sample ID: **1012343-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 08:00
 Sampled By: TML
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	109	<i>87-123</i>
	<i>Toluene-d8</i>	95	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	98	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20s**
 Lab Sample ID: **1012343-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 08:14
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	24	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	3.6	2.0
156-59-2	cis-1,2-Dichloroethene	6.1	2.0
156-60-5	trans-1,2-Dichloroethene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20s**
 Lab Sample ID: **1012343-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 08:14
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	<2.0	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	200	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	89	2.0
75-69-4	Trichlorofluoromethane	3.6	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20s**
 Lab Sample ID: **1012343-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 08:14
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	98	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20d**
 Lab Sample ID: **1012343-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 09:08
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	200	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20d**
 Lab Sample ID: **1012343-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 09:08
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20d**
 Lab Sample ID: **1012343-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 09:08
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	3.5	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	88-116
	<i>1,2-Dichloroethane-d4</i>	108	87-123
	<i>Toluene-d8</i>	95	91-107
	<i>4-Bromofluorobenzene</i>	98	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-23**
 Lab Sample ID: **1012343-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 10:36
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-23**
 Lab Sample ID: **1012343-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 10:36
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-23**
 Lab Sample ID: **1012343-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 10:36
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	17	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	88-116
	<i>1,2-Dichloroethane-d4</i>	106	87-123
	<i>Toluene-d8</i>	95	91-107
	<i>4-Bromofluorobenzene</i>	100	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-6s**
 Lab Sample ID: **1012343-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 11:40
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-6s**
 Lab Sample ID: **1012343-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 11:40
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	34	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-6s**
 Lab Sample ID: **1012343-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 11:40
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	99	88-116
	<i>1,2-Dichloroethane-d4</i>	107	87-123
	<i>Toluene-d8</i>	98	91-107
	<i>4-Bromofluorobenzene</i>	97	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-7s**
 Lab Sample ID: **1012343-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 12:55
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-7s**
 Lab Sample ID: **1012343-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 12:55
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	2.1	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	16	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-7s**
 Lab Sample ID: **1012343-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 12:55
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	102	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	108	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	97	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-5s**
 Lab Sample ID: **1012343-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 14:17
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-5s**
 Lab Sample ID: **1012343-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/21/10 14:17
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	4.9	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	160	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1012343
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-5s	Sampled:	12/21/10 14:17
Lab Sample ID:	1012343-07	Sampled By:	J. Jasso
Matrix:	Water	Received:	12/23/10 10:00
Unit:	ug/L	Prepared:	12/30/10 By: DLV
Dilution Factor:	1	Analyzed:	12/30/10 By: DLV
QC Batch:	1100008	Analytical Batch:	1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	108	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	98	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-25s**
 Lab Sample ID: **1012343-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 08:15
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	1.2	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-25s**
 Lab Sample ID: **1012343-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 08:15
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	26	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	2.4	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-25s**
 Lab Sample ID: **1012343-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100008

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 08:15
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 12/30/10 By: DLV
 Analyzed: 12/30/10 By: DLV
 Analytical Batch: 1A03006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	102	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	98	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-33s**
 Lab Sample ID: **1012343-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 09:26
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	14	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	22	1.0
156-60-5	trans-1,2-Dichloroethene	1.2	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-33s**
 Lab Sample ID: **1012343-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 09:26
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	130	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-33s**
 Lab Sample ID: **1012343-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 09:26
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	57	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	99	88-116
	<i>1,2-Dichloroethane-d4</i>	105	87-123
	<i>Toluene-d8</i>	96	91-107
	<i>4-Bromofluorobenzene</i>	97	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-33s**
 Lab Sample ID: **1012343-09**
 Matrix: Water

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 09:26
 Sampled By: J. Jasso
 Received: 12/23/10 10:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	93	1.0	mg/L	1	SM 4500-Cl E 20th	12/27/10 12:11	LMA	1013979
*Iron, Ferrous	0.95	0.10	mg/L	5	SM 3500-Fe B 20th	12/23/10 13:55	HLB	1014047
Nitrogen, Nitrate	3.7	0.50	mg/L	10	SM 4500-NO3 F 20th	12/23/10 11:24	CAM	1014102
Sulfate	7.4	5.0	mg/L	1	ASTM D516-90 (02)	12/27/10 12:06	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-22**
 Lab Sample ID: **1012343-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 10:39
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-22**
 Lab Sample ID: **1012343-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 10:39
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-22**
 Lab Sample ID: **1012343-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 10:39
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	3.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	88-116
	<i>1,2-Dichloroethane-d4</i>	106	87-123
	<i>Toluene-d8</i>	97	91-107
	<i>4-Bromofluorobenzene</i>	97	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-02**
 Lab Sample ID: **1012343-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 10:50
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-02**
 Lab Sample ID: **1012343-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 10:50
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-02**
 Lab Sample ID: **1012343-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 10:50
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	108	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	97	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-31**
 Lab Sample ID: **1012343-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 11:35
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	16	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	<2.0	2.0
156-59-2	cis-1,2-Dichloroethene	29	2.0
156-60-5	trans-1,2-Dichloroethene	2.9	2.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-31**
 Lab Sample ID: **1012343-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 11:35
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	<2.0	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	27	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	260	2.0
75-69-4	Trichlorofluoromethane	<2.0	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-31**
 Lab Sample ID: **1012343-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 11:35
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	99	88-116
	<i>1,2-Dichloroethane-d4</i>	106	87-123
	<i>Toluene-d8</i>	96	91-107
	<i>4-Bromofluorobenzene</i>	97	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-21**
 Lab Sample ID: **1012343-13**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 12:45
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	25	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	69	10
156-60-5	trans-1,2-Dichloroethene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-21**
 Lab Sample ID: **1012343-13**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 12:45
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	55	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	730	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-21**
 Lab Sample ID: **1012343-13**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 12:45
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	105	<i>87-123</i>
	<i>Toluene-d8</i>	96	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	98	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-21**
 Lab Sample ID: **1012343-13**
 Matrix: Water

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 12:45
 Sampled By: J. Jasso
 Received: 12/23/10 10:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	110	2.0	mg/L	2	SM 4500-Cl E 20th	12/27/10 13:25	LMA	1013979
*Iron, Ferrous	0.020	0.020	mg/L	1	SM 3500-Fe B 20th	12/23/10 13:55	HLB	1014047
Nitrogen, Nitrate	0.81	0.050	mg/L	1	SM 4500-NO3 F 20th	12/23/10 11:26	CAM	1014102
Sulfate	41	10	mg/L	2	ASTM D516-90 (02)	12/27/10 13:17	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-2s**
 Lab Sample ID: **1012343-14**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 14:05
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	<2.0	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	<2.0	2.0
156-59-2	cis-1,2-Dichloroethene	2.4	2.0
156-60-5	trans-1,2-Dichloroethene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-2s**
 Lab Sample ID: **1012343-14**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 14:05
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	2.3	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	3.1	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	240	2.0
75-69-4	Trichlorofluoromethane	<2.0	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-2s**
 Lab Sample ID: **1012343-14**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 14:05
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	105	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	98	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-3s**
 Lab Sample ID: **1012343-15**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 15:08
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	32	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	1800	10
156-60-5	trans-1,2-Dichloroethene	82	10

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-3s**
 Lab Sample ID: **1012343-15**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 15:08
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	<10	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	<10	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-3s**
 Lab Sample ID: **1012343-15**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 15:08
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	70	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	106	<i>87-123</i>
	<i>Toluene-d8</i>	96	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	98	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-3s**
 Lab Sample ID: **1012343-15**
 Matrix: Water

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 15:08
 Sampled By: J. Jasso
 Received: 12/23/10 10:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	170	2.0	mg/L	2	SM 4500-Cl E 20th	12/27/10 13:25	LMA	1013979
*Iron, Ferrous	0.034	0.020	mg/L	1	SM 3500-Fe B 20th	12/23/10 13:55	HLB	1014047
Nitrogen, Nitrate	0.33	0.050	mg/L	1	SM 4500-NO3 F 20th	12/23/10 11:29	CAM	1014102
Sulfate	30	5.0	mg/L	1	ASTM D516-90 (02)	12/27/10 12:13	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-4s**
 Lab Sample ID: **1012343-16**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 50
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 16:17
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<1000	1000
107-13-1	Acrylonitrile	<100	100
71-43-2	Benzene	<50	50
108-86-1	Bromobenzene	<50	50
74-97-5	Bromochloromethane	<50	50
75-27-4	Bromodichloromethane	<50	50
75-25-2	Bromoform	<50	50
74-83-9	Bromomethane	<250	250
104-51-8	n-Butylbenzene	<50	50
135-98-8	sec-Butylbenzene	<50	50
98-06-6	tert-Butylbenzene	<50	50
75-15-0	Carbon Disulfide	<50	50
56-23-5	Carbon Tetrachloride	<50	50
108-90-7	Chlorobenzene	<50	50
75-00-3	Chloroethane	<250	250
67-66-3	Chloroform	<50	50
74-87-3	Chloromethane	<250	250
96-12-8	1,2-Dibromo-3-chloropropane	<250	250
124-48-1	Dibromochloromethane	<50	50
106-93-4	1,2-Dibromoethane	<50	50
74-95-3	Dibromomethane	<50	50
110-57-6	trans-1,4-Dichloro-2-butene	<50	50
95-50-1	1,2-Dichlorobenzene	<50	50
541-73-1	1,3-Dichlorobenzene	<50	50
106-46-7	1,4-Dichlorobenzene	<50	50
75-71-8	Dichlorodifluoromethane	<250	250
75-34-3	1,1-Dichloroethane	<50	50
107-06-2	1,2-Dichloroethane	<50	50
75-35-4	1,1-Dichloroethene	<50	50
156-59-2	cis-1,2-Dichloroethene	2700	50
156-60-5	trans-1,2-Dichloroethene	91	50

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-4s**
 Lab Sample ID: **1012343-16**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 50
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 16:17
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<50	50
10061-01-5	cis-1,3-Dichloropropene	<50	50
10061-02-6	trans-1,3-Dichloropropene	<50	50
100-41-4	Ethylbenzene	<50	50
60-29-7	Ethyl Ether	<250	250
591-78-6	2-Hexanone	<250	250
74-88-4	Iodomethane	<50	50
98-82-8	Isopropylbenzene	<50	50
99-87-6	4-Isopropyltoluene	<250	250
1634-04-4	Methyl tert-Butyl Ether	<250	250
75-09-2	Methylene Chloride	<250	250
78-93-3	2-Butanone (MEK)	<250	250
91-57-6	2-Methylnaphthalene	<250	250
108-10-1	4-Methyl-2-pentanone (MIBK)	<250	250
91-20-3	Naphthalene	<250	250
103-65-1	n-Propylbenzene	<50	50
100-42-5	Styrene	<50	50
630-20-6	1,1,1,2-Tetrachloroethane	<50	50
79-34-5	1,1,2,2-Tetrachloroethane	<50	50
127-18-4	Tetrachloroethene	<50	50
109-99-9	Tetrahydrofuran	<250	250
108-88-3	Toluene	<50	50
87-61-6	1,2,3-Trichlorobenzene	<250	250
120-82-1	1,2,4-Trichlorobenzene	<250	250
71-55-6	1,1,1-Trichloroethane	<50	50
79-00-5	1,1,2-Trichloroethane	<50	50
79-01-6	Trichloroethene	6700	50
75-69-4	Trichlorofluoromethane	<50	50
96-18-4	1,2,3-Trichloropropane	<50	50
95-63-6	1,2,4-Trimethylbenzene	<50	50
108-67-8	1,3,5-Trimethylbenzene	<50	50

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-4s**
 Lab Sample ID: **1012343-16**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 50
 QC Batch: 1100053

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 16:17
 Sampled By: J. Jasso
 Received: 12/23/10 10:00
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	270	50
136777-61-2	Xylene, Meta + Para	<100	100
95-47-6	Xylene, Ortho	<50	50
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	102	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	106	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	100	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-4s**
 Lab Sample ID: **1012343-16**
 Matrix: Water

Work Order: **1012343**
 Description: Laboratory Services
 Sampled: 12/22/10 16:17
 Sampled By: J. Jasso
 Received: 12/23/10 10:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	60	1.0	mg/L	1	SM 4500-Cl E 20th	12/27/10 12:11	LMA	1013979
*Iron, Ferrous	<0.020	0.020	mg/L	1	SM 3500-Fe B 20th	12/23/10 13:55	HLB	1014047
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	12/23/10 11:30	CAM	1014102
Sulfate	9.5	5.0	mg/L	1	ASTM D516-90 (02)	12/27/10 12:13	LMA	1013984

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-06**
 Lab Sample ID: **1012376-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 00:00
 Sampled By: TML
 Received: 12/28/10 16:30
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-06**
 Lab Sample ID: **1012376-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 00:00
 Sampled By: TML
 Received: 12/28/10 16:30
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-06**
 Lab Sample ID: **1012376-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1100053

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 00:00
 Sampled By: TML
 Received: 12/28/10 16:30
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	105	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	98	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-1s**
 Lab Sample ID: **1012376-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1100053

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 08:23
 Sampled By: J. Jasso
 Received: 12/28/10 16:30
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromochloromethane	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	<20	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	<20	20
156-60-5	trans-1,2-Dichloroethene	<20	20

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-1s**
 Lab Sample ID: **1012376-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1100053

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 08:23
 Sampled By: J. Jasso
 Received: 12/28/10 16:30
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	1100	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	2500	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-1s**
 Lab Sample ID: **1012376-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1100053

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 08:23
 Sampled By: J. Jasso
 Received: 12/28/10 16:30
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<20	20
136777-61-2	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	102	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	106	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	97	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-1s**
 Lab Sample ID: **1012376-02**
 Matrix: Water

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 08:23
 Sampled By: J. Jasso
 Received: 12/28/10 16:30

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	20	1.0	mg/L	1	SM 4500-Cl E 20th	01/04/11 09:48	LMA	1100063
*Iron, Ferrous	0.023	0.020	mg/L	1	SM 3500-Fe B 20th	12/29/11 07:17	CLD	1014084
Nitrogen, Nitrate	2.5	0.25	mg/L	5	SM 4500-NO3 F 20th	12/29/10 10:26	CKD	1014108
Sulfate	16	5.0	mg/L	1	ASTM D516-90 (02)	01/04/11 09:42	LMA	1100069

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-32s**
 Lab Sample ID: **1012376-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1100053

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 09:54
 Sampled By: J. Jasso
 Received: 12/28/10 16:30
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromochloromethane	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	<20	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	200	20
156-60-5	trans-1,2-Dichloroethene	<20	20

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-32s**
 Lab Sample ID: **1012376-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1100053

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 09:54
 Sampled By: J. Jasso
 Received: 12/28/10 16:30
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	510	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	2300	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1012376
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-32s	Sampled:	12/28/10 09:54
Lab Sample ID:	1012376-03	Sampled By:	J. Jasso
Matrix:	Water	Received:	12/28/10 16:30
Unit:	ug/L	Prepared:	01/03/11 By: DLV
Dilution Factor:	20	Analyzed:	01/03/11 By: DLV
QC Batch:	1100053	Analytical Batch:	1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<20	20
136777-61-2	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	111	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	99	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-32s**
 Lab Sample ID: **1012376-03**
 Matrix: Water

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 09:54
 Sampled By: J. Jasso
 Received: 12/28/10 16:30

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	66	1.0	mg/L	1	SM 4500-Cl E 20th	01/04/11 09:49	LMA	1100063
*Iron, Ferrous	0.048	0.020	mg/L	1	SM 3500-Fe B 20th	12/29/11 07:17	CLD	1014084
Nitrogen, Nitrate	1.8	0.20	mg/L	4	SM 4500-NO3 F 20th	12/29/10 10:32	CKD	1014108
Sulfate	39	10	mg/L	2	ASTM D516-90 (02)	01/04/11 11:00	LMA	1100069

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-34s**
 Lab Sample ID: **1012376-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1100053

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 10:58
 Sampled By: J. Jasso
 Received: 12/28/10 16:30
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	<10	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	13	10
156-59-2	cis-1,2-Dichloroethene	<10	10
156-60-5	trans-1,2-Dichloroethene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-34s**
 Lab Sample ID: **1012376-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1100053

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 10:58
 Sampled By: J. Jasso
 Received: 12/28/10 16:30
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	1400	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	1000	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-34s**
 Lab Sample ID: **1012376-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1100053

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 10:58
 Sampled By: J. Jasso
 Received: 12/28/10 16:30
 Prepared: 01/03/11 By: DLV
 Analyzed: 01/03/11 By: DLV
 Analytical Batch: 1A04005

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
Surrogates:			
		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	104	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	98	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-34s**
 Lab Sample ID: **1012376-04**
 Matrix: Water

Work Order: **1012376**
 Description: Laboratory Services
 Sampled: 12/28/10 10:58
 Sampled By: J. Jasso
 Received: 12/28/10 16:30

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	39	1.0	mg/L	1	SM 4500-Cl E 20th	01/04/11 09:49	LMA	1100063
*Iron, Ferrous	<0.020	0.020	mg/L	1	SM 3500-Fe B 20th	12/29/11 07:17	CLD	1014084
Nitrogen, Nitrate	2.3	0.25	mg/L	5	SM 4500-NO3 F 20th	12/29/10 10:33	CKD	1014108
Sulfate	15	5.0	mg/L	1	ASTM D516-90 (02)	01/04/11 09:55	LMA	1100069

*See Statement of Data Qualifications

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013788 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank

Analyzed: 12/16/2010 By: DLV

Unit: ug/L

Analytical Batch: 0L20037

Acetone	<20	20
Acrylonitrile	<2.0	2.0
Benzene	<1.0	1.0
Bromobenzene	<1.0	1.0
Bromochloromethane	<1.0	1.0
Bromodichloromethane	<1.0	1.0
Bromoform	<1.0	1.0
Bromomethane	<5.0	5.0
n-Butylbenzene	<1.0	1.0
sec-Butylbenzene	<1.0	1.0
tert-Butylbenzene	<1.0	1.0
Carbon Disulfide	<1.0	1.0
Carbon Tetrachloride	<1.0	1.0
Chlorobenzene	<1.0	1.0
Chloroethane	<5.0	5.0
Chloroform	<1.0	1.0
Chloromethane	<5.0	5.0
1,2-Dibromo-3-chloropropane	<5.0	5.0
Dibromochloromethane	<1.0	1.0
1,2-Dibromoethane	<1.0	1.0
Dibromomethane	<1.0	1.0
trans-1,4-Dichloro-2-butene	<1.0	1.0
1,2-Dichlorobenzene	<1.0	1.0
1,3-Dichlorobenzene	<1.0	1.0
1,4-Dichlorobenzene	<1.0	1.0
Dichlorodifluoromethane	<5.0	5.0
1,1-Dichloroethane	<1.0	1.0
1,2-Dichloroethane	<1.0	1.0
1,1-Dichloroethene	<1.0	1.0
cis-1,2-Dichloroethene	<1.0	1.0
trans-1,2-Dichloroethene	<1.0	1.0
1,2-Dichloropropane	<1.0	1.0
cis-1,3-Dichloropropene	<1.0	1.0
trans-1,3-Dichloropropene	<1.0	1.0
Ethylbenzene	<1.0	1.0
Ethyl Ether	<5.0	5.0

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013788 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 12/16/2010 By: DLV

Unit: ug/L

Analytical Batch: 0L20037

2-Hexanone			<5.0					5.0
Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0					5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0					5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0					5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0					5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0

Surrogates:

<i>Dibromofluoromethane</i>	97	88-116
<i>1,2-Dichloroethane-d4</i>	99	87-123
<i>Toluene-d8</i>	100	91-107
<i>4-Bromofluorobenzene</i>	100	84-106

Laboratory Control Sample

Analyzed: 12/16/2010 By: DLV

Unit: ug/L

Analytical Batch: 0L20037

Benzene	40.0	42.6	107	84-119			1.0
---------	------	-------------	-----	--------	--	--	-----

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013788 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Laboratory Control Sample (Continued)

Analyzed: 12/16/2010 By: DLV

Unit: ug/L

Analytical Batch: 0L20037

Chlorobenzene	40.0	40.4	101	84-118		1.0
1,1-Dichloroethene	40.0	43.2	108	77-123		1.0
Toluene	40.0	42.6	106	85-118		1.0
Trichloroethene	40.0	42.2	106	82-119		1.0

Surrogates:

<i>Dibromofluoromethane</i>			101	88-116
<i>1,2-Dichloroethane-d4</i>			99	87-123
<i>Toluene-d8</i>			102	91-107
<i>4-Bromofluorobenzene</i>			102	84-106

Laboratory Control Sample Duplicate

Analyzed: 12/16/2010 By: DLV

Unit: ug/L

Analytical Batch: 0L20037

Benzene	40.0	41.2	103	84-119	4	20	1.0
Chlorobenzene	40.0	39.2	98	84-118	3	20	1.0
1,1-Dichloroethene	40.0	41.3	103	77-123	5	20	1.0
Toluene	40.0	41.1	103	85-118	4	20	1.0
Trichloroethene	40.0	40.5	101	82-119	4	20	1.0

Surrogates:

<i>Dibromofluoromethane</i>			101	88-116
<i>1,2-Dichloroethane-d4</i>			100	87-123
<i>Toluene-d8</i>			102	91-107
<i>4-Bromofluorobenzene</i>			102	84-106

QC Batch: 1013992 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank

Analyzed: 12/27/2010 By: DLV

Unit: ug/L

Analytical Batch: 0L27036

Acetone	<20					20
Acrylonitrile	<2.0					2.0
Benzene	<1.0					1.0
Bromobenzene	<1.0					1.0
Bromochloromethane	<1.0					1.0
Bromodichloromethane	<1.0					1.0
Bromoform	<1.0					1.0
Bromomethane	<5.0					5.0
n-Butylbenzene	<1.0					1.0
sec-Butylbenzene	<1.0					1.0

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013992 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 12/27/2010 By: DLV

Unit: ug/L

Analytical Batch: 0L27036

tert-Butylbenzene			<1.0					1.0
Carbon Disulfide			<1.0					1.0
Carbon Tetrachloride			<1.0					1.0
Chlorobenzene			<1.0					1.0
Chloroethane			<5.0					5.0
Chloroform			<1.0					1.0
Chloromethane			<5.0					5.0
1,2-Dibromo-3-chloropropane			<5.0					5.0
Dibromochloromethane			<1.0					1.0
1,2-Dibromoethane			<1.0					1.0
Dibromomethane			<1.0					1.0
trans-1,4-Dichloro-2-butene			<1.0					1.0
1,2-Dichlorobenzene			<1.0					1.0
1,3-Dichlorobenzene			<1.0					1.0
1,4-Dichlorobenzene			<1.0					1.0
Dichlorodifluoromethane			<5.0					5.0
1,1-Dichloroethane			<1.0					1.0
1,2-Dichloroethane			<1.0					1.0
1,1-Dichloroethene			<1.0					1.0
cis-1,2-Dichloroethene			<1.0					1.0
trans-1,2-Dichloroethene			<1.0					1.0
1,2-Dichloropropane			<1.0					1.0
cis-1,3-Dichloropropene			<1.0					1.0
trans-1,3-Dichloropropene			<1.0					1.0
Ethylbenzene			<1.0					1.0
Ethyl Ether			<5.0					5.0
2-Hexanone			<5.0					5.0
Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0					5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0					5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0					5.0

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013992 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 12/27/2010 By: DLV
 Analytical Batch: 0L27036

Unit: ug/L

n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0					5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0

Surrogates:

<i>Dibromofluoromethane</i>				98	88-116			
<i>1,2-Dichloroethane-d4</i>				100	87-123			
<i>Toluene-d8</i>				95	91-107			
<i>4-Bromofluorobenzene</i>				97	84-106			

Laboratory Control Sample

Analyzed: 12/27/2010 By: DLV
 Analytical Batch: 0L27036

Unit: ug/L

Benzene	40.0	36.4		91	84-119			1.0
Chlorobenzene	40.0	38.8		97	84-118			1.0
1,1-Dichloroethene	40.0	36.7		92	77-123			1.0
Toluene	40.0	37.0		93	85-118			1.0
Trichloroethene	40.0	36.6		92	82-119			1.0

Surrogates:

<i>Dibromofluoromethane</i>				99	88-116			
<i>1,2-Dichloroethane-d4</i>				104	87-123			
<i>Toluene-d8</i>				98	91-107			

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013992 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Laboratory Control Sample (Continued)

Unit: ug/L

 Analyzed: 12/27/2010 By: DLV
 Analytical Batch: 0L27036

Surrogates (Continued):
4-Bromofluorobenzene 100 84-106

Laboratory Control Sample Duplicate

Unit: ug/L

 Analyzed: 12/27/2010 By: DLV
 Analytical Batch: 0L27036

Benzene	40.0	36.6	91	84-119	0.4	20	1.0
Chlorobenzene	40.0	38.6	96	84-118	0.5	20	1.0
1,1-Dichloroethene	40.0	35.9	90	77-123	2	20	1.0
Toluene	40.0	37.1	93	85-118	0.2	20	1.0
Trichloroethene	40.0	37.4	93	82-119	2	20	1.0

Surrogates:

<i>Dibromofluoromethane</i>	100	88-116
<i>1,2-Dichloroethane-d4</i>	104	87-123
<i>Toluene-d8</i>	96	91-107
<i>4-Bromofluorobenzene</i>	99	84-106

QC Batch: 1100008 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank

Unit: ug/L

 Analyzed: 12/30/2010 By: DLV
 Analytical Batch: 1A03006

Acetone	<20	20
Acrylonitrile	<2.0	2.0
Benzene	<1.0	1.0
Bromobenzene	<1.0	1.0
Bromochloromethane	<1.0	1.0
Bromodichloromethane	<1.0	1.0
Bromoform	<1.0	1.0
Bromomethane	<5.0	5.0
n-Butylbenzene	<1.0	1.0
sec-Butylbenzene	<1.0	1.0
tert-Butylbenzene	<1.0	1.0
Carbon Disulfide	<1.0	1.0
Carbon Tetrachloride	<1.0	1.0
Chlorobenzene	<1.0	1.0
Chloroethane	<5.0	5.0
Chloroform	<1.0	1.0
Chloromethane	<5.0	5.0

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1100008 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 12/30/2010 By: DLV

Unit: ug/L

Analytical Batch: 1A03006

1,2-Dibromo-3-chloropropane			<5.0					5.0
Dibromochloromethane			<1.0					1.0
1,2-Dibromoethane			<1.0					1.0
Dibromomethane			<1.0					1.0
trans-1,4-Dichloro-2-butene			<1.0					1.0
1,2-Dichlorobenzene			<1.0					1.0
1,3-Dichlorobenzene			<1.0					1.0
1,4-Dichlorobenzene			<1.0					1.0
Dichlorodifluoromethane			<5.0					5.0
1,1-Dichloroethane			<1.0					1.0
1,2-Dichloroethane			<1.0					1.0
1,1-Dichloroethene			<1.0					1.0
cis-1,2-Dichloroethene			<1.0					1.0
trans-1,2-Dichloroethene			<1.0					1.0
1,2-Dichloropropane			<1.0					1.0
cis-1,3-Dichloropropene			<1.0					1.0
trans-1,3-Dichloropropene			<1.0					1.0
Ethylbenzene			<1.0					1.0
Ethyl Ether			<5.0					5.0
2-Hexanone			<5.0					5.0
Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0					5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0					5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0					5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1100008 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Unit: ug/L

Analyzed: 12/30/2010 By: DLV
 Analytical Batch: 1A03006

1,2,3-Trichlorobenzene			<5.0					5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0

Surrogates:

<i>Dibromofluoromethane</i>				101	88-116			
<i>1,2-Dichloroethane-d4</i>				104	87-123			
<i>Toluene-d8</i>				96	91-107			
<i>4-Bromofluorobenzene</i>				98	84-106			

Laboratory Control Sample

Unit: ug/L

Analyzed: 12/30/2010 By: DLV
 Analytical Batch: 1A03006

Benzene	40.0	39.5		99	84-119			1.0
Chlorobenzene	40.0	40.7		102	84-118			1.0
1,1-Dichloroethene	40.0	39.7		99	77-123			1.0
Toluene	40.0	39.4		99	85-118			1.0
Trichloroethene	40.0	40.0		100	82-119			1.0

Surrogates:

<i>Dibromofluoromethane</i>				99	88-116			
<i>1,2-Dichloroethane-d4</i>				106	87-123			
<i>Toluene-d8</i>				97	91-107			
<i>4-Bromofluorobenzene</i>				99	84-106			

Laboratory Control Sample Duplicate

Unit: ug/L

Analyzed: 12/30/2010 By: DLV
 Analytical Batch: 1A03006

Benzene	40.0	41.0		103	84-119	4	20	1.0
Chlorobenzene	40.0	42.3		106	84-118	4	20	1.0
1,1-Dichloroethene	40.0	42.6		106	77-123	7	20	1.0

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1100008 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Laboratory Control Sample Duplicate (Continued)

Analyzed: 12/30/2010 By: DLV

Unit: ug/L

Analytical Batch: 1A03006

Toluene		40.0	41.3	103	85-118	5	20	1.0
Trichloroethene		40.0	42.7	107	82-119	6	20	1.0

Surrogates:

<i>Dibromofluoromethane</i>				102	88-116			
<i>1,2-Dichloroethane-d4</i>				107	87-123			
<i>Toluene-d8</i>				99	91-107			
<i>4-Bromofluorobenzene</i>				99	84-106			

QC Batch: 1100053 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank

Analyzed: 01/03/2011 By: DLV

Unit: ug/L

Analytical Batch: 1A04005

Acetone			<20				20	
Acrylonitrile			<2.0				2.0	
Benzene			<1.0				1.0	
Bromobenzene			<1.0				1.0	
Bromochloromethane			<1.0				1.0	
Bromodichloromethane			<1.0				1.0	
Bromoform			<1.0				1.0	
Bromomethane			<5.0				5.0	
n-Butylbenzene			<1.0				1.0	
sec-Butylbenzene			<1.0				1.0	
tert-Butylbenzene			<1.0				1.0	
Carbon Disulfide			<1.0				1.0	
Carbon Tetrachloride			<1.0				1.0	
Chlorobenzene			<1.0				1.0	
Chloroethane			<5.0				5.0	
Chloroform			<1.0				1.0	
Chloromethane			<5.0				5.0	
1,2-Dibromo-3-chloropropane			<5.0				5.0	
Dibromochloromethane			<1.0				1.0	
1,2-Dibromoethane			<1.0				1.0	
Dibromomethane			<1.0				1.0	
trans-1,4-Dichloro-2-butene			<1.0				1.0	
1,2-Dichlorobenzene			<1.0				1.0	
1,3-Dichlorobenzene			<1.0				1.0	
1,4-Dichlorobenzene			<1.0				1.0	

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1100053 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 01/03/2011 By: DLV

Unit: ug/L

Analytical Batch: 1A04005

Dichlorodifluoromethane			<5.0					5.0
1,1-Dichloroethane			<1.0					1.0
1,2-Dichloroethane			<1.0					1.0
1,1-Dichloroethene			<1.0					1.0
cis-1,2-Dichloroethene			<1.0					1.0
trans-1,2-Dichloroethene			<1.0					1.0
1,2-Dichloropropane			<1.0					1.0
cis-1,3-Dichloropropene			<1.0					1.0
trans-1,3-Dichloropropene			<1.0					1.0
Ethylbenzene			<1.0					1.0
Ethyl Ether			<5.0					5.0
2-Hexanone			<5.0					5.0
Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0					5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0					5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0					5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0					5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1100053 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Unit: ug/L

Analyzed: 01/03/2011 By: DLV

Analytical Batch: 1A04005

1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0

Surrogates:

<i>Dibromofluoromethane</i>				99	88-116			
<i>1,2-Dichloroethane-d4</i>				103	87-123			
<i>Toluene-d8</i>				96	91-107			
<i>4-Bromofluorobenzene</i>				99	84-106			

Laboratory Control Sample

Unit: ug/L

Analyzed: 01/03/2011 By: DLV

Analytical Batch: 1A04005

Benzene	40.0		38.4	96	84-119			1.0
Chlorobenzene	40.0		39.8	99	84-118			1.0
1,1-Dichloroethene	40.0		41.4	103	77-123			1.0
Toluene	40.0		38.7	97	85-118			1.0
Trichloroethene	40.0		38.5	96	82-119			1.0

Surrogates:

<i>Dibromofluoromethane</i>				104	88-116			
<i>1,2-Dichloroethane-d4</i>				106	87-123			
<i>Toluene-d8</i>				99	91-107			
<i>4-Bromofluorobenzene</i>				101	84-106			

Matrix Spike 1012343-15 MW-3s

Unit: ug/L

Analyzed: 01/03/2011 By: DLV

Analytical Batch: 1A04005

Benzene	<10	400	398	99	80-129			10
Chlorobenzene	<10	400	411	103	80-121			10
1,1-Dichloroethene	<10	400	410	103	74-134			10
Toluene	<10	400	404	101	79-129			10
Trichloroethene	6.40	400	398	98	75-127			10

Surrogates:

<i>Dibromofluoromethane</i>				101	88-116			
<i>1,2-Dichloroethane-d4</i>				103	87-123			
<i>Toluene-d8</i>				99	91-107			
<i>4-Bromofluorobenzene</i>				99	84-106			

Matrix Spike Duplicate 1012343-15 MW-3s

Unit: ug/L

Analyzed: 01/03/2011 By: DLV

Analytical Batch: 1A04005

Benzene	<10	400	406	102	80-129	2	9	10
---------	-----	-----	------------	-----	--------	---	---	----

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1100053 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Matrix Spike Duplicate (Continued) 1012343-15 MW-3s

Analyzed: 01/03/2011 By: DLV

Unit: ug/L

Analytical Batch: 1A04005

Chlorobenzene	<10	400	423	106	80-121	3	8	10
1,1-Dichloroethene	<10	400	425	106	74-134	4	11	10
Toluene	<10	400	412	103	79-129	2	9	10
Trichloroethene	6.40	400	411	101	75-127	3	10	10

Surrogates:

<i>Dibromofluoromethane</i>				102	88-116			
<i>1,2-Dichloroethane-d4</i>				103	87-123			
<i>Toluene-d8</i>				99	91-107			
<i>4-Bromofluorobenzene</i>				99	84-106			

QUALITY CONTROL REPORT
Volatile Organic Compounds in Drinking Water by EPA Method 524.2

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013805 524.2 Purge & Trap/USEPA-524.2

Method Blank	Analyzed:	12/20/2010	By: DLV
Unit: mg/L	Analytical Batch:	0L20045	

Benzene		<0.0010	0.0010
Bromobenzene		<0.0010	0.0010
Bromodichloromethane		<0.0010	0.0010
Bromoform		<0.0010	0.0010
Bromomethane		<0.0010	0.0010
Carbon Tetrachloride		<0.0010	0.0010
Chlorobenzene		<0.0010	0.0010
Chloroethane		<0.0010	0.0010
Chloroform		<0.0010	0.0010
Chloromethane		<0.0010	0.0010
2-Chlorotoluene		<0.0010	0.0010
4-Chlorotoluene		<0.0010	0.0010
Dibromochloromethane		<0.0010	0.0010
Dibromomethane		<0.0010	0.0010
1,2-Dichlorobenzene		<0.0010	0.0010
1,3-Dichlorobenzene		<0.0010	0.0010
1,4-Dichlorobenzene		<0.0010	0.0010
Dichlorodifluoromethane		<0.0010	0.0010
1,1-Dichloroethane		<0.0010	0.0010
1,2-Dichloroethane		<0.0010	0.0010
1,1-Dichloroethene		<0.0010	0.0010
cis-1,2-Dichloroethene		<0.0010	0.0010
trans-1,2-Dichloroethene		<0.0010	0.0010
1,2-Dichloropropane		<0.0010	0.0010
1,3-Dichloropropane		<0.0010	0.0010
2,2-Dichloropropane		<0.0010	0.0010
1,1-Dichloropropene		<0.0010	0.0010
cis-1,3-Dichloropropene		<0.0010	0.0010
trans-1,3-Dichloropropene		<0.0010	0.0010
Ethylbenzene		<0.0010	0.0010
Methylene Chloride		<0.0050	0.0050
Styrene		<0.0010	0.0010
1,1,1,2-Tetrachloroethane		<0.0010	0.0010
1,1,1,2-Tetrachloroethane		<0.0010	0.0010
Tetrachloroethene		<0.0010	0.0010
Toluene		<0.0010	0.0010

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013805 (Continued) 524.2 Purge & Trap/USEPA-524.2

Method Blank (Continued)

Unit: mg/L

Analyzed: 12/20/2010 By: DLV

Analytical Batch: 0L20045

1,2,4-Trichlorobenzene			<0.0010					0.0010
1,1,1-Trichloroethane			<0.0010					0.0010
1,1,2-Trichloroethane			<0.0010					0.0010
Trichloroethene			<0.0010					0.0010
Trichlorofluoromethane			<0.0010					0.0010
1,2,3-Trichloropropane			<0.0010					0.0010
Vinyl Chloride			<0.0010					0.0010
Xylene (Total)			<0.0030					0.0030

Method Blank

Unit: ug/L

Analyzed: 12/20/2010 By: DLV

Analytical Batch: 0L20045

Surrogates:

<i>Dibromofluoromethane</i>	101	82-118
<i>1,2-Dichloroethane-d4</i>	101	75-128
<i>Toluene-d8</i>	100	88-108
<i>4-Bromofluorobenzene</i>	100	82-114

Laboratory Control Sample

Unit: mg/L

Analyzed: 12/20/2010 By: DLV

Analytical Batch: 0L20045

Benzene	0.00500	0.00532	106	70-130	0.0010
Bromobenzene	0.00500	0.00500	100	70-130	0.0010
Bromodichloromethane	0.00500	0.00553	111	70-130	0.0010
Bromoform	0.00500	0.00704	141	70-130	0.0010
Bromomethane	0.00500	0.00567	113	70-130	0.0010
Carbon Tetrachloride	0.00500	0.00652	130	70-130	0.0010
Chlorobenzene	0.00500	0.00525	105	70-130	0.0010
Chloroethane	0.00500	0.00528	106	70-130	0.0010
Chloroform	0.00500	0.00520	104	70-130	0.0010
Chloromethane	0.00500	0.00487	97	70-130	0.0010
2-Chlorotoluene	0.00500	0.00500	100	70-130	0.0010
4-Chlorotoluene	0.00500	0.00515	103	70-130	0.0010
Dibromochloromethane	0.00500	0.00565	113	70-130	0.0010
Dibromomethane	0.00500	0.00517	103	70-130	0.0010
1,2-Dichlorobenzene	0.00500	0.00514	103	70-130	0.0010
1,3-Dichlorobenzene	0.00500	0.00498	100	70-130	0.0010
1,4-Dichlorobenzene	0.00500	0.00502	100	70-130	0.0010
Dichlorodifluoromethane	0.00500	0.00511	102	70-130	0.0010

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013805 (Continued) 524.2 Purge & Trap/USEPA-524.2

Laboratory Control Sample (Continued)

Unit: mg/L

Analyzed: 12/20/2010 By: DLV

Analytical Batch: OL20045

1,1-Dichloroethane	0.00500	0.00530	106	70-130		0.0010
1,2-Dichloroethane	0.00500	0.00550	110	70-130		0.0010
1,1-Dichloroethene	0.00500	0.00540	108	70-130		0.0010
cis-1,2-Dichloroethene	0.00500	0.00520	104	70-130		0.0010
trans-1,2-Dichloroethene	0.00500	0.00544	109	70-130		0.0010
1,2-Dichloropropane	0.00500	0.00531	106	70-130		0.0010
1,3-Dichloropropane	0.00500	0.00503	101	70-130		0.0010
2,2-Dichloropropane	0.00500	0.00580	116	70-130		0.0010
1,1-Dichloropropene	0.00500	0.00552	110	70-130		0.0010
cis-1,3-Dichloropropene	0.00500	0.00525	105	70-130		0.0010
trans-1,3-Dichloropropene	0.00500	0.00525	105	70-130		0.0010
Ethylbenzene	0.00500	0.00510	102	70-130		0.0010
Methylene Chloride	0.00500	0.00501	100	70-130		0.0050
Styrene	0.00500	0.00518	104	70-130		0.0010
1,1,1,2-Tetrachloroethane	0.00500	0.00562	112	70-130		0.0010
1,1,1,2,2-Tetrachloroethane	0.00500	0.00495	99	70-130		0.0010
Tetrachloroethene	0.00500	0.00496	99	70-130		0.0010
Toluene	0.00500	0.00537	107	70-130		0.0010
1,2,4-Trichlorobenzene	0.00500	0.00502	100	70-130		0.0010
1,1,1-Trichloroethane	0.00500	0.00575	115	70-130		0.0010
1,1,2-Trichloroethane	0.00500	0.00521	104	70-130		0.0010
Trichloroethene	0.00500	0.00545	109	70-130		0.0010
Trichlorofluoromethane	0.00500	0.00577	115	70-130		0.0010
1,2,3-Trichloropropane	0.00500	0.00484	97	70-130		0.0010
Vinyl Chloride	0.00500	0.00524	105	70-130		0.0010
Xylene (Total)	0.0150	0.0156	104	70-130		0.0030

Laboratory Control Sample

Unit: ug/L

Analyzed: 12/20/2010 By: DLV

Analytical Batch: OL20045

Surrogates:

<i>Dibromofluoromethane</i>	104	82-118
<i>1,2-Dichloroethane-d4</i>	104	75-128
<i>Toluene-d8</i>	102	88-108
<i>4-Bromofluorobenzene</i>	99	82-114

Laboratory Control Sample Duplicate

Unit: mg/L

Analyzed: 12/20/2010 By: DLV

Analytical Batch: OL20045

Benzene	0.00500	0.00519	104	70-130	2	20	0.0010
---------	---------	----------------	-----	--------	---	----	--------

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013805 (Continued) 524.2 Purge & Trap/USEPA-524.2

Laboratory Control Sample Duplicate (Continued)

Analyzed: 12/20/2010 By: DLV

Unit: mg/L

Analytical Batch: 0L20045

Bromobenzene	0.00500	0.00492	98	70-130	2	20	0.0010
Bromodichloromethane	0.00500	0.00545	109	70-130	1	20	0.0010
Bromoform	0.00500	0.00683	137	70-130	3	20	0.0010
Bromomethane	0.00500	0.00536	107	70-130	6	20	0.0010
Carbon Tetrachloride	0.00500	0.00625	125	70-130	4	20	0.0010
Chlorobenzene	0.00500	0.00516	103	70-130	2	20	0.0010
Chloroethane	0.00500	0.00495	99	70-130	6	20	0.0010
Chloroform	0.00500	0.00517	103	70-130	0.6	20	0.0010
Chloromethane	0.00500	0.00463	93	70-130	5	20	0.0010
2-Chlorotoluene	0.00500	0.00499	100	70-130	0.2	20	0.0010
4-Chlorotoluene	0.00500	0.00517	103	70-130	0.4	20	0.0010
Dibromochloromethane	0.00500	0.00560	112	70-130	0.9	20	0.0010
Dibromomethane	0.00500	0.00539	108	70-130	4	20	0.0010
1,2-Dichlorobenzene	0.00500	0.00515	103	70-130	0.2	20	0.0010
1,3-Dichlorobenzene	0.00500	0.00510	102	70-130	2	20	0.0010
1,4-Dichlorobenzene	0.00500	0.00502	100	70-130	0	20	0.0010
Dichlorodifluoromethane	0.00500	0.00489	98	70-130	4	20	0.0010
1,1-Dichloroethane	0.00500	0.00510	102	70-130	4	20	0.0010
1,2-Dichloroethane	0.00500	0.00552	110	70-130	0.4	20	0.0010
1,1-Dichloroethene	0.00500	0.00512	102	70-130	5	20	0.0010
cis-1,2-Dichloroethene	0.00500	0.00517	103	70-130	0.6	20	0.0010
trans-1,2-Dichloroethene	0.00500	0.00518	104	70-130	5	20	0.0010
1,2-Dichloropropane	0.00500	0.00527	105	70-130	0.8	20	0.0010
1,3-Dichloropropane	0.00500	0.00523	105	70-130	4	20	0.0010
2,2-Dichloropropane	0.00500	0.00549	110	70-130	5	20	0.0010
1,1-Dichloropropene	0.00500	0.00540	108	70-130	2	20	0.0010
cis-1,3-Dichloropropene	0.00500	0.00520	104	70-130	1	20	0.0010
trans-1,3-Dichloropropene	0.00500	0.00510	102	70-130	3	20	0.0010
Ethylbenzene	0.00500	0.00513	103	70-130	0.6	20	0.0010
Methylene Chloride	0.00500	0.00563	113	70-130	12	20	0.0050
Styrene	0.00500	0.00524	105	70-130	1	20	0.0010
1,1,1,2-Tetrachloroethane	0.00500	0.00549	110	70-130	2	20	0.0010
1,1,1,2,2-Tetrachloroethane	0.00500	0.00502	100	70-130	1	20	0.0010
Tetrachloroethene	0.00500	0.00493	99	70-130	0.6	20	0.0010
Toluene	0.00500	0.00520	104	70-130	3	20	0.0010
1,2,4-Trichlorobenzene	0.00500	0.00506	101	70-130	0.8	20	0.0010

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013805 (Continued) 524.2 Purge & Trap/USEPA-524.2

Laboratory Control Sample Duplicate (Continued)

Unit: mg/L

 Analyzed: 12/20/2010 By: DLV
 Analytical Batch: 0L20045

1,1,1-Trichloroethane		0.00500	0.00548	110	70-130	5	20	0.0010
1,1,2-Trichloroethane		0.00500	0.00519	104	70-130	0.4	20	0.0010
Trichloroethene		0.00500	0.00537	107	70-130	1	20	0.0010
Trichlorofluoromethane		0.00500	0.00547	109	70-130	5	20	0.0010
1,2,3-Trichloropropane		0.00500	0.00505	101	70-130	4	20	0.0010
Vinyl Chloride		0.00500	0.00514	103	70-130	2	20	0.0010
Xylene (Total)		0.0150	0.0157	105	70-130	0.9	20	0.0030

Laboratory Control Sample Duplicate

Unit: ug/L

 Analyzed: 12/20/2010 By: DLV
 Analytical Batch: 0L20045

Surrogates:

<i>Dibromofluoromethane</i>	104	82-118
<i>1,2-Dichloroethane-d4</i>	101	75-128
<i>Toluene-d8</i>	101	88-108
<i>4-Bromofluorobenzene</i>	100	82-114

Duplicate 1012212-02 307 Kilbuck

Unit: mg/L

 Analyzed: 12/20/2010 By: DLV
 Analytical Batch: 0L20045

Benzene	<0.0010	<0.0010	20	0.0010
Bromobenzene	<0.0010	<0.0010	20	0.0010
Bromodichloromethane	<0.0010	<0.0010	20	0.0010
Bromoform	<0.0010	<0.0010	20	0.0010
Bromomethane	<0.0010	<0.0010	20	0.0010
Carbon Tetrachloride	<0.0010	<0.0010	20	0.0010
Chlorobenzene	<0.0010	<0.0010	20	0.0010
Chloroethane	<0.0010	<0.0010	20	0.0010
Chloroform	<0.0010	<0.0010	20	0.0010
Chloromethane	<0.0010	<0.0010	20	0.0010
2-Chlorotoluene	<0.0010	<0.0010	20	0.0010
4-Chlorotoluene	<0.0010	<0.0010	20	0.0010
Dibromochloromethane	<0.0010	<0.0010	20	0.0010
Dibromomethane	<0.0010	<0.0010	20	0.0010
1,2-Dichlorobenzene	<0.0010	<0.0010	20	0.0010
1,3-Dichlorobenzene	<0.0010	<0.0010	20	0.0010
1,4-Dichlorobenzene	<0.0010	<0.0010	20	0.0010
Dichlorodifluoromethane	<0.0010	<0.0010	20	0.0010
1,1-Dichloroethane	<0.0010	<0.0010	20	0.0010

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds in Drinking Water by EPA Method 524.2 (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1013805 (Continued) 524.2 Purge & Trap/USEPA-524.2

Duplicate (Continued) 1012212-02 307 Kilbuck					Analyzed:	12/20/2010	By: DLV
Unit: mg/L					Analytical Batch:	OL20045	
1,2-Dichloroethane	<0.0010		<0.0010			20	0.0010
1,1-Dichloroethene	<0.0010		<0.0010			20	0.0010
cis-1,2-Dichloroethene	<0.0010		<0.0010			20	0.0010
trans-1,2-Dichloroethene	<0.0010		<0.0010			20	0.0010
1,2-Dichloropropane	<0.0010		<0.0010			20	0.0010
1,3-Dichloropropane	<0.0010		<0.0010			20	0.0010
2,2-Dichloropropane	<0.0010		<0.0010			20	0.0010
1,1-Dichloropropene	<0.0010		<0.0010			20	0.0010
cis-1,3-Dichloropropene	<0.0010		<0.0010			20	0.0010
trans-1,3-Dichloropropene	<0.0010		<0.0010			20	0.0010
Ethylbenzene	<0.0010		<0.0010			20	0.0010
Methylene Chloride	<0.0050		<0.0050			20	0.0050
Styrene	<0.0010		<0.0010			20	0.0010
1,1,1,2-Tetrachloroethane	<0.0010		<0.0010			20	0.0010
1,1,2,2-Tetrachloroethane	<0.0010		<0.0010			20	0.0010
Tetrachloroethene	<0.0010		<0.0010			20	0.0010
Toluene	<0.0010		<0.0010			20	0.0010
1,2,4-Trichlorobenzene	<0.0010		<0.0010			20	0.0010
1,1,1-Trichloroethane	<0.0010		<0.0010			20	0.0010
1,1,2-Trichloroethane	<0.0010		<0.0010			20	0.0010
Trichloroethene	<0.0010		<0.0010			20	0.0010
Trichlorofluoromethane	<0.0010		<0.0010			20	0.0010
1,2,3-Trichloropropane	<0.0010		<0.0010			20	0.0010
Vinyl Chloride	<0.0010		<0.0010			20	0.0010
Xylene (Total)	<0.0030		<0.0030			20	0.0030

Duplicate 1012212-02 307 Kilbuck					Analyzed:	12/20/2010	By: DLV
Unit: ug/L					Analytical Batch:	OL20045	

Surrogates:

<i>Dibromofluoromethane</i>	104	82-118
<i>1,2-Dichloroethane-d4</i>	103	75-128
<i>Toluene-d8</i>	100	88-108
<i>4-Bromofluorobenzene</i>	98	82-114

QUALITY CONTROL REPORT
Physical/Chemical Parameters by EPA/APHA/ASTM Methods

QC Type	Sample Conc.	Spike Qty.	Result	Unit	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	------	--------------	----------------	-----	------------	----

Analyte: Chloride/SM 4500-Cl E 20th

QC Batch: 1100063 (General Inorganic Prep) Analyzed: 01/04/2011 By: LMA

Method Blank			<1.0	mg/L					1.0
Laboratory Control Sample		50.0	48.2	mg/L	96	92-109		20	1.0
1012376-02 [MW-1s]									
Matrix Spike	19.8	50.0	68.6	mg/L	98	72-125		20	1.0
Matrix Spike Duplicate	19.8	50.0	76.5	mg/L	113	72-125	11	20	1.0

QC Batch: 1013790 (General Inorganic Prep) Analyzed: 12/20/2010 By: LMA

Method Blank			<1.0	mg/L					1.0
Laboratory Control Sample		50.0	47.2	mg/L	94	92-109		20	1.0
1012210-01 [MW-24s]									
Matrix Spike	139	50.0	188	mg/L	97	72-125		20	2.0
Matrix Spike Duplicate	139	50.0	186	mg/L	94	72-125	0.8	20	2.0

QC Batch: 1013979 (General Inorganic Prep) Analyzed: 12/27/2010 By: LMA

Method Blank			<1.0	mg/L					1.0
Laboratory Control Sample		50.0	49.8	mg/L	100	92-109		20	1.0
1012304-07 [MW-14s]									
Matrix Spike	408	50.0	457	mg/L	98	72-125		20	5.0
Matrix Spike Duplicate	408	50.0	453	mg/L	90	72-125	0.9	20	5.0

Analyte: Iron, Ferrous/SM 3500-Fe B 20th

QC Batch: 1013680 (General Inorganic Prep) Analyzed: 12/15/2010 By: CLD

Method Blank			<0.020	mg/L					0.020
Laboratory Control Sample		0.320	0.306	mg/L	96	80-120		20	0.020

QC Batch: 1013766 (General Inorganic Prep) Analyzed: 12/17/2010 By: CLD

Method Blank			<0.020	mg/L					0.020
Laboratory Control Sample		0.320	0.324	mg/L	101	80-120		20	0.020
1012264-07 [MW-17s]									
Matrix Spike	0.128	0.320	0.469	mg/L	107	68-131		20	0.020
Matrix Spike Duplicate	0.128	0.320	0.450	mg/L	101	68-131	4	20	0.020

Continued on next page

QUALITY CONTROL REPORT
Physical/Chemical Parameters by EPA/APHA/ASTM Methods (Continued)

QC Type	Sample Conc.	Spike Qty.	Result	Unit	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	------	--------------	----------------	-----	------------	----

Analyte: Iron, Ferrous/SM 3500-Fe B 20th (Continued)

QC Batch: 1013680 (General Inorganic Prep) Analyzed: 12/21/2010 By: CLD

1012210-01 [MW-24s]

Matrix Spike	<0.020	0.320	0.336	mg/L	105	68-131		20	0.020
Matrix Spike Duplicate	<0.020	0.320	0.334	mg/L	104	68-131	0.7	20	0.020

QC Batch: 1013870 (General Inorganic Prep) Analyzed: 12/21/2010 By: CLD

Method Blank			<0.020	mg/L					0.020
Laboratory Control Sample		0.320	0.310	mg/L	97	80-120		20	0.020

1012304-07 [MW-14s]

Matrix Spike	0.0318	0.320	0.356	mg/L	101	68-131		20	0.020
Matrix Spike Duplicate	0.0318	0.320	0.346	mg/L	98	68-131	3	20	0.020

QC Batch: 1013951 (General Inorganic Prep) Analyzed: 12/22/2010 By: CLD

Method Blank			<0.020	mg/L					0.020
Laboratory Control Sample		0.320	0.314	mg/L	98	80-120		20	0.020

1012340-02 [MW-6s]

Matrix Spike	<0.020	0.320	0.307	mg/L	96	68-131		20	0.020
Matrix Spike Duplicate	<0.020	0.320	0.311	mg/L	97	68-131	1	20	0.020

QC Batch: 1014047 (Method-Specific Preparation) Analyzed: 12/23/2010 By: HLB

Method Blank			<0.020	mg/L					0.020
Laboratory Control Sample		0.320	0.313	mg/L	98	80-120		20	0.020

1012343-16 [MW-4s]

Matrix Spike	0.0166	0.320	0.334	mg/L	99	68-131		20	0.020
Matrix Spike Duplicate	0.0166	0.320	0.346	mg/L	103	68-131	3	20	0.020

QC Batch: 1014084 (General Inorganic Prep) Analyzed: 12/29/2011 By: CLD

Method Blank			<0.020	mg/L					0.020
Laboratory Control Sample		0.320	0.302	mg/L	94	80-120		20	0.020

1012376-04 [MW-34s]

Matrix Spike	0.0178	0.320	0.330	mg/L	97	68-131		20	0.020
Matrix Spike Duplicate	0.0178	0.320	0.332	mg/L	98	68-131	0.8	20	0.020

Analyte: Nitrogen, Nitrate/SM 4500-NO3 F 20th

QC Batch: 1013938 (General Inorganic Prep) Analyzed: 12/15/2010 By: CAM

Method Blank			<0.050	mg/L					0.050
--------------	--	--	--------	------	--	--	--	--	-------

Continued on next page

QUALITY CONTROL REPORT
Physical/Chemical Parameters by EPA/APHA/ASTM Methods (Continued)

QC Type	Sample Conc.	Spike Qty.	Result	Unit	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
Analyte: Nitrogen, Nitrate/SM 4500-NO3 F 20th (Continued)									
QC Batch: 1013938 (Continued) (General Inorganic Prep)						Analyzed: 12/15/2010 By: CAM			
Laboratory Control Sample		0.500	0.497	mg/L	99	90-110		20	0.050
1012210-01 [MW-24s]									
Matrix Spike	3.73	5.00	9.07	mg/L	107	90-110		20	0.50
Matrix Spike Duplicate	3.73	5.00	9.30	mg/L	111	90-110	2	20	0.50
QC Batch: 1013938 (General Inorganic Prep)						Analyzed: 12/17/2010 By: CAM			
Method Blank			<0.050	mg/L					0.050
Laboratory Control Sample		0.500	0.504	mg/L	101	90-110		20	0.050
1012264-06 [MW-10s]									
Matrix Spike	<0.050	0.500	0.500	mg/L	100	90-110		20	0.050
Matrix Spike Duplicate	<0.050	0.500	0.495	mg/L	99	90-110	1	20	0.050
QC Batch: 1014102 (General Inorganic Prep)						Analyzed: 12/21/2010 By: CAM			
Method Blank			<0.050	mg/L					0.050
Laboratory Control Sample		0.500	0.514	mg/L	103	90-110		20	0.050
1012304-08 [MW-27s]									
Matrix Spike	0.0652	0.500	0.645	mg/L	116	90-110		20	0.050
Matrix Spike Duplicate	0.0652	0.500	0.646	mg/L	116	90-110	0.2	20	0.050
QC Batch: 1014102 (General Inorganic Prep)						Analyzed: 12/22/2010 By: CAM			
Method Blank			<0.050	mg/L					0.050
Laboratory Control Sample		0.500	0.523	mg/L	105	90-110		20	0.050
1012340-01 [MW-23]									
Matrix Spike	0.0112	0.500	0.517	mg/L	101	90-110		20	0.050
Matrix Spike Duplicate	0.0112	0.500	0.506	mg/L	99	90-110	2	20	0.050
QC Batch: 1014102 (General Inorganic Prep)						Analyzed: 12/23/2010 By: CAM			
Method Blank			<0.050	mg/L					0.050
Laboratory Control Sample		0.500	0.513	mg/L	103	90-110		20	0.050
1012343-13 [MW-21]									
Matrix Spike	0.810	2.50	3.40	mg/L	104	90-110		20	0.25

Continued on next page

QUALITY CONTROL REPORT
Physical/Chemical Parameters by EPA/APHA/ASTM Methods (Continued)

QC Type	Sample Conc.	Spike Qty.	Result	Unit	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	------	--------------	----------------	-----	------------	----

Analyte: Nitrogen, Nitrate/SM 4500-NO3 F 20th (Continued)

QC Batch: 1014102 (Continued) (General Inorganic Prep) Analyzed: 12/23/2010 By: CAM

1012343-13 [MW-21]

 Matrix Spike Duplicate 0.810 2.50 **3.45** mg/L 105 90-110 1 20 0.25

QC Batch: 1014108 (General Inorganic Prep) Analyzed: 12/29/2010 By: CKD

Method Blank <0.050 mg/L 0.050

 Laboratory Control Sample 0.500 **0.498** mg/L 100 90-110 20 0.050

1012376-02 [MW-1s]

 Matrix Spike 2.52 5.00 **7.73** mg/L 104 90-110 20 0.50

 Matrix Spike Duplicate 2.52 5.00 **7.60** mg/L 102 90-110 2 20 0.50

Analyte: Sulfate/ASTM D516-90 (02)

QC Batch: 1100069 (General Inorganic Prep) Analyzed: 01/04/2011 By: LMA

Method Blank <1.0 mg/L 1.0

 Laboratory Control Sample 20.0 **19.9** mg/L 99 88-116 20 1.0

1012376-02 [MW-1s]

 Matrix Spike 15.6 20.0 **34.4** mg/L 94 55-151 20 2.0

 Matrix Spike Duplicate 15.6 20.0 **35.7** mg/L 101 55-151 4 20 2.0

QC Batch: 1013800 (General Inorganic Prep) Analyzed: 12/20/2010 By: LMA

Method Blank <1.0 mg/L 1.0

 Laboratory Control Sample 20.0 **19.3** mg/L 96 88-116 20 1.0

1012210-01 [MW-24s]

 Matrix Spike 93.4 20.0 **112** mg/L 92 55-151 20 5.0

 Matrix Spike Duplicate 93.4 20.0 **112** mg/L 94 55-151 0.2 20 5.0

QC Batch: 1013984 (General Inorganic Prep) Analyzed: 12/27/2010 By: LMA

Method Blank <1.0 mg/L 1.0

 Laboratory Control Sample 20.0 **19.2** mg/L 96 88-116 20 1.0

1012304-07 [MW-14s]

 Matrix Spike 26.5 20.0 **44.2** mg/L 88 55-151 20 2.0

 Matrix Spike Duplicate 26.5 20.0 **43.2** mg/L 83 55-151 2 20 2.0

STATEMENT OF DATA QUALIFICATIONS**Volatile Organic Compounds in Drinking Water by EPA Method 524.2**

Qualification: The LCS and/or LCSD recovery exceeded the upper control limit. A positive result for this analyte in any sample from the associated QC batch is considered estimated. Non-detectable results are not qualified.

Analysis: USEPA-524.2

Sample/Analyte:	1012212-02	307 Kilbuck	Bromoform
	1012212-03	607 Mohawk	Bromoform
	1012212-04	611 Mohawk	Bromoform
	1012212-05	615 Mohawk	Bromoform

STATEMENT OF DATA QUALIFICATIONS
Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Qualification: The MS and/or MSD recovery was outside the control limit. The non-spiked sample result is considered estimated.

Analysis: SM 4500-NO3 F 20th

Sample/Analyte: 1012304-08 MW-27s Nitrogen, Nitrate

Qualification: The MS or MSD recovery, but not both, was outside the control limit. The RPD is within the control limit. The unspiked sample result is not qualified.

Analysis: SM 4500-NO3 F 20th

Sample/Analyte: 1012210-01 MW-24s Nitrogen, Nitrate

Qualification: Ferrous iron is unstable and easily changes to the ferric form in solutions in contact with air. Determination should be done in the field at the time of collection. Because analysis was performed in the lab, the reported value may not be representative.

Analysis: SM 3500-Fe B 20th

Sample/Analyte:	1012264-06 MW-10s	Iron, Ferrous
	1012264-07 MW-17s	Iron, Ferrous
	1012304-07 MW-14s	Iron, Ferrous
	1012304-08 MW-27s	Iron, Ferrous
	1012304-09 MW-27d	Iron, Ferrous
	1012304-10 MW-18s	Iron, Ferrous
	1012304-11 MW-19d	Iron, Ferrous
	1012304-13 MW-19s	Iron, Ferrous
	1012340-01 MW-23	Iron, Ferrous
	1012340-02 MW-6s	Iron, Ferrous
	1012343-09 MW-33s	Iron, Ferrous
	1012343-13 MW-21	Iron, Ferrous
	1012343-15 MW-3s	Iron, Ferrous
	1012343-16 MW-4s	Iron, Ferrous
	1012376-02 MW-1s	Iron, Ferrous
	1012376-03 MW-32s	Iron, Ferrous
	1012376-04 MW-34s	Iron, Ferrous



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No.

135221

Analyses Requested

Pg. 1 of 1

For Lab Use Only
Cart: 2
VOA Reack/Tray: W62 W
Receipt Log No.: 15-1
Project Chemist:
Work Order No.: 1012210

Client Name: RMT Inc
Address: 3754 Rarcho Drive
City, State Zip: Ann Arbor MI 48106
Phone/Fax: 734-971-2090 734-971-9001
Email:

Project Name: T.P.C.
Client Project No. / P.O. No.: W-05070.08
Invoice To: Client Other (comments)
Contact/Report To: Graham Co. Food

0	VOC 9460
	Chloride
	Nitrate
	Sulfate
	Iron II

- ← PRESERVATIVES
- A NONE pH<7
 - B HNO₃ pH<2
 - C H₂SO₄ pH<2
 - D 1+1 HCl pH<2
 - E NaOH pH>12
 - F ZnAc2/NaOH pH>9
 - G MeOH
 - H Other (rate below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	Matrix	Number of Containers Submitted	Total	Sample Comments
07		01	MW-24s	138	12/14/10	0933	W	4	4	
		02	MW-24D			1053	W	4	4	
		03	MW-12s			1227	W	2	2	
		04	MW-12D			1341	W	2	2	
		05	MW-13s			1530	W	2	2	

Sampled By (print): **JAVIER JASSO**
Sampler's Signature: *Javier Jasso*
Company: **RMT Inc**

How Shipped? Hand _____ Carrier _____
Tracking No. _____

1. Requested By: *Javier Jasso* Date: 12/14/10 Time: 1700
2. Received By: _____ Date: _____ Time: _____
3. Returned By: _____ Date: _____ Time: _____

4. Returned for Lab Use By: *Javier Jasso* Date: 12/15/10 Time: 0800

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client Rmt Inc	Work Order #: 1012210
Receipt Record Page/Line # 15-1	Project Chemist / Sample #

Recorded by (Initials/date) hr	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other	Qty Received 1	<input checked="" type="checkbox"/> IR Gun (#202) Thermometer Used <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> See Additional Cooler Information Form <input type="checkbox"/> Other (#)
--	--	--------------------------	--

Cooler # 1008	Time 0807	
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		
Coolant Location: Dispersed / <input checked="" type="checkbox"/> Top / Middle / Bottom		
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		
Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		
Recorded °C	Correction Factor °C	Actual °C
Temp Blank:	-	3.6
TB location: Representative / Not Representative		
1	3.3	3.3
2	3.3	3.3
3	3.3	3.3
Average °C		
<input checked="" type="checkbox"/> Cooler ID on COC? 3.3 <input checked="" type="checkbox"/> VOC Trip Blank received?		

Cooler #	Time	
Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		
Coolant Location: Dispersed / Top / Middle / Bottom		
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		
Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		
Recorded °C	Correction Factor °C	Actual °C
Temp Blank:		
TB location: Representative / Not Representative		
1		
2		
3		
Average °C		
<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		

Cooler #	Time	
Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		
Coolant Location: Dispersed / Top / Middle / Bottom		
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		
Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		
Recorded °C	Correction Factor °C	Actual °C
Temp Blank:		
TB location: Representative / Not Representative		
1		
2		
3		
Average °C		
<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		

Cooler #	Time	
Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		
Coolant Location: Dispersed / Top / Middle / Bottom		
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		
Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		
Recorded °C	Correction Factor °C	Actual °C
Temp Blank:		
TB location: Representative / Not Representative		
1		
2		
3		
Average °C		
<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received			<input type="checkbox"/> No COC Received
N/A	Yes	No	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Chain of Custody record(s)?
	<input type="checkbox"/>	<input type="checkbox"/>	If No, COC Initiated By _____
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Rec'd for Lab Signed/Date/Time?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Shipping document?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other _____

COC ID #s

TriMatrix **135221**

Other (Name or ID#) _____

Check COC for Accuracy		<input type="checkbox"/> No analysis requested
Yes	No	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Sample ID matches COC?
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Sample Date and Time matches COC?
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Container type completed on COC?
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> All container types indicated are received?

Sample Condition Summary		<input type="checkbox"/> Non-TriMatrix containers, see Notes	
N/A	Yes	No	
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Broken containers/lids?
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Missing or incomplete labels?
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Illegible information on labels?
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Low volume received?
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Inappropriate containers received?
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> VOC vials / TOX containers have headspace?
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Extra sample locations / containers not listed on COC?

Check Sample Preservation			
N/A	Yes	No	
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Average sample temperature ≤6° C?
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Completed Sample Preservation Verification Form?
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Samples preserved correctly?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	If "No", added orange tag?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Received pre-preserved VOC soils?
		<input type="checkbox"/>	<input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄

Check for Short Hold-Time Prep/Analyses	
<input type="checkbox"/>	Bacteriological
<input type="checkbox"/>	Air Bags
<input type="checkbox"/>	EnCores / Methanol Pre-Preserved
<input type="checkbox"/>	Formaldehyde/Aldehyde
<input checked="" type="checkbox"/>	Green-tagged containers
<input type="checkbox"/>	Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY:
COPIES OF COC TO LAB AREA(S)

NONE RECEIVED
 RECEIVED, COCs TO LAB(S)

Notes

Trip Blank received Trip Blank not listed on COC

No COC received, Proj. Chemist reviewed (Init/Date) _____

No analysis requested, Proj. Chemist completed (Init/Date) _____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?
12/15/10 0800	12/15/10 0830	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Client <i>RMT Inc</i>	Work Order # <i>1012210</i>
Receipt Log # <i>15-1</i>	Completed By (initials/date) <i>LR 12/1</i>
Project Chemist	

COC ID # <i>135221</i>				Adjusted by: _____ Date: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Container Type	5	4	13	<i>24</i>	3	6	15				
Tag Color	Lt. Blue	Blue	Brown	<i>White</i>	Green	Red	Red Stripe				
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	<i>HCL</i>	None	HNO ₃	HNO ₃				
Expected pH	>12	<2	<2	<2	6-8	<2	<2				
COC Line #1				✓	✓						
COC Line #2				✓	✓						
COC Line #3											
COC Line #4											
COC Line #5											
COC Line #6											
COC Line #7											
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Ph Strip Lot #
<input checked="" type="checkbox"/> HC075211
<input type="checkbox"/>

Aqueous Samples: For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

COC ID #				Adjusted by: _____ Date: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Container Type	5	4	13		3	6	15				
Tag Color	Lt. Blue	Blue	Brown		Green	Red	Red Stripe				
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄		None	HNO ₃	HNO ₃				
Expected pH	>12	<2	<2		-7	<2	<2				
COC Line #1											
COC Line #2											
COC Line #3											
COC Line #4											
COC Line #5											
COC Line #6											
COC Line #7											
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5	NaOH
500	2.5
1000	5.0
Container Type 4	H ₂ SO ₄
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13	H ₂ SO ₄
500	2.5



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. **136506**

Analyses Requested

Pg. 1 of 2

VOA Rack/Tray
116-White

Client Name
RMT INC

Project Name
TPE - Teumseh

Receipt Log No.
13-18

Address
3754 Rawhuro Dr.

Client Project No. / P.O. No.
02751.08.001

Project Chemist

City, State Zip
Ann Arbor, MI 48108

Invoice To
 Client
 Other (comments)

Work Order No.
102212

Phone/Fax
734 791 7080

Contact/Report to
STACY Wertz

Email

stacy.wertz@rmtinc.com

Container ID	Container Type (corresponds to Container Packing List)
8260B	1
52425D	1
1000	1

- PRESERVATIVES
- A NONE pH<7
 - B HNO₃ pH<2
 - C H₂SO₄ pH<2
 - D 1+1 HCl pH<2
 - E NaOH pH>12
 - F ZnAc₂/NaOH pH>9
 - G MeOH
 - H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	Matrix	Number of Containers Submitted	Sample Comments
01		01	STW-1	TW505	12/10/10	0808	W2	2	
04		02	307 KILBACK	"	12/10/10	1020	W	2	
		03	607 Mohawk	"	"	1422		2	
		04	611 Mohawk	"	"	1435		2	
		05	615 Mohawk	"	"	1503		2	
		06	TR-01	"	"	1414		1	

Sampled By (Imp): J.A. Brown

Sampler's Signature: [Signature]

Company: RMT, INC

How Shipped? Cover Hand Cover Carrier Cover

Tracking No. _____

1. Requisitioned By	Date	Time	2. Requisitioned By	Date	Time	3. Requisitioned By	Date	Time
<u>[Signature]</u>	12/11/10	0804	<u>[Signature]</u>	12-11-10	1515	<u>[Signature]</u>	12-11-10	1930
<u>[Signature]</u>	12-11-10	1515	<u>[Signature]</u>	12-11-10	1930	<u>[Signature]</u>	12-11-10	1930

WHITE COPY - REPORT

YELLOW COPY - LABORATORY

PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client: <u>DMT, INC</u>	Work Order #: <u>1012212</u>
Receipt Record Page/Line #: <u>13-18</u>	New / Add To <input type="checkbox"/> Project Chemist <input type="checkbox"/> Sample #s

Recorded by (Initials/Date): <u>DN 12/14/10</u>	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other _____	Qty Received: <u>1</u>	<input checked="" type="checkbox"/> IR Gun (#202) <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> Other (# _____)
---	--	------------------------	---

Cooler #	Time	Cooler #	Time	Cooler #	Time	Cooler #	Time	
<u>1182515</u>	<u>2214</u>							
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		
Coolant Location: <input checked="" type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		Coolant Location: <input type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		Coolant Location: <input type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		Coolant Location: <input type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		
Alternate Temperature Taken Via: <input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank: <u>0</u>		<u>4.6</u>	Temp Blank:			Temp Blank:		
TB location: Representative / Not Representative			TB location: Representative / Not Representative			TB location: Representative / Not Representative		
1	<u>3.6</u>	<u>0</u>	1			1		
2	<u>3.9</u>	<u>0</u>	2			2		
3	<u>3.3</u>	<u>0</u>	3			3		
Average °C			Average °C			Average °C		
<input checked="" type="checkbox"/> Cooler ID on COC? <input checked="" type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received <input type="checkbox"/> No COC Received N/A Yes No <input checked="" type="checkbox"/> Chain of Custody record(s)? If No, COC Initiated By _____ <input checked="" type="checkbox"/> Rec'd for Lab Signed/Date/Time? <input type="checkbox"/> Shipping document? <input type="checkbox"/> Other _____ COC ID #s <input checked="" type="checkbox"/> TriMatrix <u>136506</u> <input type="checkbox"/> Other (Name or ID#) _____	Check Sample Preservation N/A Yes No <input checked="" type="checkbox"/> Average sample temperature ≤6° C? <input checked="" type="checkbox"/> Completed Sample Preservation Verification Form? <input checked="" type="checkbox"/> Samples preserved correctly? If "No", added orange tag? <input type="checkbox"/> Received pre-preserved VOC soils? <input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄
Check COC for Accuracy <input type="checkbox"/> No analysis requested Yes No <input checked="" type="checkbox"/> Sample ID matches COC? <input checked="" type="checkbox"/> Sample Date and Time matches COC? <input checked="" type="checkbox"/> Container type completed on COC? <input checked="" type="checkbox"/> All container types indicated are received?	Check for Short Hold-Time Prep/Analyses <input type="checkbox"/> Bacteriological <input type="checkbox"/> Air Bags <input type="checkbox"/> EnCores / Methanol Pre-Preserved <input type="checkbox"/> Formaldehyde/Aldehyde <input type="checkbox"/> Green-tagged containers <input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)
Sample Condition Summary <input type="checkbox"/> Non-TriMatrix containers, see Notes N/A Yes No <input checked="" type="checkbox"/> Broken containers/lids? <input checked="" type="checkbox"/> Missing or incomplete labels? <input checked="" type="checkbox"/> Illegible information on labels? <input checked="" type="checkbox"/> Low volume received? <input checked="" type="checkbox"/> Inappropriate containers received? <input checked="" type="checkbox"/> VOC vials / TOX containers have headspace? <input checked="" type="checkbox"/> Extra sample locations / containers not listed on COC?	Notes <input checked="" type="checkbox"/> Trip Blank received <input type="checkbox"/> Trip Blank not listed on COC <input type="checkbox"/> No COC received, Proj. Chemist reviewed (Init/Date) _____ <input type="checkbox"/> No analysis requested, Proj. Chemist completed (Init/Date) _____
Cooler Received (Date/Time) <u>DN 12/14/10</u> Paperwork Delivered (Date/Time) <u>DN 12/14/10</u> ≤1 Hour Goal Met? Yes / No	



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. **136504**

Analyses Requested

Pg. 1 of 1

PRESERVATIVES

- A NONE pH<7
- B HNO₃ pH<2
- C H₂SO₄ pH<2
- D 1+1 HCl pH<2
- E NaOH pH>12
- F ZnAc/NaOH pH>9
- G MeOH
- H Other (note below)

Container Type (corresponds to Container Packing List)
KUC0260
Chloride
Nitrate
Sulfate
Iron II

Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	Matrix	Number of Containers Submitted	Total	Sample Comments
G1	01	MW-29s	1365	12/15/16	6:05	KAC+	2	2	
G1	02	MW-29D			6:10	DI+	1	1	
G3	03	Trip Blank #3							
G1	04	MW-30s		12/16/16	6:57	+6w+	2	2	
G1	05	MW-30D			10:15		2	2	
G1	06	MW-10s			11:32		4	4	
G1	07	MW-17s			12:58		4	4	
G1	08	MW-14D			15:21		2	2	

For Lab Use Only
Cart 4
Vial Rack/Tray 5776
Receipt Log No. 19-1
Project Chemist
Work Order No. 10122104

Client Name: RMT Inc
Address: 3754 Krehen Drive
City, State Zip: Ann Arbor MI 48108
Phone/Fax: 734-671-7080 / 734-671-9000
Email: [redacted]

Project Name: T.P.C.
Client Project No./P.O. No.: 00-08070.02
Invoice To: [redacted]
 Client
 Other (comments)

Contact/Report To: Graham Crocker

Container Type (corresponds to Container Packing List): KUC0260

Analyses Requested: Chloride, Nitrate, Sulfate, Iron II

PRESERVATIVES: A NONE pH<7, B HNO₃ pH<2, C H₂SO₄ pH<2, D 1+1 HCl pH<2, E NaOH pH>12, F ZnAc/NaOH pH>9, G MeOH, H Other (note below)

Sampled By (print): Javier Tasic
Sampler's Signature: [Signature]
Company: RMT Inc

How Shipped? Hand Carrier
Tracking No. [redacted]

1. Received By: [Signature] Date: 12/16/16 Time: 1:00
2. Requiring By: [redacted] Date: [redacted] Time: [redacted]
3. Requiring By: [Signature] Date: 12/17/16 Time: 04:15

WHITE COPY - REPORT

YELLOW COPY - LABORATORY

PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client: <u>RMT</u>	Work Order #: <u>1012264</u>
Receipt Record Page/Line #: <u>19-1</u>	Project Chemist: <u>RLR</u> Sample #: <u>01-08</u>

Recorded by (Initials/date): <u>WR 12/17/10</u>	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other _____	Qty Received: <u>1</u>	<input checked="" type="checkbox"/> IR Gun (#202) <input type="checkbox"/> Thermometer Used <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> Other (# _____)
---	--	------------------------	--

Cooler #	Time	Cooler #	Time	Cooler #	Time
<u>Trm 1385</u>	<u>0820</u>				
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact	
Coolant Location: Dispersed / <u>Top</u> / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom	
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers	
Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container	
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank:			Temp Blank:		
TB location: Representative / Not Representative		TB location: Representative / Not Representative		TB location: Representative / Not Representative	
1	<u>3.9</u>	<u>-</u>	Actual	<u>3.9</u>	
2	<u>5.9</u>	<u>-</u>	Actual	<u>5.5</u>	
3	<u>4.6</u>	<u>-</u>	Actual	<u>4.6</u>	
Average °C		Average °C		Average °C	
<u>4.7</u>					
<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?	

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received No COC Received

N/A	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Chain of Custody record(s)?
 If No, COC Initiated By _____
 Rec'd for Lab Signed/Date/Time? _____
 Shipping document? _____
 Other _____

COC ID #s

TriMatrix 136504

Other (Name or ID#) _____

Check COC for Accuracy No analysis requested

Yes	No
<input checked="" type="checkbox"/>	<input type="checkbox"/>

Sample ID matches COC?
 Sample Date and Time matches COC?
 Container type completed on COC?
 All container types indicated are received?

Sample Condition Summary Non-TriMatrix containers, see Notes

N/A	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Broken containers/lids?
 Missing or incomplete labels?
 Illegible information on labels?
 Low volume received?
 Inappropriate containers received?
 VOC vials / TOX containers have headspace?
 Extra sample locations / containers not listed on COC?

Check Sample Preservation

N/A	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Average sample temperature ≤6° C?
 Completed Sample Preservation Verification Form?
 Samples preserved correctly?
 If "No", added orange tag?
 Received pre-preserved VOC soils?
 MeOH Na₂SO₄

Check for Short Hold-Time Prep/Analyses

Bacteriological
 Air Bags
 EnCores / Methanol Pre-Preserved
 Formaldehyde/Aldehyde
 Green-tagged containers
 Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY:
COPIES OF COC TO LAB AREA(S)

NONE RECEIVED
 RECEIVED, COCs TO LAB(S)

Notes

Trip Blank received Trip Blank not listed on COC
 No COC received, Proj. Chemist reviewed (Init/Date) _____
 No analysis requested, Proj. Chemist completed (Init/Date) _____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?
<u>12/17/10 0745</u>	<u>12/17/10 0830</u>	<input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No

Client RMT	Work Order # 10122104
Receipt Log # 19.1	Project Chemist JLR
Completed By (initials/date) WC 12/17/10	

COC ID # 1310504				Adjusted by: _____ Date: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Container Type	5	4	13	23	3	6	15				
Tag Color	Lt. Blue	Blue	Brown	yellow	Green	Red	Red Stripe				
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	HCl	None	HNO ₃	HNO ₃				
Expected pH	>12	<2	<2	12	6-8	<2	<2				
COC Line #1											
COC Line #2											
COC Line #3											
COC Line #4											
COC Line #5											
COC Line #6				✓	✓						
COC Line #7				✓	✓						
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Ph Strip Lot #
<input checked="" type="checkbox"/> HC075211
<input type="checkbox"/>

Aqueous Samples: For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

COC ID #				Adjusted by: _____ Date: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Container Type	5	4	13		3	6	15				
Tag Color	Lt. Blue	Blue	Brown		Green	Red	Red Stripe				
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄		None	HNO ₃	HNO ₃				
Expected pH	>12	<2	<2		~7	<2	<2				
COC Line #1											
COC Line #2											
COC Line #3											
COC Line #4											
COC Line #5											
COC Line #6											
COC Line #7											
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5	NaOH
500	2.5
1000	5.0
Container Type 4	H ₂ SO ₄
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13	H ₂ SO ₄
500	2.5



5660 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No.

136505

Analyses Requested

Pg. 1 of 2

For Lab Use Only
Cart 2

VOA Request/Tray 1099R-1033R
Receipt Log No. 2533
Project Chemist SWL
Work Order No. E-10123304

Client Name RMT Inc
Address 3954 Ranchero Drive
City, State Zip Ann Arbor MI 48106
Phone/Fax 734-971 7060 734-9719200
Email

Project Name T.I.P.C
Client Project No. / P.O. No. 00-06070.08
Invoice To Client Other (comments)
Contact/Report To Graham Cookford

0	VOA 8260
	Chloride
	Nitrate
	Sulfate
	Iron II

- PRESERVATIVES
- A NONE pH=7
 - B HNO₃ pH<2
 - C H₂SO₄ pH<2
 - D 1+1 HCl pH<2
 - E NaOH pH>12
 - F ZnAcNaOH pH>9
 - G MeOH
 - H Other (note below)

Schedule	Main Cycle	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	C O M P	M A B	Matrix	Number of Containers Submitted	Total	Sample Comments
03	75	D1	Trip Blank 04	330	12-20-10	0800	+	DS	+	1	2	
01		D2	MW-26s	411	12/16/10	0834	+	GW	+	2	2	
		D3	MW-26D	412	12/16/10	0838	+		+	2	2	
		D4	MW-11s	413	12/16/10	1106	+		+	2	2	
		D5	MW-15s	414	12/16/10	1244	+		+	2	2	
		D6	MW-26s	415	12/16/10	1400	+		+	2	2	
07		D7	MW-14s	416	12/16/10	0850	+		+	4	4	
		D8	MW-27s	417	12/16/10	1013	+		+	4	4	
		D9	MW-27D	418	12/16/10	1101	+		+	4	4	
		D10	MW-18s	419	12/16/10	1244	+		+	4	4	

Comments

Sampled By (print) DAVID SASSO
Sampler's Signature [Signature]
Company Spent Inc

How Shipped? Hand Carrier
Tracking No.

1. Requisitioned By <u>Spent Inc</u> Date <u>12/16/10</u> Time <u>1700</u>	2. Requisitioned By <u></u> Date <u></u> Time <u></u>	3. Requisitioned By <u>[Signature]</u> Date <u>12/21/10</u> Time <u>1100</u>
--	---	--



5660 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No.

136499

Analyses Requested

Pg. 2 of 2

← PRESERVATIVES

- A NONE pH<7
- B HNO₃ pH<2
- C H₂SO₄ pH<2
- D 1+1 HCl pH<2
- E NaOH pH>12
- F ZnAc/NaOH pH>9
- G MeOH
- H Other (note below)

Container Type (corresponds to Container Packing List)	Number of Containers Submitted	Total	Sample Comments
VOL 8860	0		
Chloride	X	4	
Nitrate	+	2	
Sulfate	+		
IRON II	+	4	

Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	Matrix	Number of Containers Submitted	Total	Sample Comments
OT	11	MU-19D	330E	12/26	1414	+6w+	X	4	
O1	12	MU-19S E.B. 01			1422	+DI+	+	2	
OT	13	MU-19s			1518	6w+	+	4	

Client Name: RMT Inc
Address: 3754 Ranchwood Drive
City, State Zip: Ann Arbor MI 48106
Phone/Fax: 734-971-7000 / 734-971-9000
Email: E-1015304

Project Name: T.P.C.
Client Project No./P.O. No.: 00-00070.02
Invoice To: Client Other (comments)
Contact/Report To: Graham Curkes

How Shipped? Hand _____ Carrier _____
Tracking No. _____

1. Requisitioned By: Steve White Date: 1/20/08
2. Received By: _____ Date: _____
3. Requisitioned By: _____ Date: _____
4. Received By: Wm Cole Date: 12/16/08

Sampled By (print): DAUER JASSO
Sampler's Signature: [Signature]
Company: RMT Inc

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client: <u>RMT</u>	Work Order #: <u>E-10/2304</u>
Receipt Record Page/Line #: <u>25.3</u>	New / Add To: <u>222</u>
	Project Chemist: <u>222</u> Sample #: <u>01-13</u>

Recorded by (initials/date): <u>WC 12/21/10</u>	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other _____	Qty Received: <u>1</u>	<input checked="" type="checkbox"/> IR Gun (#202) <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> Other (# _____)	<input type="checkbox"/> Thermometer Used <input type="checkbox"/> See Additional Cooler Information Form
---	--	------------------------	---	--

Cooler #	Time	Cooler #	Time	Cooler #	Time
<u>Im 2308</u>	<u>1139</u>				
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact	
Coolant Location: <input checked="" type="checkbox"/> Dispersed / Top / Middle / Bottom		Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom		Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom	
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers	
Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container	
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank:			Temp Blank:		
TB location: Representative / Not Representative		TB location: Representative / Not Representative		TB location: Representative / Not Representative	
1	<u>3.2</u>	<u>-</u>	Actual	<u>3.2</u>	
2	<u>3.9</u>	<u>-</u>	Actual	<u>3.9</u>	
3	<u>5.0</u>	<u>-</u>	Actual	<u>5.0</u>	
Average °C		Average °C		Average °C	
		<u>4.0</u>			
<input type="checkbox"/> Cooler ID on COC? <input checked="" type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?	

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received No COC Received

N/A	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Chain of Custody record(s)?
 If No, COC Initiated By _____
 Rec'd for Lab Signed/Date/Time? _____
 Shipping document? _____
 Other _____

COC ID #s

TriMatrix

Other (Name or ID#) _____

Check COC for Accuracy No analysis requested

Yes	No
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Sample ID matches COC?
 Sample Date and Time matches COC?
 Container type completed on COC?
 All container types indicated are received?

Sample Condition Summary Non-TriMatrix containers, see Notes

N/A	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Broken containers/lids?
 Missing or incomplete labels?
 Illegible information on labels?
 Low volume received?
 Inappropriate containers received?
 VOC vials / TOX containers have headspace?
 Extra sample locations / containers not listed on COC?

Check Sample Preservation

N/A	Yes	No
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Average sample temperature ≤6° C?
 Completed Sample Preservation Verification Form?
 Samples preserved correctly?
 If "No", added orange tag?
 Received pre-preserved VOC soils?
 MeOH Na₂SO₄

Check for Short Hold-Time Prep/Analyses

Bacteriological
 Air Bags
 EnCores / Methanol Pre-Preserved
 Formaldehyde/Aldehyde
 Green-tagged containers
 Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY:
COPIES OF COC TO LAB AREA(S)

NONE RECEIVED
 RECEIVED, COCs TO LAB(S)

Notes

Trip Blank received Trip Blank not listed on COC
 No COC received, Proj. Chemist reviewed (Init/Date) _____
 No analysis requested, Proj. Chemist completed (Init/Date) _____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?
<u>12/21/10 1100</u>	<u>12/21/10 1150</u>	<input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No

Client <u>RMT</u>	Work Order # <u>E-1012304</u>
Receipt Log # <u>25-3</u>	Project Chemist <u>JRC</u>
Completed By (initials/date) <u>WR 12/21/10</u>	

COC ID # <u>136505</u>				Adjusted by: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
				Date: _____							
Container Type	5	4	13	3	6	15					
Tag Color	Lt. Blue	Blue	Brown	Green	Red	Red Stripe					
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	None	HNO ₃	HNO ₃					
Expected pH	>12	<2	<2	6-8	<2	<2					
COC Line #1											
COC Line #2											
COC Line #3											
COC Line #4											
COC Line #5											
COC Line #6											
COC Line #7				✓	✓						
COC Line #8				✓	✓						
COC Line #9				✓	✓						
COC Line #10				✓	✓						
Comments											

Ph Strip Lot #
<input type="checkbox"/> HC075211
<input type="checkbox"/> _____

Aqueous Samples: For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

COC ID # <u>136499</u>				Adjusted by: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
				Date: _____							
Container Type	5	4	13	3	6	15					
Tag Color	Lt. Blue	Blue	Brown	Green	Red	Red Stripe					
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	None	HNO ₃	HNO ₃					
Expected pH	>12	<2	<2	-7	<2	<2					
COC Line #1				✓	✓						
COC Line #2											
COC Line #3				✓	✓						
COC Line #4											
COC Line #5											
COC Line #6											
COC Line #7											
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5	NaOH
500	2.5
1000	5.0
Container Type 4	H ₂ SO ₄
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13	H ₂ SO ₄
500	2.5



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No.

136501

Analyses Requested

Pg. 1 of 1

← PRESERVATIVES

- A NONE pH<7
- B HNO₃ pH<2
- C H₂SO₄ pH<2
- D 1+1 HCl pH<2
- E NaOH pH>12
- F ZnAc/NaOH pH>9
- G MeOH
- H Other (note below)

Container Type (corresponds to Container Packing List)	Number of Containers Submitted	Test	Sample Comments
VCC B260			
Chloride	+	2	
Nitrate	+	2	
Sulfate	+	2	
Iron II	+	2	

Project Name: T.P.C.
Client Project No./P.O. No.: 00-060002
Invoice To: Client Other (comments)

Client Name: PMT Inc
Address: 3764 Randrews Drive
City, State Zip: Ann Arbor MI 48106
Phone/Fax: 734-971-2800 734-571-9021
Email: brathan@pmtinc.com

For Lab Use Only
Cart: 10
VOA Rack/Tray: 1012340
Receipt Log No.: 27-10
Project Chemist: [Signature]
Work Order No.: 1012340

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooker ID	Sample Date	Sample Time	C	P	M	A	M	Matrix	Test	Sample Comments
OT		01	MW-23		12/16/03	11:30	+	+	+	+	+		2	
OT		02	MW-05		12/16/03	11:40	+	+	+	+	+		2	

Sampled By (print): DAVID JASS
Sampler's Signature: [Signature]
How Shipped? Hand Carrier: _____
Tracking No. _____

Company: PMT Inc
1. Requisitioned By: [Signature] Date: 12/16/03 Time: _____
2. Requisitioned By: _____ Date: _____ Time: _____
3. Requisitioned By: [Signature] Date: 12/21/03 Time: 1100

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client: <u>RMT</u>	Work Order #: <u>1012340</u>
Receipt Record Page/Line #: <u>27-6</u>	Project Chemist: _____ Sample #: _____
New / Add To	

Recorded by (Initials/Date): <u>WK 12/22/10</u>	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other _____	Qty Received: <u>1</u>	<input checked="" type="checkbox"/> IR Gun (#202) <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> Other (# _____)	Thermometer Used <input type="checkbox"/> See Additional Cooler Information Form
--	--	---------------------------	---	--

Cooler #	Time	Cooler #	Time	Cooler #	Time
<u>Im 2450</u>	<u>1200</u>				
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact Coolant Location: <input checked="" type="checkbox"/> Dispersed / Top / Middle / Bottom Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container	
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank:			Temp Blank:		
TB location: Representative / Not Representative			TB location: Representative / Not Representative		
1	<u>2.1</u>	<u>-</u>	2.1		
2	<u>2.1</u>	<u>-</u>	2.1		
3	<u>2.7</u>	<u>-</u>	2.7		
Average °C			Average °C		
<input type="checkbox"/> Cooler ID on COC?		<u>2.3</u>	<input type="checkbox"/> Cooler ID on COC?		
<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received No COC Received

N/A	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
-----	---	-----------------------------

Chain of Custody record(s)?
If No, COC Initiated By _____

Rec'd for Lab Signed/Date/Time?
 Shipping document?
 Other _____

COC ID #s: 136501

TriMatrix

Other (Name or ID#) _____

Check COC for Accuracy No analysis requested

Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
---	-----------------------------

Sample ID matches COC?
 Sample Date and Time matches COC?
 Container type completed on COC?
 All container types indicated are received?

Sample Condition Summary Non-TriMatrix containers, see Notes

N/A	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
-----	---	-----------------------------

Broken containers/lids?
 Missing or incomplete labels?
 Illegible information on labels?
 Low volume received?
 Inappropriate containers received?
 VOC vials / TOX containers have headspace?
 Extra sample locations / containers not listed on COC?

Check Sample Preservation

N/A	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
-----	---	-----------------------------

Average sample temperature ≤6° C?
 Completed Sample Preservation Verification Form?
 Samples preserved correctly?
 if "No", added orange tag?
 Received pre-preserved VOC soils?
 MeOH Na₂SO₄

Check for Short Hold-Time Prep/Analyses

Bacteriological
 Air Bags
 EnCores / Methanol Pre-Preserved
 Formaldehyde/Aldehyde
 Green-tagged containers
 Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY:
COPIES OF COC TO LAB AREA(S)

NONE RECEIVED
 RECEIVED, COCs TO LAB(S)

Notes

Trip Blank received Trip Blank not listed on COC
 No COC received, Proj. Chemist reviewed (Init/Date) _____
 No analysis requested, Proj. Chemist completed (Init/Date) _____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?	
<u>12/22/10 1100</u>	<u>12/22/10 1202</u>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Client: <u>RMT</u>	Work Order #: <u>1012340</u>
Receipt Log #: <u>27.6</u>	Completed By (initials/date): <u>WC 12/22/10</u>
Project Chemist: _____	

COC ID #: <u>136501</u>				Adjusted by: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Date: _____											
Container Type	5	4	13	3	6	15					
Tag Color	Lt. Blue	Blue	Brown	Green	Red	Red Stripe					
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	None	HNO ₃	HNO ₃					
Expected pH	>12	<2	<2	6-8	<2	<2					
COC Line #1											
COC Line #2											
COC Line #3											
COC Line #4											
COC Line #5											
COC Line #6											
COC Line #7											
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Ph Strip Lot #
<input checked="" type="checkbox"/> HC075211
<input type="checkbox"/>

Aqueous Samples: For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

COC ID #				Adjusted by: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Date: _____											
Container Type	5	4	13	3	6	15					
Tag Color	Lt. Blue	Blue	Brown	Green	Red	Red Stripe					
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	None	HNO ₃	HNO ₃					
Expected pH	>12	<2	<2	-7	<2	<2					
COC Line #1											
COC Line #2											
COC Line #3											
COC Line #4											
COC Line #5											
COC Line #6											
COC Line #7											
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5	NaOH
500	2.5
1000	5.0
Container Type 4	H ₂ SO ₄
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13	H ₂ SO ₄
500	2.5



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. **136500**

Analyses Requested Pg. 1 of 2

For Lab Use Only

Cart # 8

VQA Reck/Tray 329w, 717w

Receipt Log No. 29.2

Project Chemical SUR

Work Order No. 1012343

Client Name EMT Inc

Address 3754 Kitchens Drive

City, State Zip Ann Arbor MI 48106

Phone/Fax 734-671-2850 734-971-9000

Project Name TRP.C.

Client Project No. / P.O. No. 0009070.02

Invoice To Client Other (comments)

Contact/Report To Graham Cookford

Container Type (corresponds to Container Packing List)	Number of Containers Submitted	Preservative
VOC 8260	2	A NONE pH<7
Chloride		B HNO ₃ pH<2
Nitrate		C H ₂ SO ₄ pH<2
Sulfate		D 1+1 HCl pH<2
Iron II		E NaOH pH>12
		F ZnAc/NaOH pH>9
		G MeOH
		H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	C O G M A B	Matrix	Number of Containers Submitted	Preservative	Sample Comments
		01	Trip Blank 04	1862	12-22-10	0800	+	AS	1		
		02	MW-20S		12/21/10	0814	+	AS	2		
		03	MW-20D		12/21/10	0808	+	AS	2		
		04	MW-23		12/21/10	0810	+	AS	2		
		05	MW-6S		12/21/10	1114	+	AS	2		
		06	MW-7S		12/21/10	1255	+	AS	2		
		07	MW-5S		12/21/10	1417	+	AS	2		
		08	MW-25S		12/21/10	0815	+	AS	2		
		09	MW-33S		12/21/10	0824	+	AS	4		
		10	MW-22		12/21/10	1034	+	AS	2		

Sampled By (print) DAVID JASIC

Sampler's Signature [Signature]

Computer pm t inc

How Shipped? Hand Carrier

Tracking No.

1. Requisitioned By [Signature] Date 12/21/10 Time 1215

2. Received By Date Time

3. Requisitioned By Date Time

4. Received by Lab By [Signature] Date 12/23/10 Time 1000



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. **136502**

Analyses Requested

Pg. **2** of **2**

For Lab Use Only
Cart **8**
VOA Rack/Tray **329W 717W**
Receipt Log No. **29.2**
Project Chemist

Client Name **RM-T Inc**
Address **3154 Parkview Drive**
City, State, Zip **Ann Arbor MI 48106**
Phone/Fax **734 971 7000 734-971 9000**
Email
Client Project No. / P.O. No. **T.P.C 0008070.08**
Invoice To Client Other (comments)
Contact/Report To **Griffin Crawford**

Container Type (corresponds to Container Packing List)
VOC Edge
Chloride
Nitrate
Sulfate
#Ren II

- ← PRESERVATIVES
A NONE pH-7
B HNO₃ pH<2
C H₂SO₄ pH<2
D 1:1 HCl pH<2
E NaOH pH>12
F ZnAc₂/NaOH pH>9
G MeOH
H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Collector ID	Sample Date	Sample Time	C	O	M	A	S	Matrix	Number of Containers Submitted	Total	Sample Comments
							P	M	A	B					
D1		1	E. B 02	1407	12/26/08	1050						DS +	2	2	
D1		2	MW-31			1195						GW +	2	2	
D1		3	MW 21			1244						+ + + +	4	4	
D1		4	MW-2s			1405						+ + + +	4	4	
D1		5	MW-3s			1508						+ + + +	4	4	
D1		6	MW 4s			1617						X X X X	4	4	

Sampled By (print) **JAVIER SASS**
Sampler's Signature *Javier Sass*

How Shipped? Hand Carrier

Tracking No. _____

Company **RM-T Inc**

1. Requisitioned By **Juan Walsh** Date **12/15/08**

2. Received By _____ Date _____

3. Returned By **Juan Walsh** Date **12/23/08**

WHITE COPY - REPORT

YELLOW COPY - LABORATORY

PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client: <u>RMT</u>	Work Order #:
Receipt Record Page/Line #	New / Add To
	Project Chemist
	Sample #s

Recorded by (Initials/Date): <u>WC 12/23/10</u>	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other	City Received: <u>1</u>	<input type="checkbox"/> IR Gun (#202) <input type="checkbox"/> Thermometer Used <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> Other (# <u> </u>)	<input type="checkbox"/> See Additional Cooler Information Form
--	--	----------------------------	--	---

Cooler #	Time	Cooler #	Time	Cooler #	Time
<u>Trm 1862</u>	<u>1015</u>				
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact	
Coolant Location: <input checked="" type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		Coolant Location: <input type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		Coolant Location: <input type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom	
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers	
Alternate Temperature Taken Via: <input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container	
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank:	-	<u>4.1</u>	Temp Blank:		
TB location: <input checked="" type="checkbox"/> Representative / <input type="checkbox"/> Not Representative			TB location: <input type="checkbox"/> Representative / <input type="checkbox"/> Not Representative		
1	<u>50</u>	-	50		
2	<u>48</u>	-	48		
3	<u>55</u>	-	55		
Average °C			Average °C		
<input type="checkbox"/> Cooler ID on COC? <input checked="" type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received N/A Yes No <input checked="" type="checkbox"/> Chain of Custody record(s)? If No, COC Initiated By _____ Rec'd for Lab Signed/Date/Time? Shipping document? Other _____	<input type="checkbox"/> No COC Received
COC ID #s <input checked="" type="checkbox"/> TriMatrix <input type="checkbox"/> Other (Name or ID#) _____	
Check COC for Accuracy Yes No <input checked="" type="checkbox"/> Sample ID matches COC? <input checked="" type="checkbox"/> Sample Date and Time matches COC? <input checked="" type="checkbox"/> Container type completed on COC? <input checked="" type="checkbox"/> All container types indicated are received?	<input type="checkbox"/> No analysis requested
Sample Condition Summary N/A Yes No <input checked="" type="checkbox"/> Broken containers/lids? <input checked="" type="checkbox"/> Missing or incomplete labels? <input checked="" type="checkbox"/> Illegible information on labels? <input checked="" type="checkbox"/> Low volume received? <input checked="" type="checkbox"/> Inappropriate containers received? <input checked="" type="checkbox"/> VOC vials / TOX containers have headspace? <input checked="" type="checkbox"/> Extra sample locations / containers not listed on COC?	<input type="checkbox"/> Non-TriMatrix containers, see Notes

Check Sample Preservation N/A Yes No <input checked="" type="checkbox"/> Average sample temperature ≤ 8° C? <input checked="" type="checkbox"/> Completed Sample Preservation Verification Form? <input checked="" type="checkbox"/> Samples preserved correctly? If "No", added orange tag? <input checked="" type="checkbox"/> Received pre-preserved VOC soils? <input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄	Check for Short Hold-Time Prep/Analyses <input type="checkbox"/> Bacteriological <input type="checkbox"/> Air Bags <input type="checkbox"/> EnCores / Methanol Pre-Preserved <input type="checkbox"/> Formaldehyde/Aldehyde <input type="checkbox"/> Green-tagged containers <input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)						
Notes <input checked="" type="checkbox"/> Trip Blank received <input type="checkbox"/> Trip Blank not listed on COC <input type="checkbox"/> No COC received, Proj. Chemist reviewed (Init/Date) _____ <input type="checkbox"/> No analysis requested, Proj. Chemist completed (Init/Date) _____							
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">Cooler Received (Date/Time)</td> <td style="width: 33%;">Paperwork Delivered (Date/Time)</td> <td style="width: 33%;">≤ 1 Hour Goal Met?</td> </tr> <tr> <td><u>12/23/10 1000</u></td> <td><u>12/23/10 1020</u></td> <td style="text-align: center;"><input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No</td> </tr> </table>		Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤ 1 Hour Goal Met?	<u>12/23/10 1000</u>	<u>12/23/10 1020</u>	<input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No
Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤ 1 Hour Goal Met?					
<u>12/23/10 1000</u>	<u>12/23/10 1020</u>	<input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No					

Client: RMT	Work Order #
Receipt Log #: 29.2	Completed By (Initials/date): WC 12/23/10
Project Chemist	

COC ID #: 134500				Adjusted by: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Date: _____											
Container Type	5	4	13	3	6	15					
Tag Color	Lt. Blue	Blue	Brown	Green	Red	Red Stripe					
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	None	HNO ₃	HNO ₃					
Expected pH	>12	<2	<2	6-8	<2	<2					
COC Line #1											
COC Line #2											
COC Line #3											
COC Line #4											
COC Line #5											
COC Line #6											
COC Line #7											
COC Line #8				✓	✓						
COC Line #9											
COC Line #10											
Comments											

Ph Strip Lot #
<input checked="" type="checkbox"/> HC075211
<input type="checkbox"/>

Aqueous Samples: For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

COC ID #: 134502				Adjusted by: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Date: _____											
Container Type	5	4	13	3	6	15					
Tag Color	Lt. Blue	Blue	Brown	Green	Red	Red Stripe					
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	None	HNO ₃	HNO ₃					
Expected pH	>12	<2	<2	~7	<2	<2					
COC Line #1											
COC Line #2				✓	✓						
COC Line #3				✓	✓						
COC Line #4				✓	✓						
COC Line #5				✓	✓						
COC Line #6				✓	✓						
COC Line #7											
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5	NaOH
500	2.5
1000	5.0
Container Type 4	H ₂ SO ₄
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13	H ₂ SO ₄
500	2.5



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No.

136503

Analyses Requested

Pg. 1 of 1

← PRESERVATIVES

- A NONE pH-7
- B HNO₃ pH<2
- C H₂SO₄ pH<2
- D 1+1 HCl pH<2
- E NaOH pH>12
- F ZnAc/NaOH pH>9
- G MeOH
- H Other (note below)

Container Type (corresponds to Container Packing List)	Number of Containers Submitted
VOC 8260	1
Chloride sulfate Nitrate Iron II	3
	24
Total	4

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	Matrix	Number of Containers Submitted	Total	Sample Comments
03		01	Trip 01m 05		12/28/10	0833	DI+	1	4	
07		02	MU-1s		12/28/10	0833	DI+	1	4	
		03	MU-32s		12/28/10	0854	DI+	1	4	
		04	MU-34s		12/28/10	1056	DI+	1	4	

For Lab Use Only
Cart: 10
VOA Rack/Tray: 502-Red
Receipt Log No.: 33-13
Project Chemist: 102376

Client Name: AMT Inc
Address: 3754 Parkview Drive
City, State Zip: Ann Arbor MI 48108
Phone/Fax: 734-971 2080 734-971 9001
Email: [redacted]

Project Name: T.P.C.
Client Project No./P.O. No.: 00-08090-08
Invoice To: [redacted] Client Other (comments)
Contract/Report To: Graham Curkel

Sampled By (print): SAOR STAS
Sampler's Signature: [Signature]
Company: AMT Inc

How Shipped? Hand _____ Carrier _____
Tracking No. _____

1. Requested By: [Signature] Date: 12/28/10 Time: 1230
2. Received By: [Signature] Date: 12/28/10 Time: 1430
3. Returned For Lab By: [Signature] Date: 12/28/10 Time: 1630

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client: <u>PMI, TAM</u>	Work Order #: <u>1012376</u>
Receipt Record Page/Line #: <u>53-13</u>	New / Add To: _____ Project Chemist: _____ Sample #: _____

Recorded by (initials/date): <u>JN 12/28/10</u>	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other _____	Qty Received: <u>1</u>	<input checked="" type="checkbox"/> IR Gun (#202) <input type="checkbox"/> Thermometer Used <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> Other (# _____)	<input type="checkbox"/> See Additional Cooler Information Form
---	--	------------------------	--	---

Cooler #	Time	Cooler #	Time	Cooler #	Time	Cooler #	Time	
<u>IM2326</u>	<u>1810</u>							
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		
Coolant Location: <input checked="" type="checkbox"/> Dispersed / Top / Middle / Bottom		Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom		Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom		Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom		
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		
Alternate Temperature Taken Via: <input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank:		<u>2.9</u>	Temp Blank:			Temp Blank:		
TB location: Representative / Not Representative			TB location: Representative / Not Representative			TB location: Representative / Not Representative		
1	<u>4.3</u>	<u>0</u>	Actual °C	<u>4.3</u>		1		
2	<u>3.9</u>	<u>0</u>	Actual °C	<u>3.9</u>		2		
3	<u>5.6</u>	<u>0</u>	Actual °C	<u>5.6</u>		3		
Average °C			Average °C			Average °C		
<u>4.6</u>								
<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received			<input type="checkbox"/> No COC Received
N/A	Yes	No	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Chain of Custody record(s)?
	<input type="checkbox"/>	<input type="checkbox"/>	If No, COC Initiated By _____
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Rec'd for Lab Signed/Date/Time?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Shipping document?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other _____

COC ID #s

TriMatrix 136503

Other (Name or ID#) _____

Check COC for Accuracy			<input type="checkbox"/> No analysis requested
Yes	No		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sample ID matches COC?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sample Date and Time matches COC?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Container type completed on COC?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	All container types indicated are received?

Sample Condition Summary			<input type="checkbox"/> Non-TriMatrix containers, see Notes
N/A	Yes	No	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Broken containers/lids?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Missing or incomplete labels?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Illegible information on labels?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Low volume received?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Inappropriate containers received?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	VOC vials / TOX containers have headspace?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Extra sample locations / containers not listed on COC?

Check Sample Preservation			
N/A	Yes	No	
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Average sample temperature ≤6° C?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Completed Sample Preservation Verification Form?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Samples preserved correctly?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	If "No", added orange tag?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Received pre-preserved VOC soils?
		<input type="checkbox"/>	MeOH
		<input type="checkbox"/>	Na ₂ SO ₄

Check for Short Hold-Time Prep/Analyses	
<input type="checkbox"/>	Bacteriological
<input type="checkbox"/>	Air Bags
<input type="checkbox"/>	EnCores / Methanol Pre-Preserved
<input type="checkbox"/>	Formaldehyde/Aldehyde
<input checked="" type="checkbox"/>	Green-tagged containers
<input type="checkbox"/>	Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY: COPIES OF COC TO LAB AREA(S)	
<input type="checkbox"/>	NONE RECEIVED
<input checked="" type="checkbox"/>	RECEIVED, COCs TO LAB(S)

Notes

Trip Blank received Trip Blank not listed on COC

No COC received, Proj. Chemist reviewed (Init/Date) _____

No analysis requested, Proj. Chemist completed (Init/Date) _____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?
<u>JN 12/28/10</u>	<u>JN 12/28/10</u>	Yes / No

Client <u>R.M.T. INC.</u>	Work Order # <u>1012376</u>
Receipt Log # <u>33-73</u>	Completed By (initials/date) <u>DN 12/28/10</u>
Project Chemist	

COC ID # <u>156503</u>				Adjusted by: _____ Date: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Container Type	5	4	13	3	6	15					
Tag Color	Lt. Blue	Blue	Brown	Green	Red	Red Stripe					
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	None	HNO ₃	HNO ₃					
Expected pH	>12	<2	<2	6-8	<2	<2					
COC Line #1											
COC Line #2											
COC Line #3											
COC Line #4											
COC Line #5											
COC Line #6											
COC Line #7											
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Ph Strip Lot #
<input checked="" type="checkbox"/> HC075211
<input type="checkbox"/>

Aqueous Samples: For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

COC ID #				Adjusted by: _____ Date: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Container Type	5	4	13	3	6	15					
Tag Color	Lt. Blue	Blue	Brown	Green	Red	Red Stripe					
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	None	HNO ₃	HNO ₃					
Expected pH	>12	<2	<2	-7	<2	<2					
COC Line #1											
COC Line #2											
COC Line #3											
COC Line #4											
COC Line #5											
COC Line #6											
COC Line #7											
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5	NaOH
500	2.5
1000	5.0
Container Type 4	H ₂ SO ₄
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13	H ₂ SO ₄
500	2.5

Technical Memorandum

Attachment 2
February 2011 Analytical Data

March 07, 2011

RMT, Inc. - Ann Arbor Office
Attn: Ms. Stacy Metz
3754 Ranchero Drive
Ann Arbor, MI 48108-2771

Project: Tecumseh Products

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report, comprised of the following work order(s), for test samples received by TriMatrix Laboratories:


Work Order	Received	Description
1102181	02/16/2011	TPC-0211
1102207	02/18/2011	TPC-0211
1102234	02/22/2011	TPC-0211
1103019	03/01/2011	TPC-0211

This report relates only to the sample(s), as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Conference (NELAC). Any qualifications of results, including sample acceptance requirements, are explained in the Statement of Data Qualifications.

Estimates of analytical uncertainties for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,



Jennifer L. Rice
Project Chemist

Enclosures(s)

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24s**
 Lab Sample ID: **1102181-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 08:26
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24s**
 Lab Sample ID: **1102181-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 08:26
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102181
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-24s	Sampled:	02/14/11 08:26
Lab Sample ID:	1102181-01	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/16/11 17:40
Unit:	ug/L	Prepared:	02/22/11 By: DLV
Dilution Factor:	1	Analyzed:	02/22/11 By: DLV
QC Batch:	1101279	Analytical Batch:	1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	108	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24d**
 Lab Sample ID: **1102181-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 09:52
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24d**
 Lab Sample ID: **1102181-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 09:52
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102181
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-24d	Sampled:	02/14/11 09:52
Lab Sample ID:	1102181-02	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/16/11 17:40
Unit:	ug/L	Prepared:	02/22/11 By: DLV
Dilution Factor:	1	Analyzed:	02/22/11 By: DLV
QC Batch:	1101279	Analytical Batch:	1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	106	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	109	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	95	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-01**
 Lab Sample ID: **1102181-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 00:00
 Sampled By: TML
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-01**
 Lab Sample ID: **1102181-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 00:00
 Sampled By: TML
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-01**
 Lab Sample ID: **1102181-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 00:00
 Sampled By: TML
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

<i>Surrogates:</i>	<i>% Recovery</i>	<i>Control Limits</i>
<i>Dibromofluoromethane</i>	101	<i>88-116</i>
<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
<i>Toluene-d8</i>	98	<i>91-107</i>
<i>4-Bromofluorobenzene</i>	97	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12s**
 Lab Sample ID: **1102181-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 11:08
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12s**
 Lab Sample ID: **1102181-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 11:08
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12s**
 Lab Sample ID: **1102181-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 11:08
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	102	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	108	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12d**
 Lab Sample ID: **1102181-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 12:31
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12d**
 Lab Sample ID: **1102181-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 12:31
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1102181
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-12d	Sampled: 02/14/11 12:31
Lab Sample ID: 1102181-05	Sampled By: J. Jasso
Matrix: Water	Received: 02/16/11 17:40
Unit: ug/L	Prepared: 02/22/11 By: DLV
Dilution Factor: 1	Analyzed: 02/22/11 By: DLV
QC Batch: 1101279	Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:			
		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	105	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	108	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	95	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-13s**
 Lab Sample ID: **1102181-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 13:17
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-13s**
 Lab Sample ID: **1102181-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/14/11 13:17
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102181
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-13s	Sampled:	02/14/11 13:17
Lab Sample ID:	1102181-06	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/16/11 17:40
Unit:	ug/L	Prepared:	02/22/11 By: DLV
Dilution Factor:	1	Analyzed:	02/22/11 By: DLV
QC Batch:	1101279	Analytical Batch:	1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	104	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	108	<i>87-123</i>
	<i>Toluene-d8</i>	99	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	97	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-10s**
 Lab Sample ID: **1102181-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 08:48
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-10s**
 Lab Sample ID: **1102181-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 08:48
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-10s**
 Lab Sample ID: **1102181-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 08:48
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	97	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29s**
 Lab Sample ID: **1102181-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 09:52
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	1.7	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29s**
 Lab Sample ID: **1102181-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 09:52
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29s**
 Lab Sample ID: **1102181-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 09:52
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	108	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29d**
 Lab Sample ID: **1102181-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 11:37
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29d**
 Lab Sample ID: **1102181-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 11:37
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102181
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-29d	Sampled:	02/15/11 11:37
Lab Sample ID:	1102181-09	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/16/11 17:40
Unit:	ug/L	Prepared:	02/22/11 By: DLV
Dilution Factor:	1	Analyzed:	02/22/11 By: DLV
QC Batch:	1101279	Analytical Batch:	1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	104	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	110	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	98	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30s**
 Lab Sample ID: **1102181-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 13:01
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30s**
 Lab Sample ID: **1102181-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 13:01
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102181
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-30s	Sampled:	02/15/11 13:01
Lab Sample ID:	1102181-10	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/16/11 17:40
Unit:	ug/L	Prepared:	02/22/11 By: DLV
Dilution Factor:	1	Analyzed:	02/22/11 By: DLV
QC Batch:	1101279	Analytical Batch:	1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	104	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	106	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	97	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30d**
 Lab Sample ID: **1102181-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 14:23
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30d**
 Lab Sample ID: **1102181-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 14:23
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102181
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-30d	Sampled:	02/15/11 14:23
Lab Sample ID:	1102181-11	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/16/11 17:40
Unit:	ug/L	Prepared:	02/22/11 By: DLV
Dilution Factor:	1	Analyzed:	02/22/11 By: DLV
QC Batch:	1101279	Analytical Batch:	1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	106	<i>87-123</i>
	<i>Toluene-d8</i>	95	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-17s**
 Lab Sample ID: **1102181-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 14:17
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-17s**
 Lab Sample ID: **1102181-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 14:17
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-17s**
 Lab Sample ID: **1102181-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102181**
 Description: TPC-0211
 Sampled: 02/15/11 14:17
 Sampled By: J. Jasso
 Received: 02/16/11 17:40
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	104	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	108	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14s**
 Lab Sample ID: **1102207-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 08:42
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14s**
 Lab Sample ID: **1102207-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 08:42
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14s**
 Lab Sample ID: **1102207-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 08:42
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	105	<i>87-123</i>
	<i>Toluene-d8</i>	96	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-02**
 Lab Sample ID: **1102207-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/18/11 00:00
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-02**
 Lab Sample ID: **1102207-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/18/11 00:00
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-02**
 Lab Sample ID: **1102207-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/18/11 00:00
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

<i>Surrogates:</i>	<i>% Recovery</i>	<i>Control Limits</i>
<i>Dibromofluoromethane</i>	105	<i>88-116</i>
<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
<i>Toluene-d8</i>	97	<i>91-107</i>
<i>4-Bromofluorobenzene</i>	95	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14d**
 Lab Sample ID: **1102207-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 10:32
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14d**
 Lab Sample ID: **1102207-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 10:32
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/22/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102207
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-14d	Sampled:	02/16/11 10:32
Lab Sample ID:	1102207-03	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/18/11 15:45
Unit:	ug/L	Prepared:	02/22/11 By: DLV
Dilution Factor:	1	Analyzed:	02/22/11 By: DLV
QC Batch:	1101279	Analytical Batch:	1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	109	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **Dup-01**
 Lab Sample ID: **1102207-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 00:00
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **Dup-01**
 Lab Sample ID: **1102207-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 00:00
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **Dup-01**
 Lab Sample ID: **1102207-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 00:00
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	106	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	109	<i>87-123</i>
	<i>Toluene-d8</i>	99	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	94	<i>84-106</i>

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1102207
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-27s	Sampled: 02/16/11 12:23
Lab Sample ID: 1102207-05	Sampled By: J. Jasso
Matrix: Water	Received: 02/18/11 15:45
Unit: ug/L	Prepared: 02/22/11 By: DLV
Dilution Factor: 1	Analyzed: 02/23/11 By: DLV
QC Batch: 1101279	Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27s**
 Lab Sample ID: **1102207-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 12:23
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	1.4	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102207
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-27s	Sampled:	02/16/11 12:23
Lab Sample ID:	1102207-05	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/18/11 15:45
Unit:	ug/L	Prepared:	02/22/11 By: DLV
Dilution Factor:	1	Analyzed:	02/23/11 By: DLV
QC Batch:	1101279	Analytical Batch:	1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	102	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27d**
 Lab Sample ID: **1102207-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 13:21
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27d**
 Lab Sample ID: **1102207-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 13:21
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102207
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-27d	Sampled:	02/16/11 13:21
Lab Sample ID:	1102207-06	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/18/11 15:45
Unit:	ug/L	Prepared:	02/22/11 By: DLV
Dilution Factor:	1	Analyzed:	02/23/11 By: DLV
QC Batch:	1101279	Analytical Batch:	1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	104	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	106	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	95	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28s**
 Lab Sample ID: **1102207-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 14:57
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28s**
 Lab Sample ID: **1102207-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 14:57
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102207
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-28s	Sampled:	02/16/11 14:57
Lab Sample ID:	1102207-07	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/18/11 15:45
Unit:	ug/L	Prepared:	02/22/11 By: DLV
Dilution Factor:	1	Analyzed:	02/23/11 By: DLV
QC Batch:	1101279	Analytical Batch:	1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	106	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	95	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28d**
 Lab Sample ID: **1102207-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 16:25
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28d**
 Lab Sample ID: **1102207-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101279

Work Order: **1102207**
 Description: TPC-0211
 Sampled: 02/16/11 16:25
 Sampled By: J. Jasso
 Received: 02/18/11 15:45
 Prepared: 02/22/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102207
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-28d	Sampled:	02/16/11 16:25
Lab Sample ID:	1102207-08	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/18/11 15:45
Unit:	ug/L	Prepared:	02/22/11 By: DLV
Dilution Factor:	1	Analyzed:	02/23/11 By: DLV
QC Batch:	1101279	Analytical Batch:	1B23008

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	104	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	97	<i>84-106</i>

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1102234
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-18s	Sampled: 02/17/11 09:10
Lab Sample ID: 1102234-01	Sampled By: J. Jasso
Matrix: Water	Received: 02/22/11 16:25
Unit: ug/L	Prepared: 02/23/11 By: DLV
Dilution Factor: 1	Analyzed: 02/23/11 By: DLV
QC Batch: 1101308	Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-18s**
 Lab Sample ID: **1102234-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/17/11 09:10
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-18s**
 Lab Sample ID: **1102234-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/17/11 09:10
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	105	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	93	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-03**
 Lab Sample ID: **1102234-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/17/11 00:00
 Sampled By: TML
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-03**
 Lab Sample ID: **1102234-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/17/11 00:00
 Sampled By: TML
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-03**
 Lab Sample ID: **1102234-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/17/11 00:00
 Sampled By: TML
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	105	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	97	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-11s**
 Lab Sample ID: **1102234-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/17/11 11:39
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-11s**
 Lab Sample ID: **1102234-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/17/11 11:39
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-11s**
 Lab Sample ID: **1102234-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/17/11 11:39
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

<i>Surrogates:</i>	<i>% Recovery</i>	<i>Control Limits</i>
<i>Dibromofluoromethane</i>	103	<i>88-116</i>
<i>1,2-Dichloroethane-d4</i>	109	<i>87-123</i>
<i>Toluene-d8</i>	94	<i>91-107</i>
<i>4-Bromofluorobenzene</i>	95	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-15s**
 Lab Sample ID: **1102234-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/17/11 13:10
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-15s**
 Lab Sample ID: **1102234-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/17/11 13:10
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102234
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-15s	Sampled:	02/17/11 13:10
Lab Sample ID:	1102234-04	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/22/11 16:25
Unit:	ug/L	Prepared:	02/23/11 By: DLV
Dilution Factor:	1	Analyzed:	02/23/11 By: DLV
QC Batch:	1101308	Analytical Batch:	1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	102	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	96	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	95	<i>84-106</i>

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1102234
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-26s	Sampled: 02/17/11 15:57
Lab Sample ID: 1102234-05	Sampled By: J. Jasso
Matrix: Water	Received: 02/22/11 16:25
Unit: ug/L	Prepared: 02/23/11 By: DLV
Dilution Factor: 1	Analyzed: 02/23/11 By: DLV
QC Batch: 1101308	Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-26s**
 Lab Sample ID: **1102234-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/17/11 15:57
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102234
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-26s	Sampled:	02/17/11 15:57
Lab Sample ID:	1102234-05	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/22/11 16:25
Unit:	ug/L	Prepared:	02/23/11 By: DLV
Dilution Factor:	1	Analyzed:	02/23/11 By: DLV
QC Batch:	1101308	Analytical Batch:	1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	108	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	95	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19d**
 Lab Sample ID: **1102234-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 08:50
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19d**
 Lab Sample ID: **1102234-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 08:50
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1102234
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-19d	Sampled: 02/18/11 08:50
Lab Sample ID: 1102234-06	Sampled By: J. Jasso
Matrix: Water	Received: 02/22/11 16:25
Unit: ug/L	Prepared: 02/23/11 By: DLV
Dilution Factor: 1	Analyzed: 02/23/11 By: DLV
QC Batch: 1101308	Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:			
	% Recovery	Control Limits	
<i>Dibromofluoromethane</i>	102	<i>88-116</i>	
<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>	
<i>Toluene-d8</i>	97	<i>91-107</i>	
<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>	

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19s**
 Lab Sample ID: **1102234-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 10:10
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19s**
 Lab Sample ID: **1102234-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 10:10
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	1.1	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	1.8	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	41	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19s**
 Lab Sample ID: **1102234-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 10:10
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	104	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **DUP-02**
 Lab Sample ID: **1102234-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 00:00
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **DUP-02**
 Lab Sample ID: **1102234-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 00:00
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	1.1	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	1.8	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	39	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102234
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	DUP-02	Sampled:	02/18/11 00:00
Lab Sample ID:	1102234-08	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/22/11 16:25
Unit:	ug/L	Prepared:	02/23/11 By: DLV
Dilution Factor:	1	Analyzed:	02/23/11 By: DLV
QC Batch:	1101308	Analytical Batch:	1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	99	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20s**
 Lab Sample ID: **1102234-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 11:58
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/24/11 By: DLV
 Analyzed: 02/24/11 By: DLV
 Analytical Batch: 1B24042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	19	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	3.3	2.0
156-59-2	cis-1,2-Dichloroethene	5.5	2.0
156-60-5	trans-1,2-Dichloroethene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20s**
 Lab Sample ID: **1102234-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 11:58
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/24/11 By: DLV
 Analyzed: 02/24/11 By: DLV
 Analytical Batch: 1B24042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	<2.0	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	190	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	93	2.0
75-69-4	Trichlorofluoromethane	3.5	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102234
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-20s	Sampled:	02/18/11 11:58
Lab Sample ID:	1102234-09	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/22/11 16:25
Unit:	ug/L	Prepared:	02/24/11 By: DLV
Dilution Factor:	2	Analyzed:	02/24/11 By: DLV
QC Batch:	1101308	Analytical Batch:	1B24042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	104	88-116
	<i>1,2-Dichloroethane-d4</i>	106	87-123
	<i>Toluene-d8</i>	97	91-107
	<i>4-Bromofluorobenzene</i>	96	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20d**
 Lab Sample ID: **1102234-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 13:08
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/24/11 By: DLV
 Analyzed: 02/24/11 By: DLV
 Analytical Batch: 1B24042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	<2.0	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	<2.0	2.0
156-59-2	cis-1,2-Dichloroethene	190	2.0
156-60-5	trans-1,2-Dichloroethene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20d**
 Lab Sample ID: **1102234-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 13:08
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/24/11 By: DLV
 Analyzed: 02/24/11 By: DLV
 Analytical Batch: 1B24042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	<2.0	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	<2.0	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	<2.0	2.0
75-69-4	Trichlorofluoromethane	<2.0	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102234
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-20d	Sampled:	02/18/11 13:08
Lab Sample ID:	1102234-10	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/22/11 16:25
Unit:	ug/L	Prepared:	02/24/11 By: DLV
Dilution Factor:	2	Analyzed:	02/24/11 By: DLV
QC Batch:	1101308	Analytical Batch:	1B24042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	3.2	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	102	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	95	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-23**
 Lab Sample ID: **1102234-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 14:56
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-23**
 Lab Sample ID: **1102234-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 14:56
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102234
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-23	Sampled:	02/18/11 14:56
Lab Sample ID:	1102234-11	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/22/11 16:25
Unit:	ug/L	Prepared:	02/23/11 By: DLV
Dilution Factor:	1	Analyzed:	02/23/11 By: DLV
QC Batch:	1101308	Analytical Batch:	1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	18	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	107	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1102234
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-6s	Sampled: 02/18/11 16:21
Lab Sample ID: 1102234-12	Sampled By: J. Jasso
Matrix: Water	Received: 02/22/11 16:25
Unit: ug/L	Prepared: 02/23/11 By: DLV
Dilution Factor: 1	Analyzed: 02/23/11 By: DLV
QC Batch: 1101308	Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-6s**
 Lab Sample ID: **1102234-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101308

Work Order: **1102234**
 Description: TPC-0211
 Sampled: 02/18/11 16:21
 Sampled By: J. Jasso
 Received: 02/22/11 16:25
 Prepared: 02/23/11 By: DLV
 Analyzed: 02/23/11 By: DLV
 Analytical Batch: 1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	35	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1102234
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-6s	Sampled:	02/18/11 16:21
Lab Sample ID:	1102234-12	Sampled By:	J. Jasso
Matrix:	Water	Received:	02/22/11 16:25
Unit:	ug/L	Prepared:	02/23/11 By: DLV
Dilution Factor:	1	Analyzed:	02/23/11 By: DLV
QC Batch:	1101308	Analytical Batch:	1B23030

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

<i>Surrogates:</i>	<i>% Recovery</i>	<i>Control Limits</i>
<i>Dibromofluoromethane</i>	104	<i>88-116</i>
<i>1,2-Dichloroethane-d4</i>	106	<i>87-123</i>
<i>Toluene-d8</i>	99	<i>91-107</i>
<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-7s**
 Lab Sample ID: **1103019-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 07:42
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-7s**
 Lab Sample ID: **1103019-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 07:42
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
*100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
*91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	1.6	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	12	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-7s**
 Lab Sample ID: **1103019-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 07:42
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0

<i>Surrogates:</i>	<i>% Recovery</i>	<i>Control Limits</i>
<i>Dibromofluoromethane</i>	97	<i>88-116</i>
<i>1,2-Dichloroethane-d4</i>	99	<i>87-123</i>
<i>Toluene-d8</i>	97	<i>91-107</i>
<i>4-Bromofluorobenzene</i>	89	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-04**
 Lab Sample ID: **1103019-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 00:00
 Sampled By: TML
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-04**
 Lab Sample ID: **1103019-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 00:00
 Sampled By: TML
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
*100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
*91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	TB-04	Sampled:	02/24/11 00:00
Lab Sample ID:	1103019-02	Sampled By:	TML
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	1	Analyzed:	03/03/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	96	88-116
	<i>1,2-Dichloroethane-d4</i>	96	87-123
	<i>Toluene-d8</i>	98	91-107
	<i>4-Bromofluorobenzene</i>	87	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-5s**
 Lab Sample ID: **1103019-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 09:20
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-5s**
 Lab Sample ID: **1103019-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 09:20
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
*100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
*91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	4.4	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	130	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-5s	Sampled:	02/24/11 09:20
Lab Sample ID:	1103019-03	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	1	Analyzed:	03/03/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	96	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	96	<i>87-123</i>
	<i>Toluene-d8</i>	103	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	88	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-25s**
 Lab Sample ID: **1103019-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 10:59
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-25s**
 Lab Sample ID: **1103019-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 10:59
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
*100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
*91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	19	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	2.2	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-25s	Sampled:	02/24/11 10:59
Lab Sample ID:	1103019-04	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	1	Analyzed:	03/03/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	97	88-116
	<i>1,2-Dichloroethane-d4</i>	96	87-123
	<i>Toluene-d8</i>	98	91-107
	<i>4-Bromofluorobenzene</i>	89	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-33s**
 Lab Sample ID: **1103019-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 12:32
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	12	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	20	1.0
156-60-5	trans-1,2-Dichloroethene	1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-33s**
 Lab Sample ID: **1103019-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 12:32
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
*100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
*91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	110	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-33s	Sampled:	02/24/11 12:32
Lab Sample ID:	1103019-05	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	1	Analyzed:	03/03/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	60	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	96	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	96	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	93	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-22**
 Lab Sample ID: **1103019-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 13:45
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-22**
 Lab Sample ID: **1103019-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 13:45
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
*100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
*91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-22	Sampled:	02/24/11 13:45
Lab Sample ID:	1103019-06	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	1	Analyzed:	03/03/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	2.3	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	97	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	98	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	90	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-01**
 Lab Sample ID: **1103019-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 13:55
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-01**
 Lab Sample ID: **1103019-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 13:55
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
*100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
*91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	EB-01	Sampled:	02/24/11 13:55
Lab Sample ID:	1103019-07	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	1	Analyzed:	03/03/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	96	88-116
	<i>1,2-Dichloroethane-d4</i>	95	87-123
	<i>Toluene-d8</i>	97	91-107
	<i>4-Bromofluorobenzene</i>	88	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-31s**
 Lab Sample ID: **1103019-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 15:16
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	16	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	<2.0	2.0
156-59-2	cis-1,2-Dichloroethene	31	2.0
156-60-5	trans-1,2-Dichloroethene	3.1	2.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-31**
 Lab Sample ID: **1103019-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 15:16
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
*100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
*91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	<2.0	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	26	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
*79-01-6	Trichloroethene	300	2.0
75-69-4	Trichlorofluoromethane	<2.0	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-31**
 Lab Sample ID: **1103019-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 15:16
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	96	88-116
	<i>1,2-Dichloroethane-d4</i>	97	87-123
	<i>Toluene-d8</i>	97	91-107
	<i>4-Bromofluorobenzene</i>	90	84-106

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1103019
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-21	Sampled: 02/24/11 16:20
Lab Sample ID: 1103019-09	Sampled By: J. Jasso
Matrix: Water	Received: 03/01/11 11:25
Unit: ug/L	Prepared: 03/03/11 By: JDM
Dilution Factor: 10	Analyzed: 03/03/11 By: JDM
QC Batch: 1101602	Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	25	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	66	10
156-60-5	trans-1,2-Dichloroethene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-21**
 Lab Sample ID: **1103019-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 16:20
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
*100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
*91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	52	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	730	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-21	Sampled:	02/24/11 16:20
Lab Sample ID:	1103019-09	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	10	Analyzed:	03/03/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	97	88-116
	<i>1,2-Dichloroethane-d4</i>	99	87-123
	<i>Toluene-d8</i>	98	91-107
	<i>4-Bromofluorobenzene</i>	89	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **DUP-03**
 Lab Sample ID: **1103019-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 00:00
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	24	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	66	10
156-60-5	trans-1,2-Dichloroethene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **DUP-03**
 Lab Sample ID: **1103019-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 00:00
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
*100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
*91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	50	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	740	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1103019
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: DUP-03	Sampled: 02/24/11 00:00
Lab Sample ID: 1103019-10	Sampled By: J. Jasso
Matrix: Water	Received: 03/01/11 11:25
Unit: ug/L	Prepared: 03/03/11 By: JDM
Dilution Factor: 10	Analyzed: 03/03/11 By: JDM
QC Batch: 1101602	Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
Surrogates:			
	% Recovery	Control Limits	
<i>Dibromofluoromethane</i>	96	<i>88-116</i>	
<i>1,2-Dichloroethane-d4</i>	96	<i>87-123</i>	
<i>Toluene-d8</i>	98	<i>91-107</i>	
<i>4-Bromofluorobenzene</i>	94	<i>84-106</i>	

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-2s**
 Lab Sample ID: **1103019-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 17:23
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	<2.0	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	<2.0	2.0
156-59-2	cis-1,2-Dichloroethene	2.0	2.0
156-60-5	trans-1,2-Dichloroethene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-2s**
 Lab Sample ID: **1103019-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/24/11 17:23
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
*100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
*91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	<2.0	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	2.6	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	240	2.0
75-69-4	Trichlorofluoromethane	<2.0	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-2s	Sampled:	02/24/11 17:23
Lab Sample ID:	1103019-11	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	2	Analyzed:	03/03/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
136777-61-2	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	97	88-116
	<i>1,2-Dichloroethane-d4</i>	100	87-123
	<i>Toluene-d8</i>	98	91-107
	<i>4-Bromofluorobenzene</i>	89	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-3s**
 Lab Sample ID: **1103019-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 08:09
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/04/11 By: JDM
 Analytical Batch: 1C04040

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromochloromethane	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	33	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	2200	20
156-60-5	trans-1,2-Dichloroethene	110	20

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-3s**
 Lab Sample ID: **1103019-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 08:09
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/04/11 By: JDM
 Analytical Batch: 1C04040

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
*91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	<20	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	<20	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-3s	Sampled:	02/25/11 08:09
Lab Sample ID:	1103019-12	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	20	Analyzed:	03/04/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04040

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	75	20
136777-61-2	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	95	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	92	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-02**
 Lab Sample ID: **1103019-13**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 08:20
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-02**
 Lab Sample ID: **1103019-13**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 08:20
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
*100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
*91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1103019
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: EB-02	Sampled: 02/25/11 08:20
Lab Sample ID: 1103019-13	Sampled By: J. Jasso
Matrix: Water	Received: 03/01/11 11:25
Unit: ug/L	Prepared: 03/03/11 By: JDM
Dilution Factor: 1	Analyzed: 03/03/11 By: JDM
QC Batch: 1101602	Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:			
	% Recovery	Control Limits	
<i>Dibromofluoromethane</i>	98	<i>88-116</i>	
<i>1,2-Dichloroethane-d4</i>	101	<i>87-123</i>	
<i>Toluene-d8</i>	98	<i>91-107</i>	
<i>4-Bromofluorobenzene</i>	90	<i>84-106</i>	

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-4s**
 Lab Sample ID: **1103019-14**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 50
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 09:13
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<1000	1000
107-13-1	Acrylonitrile	<100	100
71-43-2	Benzene	<50	50
108-86-1	Bromobenzene	<50	50
74-97-5	Bromochloromethane	<50	50
75-27-4	Bromodichloromethane	<50	50
75-25-2	Bromoform	<50	50
74-83-9	Bromomethane	<250	250
104-51-8	n-Butylbenzene	<50	50
135-98-8	sec-Butylbenzene	<50	50
98-06-6	tert-Butylbenzene	<50	50
75-15-0	Carbon Disulfide	<50	50
56-23-5	Carbon Tetrachloride	<50	50
108-90-7	Chlorobenzene	<50	50
75-00-3	Chloroethane	<250	250
67-66-3	Chloroform	<50	50
74-87-3	Chloromethane	<250	250
96-12-8	1,2-Dibromo-3-chloropropane	<250	250
124-48-1	Dibromochloromethane	<50	50
106-93-4	1,2-Dibromoethane	<50	50
74-95-3	Dibromomethane	<50	50
110-57-6	trans-1,4-Dichloro-2-butene	<50	50
95-50-1	1,2-Dichlorobenzene	<50	50
541-73-1	1,3-Dichlorobenzene	<50	50
106-46-7	1,4-Dichlorobenzene	<50	50
75-71-8	Dichlorodifluoromethane	<250	250
75-34-3	1,1-Dichloroethane	<50	50
107-06-2	1,2-Dichloroethane	<50	50
75-35-4	1,1-Dichloroethene	<50	50
156-59-2	cis-1,2-Dichloroethene	2500	50
156-60-5	trans-1,2-Dichloroethene	82	50

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-4s**
 Lab Sample ID: **1103019-14**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 50
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 09:13
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<50	50
10061-01-5	cis-1,3-Dichloropropene	<50	50
10061-02-6	trans-1,3-Dichloropropene	<50	50
*100-41-4	Ethylbenzene	<50	50
60-29-7	Ethyl Ether	<250	250
591-78-6	2-Hexanone	<250	250
74-88-4	Iodomethane	<50	50
98-82-8	Isopropylbenzene	<50	50
99-87-6	4-Isopropyltoluene	<250	250
1634-04-4	Methyl tert-Butyl Ether	<250	250
75-09-2	Methylene Chloride	<250	250
78-93-3	2-Butanone (MEK)	<250	250
*91-57-6	2-Methylnaphthalene	<250	250
108-10-1	4-Methyl-2-pentanone (MIBK)	<250	250
91-20-3	Naphthalene	<250	250
103-65-1	n-Propylbenzene	<50	50
100-42-5	Styrene	<50	50
630-20-6	1,1,1,2-Tetrachloroethane	<50	50
79-34-5	1,1,2,2-Tetrachloroethane	<50	50
127-18-4	Tetrachloroethene	<50	50
109-99-9	Tetrahydrofuran	<250	250
108-88-3	Toluene	<50	50
87-61-6	1,2,3-Trichlorobenzene	<250	250
120-82-1	1,2,4-Trichlorobenzene	<250	250
71-55-6	1,1,1-Trichloroethane	<50	50
79-00-5	1,1,2-Trichloroethane	<50	50
79-01-6	Trichloroethene	5900	50
75-69-4	Trichlorofluoromethane	<50	50
96-18-4	1,2,3-Trichloropropane	<50	50
95-63-6	1,2,4-Trimethylbenzene	<50	50
108-67-8	1,3,5-Trimethylbenzene	<50	50

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-4s**
 Lab Sample ID: **1103019-14**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 50
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 09:13
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	280	50
136777-61-2	Xylene, Meta + Para	<100	100
95-47-6	Xylene, Ortho	<50	50
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	96	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	97	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	91	<i>84-106</i>

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-32s**
 Lab Sample ID: **1103019-15**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 13:23
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromochloromethane	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	<20	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	190	20
156-60-5	trans-1,2-Dichloroethene	<20	20

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-32s**
 Lab Sample ID: **1103019-15**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 13:23
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
*100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
*91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	420	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	2300	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-32s	Sampled:	02/25/11 13:23
Lab Sample ID:	1103019-15	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	20	Analyzed:	03/03/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<20	20
136777-61-2	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	97	88-116
	<i>1,2-Dichloroethane-d4</i>	97	87-123
	<i>Toluene-d8</i>	98	91-107
	<i>4-Bromofluorobenzene</i>	94	84-106

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-03**
 Lab Sample ID: **1103019-16**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 13:40
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-03**
 Lab Sample ID: **1103019-16**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 13:40
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
*100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
*91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-03**
 Lab Sample ID: **1103019-16**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 13:40
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/03/11 By: JDM
 Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
136777-61-2	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	97	88-116
	<i>1,2-Dichloroethane-d4</i>	101	87-123
	<i>Toluene-d8</i>	97	91-107
	<i>4-Bromofluorobenzene</i>	90	84-106

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1103019
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-34s	Sampled: 02/25/11 14:35
Lab Sample ID: 1103019-17	Sampled By: J. Jasso
Matrix: Water	Received: 03/01/11 11:25
Unit: ug/L	Prepared: 03/03/11 By: JDM
Dilution Factor: 10	Analyzed: 03/03/11 By: JDM
QC Batch: 1101602	Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	<10	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	<10	10
156-60-5	trans-1,2-Dichloroethene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1103019
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-34s	Sampled: 02/25/11 14:35
Lab Sample ID: 1103019-17	Sampled By: J. Jasso
Matrix: Water	Received: 03/01/11 11:25
Unit: ug/L	Prepared: 03/03/11 By: JDM
Dilution Factor: 10	Analyzed: 03/03/11 By: JDM
QC Batch: 1101602	Analytical Batch: 1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
*100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
*91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	1100	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	900	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-34s	Sampled:	02/25/11 14:35
Lab Sample ID:	1103019-17	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	10	Analyzed:	03/03/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04039

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	98	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	99	<i>87-123</i>
	<i>Toluene-d8</i>	97	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	92	<i>84-106</i>

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1103019
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-1s	Sampled: 02/25/11 12:06
Lab Sample ID: 1103019-18	Sampled By: J. Jasso
Matrix: Water	Received: 03/01/11 11:25
Unit: ug/L	Prepared: 03/03/11 By: JDM
Dilution Factor: 10	Analyzed: 03/04/11 By: JDM
QC Batch: 1101602	Analytical Batch: 1C04040

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	<10	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	<10	10
156-60-5	trans-1,2-Dichloroethene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: **RMT, Inc. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-1s**
 Lab Sample ID: **1103019-18**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1101602

Work Order: **1103019**
 Description: TPC-0211
 Sampled: 02/25/11 12:06
 Sampled By: J. Jasso
 Received: 03/01/11 11:25
 Prepared: 03/03/11 By: JDM
 Analyzed: 03/04/11 By: JDM
 Analytical Batch: 1C04040

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
*91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	560	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	1300	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-1s	Sampled:	02/25/11 12:06
Lab Sample ID:	1103019-18	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	10	Analyzed:	03/04/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04040

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	95	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	91	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1103019
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-9s	Sampled: 02/25/11 10:53
Lab Sample ID: 1103019-19	Sampled By: J. Jasso
Matrix: Water	Received: 03/01/11 11:25
Unit: ug/L	Prepared: 03/03/11 By: JDM
Dilution Factor: 10	Analyzed: 03/04/11 By: JDM
QC Batch: 1101602	Analytical Batch: 1C04040

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	<10	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	<10	10
156-60-5	trans-1,2-Dichloroethene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: RMT, Inc. - Ann Arbor Office	Work Order: 1103019
Project: Tecumseh Products	Description: TPC-0211
Client Sample ID: MW-9s	Sampled: 02/25/11 10:53
Lab Sample ID: 1103019-19	Sampled By: J. Jasso
Matrix: Water	Received: 03/01/11 11:25
Unit: ug/L	Prepared: 03/03/11 By: JDM
Dilution Factor: 10	Analyzed: 03/04/11 By: JDM
QC Batch: 1101602	Analytical Batch: 1C04040

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
*91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	84	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	1100	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

*See Statement of Data Qualifications

ANALYTICAL REPORT

Client:	RMT, Inc. - Ann Arbor Office	Work Order:	1103019
Project:	Tecumseh Products	Description:	TPC-0211
Client Sample ID:	MW-9s	Sampled:	02/25/11 10:53
Lab Sample ID:	1103019-19	Sampled By:	J. Jasso
Matrix:	Water	Received:	03/01/11 11:25
Unit:	ug/L	Prepared:	03/03/11 By: JDM
Dilution Factor:	10	Analyzed:	03/04/11 By: JDM
QC Batch:	1101602	Analytical Batch:	1C04040

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
136777-61-2	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	95	<i>88-116</i>
	<i>1,2-Dichloroethane-d4</i>	92	<i>87-123</i>
	<i>Toluene-d8</i>	98	<i>91-107</i>
	<i>4-Bromofluorobenzene</i>	96	<i>84-106</i>

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101279 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank	Analyzed:	02/22/2011	By: DLV
Unit: ug/L	Analytical Batch:	1B23008	
Acetone	<20	--	20
Acrylonitrile	<2.0		2.0
Benzene	<1.0		1.0
Bromobenzene	<1.0		1.0
Bromochloromethane	<1.0		1.0
Bromodichloromethane	<1.0		1.0
Bromoform	<1.0		1.0
Bromomethane	<5.0		5.0
n-Butylbenzene	<1.0		1.0
sec-Butylbenzene	<1.0		1.0
tert-Butylbenzene	<1.0		1.0
Carbon Disulfide	<1.0	--	1.0
Carbon Tetrachloride	<1.0		1.0
Chlorobenzene	<1.0		1.0
Chloroethane	<5.0		5.0
Chloroform	<1.0		1.0
Chloromethane	<5.0		5.0
1,2-Dibromo-3-chloropropane	<5.0		5.0
Dibromochloromethane	<1.0		1.0
1,2-Dibromoethane	<1.0		1.0
Dibromomethane	<1.0		1.0
trans-1,4-Dichloro-2-butene	<1.0		1.0
1,2-Dichlorobenzene	<1.0		1.0
1,3-Dichlorobenzene	<1.0	--	1.0
1,4-Dichlorobenzene	<1.0	--	1.0
Dichlorodifluoromethane	<5.0		5.0
1,1-Dichloroethane	<1.0		1.0
1,2-Dichloroethane	<1.0		1.0
1,1-Dichloroethene	<1.0		1.0
cis-1,2-Dichloroethene	<1.0		1.0
trans-1,2-Dichloroethene	<1.0		1.0
1,2-Dichloropropane	<1.0		1.0
cis-1,3-Dichloropropene	<1.0		1.0
trans-1,3-Dichloropropene	<1.0		1.0
Ethylbenzene	<1.0		1.0
Ethyl Ether	<5.0		5.0

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101279 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 02/22/2011 By: DLV
 Analytical Batch: 1B23008

Unit: ug/L

2-Hexanone			<5.0					5.0
Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0			--		5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0			--		5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0			--		5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0			--		5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0

Surrogates:

<i>Dibromofluoromethane</i>	103	88-116
<i>1,2-Dichloroethane-d4</i>	107	87-123
<i>Toluene-d8</i>	97	91-107
<i>4-Bromofluorobenzene</i>	95	84-106

Laboratory Control Sample

Analyzed: 02/22/2011 By: DLV
 Analytical Batch: 1B23008

Unit: ug/L

Benzene	40.0	43.0	107	84-119	--	20	1.0
---------	------	-------------	-----	--------	----	----	-----

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101279 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B
Laboratory Control Sample (Continued)

 Analyzed: 02/22/2011 By: DLV
 Unit: ug/L Analytical Batch: 1B23008

Chlorobenzene		40.0	45.0	112	84-118	--	20	1.0
1,1-Dichloroethene		40.0	43.7	109	77-123	--	20	1.0
Toluene		40.0	44.3	111	85-118	--	20	1.0
Trichloroethene		40.0	43.8	109	82-119	--	20	1.0

Surrogates:

<i>Dibromofluoromethane</i>				104	88-116			
<i>1,2-Dichloroethane-d4</i>				111	87-123			
<i>Toluene-d8</i>				102	91-107			
<i>4-Bromofluorobenzene</i>				99	84-106			

Matrix Spike 1102207-05 MW-27s

 Analyzed: 02/23/2011 By: DLV
 Unit: ug/L Analytical Batch: 1B23008

Benzene	<1.0	40.0	44.2	110	80-129	--	9	1.0
Chlorobenzene	<1.0	40.0	45.9	115	80-121	--	8	1.0
1,1-Dichloroethene	<1.0	40.0	45.5	114	74-134	--	11	1.0
Toluene	<1.0	40.0	45.5	114	79-129	--	9	1.0
Trichloroethene	1.43	40.0	46.3	112	75-127	--	10	1.0

Surrogates:

<i>Dibromofluoromethane</i>				104	88-116			
<i>1,2-Dichloroethane-d4</i>				104	87-123			
<i>Toluene-d8</i>				101	91-107			
<i>4-Bromofluorobenzene</i>				99	84-106			

Matrix Spike Duplicate 1102207-05 MW-27s

 Analyzed: 02/23/2011 By: DLV
 Unit: ug/L Analytical Batch: 1B23008

Benzene	<1.0	40.0	43.1	108	80-129	2	9	1.0
Chlorobenzene	<1.0	40.0	44.6	112	80-121	3	8	1.0
1,1-Dichloroethene	<1.0	40.0	43.5	109	74-134	4	11	1.0
Toluene	<1.0	40.0	43.5	109	79-129	4	9	1.0
Trichloroethene	1.43	40.0	44.7	108	75-127	3	10	1.0

Surrogates:

<i>Dibromofluoromethane</i>				103	88-116			
<i>1,2-Dichloroethane-d4</i>				104	87-123			
<i>Toluene-d8</i>				100	91-107			
<i>4-Bromofluorobenzene</i>				98	84-106			

QC Batch: 1101308 5030B Aqueous Purge & Trap/USEPA-8260B
Method Blank

 Analyzed: 02/23/2011 By: DLV
 Unit: ug/L Analytical Batch: 1B23030

Acetone			<20			--		20
---------	--	--	-----	--	--	----	--	----

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101308 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 02/23/2011 By: DLV

Unit: ug/L

Analytical Batch: 1B23030

Acrylonitrile			<2.0					2.0
Benzene			<1.0					1.0
Bromobenzene			<1.0					1.0
Bromochloromethane			<1.0					1.0
Bromodichloromethane			<1.0					1.0
Bromoform			<1.0					1.0
Bromomethane			<5.0					5.0
n-Butylbenzene			<1.0					1.0
sec-Butylbenzene			<1.0					1.0
tert-Butylbenzene			<1.0					1.0
Carbon Disulfide			<1.0			--		1.0
Carbon Tetrachloride			<1.0					1.0
Chlorobenzene			<1.0					1.0
Chloroethane			<5.0					5.0
Chloroform			<1.0					1.0
Chloromethane			<5.0					5.0
1,2-Dibromo-3-chloropropane			<5.0					5.0
Dibromochloromethane			<1.0					1.0
1,2-Dibromoethane			<1.0					1.0
Dibromomethane			<1.0					1.0
trans-1,4-Dichloro-2-butene			<1.0					1.0
1,2-Dichlorobenzene			<1.0					1.0
1,3-Dichlorobenzene			<1.0			--		1.0
1,4-Dichlorobenzene			<1.0			--		1.0
Dichlorodifluoromethane			<5.0					5.0
1,1-Dichloroethane			<1.0					1.0
1,2-Dichloroethane			<1.0					1.0
1,1-Dichloroethene			<1.0					1.0
cis-1,2-Dichloroethene			<1.0					1.0
trans-1,2-Dichloroethene			<1.0					1.0
1,2-Dichloropropane			<1.0					1.0
cis-1,3-Dichloropropene			<1.0					1.0
trans-1,3-Dichloropropene			<1.0					1.0
Ethylbenzene			<1.0					1.0
Ethyl Ether			<5.0					5.0
2-Hexanone			<5.0					5.0

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101308 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 02/23/2011 By: DLV

Unit: ug/L

Analytical Batch: 1B23030

Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0					5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0			--		5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0			--		5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0			--		5.0
1,2,4-Trichlorobenzene			<5.0			--		5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0

Surrogates:

<i>Dibromofluoromethane</i>	103	88-116
<i>1,2-Dichloroethane-d4</i>	105	87-123
<i>Toluene-d8</i>	96	91-107
<i>4-Bromofluorobenzene</i>	96	84-106

Method Blank

Analyzed: 02/24/2011 By: DLV

Unit: ug/L

Analytical Batch: 1B24042

Acetone			<20			--		20
---------	--	--	-----	--	--	----	--	----

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101308 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 02/24/2011 By: DLV

Unit: ug/L

Analytical Batch: 1B24042

Acrylonitrile			<2.0					2.0
Benzene			<1.0					1.0
Bromobenzene			<1.0			--		1.0
Bromochloromethane			<1.0					1.0
Bromodichloromethane			<1.0					1.0
Bromoform			<1.0					1.0
Bromomethane			<5.0					5.0
n-Butylbenzene			<1.0					1.0
sec-Butylbenzene			<1.0					1.0
tert-Butylbenzene			<1.0					1.0
Carbon Disulfide			<1.0			--		1.0
Carbon Tetrachloride			<1.0					1.0
Chlorobenzene			<1.0					1.0
Chloroethane			<5.0					5.0
Chloroform			<1.0					1.0
Chloromethane			<5.0					5.0
1,2-Dibromo-3-chloropropane			<5.0					5.0
Dibromochloromethane			<1.0					1.0
1,2-Dibromoethane			<1.0					1.0
Dibromomethane			<1.0					1.0
trans-1,4-Dichloro-2-butene			<1.0					1.0
1,2-Dichlorobenzene			<1.0					1.0
1,3-Dichlorobenzene			<1.0			--		1.0
1,4-Dichlorobenzene			<1.0			--		1.0
Dichlorodifluoromethane			<5.0					5.0
1,1-Dichloroethane			<1.0					1.0
1,2-Dichloroethane			<1.0					1.0
1,1-Dichloroethene			<1.0					1.0
cis-1,2-Dichloroethene			<1.0					1.0
trans-1,2-Dichloroethene			<1.0					1.0
1,2-Dichloropropane			<1.0					1.0
cis-1,3-Dichloropropene			<1.0					1.0
trans-1,3-Dichloropropene			<1.0					1.0
Ethylbenzene			<1.0					1.0
Ethyl Ether			<5.0					5.0
2-Hexanone			<5.0					5.0

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101308 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 02/24/2011 By: DLV

Unit: ug/L

Analytical Batch: 1B24042

Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0					5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0			--		5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0			--		5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0			--		5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0

Surrogates:

<i>Dibromofluoromethane</i>	101	88-116
<i>1,2-Dichloroethane-d4</i>	106	87-123
<i>Toluene-d8</i>	96	91-107
<i>4-Bromofluorobenzene</i>	96	84-106

Laboratory Control Sample

Analyzed: 02/23/2011 By: DLV

Unit: ug/L

Analytical Batch: 1B23030

Benzene	40.0	43.9	110	84-119	--	20	1.0
---------	------	-------------	-----	--------	----	----	-----

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101308 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Laboratory Control Sample (Continued)				Analyzed:	02/23/2011	By: DLV		
Unit: ug/L				Analytical Batch:	1B23030			
Chlorobenzene		40.0	45.6	114	84-118	--	20	1.0
1,1-Dichloroethene		40.0	44.7	112	77-123	--	20	1.0
Toluene		40.0	44.6	112	85-118	--	20	1.0
Trichloroethene		40.0	44.4	111	82-119	--	20	1.0
Surrogates:								
<i>Dibromofluoromethane</i>				106	88-116			
<i>1,2-Dichloroethane-d4</i>				107	87-123			
<i>Toluene-d8</i>				103	91-107			
<i>4-Bromofluorobenzene</i>				99	84-106			

Laboratory Control Sample				Analyzed:	02/24/2011	By: DLV		
Unit: ug/L				Analytical Batch:	1B24042			
Benzene		40.0	43.8	110	84-119	--	20	1.0
Chlorobenzene		40.0	45.3	113	84-118	--	20	1.0
1,1-Dichloroethene		40.0	44.7	112	77-123	--	20	1.0
Toluene		40.0	44.9	112	85-118	--	20	1.0
Trichloroethene		40.0	44.5	111	82-119	--	20	1.0
Surrogates:								
<i>Dibromofluoromethane</i>				103	88-116			
<i>1,2-Dichloroethane-d4</i>				104	87-123			
<i>Toluene-d8</i>				100	91-107			
<i>4-Bromofluorobenzene</i>				99	84-106			

Matrix Spike 1102234-09 MW-20s				Analyzed:	02/24/2011	By: DLV		
Unit: ug/L				Analytical Batch:	1B24042			
Benzene	<2.0	80.0	94.7	118	80-129	--	9	2.0
Chlorobenzene	<2.0	80.0	96.7	121	80-121	--	8	2.0
1,1-Dichloroethene	3.34	80.0	99.5	120	74-134	--	11	2.0
Toluene	<2.0	80.0	97.3	122	79-129	--	9	2.0
Trichloroethene	92.9	80.0	183	113	75-127	--	10	2.0
Surrogates:								
<i>Dibromofluoromethane</i>				104	88-116			
<i>1,2-Dichloroethane-d4</i>				107	87-123			
<i>Toluene-d8</i>				102	91-107			
<i>4-Bromofluorobenzene</i>				98	84-106			

Matrix Spike Duplicate 1102234-09 MW-20s				Analyzed:	02/24/2011	By: DLV		
Unit: ug/L				Analytical Batch:	1B24042			
Benzene	<2.0	80.0	91.3	114	80-129	4	9	2.0

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101308 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Matrix Spike Duplicate (Continued) 1102234-09 MW-20s

Analyzed: 02/24/2011 By: DLV

Unit: ug/L

Analytical Batch: 1B24042

Chlorobenzene	<2.0	80.0	94.3	118	80-121	3	8	2.0
1,1-Dichloroethene	3.34	80.0	95.6	115	74-134	4	11	2.0
Toluene	<2.0	80.0	92.3	115	79-129	5	9	2.0
Trichloroethene	92.9	80.0	174	102	75-127	5	10	2.0

Surrogates:

<i>Dibromofluoromethane</i>				103	88-116			
<i>1,2-Dichloroethane-d4</i>				105	87-123			
<i>Toluene-d8</i>				101	91-107			
<i>4-Bromofluorobenzene</i>				96	84-106			

QC Batch: 1101602 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank

Analyzed: 03/03/2011 By: JDM

Unit: ug/L

Analytical Batch: 1C04039

Acetone			<20					20
Acrylonitrile			<2.0					2.0
Benzene			<1.0					1.0
Bromobenzene			<1.0					1.0
Bromochloromethane			<1.0					1.0
Bromodichloromethane			<1.0					1.0
Bromoform			<1.0					1.0
Bromomethane			<5.0					5.0
n-Butylbenzene			<1.0					1.0
sec-Butylbenzene			<1.0					1.0
tert-Butylbenzene			<1.0					1.0
Carbon Disulfide			<1.0			--		1.0
Carbon Tetrachloride			<1.0					1.0
Chlorobenzene			<1.0					1.0
Chloroethane			<5.0					5.0
Chloroform			<1.0					1.0
Chloromethane			<5.0					5.0
1,2-Dibromo-3-chloropropane			<5.0					5.0
Dibromochloromethane			<1.0					1.0
1,2-Dibromoethane			<1.0					1.0
Dibromomethane			<1.0					1.0
trans-1,4-Dichloro-2-butene			<1.0					1.0
1,2-Dichlorobenzene			<1.0					1.0

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101602 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 03/03/2011 By: JDM

Unit: ug/L

Analytical Batch: 1C04039

1,3-Dichlorobenzene			<1.0					1.0
1,4-Dichlorobenzene			<1.0					1.0
Dichlorodifluoromethane			<5.0					5.0
1,1-Dichloroethane			<1.0					1.0
1,2-Dichloroethane			<1.0					1.0
1,1-Dichloroethene			<1.0					1.0
cis-1,2-Dichloroethene			<1.0					1.0
trans-1,2-Dichloroethene			<1.0					1.0
1,2-Dichloropropane			<1.0					1.0
cis-1,3-Dichloropropene			<1.0					1.0
trans-1,3-Dichloropropene			<1.0					1.0
Ethylbenzene			<1.0					1.0
Ethyl Ether			<5.0					5.0
2-Hexanone			<5.0					5.0
Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0					5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0					5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0			--		5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0					5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101602 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 03/03/2011 By: JDM

Unit: ug/L

Analytical Batch: 1C04039

1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0

Surrogates:

<i>Dibromofluoromethane</i>	97	88-116
<i>1,2-Dichloroethane-d4</i>	98	87-123
<i>Toluene-d8</i>	98	91-107
<i>4-Bromofluorobenzene</i>	87	84-106

Method Blank

Analyzed: 03/03/2011 By: JDM

Unit: ug/L

Analytical Batch: 1C04040

Acetone			<20					20
Acrylonitrile			<2.0					2.0
Benzene			<1.0					1.0
Bromobenzene			<1.0					1.0
Bromochloromethane			<1.0					1.0
Bromodichloromethane			<1.0					1.0
Bromoform			<1.0					1.0
Bromomethane			<5.0					5.0
n-Butylbenzene			<1.0					1.0
sec-Butylbenzene			<1.0					1.0
tert-Butylbenzene			<1.0					1.0
Carbon Disulfide			<1.0			--		1.0
Carbon Tetrachloride			<1.0					1.0
Chlorobenzene			<1.0					1.0
Chloroethane			<5.0					5.0
Chloroform			<1.0					1.0
Chloromethane			<5.0					5.0
1,2-Dibromo-3-chloropropane			<5.0					5.0
Dibromochloromethane			<1.0					1.0
1,2-Dibromoethane			<1.0					1.0
Dibromomethane			<1.0					1.0
trans-1,4-Dichloro-2-butene			<1.0					1.0

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101602 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 03/03/2011 By: JDM

Unit: ug/L

Analytical Batch: 1C04040

1,2-Dichlorobenzene			<1.0					1.0
1,3-Dichlorobenzene			<1.0					1.0
1,4-Dichlorobenzene			<1.0					1.0
Dichlorodifluoromethane			<5.0					5.0
1,1-Dichloroethane			<1.0					1.0
1,2-Dichloroethane			<1.0					1.0
1,1-Dichloroethene			<1.0					1.0
cis-1,2-Dichloroethene			<1.0					1.0
trans-1,2-Dichloroethene			<1.0					1.0
1,2-Dichloropropane			<1.0					1.0
cis-1,3-Dichloropropene			<1.0					1.0
trans-1,3-Dichloropropene			<1.0					1.0
Ethylbenzene			<1.0			--		1.0
Ethyl Ether			<5.0					5.0
2-Hexanone			<5.0					5.0
Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0					5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0					5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0			--		5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0					5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101602 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Unit: ug/L Analyzed: 03/03/2011 By: JDM
Analytical Batch: 1C04040

Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0			--		1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0			--		2.0
Xylene, Ortho			<1.0					1.0

Surrogates:

<i>Dibromofluoromethane</i>				97	88-116			
<i>1,2-Dichloroethane-d4</i>				101	87-123			
<i>Toluene-d8</i>				98	91-107			
<i>4-Bromofluorobenzene</i>				98	84-106			

Laboratory Control Sample

Unit: ug/L Analyzed: 03/03/2011 By: JDM
Analytical Batch: 1C04039

Benzene	40.0	38.8		97	84-119	--	20	1.0
Chlorobenzene	40.0	40.9		102	84-118	--	20	1.0
1,1-Dichloroethene	40.0	42.4		106	77-123	--	20	1.0
Toluene	40.0	38.3		96	85-118	--	20	1.0
Trichloroethene	40.0	40.0		100	82-119	--	20	1.0

Surrogates:

<i>Dibromofluoromethane</i>				97	88-116			
<i>1,2-Dichloroethane-d4</i>				96	87-123			
<i>Toluene-d8</i>				98	91-107			
<i>4-Bromofluorobenzene</i>				89	84-106			

Laboratory Control Sample

Unit: ug/L Analyzed: 03/03/2011 By: JDM
Analytical Batch: 1C04040

Benzene	40.0	38.6		97	84-119	--	20	1.0
Chlorobenzene	40.0	40.3		101	84-118	--	20	1.0
1,1-Dichloroethene	40.0	38.1		95	77-123	--	20	1.0
Toluene	40.0	37.9		95	85-118	--	20	1.0
Trichloroethene	40.0	37.8		94	82-119	--	20	1.0

Surrogates:

<i>Dibromofluoromethane</i>				98	88-116			
<i>1,2-Dichloroethane-d4</i>				100	87-123			

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1101602 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Laboratory Control Sample (Continued)

Unit: ug/L

Analyzed: 03/03/2011 By: JDM

Analytical Batch: 1C04040

Surrogates (Continued):

<i>Toluene-d8</i>				98	91-107
<i>4-Bromofluorobenzene</i>				97	84-106

Matrix Spike 1103019-08 MW-31

Unit: ug/L

Analyzed: 03/03/2011 By: JDM

Analytical Batch: 1C04039

Benzene	<2.0	80.0	77.6	97	80-129	--	9	2.0
Chlorobenzene	<2.0	80.0	81.3	102	80-121	--	8	2.0
1,1-Dichloroethene	<2.0	80.0	76.2	95	74-134	--	11	2.0
Toluene	<2.0	80.0	76.3	95	79-129	--	9	2.0
Trichloroethene	304	80.0	364	75	75-127	--	10	2.0

Surrogates:

<i>Dibromofluoromethane</i>				97	88-116
<i>1,2-Dichloroethane-d4</i>				95	87-123
<i>Toluene-d8</i>				98	91-107
<i>4-Bromofluorobenzene</i>				93	84-106

Matrix Spike Duplicate 1103019-08 MW-31

Unit: ug/L

Analyzed: 03/03/2011 By: JDM

Analytical Batch: 1C04039

Benzene	<2.0	80.0	77.9	97	80-129	0.4	9	2.0
Chlorobenzene	<2.0	80.0	82.0	102	80-121	0.8	8	2.0
1,1-Dichloroethene	<2.0	80.0	74.8	94	74-134	2	11	2.0
Toluene	<2.0	80.0	76.9	96	79-129	0.7	9	2.0
Trichloroethene	304	80.0	362	72	75-127	0.6	10	2.0

Surrogates:

<i>Dibromofluoromethane</i>				98	88-116
<i>1,2-Dichloroethane-d4</i>				97	87-123
<i>Toluene-d8</i>				98	91-107
<i>4-Bromofluorobenzene</i>				94	84-106

STATEMENT OF DATA QUALIFICATIONS

Volatile Organic Compounds by EPA Method 8260B

Qualification: The SCV for this initial calibration had a recovery outside the control limit. All results for this analyte in the associated calibration should be considered as estimated.

Analysis: USEPA-8260B

Sample/Analyte:	1103019-01 MW-7s	2-Methylnaphthalene
	1103019-02 TB-04	2-Methylnaphthalene
	1103019-03 MW-5s	2-Methylnaphthalene
	1103019-04 MW-25s	2-Methylnaphthalene
	1103019-05 MW-33s	2-Methylnaphthalene
	1103019-06 MW-22	2-Methylnaphthalene
	1103019-07 EB-01	2-Methylnaphthalene
	1103019-08 MW-31	2-Methylnaphthalene
	1103019-09 MW-21	2-Methylnaphthalene
	1103019-10 DUP-03	2-Methylnaphthalene
	1103019-11 MW-2s	2-Methylnaphthalene
	1103019-12 MW-3s	2-Methylnaphthalene
	1103019-13 EB-02	2-Methylnaphthalene
	1103019-14 MW-4s	2-Methylnaphthalene
	1103019-15 MW-32s	2-Methylnaphthalene
	1103019-16 EB-03	2-Methylnaphthalene
	1103019-17 MW-34s	2-Methylnaphthalene
	1103019-18 MW-1s	2-Methylnaphthalene
	1103019-19 MW-9s	2-Methylnaphthalene

Qualification: The CCV for this analytical batch had a recovery above the upper control limit. Positive results for this analyte in the associated analytical batch are considered estimated; non-detectable results do not require qualification.

Analysis: USEPA-8260B

Sample/Analyte:	1103019-01 MW-7s	Ethylbenzene
	1103019-02 TB-04	Ethylbenzene
	1103019-03 MW-5s	Ethylbenzene
	1103019-04 MW-25s	Ethylbenzene
	1103019-05 MW-33s	Ethylbenzene
	1103019-06 MW-22	Ethylbenzene
	1103019-07 EB-01	Ethylbenzene
	1103019-08 MW-31	Ethylbenzene
	1103019-09 MW-21	Ethylbenzene
	1103019-10 DUP-03	Ethylbenzene
	1103019-11 MW-2s	Ethylbenzene
	1103019-13 EB-02	Ethylbenzene
	1103019-14 MW-4s	Ethylbenzene
	1103019-15 MW-32s	Ethylbenzene
	1103019-16 EB-03	Ethylbenzene
	1103019-17 MW-34s	Ethylbenzene

Qualification: The MS or MSD recovery, but not both, was outside the control limit. The RPD is within the control limit. The unspiked sample result is not qualified.

Analysis: USEPA-8260B

Sample/Analyte:	1103019-08 MW-31s	Trichloroethene
-----------------	-------------------	-----------------

STATEMENT OF DATA QUALIFICATIONS**Volatile Organic Compounds by EPA Method 8260B (Continued)**



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No.

136729

Analyses Requested

Pg. 1 of 2

For Lab Use Only

VOA Pack/Tray: **25-BIUE**
 Receipt Log No: **14-23**
 Project Chemist: _____
 Work Order No.: **1102151**
 Client Name: **PM T Inc**
 Address: **3754 Pinehick Drive**
 City, State Zip: **Ann Arbor MI 48106**
 Phone/Fax: **734-571-7000 734-571-9001**
 Email: _____
 Project Name: **T.B. Co**
 Client Project No./P.O. No.: **02751.08001**
 Invoice To: _____
 Client
 Other (comments)
 Contact/Report To: **S. Tracy M. H.**

Container Type (corresponds to Container Packing List)	Number of Containers Submitted
VOC 8260	1

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	PRESERVATIVES			Total	Sample Comments
							A	B	C		
01		01	MW-24s	1493	2/14/11	0830	+	GC	+	2	
01		02	MW-24D	1493	2/14/11	0832	+	GC	+	2	
03		03	T.B. Co (T.B. Co)	1493	2/15/11	0832	+	GC	+	1	
03		04	MW-12s	1493	2/15/11	1108	+	GC	+	2	
01		05	MW-12D	1493	2/15/11	1231	+	GC	+	2	
01		06	MW-13s	1493	2/15/11	1312	+	GC	+	2	
01		07	MW-16s	1493	2/15/11	0848	+	GC	+	2	
01		08	MW-24s	1493	2/15/11	0952	+	GC	+	2	
01		09	MW-24D	1493	2/15/11	1137	+	GC	+	2	
01		10	MW-30s	1493	2/15/11	1301	+	GC	+	2	

Sampled By (print): **Jabi's JNS**
 Sampler's Signature: _____
 Company: **PM T Inc**
 How Shipped? Hand Carrier
 Tracking No.: _____
 1. Released By: **[Signature]** Date: **2/15/11** Time: **1800**
 2. Requisitioned By: _____ Date: _____ Time: _____
 3. Returned By: **[Signature]** Date: **2-16-11** Time: **1740**
 Requested For by: **[Signature]** Date: **2-16-11** Time: **1740**

WHITE COPY - REPORT

YELLOW COPY - LABORATORY

PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client: <u>RMT TNC</u>	Work Order #: <u>1102181</u>
Receipt Record Page/Line #: <u>14-22</u>	New / Add To: _____
Project Chemist: _____	Sample #: _____

Recorded by (Initials/date): <u>JN 2-16-11</u>	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other _____	Qty Received: <u>1</u>	<input checked="" type="checkbox"/> IR Gun (#202) Thermometer Used <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> See Additional Cooler Information Form <input type="checkbox"/> Other (# _____)
--	--	------------------------	--

Cooler #	Time	Cooler #	Time	Cooler #	Time	Cooler #	Time	
<u>TN1492</u>	<u>1926</u>							
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		
Coolant Location: <input checked="" type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		Coolant Location: <input type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		Coolant Location: <input type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		Coolant Location: <input type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		
Coolant/Temperature Taken Via: <input checked="" type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		
Alternate Temperature Taken Via: <input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank: <u>0</u>		<u>4.0</u>	Temp Blank:			Temp Blank:		
TB location: Representative / Not Representative 1 <u>5.3</u> <u>0</u> <u>5.3</u> 2 <u>5.3</u> <u>0</u> <u>5.3</u> 3 <u>5.0</u> <u>0</u> <u>5.0</u>			TB location: Representative / Not Representative 1 2 3			TB location: Representative / Not Representative 1 2 3		
Average °C			Average °C			Average °C		
<input checked="" type="checkbox"/> Cooler ID on COC? <input checked="" type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received No COC Received

N/A	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Chain of Custody record(s)?
 If No, COC Initiated By _____

Rec'd for Lab Signed/Date/Time? _____
 Shipping document? _____
 Other _____

COC ID #s

TriMatrix 136729, 136736

Other (Name or ID#) _____

Check COC for Accuracy No analysis requested

Yes	No
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Sample ID matches COC?
 Sample Date and Time matches COC?
 Container type completed on COC?
 All container types indicated are received?

Sample Condition Summary Non-TriMatrix containers, see Notes

N/A	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Broken containers/lids?
 Missing or incomplete labels?
 Illegible information on labels?
 Low volume received?
 Inappropriate containers received?
 VOC vials / TOX containers have headspace?
 Extra sample locations / containers not listed on COC?

Check Sample Preservation

N/A	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Average sample temperature ≤6° C?
 Completed Sample Preservation Verification Form?
 Samples preserved correctly?
 If "No", added orange tag?
 Received pre-preserved VOC soils?
 MeOH Na₂SO₄

Check for Short Hold-Time Prep/Analyses

Bacteriological
 Air Bags
 EnCores / Methanol Pre-Preserved
 Formaldehyde/Aldehyde
 Green-tagged containers
 Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY:
 COPIES OF COC TO LAB AREA(S)

NONE RECEIVED
 RECEIVED, COCs TO LAB(S)

Notes

Trip Blank received Trip Blank not listed on COC
 No COC received, Proj. Chemist reviewed (Init/Date) _____
 No analysis requested, Proj. Chemist completed (Init/Date) _____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?
<u>JN 2-16-11</u>	<u>JN 2-16-11</u>	Yes / No



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. **136731**

Analyses Requested Pg. 1 of 1

VQA Back Tray
303-GREEN
Receipt Log No. 11-8
Project Chemist

Client Name: REM-Tire
Address: 3754 Kemaker Drive
City/State/Zip: 14141 Niles MI 48126
Phone/Fax: 724-571-7880 / 734-571-9223
Email:

Project Name: T.P.C.
Client Project No./P.O. No.: 029108001
Invoice To: Client Other (comments)

Contact Report To: SLACY, MCHS

Container Type (corresponds to Container Packing List)	Number of Containers Submitted	Total	Sample Comments
2000Voc2	2	2	

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	C M #	O R #	M A #	M B #	Matrix	Number of Containers Submitted	Total	Sample Comments
11		01	MW-14D	2365	2/16/11	0842	1	6	+	+	+	2	2	
6		02	T.B. 02	2365	2/16/11	0842	1	6	+	+	+	2	2	
11		03	MW-14D											
11		04	DURIO ASSIST											
11		04	MW-27S											
11		04	MW-27ms+MSD											
		06	MW-27D											
		07	MW-28S											
		08	MW-28D											

Sampled By (print): Shirley J Hassc
Sampler's Signature: [Signature]
Company: [Signature]

How Shipped? Sealed Hand Sealed
Tracking No. _____

1. Requisitioned By: [Signature] Date: 2/16/11 Time: 18:02
2. Requisitioned By: [Signature] Date: 2/18/11 Time: 13:26

3. Requisitioned For Lab By: [Signature] Date: 2-18-11 Time: 15:45

4. Requisitioned For Lab By: [Signature] Date: 2-18-11 Time: 15:45

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client: <u>AMT tire</u>	Work Order #: <u>1102207</u>
Receipt Record Page/Line #: <u>17-8</u>	Project Chemist: _____ Sample #: _____

Recorded by (initials/date): <u>CF 2-18-11</u>	<input checked="" type="checkbox"/> Cooler	Qty Received: <u>1</u>	<input checked="" type="checkbox"/> IR Gun (#202)	<input type="checkbox"/> Thermometer Used	<input type="checkbox"/> Digital Thermometer (#54)	<input type="checkbox"/> See Additional Cooler Information Form
	<input type="checkbox"/> Box		<input type="checkbox"/> Other (# _____)			
	<input type="checkbox"/> Other _____					

Cooler #	Time	Cooler #	Time	Cooler #	Time	Cooler #	Time	
<u>2265</u>	<u>16:05</u>							
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		
Coolant Location: <u>Dispersed</u> / Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom		
Coolant/Temperature Taken Via: <input checked="" type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		
Alternate Temperature Taken Via: <input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank:	<u>0</u>	<u>1.0</u>	Temp Blank:			Temp Blank:		
TB location: <u>Representative</u> / Not Representative			TB location: Representative / Not Representative			TB location: Representative / Not Representative		
1	<u>5.4</u>	<u>0</u>	<u>5.4</u>			1		
2	<u>2.3</u>	<u>0</u>	<u>2.3</u>			2		
3	<u>2.9</u>	<u>0</u>	<u>2.9</u>			3		
Average °C			Average °C			Average °C		
<u>3.5</u>								
<input checked="" type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?		
<input checked="" type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received No COC Received

N/A	Yes	No	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Chain of Custody record(s)?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	if No, COC Initiated By _____
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Rec'd for Lab Signed/Date/Time?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Shipping document?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other _____

COC ID #s

TriMatrix 134731

Other (Name or ID#) _____

Check COC for Accuracy No analysis requested

Yes	No	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Sample ID matches COC?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Sample Date and Time matches COC?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Container type completed on COC?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> All container types indicated are received?

Sample Condition Summary Non-TriMatrix containers, see Notes

N/A	Yes	No	
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Broken containers/lids?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Missing or incomplete labels?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Illegible information on labels?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Low volume received?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Inappropriate containers received?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> VOC vials / TOX containers have headspace?
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Extra sample locations / containers not listed on COC?

Check Sample Preservation

N/A	Yes	No	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Average sample temperature ≤6° C?
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Completed Sample Preservation Verification Form?
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Samples preserved correctly?
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	if "No", added orange tag?
		<input type="checkbox"/>	Received pre-preserved VOC soils?
		<input type="checkbox"/>	<input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄

Check for Short Hold-Time Prep/Analyses

- Bacteriological
- Air Bags
- EnCores / Methanol Pre-Preserved
- Formaldehyde/Aldehyde
- Green-tagged containers
- Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY:
COPIES OF COC TO LAB AREA(S)

NONE RECEIVED

RECEIVED, COCs TO LAB(S)

Notes

Trip Blank received Trip Blank not listed on COC

No COC received, Proj. Chemist reviewed (Init/Date) _____

No analysis requested, Proj. Chemist completed (Init/Date) _____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?
<u>2-18-11</u>	<u>2-18-11</u>	Yes / No



5660 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No.

136733

Analyses Requested

Pg. **2** of **2**

For Lab Use Only

VOA Rack/Tray: 553 143-02
 Receipt Log ID: 23-7
 Project Client: JZR
 Work Order No.: R-11022334
 Client Name: rmt inc
 Address: 3754 Parkview Dr
 City, State Zip: Ann Arbor MI 48106
 Phone/Fax: 734 971 7066 734 971 9033
 Project Name: T.P.C.
 Client Project No./P.O. No.: 00351.08001
 Invoice To: Client Other (comments)
 Contact/Report To: Stacy McH

Container Type (corresponds to Container Packing List)	Number of Containers Submitted
Voc E200	2

- PRESERVATIVES
- A NONE pH<7
 - B HNO₃ pH<2
 - C H₂SO₄ pH<2
 - D 1+1 HCl pH<2
 - E NaOH pH>12
 - F ZnAcNaOH pH>8
 - G MeOH
 - H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	C	O	R	S	M	Matrix	Number of Containers Submitted	Total	Sample Comments
		-10	MW- 201D	TN 2589216111	1308	1308	+					act	2	2	
		-11	MW 23		1456	1456	+					ft	2	2	
		-12	MW 65		1621	1621	+					ft	2	2	

Sampled By (print): **RMVIE SASS**
 Sampler's Signature: *[Signature]*
 How Shipped? Hand Carried
 Tracking No.:
 Requisitioned By: *[Signature]* Date: 2/22/11 Time: 1730
 Requisitioned By: *[Signature]* Date: 2/22/11 Time: 1425
 Received By: *[Signature]* Date: 2/22/11 Time: 1625
 Scheduled For Lab By: *[Signature]* Date: 2/22/11 Time: 1625

WHITE COPY - REPORT

YELLOW COPY - LABORATORY

PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client: <u>PMI, TRIC</u>	Work Order #: <u>R-1102234</u>
Receipt Record Page/Line #: <u>23-7</u>	Project Chemist: <u>JLC</u> Sample #s: _____

Recorded by (Initials/date): <u>JN 2-22-11</u>	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other _____	Qty Received: <u>1</u>	<input checked="" type="checkbox"/> IR Gun (#202) <input type="checkbox"/> Digital Thermometer (#54)	<input type="checkbox"/> See Additional Cooler Information Form <input type="checkbox"/> Other (# _____)
--	--	------------------------	---	---

Cooler #	Time	Cooler #	Time	Cooler #	Time	Cooler #	Time				
<u>TR2589</u>	<u>1734</u>										
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact					
Coolant Location: <input checked="" type="checkbox"/> Dispersed / Top / Middle / Bottom		Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom		Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom		Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom					
Coolant/Temperature Taken Via: <input checked="" type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers					
Alternate Temperature Taken Via: <input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container					
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C			
Temp Blank:	<u>0</u>	<u>1.1</u>	Temp Blank:			Temp Blank:					
TB location: Representative / Not Representative 1 <u>2.2</u> <u>0</u> <u>2.2</u> 2 <u>2.9</u> <u>0</u> <u>2.9</u> 3 <u>3.2</u> <u>0</u> <u>3.2</u> Average °C: <u>2.4</u>			TB location: Representative / Not Representative 1 2 3 Average °C			TB location: Representative / Not Representative 1 2 3 Average °C			TB location: Representative / Not Representative 1 2 3 Average °C		
<input checked="" type="checkbox"/> Cooler ID on COC? <input checked="" type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received <input type="checkbox"/> No COC Received <table style="width: 100%;"> <tr> <td style="width: 10%;">N/A</td> <td style="width: 10%;">Yes</td> <td style="width: 10%;">No</td> <td></td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Chain of Custody record(s)?</td> </tr> <tr> <td></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>If No, COC Initiated By _____</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>Rec'd for Lab Signed/Date/Time?</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>Shipping document?</td> </tr> <tr> <td></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>Other _____</td> </tr> </table> COC ID #s <input checked="" type="checkbox"/> TriMatrix <u>136732, 136733</u> <input type="checkbox"/> Other (Name or ID#) _____	N/A	Yes	No			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Chain of Custody record(s)?		<input type="checkbox"/>	<input type="checkbox"/>	If No, COC Initiated By _____		<input checked="" type="checkbox"/>	<input type="checkbox"/>	Rec'd for Lab Signed/Date/Time?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	Shipping document?		<input type="checkbox"/>	<input type="checkbox"/>	Other _____	Check Sample Preservation <table style="width: 100%;"> <tr> <td style="width: 10%;">N/A</td> <td style="width: 10%;">Yes</td> <td style="width: 10%;">No</td> <td></td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/> Average sample temperature ≤6° C?</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>Completed Sample Preservation Verification Form?</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/> Samples preserved correctly?</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>If "No", added orange tag?</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>Received pre-preserved VOC soils?</td> </tr> <tr> <td></td> <td></td> <td></td> <td><input type="checkbox"/> MeOH <input type="checkbox"/> Na₂SO₄</td> </tr> </table> Check for Short Hold-Time Prep/Analyses <input type="checkbox"/> Bacteriological <input type="checkbox"/> Air Bags <input type="checkbox"/> EnCores / Methanol Pre-Preserved <input type="checkbox"/> Formaldehyde/Aldehyde <input type="checkbox"/> Green-tagged containers <input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)	N/A	Yes	No			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Average sample temperature ≤6° C?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	Completed Sample Preservation Verification Form?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Samples preserved correctly?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	If "No", added orange tag?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	Received pre-preserved VOC soils?				<input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄
N/A	Yes	No																																																			
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Chain of Custody record(s)?																																																		
	<input type="checkbox"/>	<input type="checkbox"/>	If No, COC Initiated By _____																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Rec'd for Lab Signed/Date/Time?																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Shipping document?																																																		
	<input type="checkbox"/>	<input type="checkbox"/>	Other _____																																																		
N/A	Yes	No																																																			
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Average sample temperature ≤6° C?																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Completed Sample Preservation Verification Form?																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Samples preserved correctly?																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	If "No", added orange tag?																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Received pre-preserved VOC soils?																																																		
			<input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄																																																		
Check COC for Accuracy <input type="checkbox"/> No analysis requested <table style="width: 100%;"> <tr> <td style="width: 10%;">Yes</td> <td style="width: 10%;">No</td> <td></td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Sample ID matches COC?</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Sample Date and Time matches COC?</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td>Container type completed on COC?</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> All container types indicated are received?</td> </tr> </table> Sample Condition Summary <input type="checkbox"/> Non-TriMatrix containers, see Notes <table style="width: 100%;"> <tr> <td style="width: 10%;">N/A</td> <td style="width: 10%;">Yes</td> <td style="width: 10%;">No</td> <td></td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Broken containers/lids?</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Missing or incomplete labels?</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Illegible information on labels?</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Low volume received?</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Inappropriate containers received?</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> VOC vials / TOX containers have headspace?</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> Extra sample locations / containers not listed on COC?</td> </tr> </table>	Yes	No		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Sample ID matches COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Sample Date and Time matches COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Container type completed on COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> All container types indicated are received?	N/A	Yes	No			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Broken containers/lids?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Missing or incomplete labels?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Illegible information on labels?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Low volume received?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Inappropriate containers received?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> VOC vials / TOX containers have headspace?		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Extra sample locations / containers not listed on COC?	Notes <input checked="" type="checkbox"/> Trip Blank received <input type="checkbox"/> Trip Blank not listed on COC <input type="checkbox"/> No COC received, Proj. Chemist reviewed (Init/Date) _____ <input type="checkbox"/> No analysis requested, Proj. Chemist completed (Init/Date) _____					
Yes	No																																																				
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Sample ID matches COC?																																																			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Sample Date and Time matches COC?																																																			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Container type completed on COC?																																																			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> All container types indicated are received?																																																			
N/A	Yes	No																																																			
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Broken containers/lids?																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Missing or incomplete labels?																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Illegible information on labels?																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Low volume received?																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Inappropriate containers received?																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> VOC vials / TOX containers have headspace?																																																		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Extra sample locations / containers not listed on COC?																																																		
Cooler Received (Date/Time): <u>2/22-11</u>		Paperwork Delivered (Date/Time): <u>2/22-11</u>		≤1 Hour Goal Met?																																																	
				Yes / No																																																	



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No.

136759

Analyses Requested

Pg. 1 of 3

← PRESERVATIVES

- A NONE pH<7
- B HNO₃ pH<2
- C H₂SO₄ pH<2
- D ++ HCl pH<2
- E NaOH pH>12
- F Zinc/NaOH pH>9
- G MeOH
- H Other (note below)

Container Type (corresponds to Container Packing List)	Number of Containers Submitted	Total
VOL 8260	0	0

Project Name: TRC
Client Project No. / P.O. No: AW
Invoice To: AUSTIN 02751.08
 Client
 Other (comments)

Client Name: RM T Fno
Address: 3754 Kenebec Dr
City, State, Zip: Amherst MI 48108
Phone/fax: 734-971-7080 734-971-9001
Email:

VOA Ready Tray
Receipt Log No. 35-20
Project Chemist: JLR
Work Order No. E-1103019

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	C	O	M	A	B	Matrix	Number of Containers Submitted	Total	Sample Comments
		D1	MW-75	REL	2/11/11	0712	+	1	0	0	0	1	2	2	
		D2	Trie Blm 24TB-04				X	0	0	0	0	0	1	1	
		03	MW-55		2/11/11	0930	REL	0	0	0	0	0	2	2	
		04	MW-255				+	1	0	0	0	0	2	2	
		05	MW-335				+	1	0	0	0	0	2	2	
		06	MW-225				+	1	0	0	0	0	2	2	
		07	CB 01				+	0	0	0	0	0	2	2	
		08	MW-335				REL	0	0	0	0	0	2	2	
		09	MW-218				+	1	0	0	0	0	2	2	

Sampled By (print): J Amundson
Sampler's Signature: [Signature]
How Shipped? Hand Carrier
Tracking No.:

Company: M
1. Requisitioned By: [Signature] Date: 2/25/11 Time: 1400
2. Received By: [Signature] Date: 3-11-11 Time: 1325
3. Returned By: [Signature] Date: 3-11-11 Time: 1725



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. **136758**

Analyses Requested

Pg. 1 of 2

- ← PRESERVATIVES
- A NONE pH<7
- B HNO₃ pH<2
- C H₂SO₄ pH<2
- D 1+1 HCl pH<2
- E NaOH pH>12
- F ZnAc/NaOH pH>9
- G MeOH
- H Other (note below)

VOA Rack/Tray: 707, 404, 402
 Receipt Log No: 35-20
 Project Client: JLR
 Client Name: EMT Inc
 Address: 3754 Amherst Dr
 City, State, Zip: Ann Arbor, MI 48106
 Phone/Fax: 734-971-2090 734-571-5000
 Email: E-1103019
 Project Name: T.P.C
 Client Project No./P.O. No.: 0025108-001
 Invoice To: Client
 Contact/Report To: Stacy Matlis
 Other (comments):

Container Type (corresponds to Container Packing List)	Number of Containers Submitted
VOC B26	1
Total metal	1
TOC	1

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	C	M	P	S	R	A	H	Matrix	Number of Containers Submitted	Total	Sample Comments
		18	MW-15		2006	02/11								460	1	SEV	
		19	MW-9s			1053								5+	1	SEV	

Sample By (print): Jessie DASSR
 Sampler's Signature: [Signature]
 Company: EMT
 How Shipped? Hand Carrier
 Tracking No.: 95011111
 1. Requisitioned By: [Signature] Date: 3-1-11 Time: 1325
 2. Received By: [Signature] Date: 3-1-11 Time: 1725
 3. Reinspected By: [Signature] Date: 3-1-11 Time: 1725
 4. Returned For Liability: [Signature] Date: 3-1-11 Time: 1725

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client: <u>RMT, Inc.</u>	Work Order #: <u>R-1103019</u>
Receipt Record Page/Line #: <u>35-20</u>	New / Add To: <u>JLR</u>
	Project Chemist: <u>JLR</u>
	Sample #s:

Recorded by (Initials/date): <u>QN3/1/11</u>	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other _____	Qty Received: <u>1</u>	<input checked="" type="checkbox"/> IR Gun (#202) <input type="checkbox"/> Digital Thermometer (#54)	<input type="checkbox"/> See Additional Cooler Information Form <input type="checkbox"/> Other (# _____)
--	--	------------------------	---	---

Cooler #	Time	Cooler #	Time	Cooler #	Time	Cooler #	Time
<u>1192570</u>	<u>1835</u>						
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact	
Coolant Location: <input checked="" type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		Coolant Location: <input type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		Coolant Location: <input type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom		Coolant Location: <input type="checkbox"/> Dispersed / <input type="checkbox"/> Top / <input type="checkbox"/> Middle / <input type="checkbox"/> Bottom	
Coolant/Temperature Taken Via: <input checked="" type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input checked="" type="checkbox"/> None / Avg 2-3 containers	
Alternate Temperature Taken Via: <input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container	
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C
Temp Blank:	<u>0</u>	<u>2.3</u>	Temp Blank:			Temp Blank:	
TB location: Representative / Not Representative		TB location: Representative / Not Representative		TB location: Representative / Not Representative		TB location: Representative / Not Representative	
1	<u>2.9</u>	<u>0</u>	2.9			1	
2	<u>3.4</u>	<u>0</u>	3.4			2	
3	<u>4.6</u>	<u>0</u>	4.6			3	
Average °C		Average °C		Average °C		Average °C	
<u>3.3</u>							
<input checked="" type="checkbox"/> Cooler ID on COC? <input checked="" type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?	

If any shaded areas checked, complete Sample Receiving Non-Conformance Form

Paperwork Received No COC Received

N/A	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Chain of Custody record(s)?
 If No, COC Initiated By _____

Rec'd for Lab Signed/Date/Time?
 Shipping document?
 Other _____

COC ID #s

TriMatrix 136759, 136757, 136758

Other (Name or ID#) _____

Check COC for Accuracy No analysis requested

Yes	No
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Sample ID matches COC?
 Sample Date and Time matches COC?
 Container type completed on COC?
 All container types indicated are received?

Sample Condition Summary Non-TriMatrix containers, see Notes

N/A	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Broken containers/lids?
 Missing or incomplete labels?
 Illegible information on labels?
 Low volume received?
 Inappropriate containers received?
 VOC vials / TOX containers have headspace?
 Extra sample locations / containers not listed on COC?

Check Sample Preservation

N/A	Yes	No
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Average sample temperature ≤6° C?
 Completed Sample Preservation Verification Form?
 Samples preserved correctly?
 If "No", added orange tag?
 Received pre-preserved VOC soils?
 MeOH Na₂SO₄

Check for Short Hold-Time Prep/Analyses

Bacteriological
 Air Bags
 EnCores / Methanol Pre-Preserved
 Formaldehyde/Aldehyde
 Green-tagged containers
 Yellow/White-tagged 1L ambers (SV Prep-Lab)

AFTER HOURS ONLY:

COPIES OF COC TO LAB AREA(S)

NONE RECEIVED

RECEIVED, COCs TO LAB(S)

Notes

Trip Blank received Trip Blank not listed on COC
 No COC received, Proj. Chemist reviewed (Init/Date) _____
 No analysis requested, Proj. Chemist completed (Init/Date) _____

Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)		
<u>QN3/1/11</u>	<u>QN3/1/11</u>		Yes / No

Technical Memorandum

Attachment 3

Data Validation Reports

Laboratory Data Validation

Fourth Quarter 2010 Groundwater Monitoring – December 2010 Former Tecumseh Products Company Site Tecumseh, Michigan

Forty-five water samples, six trip blanks, and two equipment rinsate blanks were collected from December 10 through December 28, 2010 and analyzed by Trimatrix Laboratories, located in Grand Rapids, Michigan. Some of the samples were analyzed for multiple fractions following Tecumseh Products Quality Assurance Project Plan (QAPP) specified protocols using the following methods: volatile organic analytes by USEPA Method 8260 B (41 total), drinking water volatile organic analytes by USEPA Method 524.2 (4 total), ferrous iron by Standard Method 3500-Fe B 20th (19 total), nitrates by Standard Method 4500-NO₃ F 20th (19 total), chloride by Standard Method 4500-Cl E 20th (19 total), and sulfate by ASTM Method D516-90(02) (19 total). RMT performed validation of the laboratory data from the volatile organic analyses only. The following sections summarize the data validation procedure and the results of the data validation.

Validation Procedure

The analytical data were validated using the USEPA National Functional Guidelines for Organic Data Review (USEPA, 2008). The data validation included a review of the spike, duplicate, and blank results from the laboratory, as well as verification that the sample holding times were met. RMT reviewed additional QC information to check for appropriate matrix performance using the analytical methods specified by the laboratory. The procedures RMT used to evaluate data in general included the following items:

- Checked technical holding times for analyses
- Reviewed data for blanks, matrix spikes, laboratory duplicates, and laboratory control samples
- Assessed the usability of the data

The data validation report addresses the following items:

- Usability of the data if QC results suggest potential problems with all or some of the data
- Potential sample contamination due to blank contributions
- Actions regarding specific QC criteria exceedences

RMT reviewed internal standard areas and retention times, method blanks, project-specific matrix spike and matrix spike duplicate (MS/MSD) recoveries, Laboratory Control Sample (LCS) recoveries, holding times, and temperature.

Findings

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable. The procedures specified in the methods were implemented, and the data packages were found to contain all of the deliverables necessary for validation of the analytical data. The discussion that follows describes the QA/QC results and evaluation.

- The laboratory met technical holding times for all samples. The average temperature in the shipment was received within the recommended temperature range.
- Internal standard areas and retention times were reviewed and found to be within acceptable QC limits.
- The laboratory performed an LCS with each analytical batch. All results were within the laboratory control limits, with the following exception: LCS and LCSD recoveries of bromoform were high using Method 524.2. Because bromoform was not detected in any sample analyzed using this method, no flags were added.
- Contaminants were not detected in the method blanks.
- Contaminants were not detected in the trip blanks or in the equipment rinsate blanks.
- Field duplicate samples were not collected; therefore field precision could not be assessed.
- The laboratory performed MS/MSD analysis on a site-specific sample (MW-3s) for measurement of laboratory accuracy and precision in the sample matrix using Method 8260 B. All results were within the laboratory control limits. MS/MSD analyses were performed according to the standard of one per twenty samples. The remaining MS/MSD analyses were performed on batch samples or LCS/LCS Duplicate (LSCD) samples. All results for these samples were within the laboratory control limits.

Prepared by: Jennifer Meek

Reviewed by: Stacy Metz

Laboratory Data Validation

First Quarter 2011 Groundwater Monitoring–February 2011 Former Tecumseh Products Company Site Tecumseh, Michigan

Forty-four water samples, including three field duplicates, were collected between February 14 and 25, 2011, in addition to four trip blanks and three equipment rinsate blanks. These samples were analyzed by Trimatrix Laboratories, located in Grand Rapids, Michigan. The samples were analyzed for volatile organic analytes by USEPA Method 8260B following Tecumseh Products Quality Assurance Project Plan (QAPP) specified protocols. RMT performed a validation of the laboratory data. The following sections summarize the data validation procedure and the results of the data validation.

Validation Procedure

The analytical data were validated using the USEPA National Functional Guidelines for Organic Data Review (USEPA, 2008). The data validation included a review of the spike, duplicate, and blank results from the laboratory, as well as verification that the sample holding times were met. RMT reviewed additional QC information to check for appropriate matrix performance using the analytical methods specified by the laboratory. The procedures RMT used to evaluate data in general included the following items:

- Checked technical holding times for analyses
- Reviewed data for blanks, matrix spikes, laboratory duplicates, and laboratory control samples
- Determined field precision from blind field duplicate data
- Assessed the usability of the data

The data validation report addresses the following items:

- Usability of the data if QC results suggest potential problems with all or some of the data
- Potential sample contamination due to blank contributions
- Actions regarding specific QC criteria exceedences

RMT reviewed internal standard areas and retention times, method blanks, project-specific and matrix spike and matrix spike duplicate (MS/MSD) recoveries, field and laboratory duplicate relative percent differences (RPDs), Laboratory Control Sample (LCS) recoveries, holding times, and temperature.

Findings

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable. The procedures specified in the methods were implemented, and the data packages were found to contain all of the deliverables necessary for validation of the analytical data. The discussion that follows describes the QA/QC results and evaluation.

- The laboratory met technical holding times for all samples. The average temperature in the shipment was received within the recommended temperature range.
- Internal standard areas and retention times were reviewed and found to be within acceptable QC limits.
- The laboratory performed an LCS with each analytical batch. All results were within the laboratory control limits.
- Contaminants were not detected in the trip blanks or in the rinsate blanks.
- Three duplicate samples were collected. DUP-01 corresponded with sample MW-14d, DUP-02 corresponded with sample MW-19s, and DUP-03 corresponded with sample MW-21. No constituents were detected in DUP-01/MW-14d; therefore RPDs were not calculated from that data set. Calculated RPDs for the remaining samples were within acceptable QC limits.
- MS/MSD analyses were performed according to the standard of one per twenty samples in three batches. The laboratory performed MS/MSD analysis on a site-specific sample from each of the three analytical batches. Recoveries of TCE were low in MSD 1101602-MSD1, which was performed on site sample MW-31. Because acceptable QC limits were obtained for the above evaluations, it is unlikely that this low recovery indicates a systematic problem with data obtained from each sample in this batch. Therefore, a “j-” flag is assigned only to sample MW-31 for TCE.

Prepared by: Jennifer Meek

Reviewed by: Stacy Metz