



1540 Eisenhower Place
Ann Arbor, MI 48108

734.971.7080 PHONE
734.971.9022 FAX

www.TRCSolutions.com

July 13, 2012

Ms. Michelle Mullin
Project Manager
USEPA, Region 5
77 West Jackson Boulevard
LU-95
Chicago, IL 60604-3590

Subject: **RCRA 3008(h) Administrative Order on Consent (RCRA-05-2010-0012) –
Tecumseh Products Company
Second Quarter 2012 Progress Report – MID 005-049-440**

Dear Ms. Mullin:

Pursuant to Section VI of the above referenced Administrative Order on Consent (Consent Order) effective March 29, 2010, TRC Environmental Corporation (TRC), on behalf of the Respondent, Tecumseh Products Company (TPC) submits this Second Quarter 2012 Progress Report. This report describes activities related to the Consent Order completed by TPC during the second quarter 2012 and planned for completion in the near future. The organization of this document includes, as major headings, the items required under Sections V through VIII of the Consent Order.

V. Project Manager

- The TPC Project Manager is Graham Crockford of TRC.
- The USEPA Project Manager is Michelle Mullin.

VI. Work to be Performed – Remedial Investigation Report and Environmental Indicators Reports

1. A Description of activities related to the completion of the Remedial Investigation (RI) Report and the Environmental Indicator (EI) Reports:
 - **Investigation Activities**
 - **Characterize Releases at or from the Facility** – Results of the on-site investigations are presented in the following documents: Environmental Site Assessment for Tecumseh Products Company, Tecumseh, Michigan (ENVIRON, October 2007), Phase I

Environmental Site Assessment for the Tecumseh Products (Atwell-Hicks, October 2008), Phase II Environmental Site Assessment, Tecumseh Products Company (ATC, September 2009), the Current Conditions Report (RMT, September 2009), and the January 10, 2011 Technical Memorandum titled, "Summary of 2010 Soil and Groundwater Source Area Investigation Activities," which was submitted with the Fourth Quarter 2010 Quarterly Progress Report.

- **Define Appropriate Screening Criteria** – As described in the September 2009 Current Conditions Report (CCR) and the September 2011 Current Human Exposures Under Control Environmental Indicator Report (EI Report), the Michigan Department of Environmental Quality (MDEQ) Part 201 Criteria will typically be used to assess risk related to the ingestion of, or direct contact with, affected media. Currently, groundwater data indicate that groundwater in a well upgradient of the River Raisin (MW-31) has concentrations above generic Part 201 groundwater/surface water interface (GSI) criteria. A request for mixing zone-based GSI criteria has been submitted to MDEQ for review and determination. Screening levels for the volatilization to indoor air migration pathway were developed in accordance with both current regulation and state and federal guidance. These screening levels were updated in February 2012 to reflect recent changes in toxicity values. Revised calculation sheets were included in Appendix A of the First Quarter 2012 Quarterly Progress Report.
- **Define Any Unacceptable Risks to Human Health** – Current human exposure to affected media is described in the September 2011 EI Report.
 - **Groundwater** – As of November 2011, all properties within the area of affected groundwater were connected to the municipal water supply system. No private wells within this area are in use. A Groundwater Use Ordinance was passed in June 2011. This ordinance prohibits new private water wells within the area of affected groundwater and vicinity.
 - **Surface Water** – In March 2011, USEPA notified TPC that a "spring or artesian well that residents commonly drink from is located on the west bank of the River Raisin, on the north side of the old Blood Road Bridge." In December 2011, USEPA reiterated concerns regarding human exposures to affected surface water in a comment letter regarding the September 2011 EI Report. Investigation activities to address USEPA concerns were originally documented in the Second Quarter 2011 Progress Report, and were reiterated in the December 19, 2011 response to USEPA comments. In April 2011, TRC communicated with a local resident for help locating the spring and conducted site reconnaissance to locate and identify the alleged spring. The resident stated that persons may have drunk from the spring years ago, when he was a child, but that he was unaware of continued use. During site

reconnaissance near the old Blood Road Bridge, no well, fountain, or other device to facilitate collection of seeping groundwater was identified, and the groundwater seep was of insufficient volume to reasonably fill a water bottle or cupped hands. As documented to in the September 2011 EI Report, current human exposure to affected surface water is under control; however to facilitate a favorable environmental indicators-groundwater stabilized determination in September 2012, TPC did agree, during the March 2012 project meeting with USEPA, to collect a sample for analysis of volatile organic compounds (VOCs) at this groundwater seep. This sample was collected in conjunction with the regular second quarter 2012 groundwater sample event. No VOCs were detected. Sample results are documented in the June 28, 2012 Technical Memorandum titled, "Second Quarter 2012 Groundwater Monitoring Event," which is included as Appendix A of this Report. A confirmation sample will be collected with the third quarter 2012 groundwater sample event.

- **Volatilization to Indoor Air** – An evaluation of the potential for off-site vapor intrusion at the site was provided in the September 2011 EI Report. This evaluation was supplemented with crawlspace and indoor air sample data collected in October and November 2011. These data were documented in the December 19, 2011 response to USEPA comments on the September 2011 EI Report. Recent changes in the trichloroethene (TCE) toxicity data have resulted in a reduction in TCE soil gas screening levels. With these reductions, several locations north of the site have exceeded the most-conservative residential SGSL for TCE during one or more sample event. During the March 2012 project meeting, TPC and USEPA agreed to an investigation/mitigation strategy to address these exceedences in 2012. Construction and installation activities associated with this investigation/mitigation strategy (i.e. soil vapor extraction system and additional soil gas sample points) were largely completed during the second quarter 2012. The first confirmation sample event was conducted in conjunction with the second quarter 2012 soil gas sample event at the end of June 2012. Laboratory results are pending, and will be reported in a technical memorandum once they are available.
- **Define Any Unacceptable Risks to the Environment** – The potential for unacceptable risk to the environment related to the discharge of affected groundwater to nearby surface water and wetlands was partially defined in the September 2009 CCR and the February 2010 Technical Memorandum titled "Status Update – Characterization of Volatile Organic Compounds in Groundwater." Further investigation was conducted between March 2010 and June 2010 to define the maximum extent of affected groundwater. The results of this investigation were included in a Technical

Memorandum titled "Summary of Groundwater Investigation Activities – March 2010 through June 2010, Former Tecumseh Products Company Site, Tecumseh, Michigan," which was submitted with the Second Quarter 2010 Progress Report. Currently, groundwater data indicate that groundwater in a well upgradient of the River Raisin (MW-31) has concentrations of TCE above generic Part 201 GSI criteria. A request for mixing zone-based GSI criteria has been submitted to MDEQ for review and determination. Mixing zone based GSI criteria typically range between ten times the generic GSI criterion (2,000 ug/L for TCE) and the MDEQ final acute value (3,500 ug/L for TCE). Therefore, the site-specific mixing zone based GSI criterion for TCE at the former TPC site is expected to be well above groundwater concentrations near the River Raisin (up to 340 ug/L at MW-31). TPC also agreed, during the March 2012 project meeting with USEPA, to collect a sample for analysis of volatile organic compounds (VOCs) at a groundwater seep located near monitoring well MW-31. No VOCs were detected. Sample results are documented in the June 28, 2012 Technical Memorandum titled, "Second Quarter 2012 Groundwater Monitoring Event," which is included as Appendix A of this Report. A confirmation sample will be conducted with the third quarter 2012 groundwater sample event.

- **Determine the Stability of Contaminated Groundwater** – A quarterly groundwater monitoring program is underway to assess the stability of contaminated groundwater. Concentrations of chlorinated volatile organic compounds (CVOCs) at previously sampled locations are generally consistent with historic data. In June 2012, a report titled "Statistical Evaluation of Groundwater Stability; Former Tecumseh Products Company Site; Tecumseh, Michigan; RCRA-05-2010-0012" was submitted to USEPA for review and comment. For 322 of the 328 parameter-well combinations evaluated, the trend was downward or stable. This evaluation indicates that the plume is stable. The parameter-well combinations that had increasing concentrations represent local variability in groundwater flow and transport or increases in breakdown products of TCA and TCE caused by natural reductive dechlorination. This evaluation will be updated following the third quarter 2012 groundwater sample event.

■ **Response and Mitigation Measures**

- **Decommission Affected Private Wells** – Two off-site private wells with affected water were identified. The first was decommissioned in 2009 (parcel number 323-0330-00) and the second was decommissioned in November 2010 (parcel number 325-0322-00). Three other private wells that were used as a primary water source within the area of potentially affected groundwater were monitored in 2009 and 2010 to confirm that VOCs were not detected at those wells. In December 2011, following the passage of the Local Groundwater Use Ordinance described below, the remaining three private supply wells



which were used as a primary water source within the area of affected groundwater were also decommissioned.

- **Declaration of Restrictive Covenant** – As part of the Purchase Agreement between TPC and Tecumseh Bakery, LLC, a Declaration of Restrictive Covenant for the facility was recorded with the Lenawee County Register of Deeds. This Restrictive Covenant restricts the installation and use of on-site wells (excluding monitoring wells or other wells installed as part of the environmental work) and restricts Residential and Commercial I land use as defined by the MDEQ at the facility. The License Agreement Regarding Environmental Work provides provisions for additional restrictions to be placed on the property as needed.
- **Local Groundwater Use Ordinance** – The City of Tecumseh and TPC worked with the MDEQ to develop a Groundwater Use Ordinance, which the City of Tecumseh passed on June 6, 2011. This ordinance restricts groundwater use within a restricted area, which includes the area of affected groundwater, as well as an approximately one block buffer zone around the area of affected groundwater. Groundwater use is restricted as follows:
 - The installation, development, maintenance, and use of private water wells is prohibited;
 - Connection to the municipal water supply is required; and
 - Existing private water wells must be abandoned.
- **Decommission Private Wells in the Vicinity of Affected Groundwater** – In conjunction with the preparation of the Groundwater Use Ordinance, TPC agreed to identify and abandon, with owner consent, private wells within the restricted zone. On March 25, 2011, RMT (now TRC), on behalf of TPC, mailed a letter to each of the property owners affected by the proposed ordinance. The letters included a well survey card. On May 12, 2011, June 30, 2011, and again on August 8, 2011, follow-up letters with additional copies of the well survey cards were sent to property owners that had not yet responded. A phone survey and/or a door-to-door survey were conducted by TPC at properties which did not return the well survey card. The well survey did not identify any additional wells that are used as a primary water source. At the three properties within the area of affected groundwater where private wells were used as the primary water source, TPC arranged for connection to the municipal water supply (November 2011) and decommissioned those wells (December 2011). In January 2012, the remaining property with a well that is in use as a primary water supply was connected to the municipal water supply; this well is within the restricted area, but outside the area of affected groundwater. In December 2011, TPC initiated communication with the remaining



private well owners regarding well abandonment at their properties. Well abandonment at these properties was completed in June 2012.

- **Mitigation of Indoor Air (On-Site)** – In February 2012, the site was purchased by Tecumseh Food Machinery & Engineering, LLC (TFME). TFME has dismissed on-site security. Currently the site is occupied by the new TFME site manager who works out of an office located in the old security area (S-Building), and two temporary TFME employees who are in the process of scrapping the equipment TFME has stored on site. A sub-slab depressurization/ventilation (SSDV) system was installed in S-Building in October 2011. TPC employees, who occupied the engineering area (Area H and Area J) under a lease with the new owners since December 2009, have completed their relocation to the new TPC facility, and no longer occupy the former TPC site.

Currently TFME plans to separate P-Building and S-Building from the remainder of the plant, so that, that portion of the facility can be leased or sold as a separate parcel, and to demolish the remainder of the facility. A soil vapor extraction system to mitigate the volatilization to indoor air migration pathway in P-Building was installed during the second quarter 2012.

- **Mitigation of Indoor Air (Off-Site)** – SSDV system installation and/or crawlspace sampling activities were conducted in October 2011 and again in May 2012 at the five residential properties east of the site. In addition, a permeable reactive barrier (PRB) was installed downgradient of the southern source area, along the former TPC site property line in May 2011. This PRB is an interim, proactive, corrective measure designed to address the potential off-site vapor intrusion pathway, by treating shallow CVOC-affected groundwater before the groundwater migrates off-site.
- **Control Unacceptable Risks to the Environment** – At present no unacceptable risks to the environment have been identified.
- **Stabilize Migration of Contaminated Groundwater** – The determination of stability of the affected groundwater is ongoing. A monitoring well network has been installed, and quarterly monitoring is underway to determine stability. In June 2012, a report titled “Statistical Evaluation of Groundwater Stability; Former Tecumseh Products Company Site; Tecumseh, Michigan; RCRA-05-2010-0012” was submitted to USEPA for review and comment. For 322 of the 328 parameter-well combinations evaluated, the trend was downward or stable. This evaluation indicates that the plume is stable.

■ Reporting

- **Environmental Indicators Report: Current Human Exposures under Control** – TRC submitted the Current Human Exposures Under Control Environmental Indicators



Report (September 2011 EI Report) to USEPA for review on September 29, 2011. USEPA provided TPC with comments regarding the EI Report on December 5, 2011. TPC responded to the USEPA comments on December 19, 2011. On December 28, 2011, USEPA proposed an extension for USEPA to complete the CA-725 Form until December 12, 2012, so that confirmation indoor air/crawlspace sampling data from the residential properties east of the site (610 Mohawk, 704 Mohawk, 502 Mohawk, 505 South Maumee Street and 507 South Maumee Street) can be evaluated by USEPA. TPC will provide supplemental information as it becomes available in 2012 to support USEPA completion of the CA-725 Form.

- **Environmental Indicators Report: Groundwater Stabilized** – TRC will prepare the Groundwater Stabilized Environmental Indicators Report following completion of the tasks listed above which relate to the stabilization of groundwater contamination. This Groundwater Stabilized Environmental Indicators Report will be submitted to the USEPA no later than September 29, 2012.
- **Remedial Investigation Report** – TRC will prepare the Remedial Investigation Report following completion of remedial investigation activities which determine the nature and extent of any releases of hazardous waste and hazardous constituents at or from the facility. This Remedial Investigation Report will be submitted to the USEPA no later than September 29, 2012.

2. Estimate of Percentage of Work Completed

- Work related to Remedial Investigation Report: 80% complete
- Work related to the Environmental Indicators Report – Current Human Exposures Under Control: 100% complete. TPC is performing confirmation sampling in 2012. USEPA has elected to review confirmation sampling prior to completing the CA-725 Form.
- Work related to the Environmental Indicators Report – Groundwater Stabilized: 90% complete

3. A Summary of Activities during the Reporting Period

- April 2012 – The “Workplan to Conduct a Pilot Study to Facilitate the Design and Installation of a Full-Scale Soil Vapor Extraction System: P-Building at 100 East Patterson Street” was submitted to USEPA.
- April 2012 – A right-of-way permit was obtained from the City of Tecumseh for the installation of additional monitoring points (temporary pressure points and soil gas sample points) in the city right-of-way.
- April 2012 – The second quarter groundwater sample event was conducted.



- April 2012 – Groundwater samples were collected at PRB monitoring locations.
- April 2012 – TRC completed a SSDV system inspection in S-Building in conjunction with the pilot SVE system step-rate tests. No changes were noted in system operation.
- April-May 2012 – The pilot SVE system was installed, system performance evaluation, and full-scale system design was conducted as described in the Workplan.
- May 2012 – TRC provided USEPA and the current site owner with letter report documenting the results of the February 2012 SSDV system performance evaluation including confirmation indoor air sample results for the SSDV system installed in S-Building in October 2011.
- May 2012 – TRC conducted a SSDV system performance evaluation at 704 Mohawk including indoor air and system effluent samples.
- May 2012 – TRC collected confirmation crawl space samples at the four residential properties east of the site where a SSDV system has not been installed.
- May 2012 – The “Full-Scale Soil Vapor Extraction System Design and Installation Workplan” was submitted to USEPA for review.
- May-June 2012 – Piping and extraction wells for the full-scale SVE system were installed, and step-rate tests were conducted as described in the Full-Scale SVE System Workplan.
- June 2012 – Permanent power was installed for the SVE system blower.
- June 2012 – A round of methane readings was collected at passive vents installed along the length of the PRB.
- June 2012 – Three replacement soil gas monitoring points and five new soil gas monitoring points were installed northeast, north and west of the site.
- June 2012 – The remaining private wells in the vicinity of affected groundwater were abandoned.
- June 2012 – TRC provided USEPA and the homeowner with results of the 704 Mohawk SSDV system inspection and performance evaluation, including indoor air sample results.
- June 2012– TRC provided USEPA and affected property owners with the results of crawlspace samples collected in May 2011.
- June 2012 – Groundwater isoconcentration maps were submitted to USEPA for review including supporting information, specifically, tabulated groundwater data including sample depth, sample date and VOC concentration and a complete set of soil boring logs and well construction forms.



- June 2012 – The Application for Mixing Zone-Based GSI Criteria was submitted to MDEQ for review and determination.
- June 2012 – A round of off-site soil gas samples was collected.
- April-June 2012 – TPC employees, who occupied the engineering area (Area H and Area J) under a lease with the new owners since December 2009, completed their relocation to a new facility. TPC employees no longer occupy the site.
- May-June 2012 – TRC updated groundwater stability calculations to include second quarter 2012 data and submitted a report titled “Statistical Evaluation of Groundwater Stability; Former Tecumseh Products Company Site; Tecumseh, Michigan; RCRA-05-2010-0012” to USEPA for review and comment.

4. A Summary of Contacts with Representatives of Local Community, Public Interest Groups, or State Government during the Reporting Period

- At the request of one property owner, TPC provided that owner with a copy of the First Quarter 2012 Progress Report.
- TRC communicated with the Tecumseh District Library personnel in order to update the public repository at the Tecumseh District Library in April 2012.
- In April 2012, TRC obtained a right-of-way permit from the City of Tecumseh for the installation of multi-level vacuum monitoring points and soil gas sample points.
- In May 2012, TRC communicated with the owner of a residential property east of the site regarding the regular quarterly SSDV system inspection.
- In May 2012, TRC communicated with property owners east of the site regarding crawl space sampling activities.
- In June 2012, TPC communicated with property owners to facilitate well abandonment at properties in the vicinity of affected groundwater.
- In June 2012, TRC submitted an Application for Mixing Zone-Based GSI Criteria to the MDEQ.

5. A Summary of Problems and Potential Problems Encountered During the Reporting Period

- See the Data Quality Assurance section in the attached technical memorandum (Appendix A).

6. Action Taken to Rectify Problems Identified Above

- See the Data Quality Assurance section in the attached technical memorandum (Appendix A).



7. Changes in Personnel during Reporting Period

- No project personnel have changed.

8. Projected Work for the Next Reporting Period

- Prepare an evaluation of the northeast clay layer's protectiveness with regard to the potential for vapor intrusion including soil boring logs, well construction forms, and second quarter 2012 soil gas sample results;
- Install the permanent blower for the full-scale soil vapor extraction system in P-Building and re-balance the system;
- Prepare a construction documentation report for the full-scale SVE system;
- Conduct a quarterly SSDV system performance evaluation at S-Building;
- Implement source area investigation activities to support preparation of the remedial investigation report;
- Collect the third quarter PRB groundwater samples;
- Evaluate and document the results of PRB groundwater data;
- Conduct a quarterly SSDV system performance evaluation at the residential property located at 704 Mohawk;
- Following receipt of well abandonment forms from the subcontractor, document private well abandonment within the area restricted by the City of Tecumseh's Groundwater Use Ordinance;
- Collect and analyze another round of off-site soil gas samples;
- Prepare and submit a figure illustrating the locations of major utilities around the site;
- Prepare and submit a summary of site specific groundwater contact criteria calculations for TCE;
- Conduct and evaluate the third quarter groundwater sampling event;
- Collect a confirmation sample from the groundwater seep located near the former Blood Road Bridge;
- Update the statistical evaluation of groundwater stability to include third quarter 2012 groundwater data;
- Prepare tables which compare the ATC Phase II investigation results to Part 201 criteria and Rule 57 water quality values;



- Following receipt of USEPA comments, finalize the Quality Assurance Project Plan (QAPP);
- Prepare and submit an Environmental Indicators – Groundwater Stabilized Report supporting completion of the of RCRA Form CA750, Documentation of Environmental Indicator Determination – Migration of Contaminated Groundwater Under Control, which will demonstrate compliance with paragraph 13(b) and applicable portions of paragraph 14 of the Administrative Order on Consent; and
- Prepare and submit a Remedial Investigation Report to USEPA.

VI. Work to be Performed – Final Corrective Measures Proposal

Preparation of the Final Corrective Measures Proposal will be initiated following completion of the Remedial Investigation Report and the Environmental Indicators Reports.

VI. Work to be Performed – Final Corrective Measures Implementation

Work related to the Final Corrective Measures Implementation will be initiated following USEPA's Final Decision.

VI. Work to be Performed – Establish Public Repository of Information

TPC established a public repository in the City Clerk's office at City Hall in August 2010. To address USEPA comments, the public repository was relocated to the Tecumseh District Library in November 2011. A notice sheet has been posted on the bulletin board at the Tecumseh District Library which lists and briefly describes the documents included in the public repository. TPC updates the public repository as appropriate.

VII. Access

No new access agreements were obtained during the Second Quarter 2012.

VIII. Cost Estimates and Assurances of Financial Responsibility

In accordance with the Consent Order, TPC submitted an annually updated cost estimate on January 30, 2012 and updated Financial Assurance documents on March 20, 2012.



Ms. Michelle Mullin
USEPA, Region 5
July 13, 2012
Page 12

If you have any questions regarding this progress report, or the attachments, please contact me at (734) 585-7813, or gcrockford@trcsolutions.com.

Sincerely,

TRC Environmental Corporation



Graham Crockford, C.P.G.
Project Manager

Attachments:

Appendix A – June 28, 2012 Technical Memorandum, titled “Summary of Second Quarter 2012 Groundwater Monitoring Event”

cc: Susan Perdomo, USEPA
Roger Jackson, Tecumseh Products Company
Jason Smith, Tecumseh Products Company
Douglas McClure, Conlin, McKenney & Philbrick, PC
Stacy Metz, TRC Environmental
Dave Roberts, Tecumseh Food Manufacturing and Engineering
Tecumseh District Library– Public Repository
Mary Speer, Resident
Central Files

Appendix A
Summary of Second Quarter 2012
Groundwater Monitoring Event

Technical Memorandum

To: Jason Smith, Tecumseh Products Company

From: Stacy Metz and Graham Crockford, TRC

Subject: Second Quarter 2012 Groundwater Monitoring Event
RCRA 3008(h) Consent Order (RCRA-05-2010-0012) - Tecumseh Products Company

Date: June 28, 2012

cc: Roger Jackson, Tecumseh Products Company
Douglas McClure, Conlin, McKenney and Philbrick, PC

Project No.: 004304.0001.0000, Phase 2

Tecumseh Products Company (TPC) retained TRC Environmental Corporation (TRC), Inc., to investigate soil and groundwater conditions at the former TPC site located in Tecumseh, Michigan. TRC has been assisting TPC with investigative activities in accordance with the RCRA Administrative Order on Consent (“AOC”)(RCRA 05-2010-0012) for the site.

These investigation activities included the installation of 44 groundwater monitoring wells. Quarterly groundwater monitoring was initiated in December 2009. Quarterly sampling activities are conducted in accordance with the Quality Assurance Project Plan (QAPP) which was submitted to the United States Environmental Protection Agency (USEPA) for review in August 2010 and the Quarterly Sampling Plan described below. Quarterly monitoring was implemented to determine the nature and extent of volatile organic compounds (VOCs) in groundwater that exceed applicable and relevant Michigan Part 201 cleanup criteria and USEPA-approved groundwater screening levels for vapor intrusion, and to determine the stability of VOC concentrations in groundwater over time as required under paragraph 13(b) of the AOC.

Summary of the Quarterly Sampling Plan

The sampling plan is summarized below:

- Quarterly Monitoring
 - Collect static groundwater measurements at each of the groundwater monitoring wells. Note that monitoring well MW-09s was excavated during the installation of the permeable reactive barrier (PRB) in May 2011, and is no longer part of the monitoring program. Since that time, static water levels at monitoring wells PRB-01s and PRB-02s, which are part of

Technical Memorandum

the PRB monitoring network, have been collected in conjunction with regular quarterly monitoring to help define groundwater elevations and flow direction along the eastern perimeter of the site.

- Collect static water levels at each of the two gauge point locations on the River Raisin.
- Use low-flow sampling techniques to collect groundwater samples at all groundwater monitoring well locations, except at monitoring wells MW-08s, MW-10d, and MW-16s. The following field parameters are measured during groundwater sample collection: pH, specific conductivity, redox potential, dissolved oxygen, turbidity and temperature. Groundwater samples are submitted to the analytical laboratory for VOCs analysis.
- Collect a surface water sample from the wetland area for VOCs analysis.
- Semi-Annual Monitoring (conducted during the second and fourth quarters)
 - Conduct all quarterly monitoring as described above.
 - At a subset of the groundwater monitoring wells (MW-01s, MW-03s, MW-04s, MW-06s, MW-10s, MW-14d, MW-17s, MW-18s, MW-19s, MW-19d, MW-21, MW-23, MW-24s, MW-24d, MW-27s, MW-27d, MW-32s, MW-33s, and MW-34s), collect samples for analysis of monitored natural attenuation (MNA) parameters: chloride, nitrate, sulfate and ferrous iron.
 - Previous semi-annual monitoring included the collection of drinking water samples from private wells identified in and around the area of VOC-affected groundwater for VOCs analysis. A groundwater use ordinance, restricting the use of private wells within the area of VOC-affected groundwater was passed by the City of Tecumseh during the second quarter of 2011. These wells were decommissioned in December 2011 and are no longer part of the monitoring program; properties not previously connected to municipal water were connected prior to well decommissioning in November 2011.

This sampling plan was developed to determine the nature and extent of groundwater contamination at and emanating from the facility, and also to assist in demonstrating stability of VOC concentrations in groundwater per paragraph 13(b) of the AOC. As such, sampling activities are conducted in accordance with the QAPP which was submitted to the USEPA for review in August 2010, and VOC data are evaluated based on level 4 data quality objectives. Once the stability of chlorinated VOCs in groundwater has been assessed using appropriate statistical methods, the sampling plan (*e.g.* sample locations, frequency, and data quality objectives) may be modified to reflect changing project objectives.

Summary of Field Activities

TRC conducted the second quarter sampling activities between April 2, 2012 and April 9, 2012 in accordance with the sampling plan described above. Samples were analyzed by TriMatrix Laboratories, Inc. (TriMatrix). Sample locations are shown on Figure 1. Static water elevations are provided in Table 1. Field-collected data (pH, specific conductivity, redox potential, dissolved oxygen, turbidity and temperature) are provided in Table 2. Laboratory analytical data are provided

Technical Memorandum

in Attachment 1 (Second Quarter 2012 Analytical Data). A summary of detected VOCs is included as Table 3, and a summary of MNA parameters is included as Table 4.

Evaluation of Groundwater Chemical Data

Water chemistry data are summarized in Tables 2, 3, and 4. The constituents of concern at the site are chlorinated VOCs (CVOCs), specifically trichloroethene (TCE), 1,1,1-trichloroethane (TCA) and their breakdown products (cis-1,2-dichloroethene [cis-DCE] and vinyl chloride). The highest concentrations of TCE (>1,000 micrograms per liter [ug/L]) are found in the north at monitoring wells MW-4s and MW-32s and in the south at monitoring wells MW-34s and MW-1s and along the eastern site perimeter near the location of abandoned monitoring well MW-9s. The highest concentrations of TCA (>400 ug/L) are found at monitoring wells MW-1s and MW-34s in the south. The highest concentrations of degradation products (>1,000 ug/L) are found downgradient of the northern source area at monitoring wells MW-3s and MW-4s.

CVOC concentrations were compared to Michigan Department of Environmental Quality (MDEQ) Part 201 criteria (Remediation and Redevelopment Division, Operational Memorandum No. 1, January 23, 2006, as amended March 25, 2011) and groundwater screening levels (GWSLs) for vapor intrusion. Figure 2 shows the horizontal extent of VOCs above relevant Part 201 criteria. No new exceedences of Part 201 criteria or residential GWSLs were identified.

On June 21, 2012, TRC submitted a report titled "Statistical Evaluation of Groundwater Stability". This evaluation was prepared to support completion of RCRA Form CA750, Documentation of Environmental Indicator Determination – Migration of Contaminated Groundwater Under Control (Contaminated Groundwater Under Control EI Determination), for the former Tecumseh Products Company Site located in Tecumseh, Michigan, pursuant to the requirements of paragraph 13(b) of the AOC. The groundwater stability evaluation was conducted using quarterly groundwater monitoring data from 40 monitoring wells (previously 41 monitoring wells), including 14 upgradient/sidegradient wells, 12 on-site monitoring wells (including MW-09s which was excavated during installation of the permeable reactive barrier), and 15 downgradient wells. Groundwater chemistry data collected between March 2009 and April 2012 were used to conduct intra-well data comparisons and trend analysis for the evaluation of groundwater stability. A minimum of 8 sample events have been conducted at each monitoring location. Statistical evaluation and analysis was performed on compounds that have been detected above Michigan Part 201 residential drinking water criteria at one or more of the 41 monitoring locations: PCE, TCE, 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, vinyl chloride, 1,1,1-TCA, and 1,1-DCA.

For 322 of the 328 parameter-well combinations evaluated, the trend was downward or stable. Using Mann-Kendall trend analysis, statistically significant trends were identified for 21 parameter-well combinations: 6 upward trends and 15 downward trends. Using Sen's slope trend analysis, statistically significant trends were identified for 18 parameter-well combinations: 6 upward trends and 12 downward trends. All of the trends identified using Sen's slope trend tests were also identified using Mann-Kendall trend tests. This evaluation concludes that overall, the plume is stable.

Technical Memorandum

The few parameter-well combinations that had increasing concentrations represent local variability in groundwater flow and transport or the represent increases in breakdown products of TCA and TCE caused by natural reductive dechlorination. See the "Statistical Evaluation of Groundwater Stability" Report for further information.

Groundwater Flow Rate and Direction

The groundwater elevation data collected in April 2012 were used to construct a groundwater contour map and to determine the direction of groundwater flow and hydraulic gradient within the unconsolidated sand underlying the site (Figure 3). Three years of quarterly water level data (March 2009 through April 2012) have been collected (Table 1), and the depth to groundwater and the direction of groundwater flow are generally consistent during this period. Groundwater flow at the former TPC site and surrounding study area is generally east toward the River Raisin, the nearest body of water, located 1,500 to 2,500 feet east of the site. The River Raisin is the regional discharge feature for groundwater beneath the former TPC site. A mean horizontal hydraulic gradient of 0.001 was measured across the former TPC property. Data from *in situ* hydraulic conductivity tests indicate that the hydraulic conductivity of the unconfined sand and gravel aquifer ranges from 0.014 to 0.077 centimeters per second (cm/s), consistent with a sand and gravel aquifer. Assuming a porosity of 0.3, the resultant estimated groundwater velocity ranges from 4.7×10^{-5} to 2.6×10^{-4} cm/s (48 to 265 feet per year).

The vertical hydraulic gradient in the upper sand/gravel aquifer was evaluated at eight of the ten nested well pairs (MW-10s/d, MW-12s/d, MW-19s/d, MW-20s/d, MW-24s/d, MW-27s/d, MW-28s/d, and MW-30s/d). Because water at monitoring well MW-14s is perched with an unsaturated zone between monitoring well MW-14s and monitoring well MW-14d, the vertical gradient at this nested well pair was not evaluated. At well pairs MW-19s/d, MW-24s/d, and MW-28s/d along the western (upgradient) portion of the site, the measured vertical hydraulic was essentially neutral (ranging from -0.0005 to 0.0033). Northeast of the site the hydraulic gradient varied from downward at well pairs MW-29s/d (-0.062) and MW-12s/d (-0.016) to near neutral at well pair MW-30s/d (0.0069). At well pairs MW-10s/d, MW-20s/d, and MW-27s/d east/southeast (downgradient) of the site, a downward hydraulic gradient ranging from (-0.20 to -0.68) was measured, with the downward hydraulic gradient increasing to the south. This significant vertical downward gradient in the upper sand/gravel aquifer east/southeast of the site is the result of a higher conductivity sand and gravel deposit that underlies the sand deposit and a significant change in surface topography.

The surface topography drops steeply downgradient of the site from an approximate elevation of 780 feet above mean sea level (ft MSL) to an approximate elevation of 750 ft MSL in the wetland area adjacent to the River Raisin. East of the site, in proximity to the change in surface elevation, the horizontal hydraulic gradient increases (Figure 3). East/southeast of the site, the presence of discontinuous gravel and/or sand with gravel units that are more conductive than the bulk of the sand aquifer facilitates the decrease in static water elevation. Vertical groundwater movement is impeded by the continuous clay layer underlying the gravel deposit.

Technical Memorandum

VOCs in Surface Water

Water chemistry data for the wetland sample (WL-01) and the Blood Road bridge seep sample (SEEP) collected in April 2012 can be found in Attachment 1. No VOCs were detected at either surface water sample location.

Data Quality Assurance

Field Data

Field data were reviewed in accordance with the QAPP. TRC field personnel collected water levels and water quality data (pH, specific conductivity, redox potential, dissolved oxygen, turbidity and temperature) consistent with the quarterly sampling plan described above. No problems were noted. The data quality objectives for the field data were met, and the data are usable.

Laboratory Data

Forty-five water samples, including 3 duplicates, were collected by TRC between April 2, 2012 and April 9, 2012. Samples were analyzed by TriMatrix, located in Grand Rapids, Michigan for VOCs by USEPA Method 8260B following protocols specified in the QAPP. TRC performed data validation on the VOC laboratory data. Overall, the data quality objectives and laboratory completeness goals for the project were met, and the data are usable. The procedures specified in the methods were implemented, and the data package contained all of the deliverables necessary for validation of the analytical data. The complete laboratory data validation report is included in Attachment 2.

Technical Memorandum

Tables

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-01s	796.53	3/16/2009	16.13	780.40
		4/20/2009	15.95	780.58
		6/4/2009	16.14	780.39
		12/7/2009	17.34	779.19
		3/23/2010	17.58	778.95
		5/10/2010	17.40	779.13
		9/2/2010	17.55	778.98
		12/10/2010	18.13	778.40
		2/14/2011	18.45	778.08
		4/25/2011	17.53	779.00
		7/19/2011	16.89	779.64
		10/3/2011	17.30	779.23
1/3/2012	16.70	779.83		
4/2/2012	16.46	780.07		
MW-02s	802.14	3/16/2009	21.94	780.20
		4/20/2009	21.60	780.54
		6/4/2009	21.53	780.61
		12/7/2009	22.87	779.27
		3/23/2010	23.27	778.87
		5/10/2010	23.10	779.04
		9/2/2010	23.00	779.14
		12/10/2010	23.64	778.50
		2/14/2011	24.04	778.10
		4/25/2011	23.23	778.91
		7/19/2011	22.48	779.66
		10/3/2011	22.78	779.36
1/3/2012	22.30	779.84		
4/2/2012	21.96	780.18		
MW-03s	787.00	3/16/2009	7.63	779.37
		4/20/2009	7.45	779.55
		6/4/2009	7.63	779.37
		12/7/2009	8.57	778.43
		3/23/2010	8.79	778.21
		5/10/2010	8.60	778.40
		9/2/2010	8.70	778.30
		12/10/2010	9.20	777.80
		2/14/2011	9.58	777.42
		4/25/2011	8.71	778.29
		7/19/2011	8.26	778.74
		10/3/2011	8.51	778.49
1/3/2012	8.09	778.91		
4/2/2012	7.85	779.15		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-04s	794.42	3/16/2009	14.64	779.78
		4/20/2009	14.40	780.02
		6/4/2009	14.48	779.94
		12/7/2009	15.65	778.77
		3/23/2010	12.91*	781.51*
		5/10/2010	15.80	778.62
		9/2/2010	15.80	778.62
		12/10/2010	16.40	778.02
		2/14/2011	16.75	777.67
		4/25/2011	15.90	778.52
		7/19/2011	15.26	779.16
		10/3/2011	15.54	778.88
1/3/2012	15.09	779.33		
4/2/2012	14.80	779.62		
MW-05s	805.59	3/16/2009	24.73	780.86
		4/20/2009	24.40	781.19
		6/4/2009	24.41	781.18
		12/7/2009	25.77	779.82
		3/23/2010	26.16	779.43
		5/10/2010	26.00	779.59
		9/2/2010	26.00	779.59
		12/10/2010	26.62	778.97
		2/14/2011	26.95	778.64
		4/25/2011	26.20	779.39
		7/19/2011	25.29	780.30
		10/3/2011	25.74	779.85
1/3/2012	25.19	780.40		
4/2/2012	24.86	780.73		
MW-06s	803.73	3/16/2009	23.26	780.47
		4/20/2009	22.85	780.88
		6/4/2009	22.72	781.01
		12/7/2009	24.18	779.55
		3/23/2010	24.65	779.08
		5/10/2010	24.58	779.15
		9/2/2010	24.35	779.38
		12/10/2010	24.99	778.74
		2/14/2011	25.40	778.33
		4/25/2011	24.64	779.09
		7/19/2011	23.80	779.93
		10/3/2011	24.05	779.68
1/3/2012	23.61	780.12		
4/2/2012	23.23	780.50		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-07s	804.40	3/16/2009	23.85	780.55
		4/20/2009	23.40	781.00
		6/4/2009	23.24	781.16
		12/7/2009	24.75	779.65
		3/23/2010	25.19	779.21
		5/10/2010	25.08	779.32
		9/2/2010	25.00	779.40
		12/10/2010	25.59	778.81
		2/14/2011	25.53	778.87
		4/25/2011	25.18	779.22
		7/19/2011	24.32	780.08
		10/3/2011	24.64	779.76
1/3/2012	24.20	780.20		
4/2/2012	23.82	780.58		
MW-08s	804.39	3/16/2009	23.61	780.78
		4/20/2009	23.30	781.09
		6/4/2009	23.24	781.15
		12/7/2009	24.61	779.78
		3/23/2010	25.00	779.39
		5/10/2010	25.06	779.33
		9/2/2010	24.80	779.59
		12/10/2010	25.47	778.92
		2/14/2011	25.79	778.60
		4/25/2011	25.00	779.39
		7/19/2011	24.18	780.21
		10/3/2011	24.59	779.80
1/3/2012	24.06	780.33		
4/2/2012	23.73	780.66		
MW-09s	783.97	3/16/2009	4.46	779.51
		4/20/2009	4.30	779.67
		6/4/2009	4.63	779.34
		12/7/2009	5.65	778.32
		3/23/2010	5.78	778.19
		5/10/2010	5.60	778.37
		9/2/2010	5.85	778.12
		12/10/2010	6.98	776.99
		3/1/2011	6.04	777.93
		4/25/2011	5.48	778.49
		7/19/2011	Well Removed	
		10/3/2011	Well Removed	
1/3/2012	Well Removed			
4/2/2012	Well Removed			

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-10s	788.65	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	10.46	778.19
		12/7/2009	11.57	777.08
		3/23/2010	11.55	777.10
		5/10/2010	11.20	777.45
		9/2/2010	11.85	776.80
		12/10/2010	12.15	776.50
		2/14/2011	12.46	776.19
		4/25/2011	11.09	777.56
		7/19/2011	11.34	777.31
		10/3/2011	11.54	777.11
		1/3/2012	10.76	777.89
4/2/2012	10.60	778.05		
MW-10d	788.40	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	12.10	776.30
		3/23/2010	11.98	776.42
		5/10/2010	11.60	776.80
		9/2/2010	12.41	775.99
		12/10/2010	12.68	775.72
		2/14/2011	12.99	775.41
		4/25/2011	11.48	776.92
		7/19/2011	12.05	776.35
		10/3/2011	12.30	776.10
		1/3/2012	11.50	776.90
4/2/2012	11.57	776.83		
MW-11s	809.64	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	28.09	781.55
		12/7/2009	29.69	779.95
		3/23/2010	30.29	779.35
		5/10/2010	30.20	779.44
		9/2/2010	29.90	779.74
		12/10/2010	30.49	779.15
		2/14/2011	30.95	778.69
		4/25/2011	30.21	779.43
		7/19/2011	29.43	780.21
		10/3/2011	29.50	780.14
		1/3/2012	29.15	780.49
4/2/2012	28.75	780.89		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-12s	790.90	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	12.40	778.50
		12/7/2009	13.67	777.23
		3/23/2010	14.06	776.84
		5/10/2010	13.90	777.00
		9/2/2010	13.85	777.05
		12/10/2010	14.34	776.56
		2/14/2011	14.70	776.20
		4/25/2011	13.95	776.95
		7/19/2011	13.34	777.56
		10/3/2011	13.61	777.29
1/3/2012	13.06	777.84		
4/2/2012	12.75	778.15		
MW-12d	790.48	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	13.93	776.55
		5/10/2010	13.81	776.67
		9/2/2010	12.70	777.78
		12/10/2010	14.23	776.25
		2/14/2011	14.61	775.87
		4/25/2011	13.90	776.58
		7/19/2011	13.24	777.24
		10/3/2011	13.49	776.99
1/3/2012	13.01	777.47		
4/2/2012	12.66	777.82		
MW-13s	787.35	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	14.88	772.47
		12/7/2009	15.81	771.54
		3/23/2010	15.82	771.53
		5/10/2010	15.50	771.85
		9/2/2010	15.70	771.65
		12/10/2010	16.15	771.20
		2/14/2011	16.89	770.46
		4/25/2011	15.50	771.85
		7/19/2011	15.21	772.14
		10/3/2011	15.69	771.66
1/3/2012	15.20	772.15		
4/2/2012	14.94	772.41		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-14s	780.67	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	5.12	775.55
		12/7/2009	6.20	774.47
		3/23/2010	3.62	777.05
		5/10/2010	3.60	777.07
		9/2/2010	7.05	773.62
		12/10/2010	6.80	773.87
		2/14/2011	6.36	774.31
		4/25/2011	2.43	778.24
		7/19/2011	5.88	774.79
		10/3/2011	6.29	774.38
1/3/2012	2.90	777.77		
4/2/2012	4.11	776.56		
MW-14d	780.51	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	29.97	750.54
		5/10/2010	29.85	750.66
		9/2/2010	30.10	750.41
		12/10/2010	30.19	750.32
		2/14/2011	30.28	750.23
		4/25/2011	29.73	750.78
		7/19/2011	29.78	750.73
		10/3/2011	30.06	750.45
1/3/2012	29.51	751.00		
4/2/2012	29.56	750.95		
MW-15s	811.72	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	29.59	782.13
		12/7/2009	31.09	780.63
		3/23/2010	31.48	780.24
		5/10/2010	31.50	780.22
		9/2/2010	31.25	780.47
		12/10/2010	32.03	779.69
		2/14/2011	32.33	779.39
		4/25/2011	31.63	780.09
		7/19/2011	30.61	781.11
		10/3/2011	31.10	780.62
1/3/2012	30.61	781.11		
4/2/2012	30.21	781.51		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-16s	782.90	3/16/2009	NI	NI
		4/20/2009	NI	NI
		7/23/2009	Dry	NM
		12/7/2009	Dry	NM
		3/23/2010	Dry	NM
		5/10/2010	Dry	NM
		9/2/2010	Dry	NM
		12/10/2010	Dry	NM
		2/14/2011	Dry	NM
		4/25/2011	Dry	NM
		7/21/2011	Dry	NM
		10/3/2011	Dry	NM
		1/3/2012	Dry	NM
4/2/2012	Dry	NM		
MW-17s	754.49	3/16/2009	NI	NI
		4/20/2009	NI	NI
		7/23/2009	5.33	749.16
		12/7/2009	5.40	749.09
		3/23/2010	5.25	749.24
		5/10/2010	5.18	749.31
		9/2/2010	5.50	748.99
		12/10/2010	5.44	749.05
		2/14/2011	5.41	749.08
		4/25/2011	5.05	749.44
		7/21/2011	5.31	749.18
		10/3/2011	5.40	749.09
		1/3/2012	5.02	749.47
4/2/2012	5.02	749.47		
MW-18s	805.49	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	25.66	779.83
		3/23/2010	26.02	779.47
		5/10/2010	25.95	779.54
		9/2/2010	25.80	779.69
		12/10/2010	26.50	778.99
		2/14/2011	26.82	778.67
		4/25/2011	26.10	779.39
		7/19/2011	25.31	780.18
		10/3/2011	25.61	779.88
		1/3/2012	25.07	780.42
4/2/2012	24.77	780.72		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-19s	803.92	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	24.05	779.87
		3/23/2010	24.26	779.66
		5/10/2010	24.25	779.67
		9/2/2010	24.25	779.67
		12/10/2010	24.91	779.01
		2/14/2011	25.20	778.72
		4/25/2011	24.38	779.54
		7/19/2011	23.58	780.34
		10/3/2011	24.08	779.84
1/3/2012	23.43	780.49		
4/2/2012	23.16	780.76		
MW-19d	804.04	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	24.17	779.87
		3/23/2010	24.41	779.63
		5/10/2010	24.35	779.69
		9/2/2010	24.40	779.64
		12/10/2010	25.03	779.01
		2/14/2011	25.34	778.70
		4/25/2011	24.50	779.54
		7/19/2011	23.70	780.34
		10/3/2011	24.18	779.86
1/3/2012	23.54	780.50		
4/2/2012	23.23	780.81		
MW-20s	783.16	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	4.85	778.31
		3/23/2010	4.97	778.19
		5/10/2010	4.80	778.36
		9/2/2010	5.00	778.16
		12/10/2010	5.53	777.63
		2/14/2011	5.81	777.35
		4/25/2011	4.86	778.30
		7/19/2011	4.38	778.78
		10/3/2011	4.73	778.43
1/3/2012	4.11	779.05		
4/2/2012	3.96	779.20		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-20d	783.29	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	11.98	771.31
		3/23/2010	12.62	770.67
		5/10/2010	12.80	770.49
		9/2/2010	14.10	769.19
		12/10/2010	14.91	768.38
		2/14/2011	15.17	768.12
		4/25/2011	14.55	768.74
		7/19/2011	14.57	768.72
		10/3/2011	11.28	772.01
1/3/2012	13.71	769.58		
4/2/2012	13.68	769.61		
MW-21	780.85	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	29.69	751.16
		3/23/2010	29.51	751.34
		5/10/2010	29.35	751.50
		9/2/2010	29.60	751.25
		12/10/2010	29.75	751.10
		2/14/2011	29.87	750.98
		4/25/2011	29.34	751.51
		7/19/2011	29.19	751.66
		10/3/2011	29.54	751.31
1/3/2012	28.91	751.94		
4/2/2012	29.00	751.85		
MW-22	782.62	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	24.62	758.00
		3/23/2010	24.88	757.74
		5/10/2010	24.88	757.74
		9/2/2010	25.15	757.47
		12/10/2010	25.03	757.59
		2/14/2011	24.91	757.71
		4/25/2011	24.76	757.86
		7/21/2011	24.98	757.64
		10/3/2011	24.96	757.66
1/3/2012	24.86	757.76		
4/2/2012	24.85	757.77		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-23	787.10	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	9.27	777.83
		3/23/2010	9.50	777.60
		5/10/2010	9.45	777.65
		9/2/2010	9.45	777.65
		12/10/2010	9.97	777.13
		2/14/2011	10.32	776.78
		4/25/2011	9.47	777.63
		7/19/2011	9.00	778.10
		10/3/2011	9.20	777.90
		1/3/2012	8.68	778.42
4/2/2012	8.41	778.69		
MW-24s	797.83	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	19.10	778.73
		3/23/2010	19.49	778.34
		5/10/2010	19.37	778.46
		9/2/2010	19.30	778.53
		12/10/2010	19.83	778.00
		2/14/2011	20.24	777.59
		4/25/2011	19.43	778.40
		7/19/2011	18.73	779.10
		10/3/2011	19.04	778.79
		1/3/2012	18.45	779.38
4/2/2012	18.03	779.80		
MW24d	797.93	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	19.20	778.73
		3/23/2010	19.58	778.35
		5/10/2010	19.45	778.48
		9/2/2010	19.35	778.58
		12/10/2010	19.95	777.98
		2/14/2011	20.31	777.62
		4/25/2011	19.52	778.41
		7/19/2011	18.85	779.08
		10/3/2011	19.15	778.78
		1/3/2012	18.60	779.33
4/2/2012	18.14	779.79		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-25s	798.23	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	18.77	779.46
		3/23/2010	18.97	779.26
		5/12/2010	18.80	779.43
		9/2/2010	19.00	779.23
		12/10/2010	19.60	778.63
		2/14/2011	19.90	778.33
		4/25/2011	18.96	779.27
		7/19/2011	18.31	779.92
		10/3/2011	18.76	779.47
1/3/2012	18.11	780.12		
4/2/2012	17.87	780.36		
MW-26s	805.73	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		4/6/2010	26.10	779.63
		5/10/2010	26.00	779.73
		9/2/2010	26.00	779.73
		12/10/2010	26.68	779.05
		2/14/2011	26.95	778.78
		4/25/2011	26.11	779.62
		7/19/2011	25.31	780.42
		10/3/2011	25.80	779.93
1/3/2012	25.15	780.58		
4/2/2012	24.92	780.81		
MW-27s	781.39	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	3.12	778.27
		5/10/2010	2.83	778.56
		9/2/2010	3.15	778.24
		12/10/2010	3.58	777.81
		2/14/2011	3.77	777.62
		4/25/2011	2.79	778.60
		7/19/2011	2.45	778.94
		10/3/2011	2.84	778.55
1/3/2012	2.31	779.08		
4/2/2012	2.30	779.09		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-27d	781.40	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	23.63	757.77
		5/10/2010	23.50	757.90
		9/2/2010	23.65	757.75
		12/10/2010	23.94	757.46
		2/14/2011	24.08	757.32
		4/25/2011	23.40	758.00
		7/19/2011	23.22	758.18
		10/3/2011	23.55	757.85
MW-28s	804.68	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	25.53	779.15
		5/10/2010	25.45	779.23
		9/2/2010	25.20	779.48
		12/10/2010	25.86	778.82
		2/14/2011	26.30	778.38
		4/25/2011	25.47	779.21
		7/19/2011	24.70	779.98
		10/3/2011	24.92	779.76
MW-28d	804.92	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	25.81	779.11
		5/10/2010	25.70	779.22
		9/2/2010	25.50	779.42
		12/10/2010	26.10	778.82
		2/14/2011	26.54	778.38
		4/25/2011	25.75	779.17
		7/19/2011	24.95	779.97
		10/3/2011	25.16	779.76
1/3/2012	24.71	780.21		
4/2/2012	24.33	780.59		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-29s	788.16	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	15.80	772.36
		5/10/2010	15.50	772.66
		9/2/2010	15.55	772.61
		12/10/2010	16.18	771.98
		2/14/2011	16.22	771.94
		4/25/2011	15.40	772.76
		7/19/2011	15.50	772.66
		10/3/2011	15.48	772.68
1/3/2012	11.30*	776.86*		
4/2/2012	14.92	773.24		
MW-29d	788.16	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	18.74	769.42
		5/10/2010	18.60	769.56
		9/2/2010	18.55	769.61
		12/10/2010	18.28	769.88
		2/14/2011	18.95	769.21
		4/25/2011	18.90	769.26
		7/19/2011	18.28	769.88
		10/3/2011	18.23	769.93
1/3/2012	18.16	770.00		
4/2/2012	17.75	770.41		
MW-30s	787.69	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	9.89	777.80
		5/10/2010	9.75	777.94
		9/2/2010	9.90	777.79
		12/10/2010	10.36	777.33
		2/14/2011	10.74	776.95
		4/25/2011	9.58	778.11
		7/19/2011	9.40	778.29
		10/3/2011	9.66	778.03
1/3/2012	9.08	778.61		
4/2/2012	8.88	778.81		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-30d	787.66	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	9.85	777.81
		5/10/2010	9.68	777.98
		9/2/2010	9.80	777.86
		12/10/2010	10.27	777.39
		2/14/2011	10.63	777.03
		4/25/2011	9.25	778.41
		7/19/2011	9.29	778.37
		10/3/2011	9.54	778.12
		1/3/2012	9.02	778.64
4/2/2012	8.75	778.91		
MW-31	782.36	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	NI	NI
		6/18/2010	32.60	749.76
		9/2/2010	33.00	749.36
		12/10/2010	33.03	749.33
		2/14/2011	33.03	749.33
		4/25/2011	31.62	750.74
		7/21/2011	32.76	749.60
		10/3/2011	32.91	749.45
		1/3/2012	32.51	749.85
4/2/2012	32.57	749.79		
MW-32s	802.59	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	NI	NI
		6/18/2010	NI	NI
		9/17/2010	23.45	779.14
		12/10/2010	23.96	778.63
		2/14/2011	24.35	778.24
		4/25/2011	23.54	779.05
		7/19/2011	22.81	779.78
		10/3/2011	23.15	779.44
		1/3/2012	21.59*	781.00*
4/2/2012	22.33	780.26		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
MW-33s	799.49	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	NI	NI
		6/18/2010	NI	NI
		9/17/2010	20.62	778.87
		12/10/2010	21.11	778.38
		2/14/2011	21.36	778.13
		4/25/2011	20.68	778.81
		7/19/2011	19.95	779.54
		10/3/2011	19.30*	780.19*
1/3/2012	19.77	779.72		
4/2/2012	19.50	779.99		
MW-34s	802.78	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	NI	NI
		3/23/2010	NI	NI
		6/18/2010	NI	NI
		9/17/2010	23.60	779.18
		12/10/2010	24.15	778.63
		2/14/2011	24.49	778.29
		4/25/2011	23.63	779.15
		7/19/2011	22.89	779.89
		10/3/2011	23.35	779.43
1/3/2012	22.70	780.08		
4/2/2012	22.43	780.35		
PRB-01s	784.06	7/19/2011	5.49	778.57
		10/3/2011	5.85	778.21
		1/3/2012	5.20	778.86
		4/2/2012	5.10	778.96
PRB-02s	784.07	7/19/2011	5.52	778.55
		10/3/2011	5.82	778.25
		1/3/2012	5.20	778.87
		4/2/2012	5.06	779.01

Notes:

- Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)
- ft MSL - feet above mean sea level
- ft BTOC - feet below top of casing
- NI - Not installed at time of measurement
- Dry - Insufficient groundwater present for measurement
- NM - Not measured
- * Measured depth to water is anomalous. Datum was not used.

Table 1
Groundwater and Surface Water Elevations
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Well Location	Top of Well Casing (ft MSL)	Measurement Date	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft MSL)
E. Chicago Blvd (River Raisin)	756.50	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	14.00	742.51
		3/23/2010	13.32	743.18
		6/18/2010	13.42	743.08
		9/2/2010	14.90	741.60
		12/10/2010	13.89	742.61
		2/14/2011	14.46	742.04
		4/25/2011	11.50*	745.00
		7/19/2011	14.60	741.90
		10/3/2011	14.15	742.35
1/3/2012	13.17	743.33		
4/2/2012	13.87	742.63		
Russell Road (River Raisin)	755.23	3/16/2009	NI	NI
		4/20/2009	NI	NI
		6/4/2009	NI	NI
		12/7/2009	19.36	735.87
		3/23/2010	18.50	736.73
		6/18/2010	18.65	736.58
		9/2/2010	20.40	734.83
		12/10/2010	22.04	733.19
		2/14/2011	19.99	735.24
		4/25/2011	19.50	735.73
		7/19/2011	22.65	732.58
		10/3/2011	21.70	733.53
1/3/2012	20.75	734.48		
4/2/2012	18.96	736.27		

Notes:

Survey conducted to feet mean sea level by Midwestern Consultants, Inc. (2009 - 2010)

ft MSL - feet above mean sea level

ft BTOC - feet below top of casing

NI - Not installed at time of measurement

Dry - Insufficient groundwater present for measurement

NM - Not measured

* Measured depth to water is anomalous. Datum was not used.

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-01s	12/9/2009	7.29	499	161	5.68	18.3	12.64
	3/17/2010	6.40	521	84	2.4	30.1	13.34
	5/18/2010	7.45	631	110	2.1	10	11.9
	9/10/2010	NM	678	29	3.4	38	15.96
	12/28/2010	6.85	603	140	4.54	29.4	13.08
	2/25/2011	7.67	603	-5	6.80	29.6	11.22
	5/11/2011	6.48	611	121	1.80	20.0	12.59
	7/28/2011	7.61	720	-74	0.20	21.8	15.40
	10/6/2011	7.16	692	33.1	41.3*	0.50	15.60
	1/9/2012	7.04	628	67	3.11	0.00	13.43
4/4/2012	7.39	573	30	3.26	9.5	12.93	
MW-02s	12/9/2009	6.67	1,238	192	3.92	79.1	14.78
	3/17/2010	7.31	859	55	0.80	18.7	14.81
	5/18/2010	7.41	1,379	156	1.2	84	13.9
	9/10/2010	NM	1,413	35	1.6	49	16.16
	12/22/2010	6.97	1,500	28	2.82	33.0	14.90
	2/24/2011	7.06	1,450	-25	2.41	32.7	14.50
	5/10/2011	7.61	1,094	17	2.00	22.9	15.22
	7/28/2011	7.66	1,380	54	1.50	19.1	16.55
	10/7/2011	7.30	1,602	116.9	46.2*	6.08	15.48
	1/10/2012	7.11	2,120	119	2.98	1.30	14.43
4/5/2012	7.23	1,290	23	1.92	9.2	13.91	
MW-03s	12/8/2009	6.85	1,342	63	1.21	30.9	13.67
	3/17/2010	7.11	1,105	70	1.57	25.5	10.47
	5/18/2010	7.25	1,239	160	0.8	10	13.4
	9/10/2010	NM	1,320	11	0.5	39	18.70
	12/22/2010	6.96	1,298	24	0.44	31.9	13.42
	2/25/2011	6.82	1,466	38	0.80	25.2	8.84
	5/10/2011	7.15	1,199	39	1.55	21.5	11.00
	7/28/2011	7.14	1,347	50	0.93	19.5	17.83
	10/6/2011	6.80	1,294	63.0	28.8*	2.85	17.71
	1/10/2012	6.79	1,436	130	1.37	0.00	12.15
4/4/2012	6.99	1,453	37	1.11	9.3	10.84	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
Summary of Field Parameters in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-04s	12/9/2009	6.87	970	68	7.17	4.70	15.47
	3/17/2010	6.57	763	78	0.22	16.7	15.69
	5/18/2010	7.20	928	168	0.4	5.0	13.6
	9/17/2010	7.03	817	49	0.4	33.3	18.14
	12/22/2010	6.99	838	-10	0.32	29.9	16.41
	2/25/2011	7.06	795	-9	0.60	24.5	14.15
	5/11/2011	6.84	815	50	0.93	20.2	13.75
	7/28/2011	7.26	777	-10	0.67	18.3	17.98
	10/6/2011	6.94	721	-20.0	13.8*	1.00	18.60
	1/10/2012	6.87	770	20	0.53	0.00	16.03
4/4/2012	7.09	865	13	0.92	6.9	14.49	
MW-05s	12/10/2009	7.41	765	131	7.19	NM	10.18
	3/17/2010	7.51	678	20	3.24	39.0	12.80
	5/17/2010	7.70	920	134	1.8	10	11.8
	9/9/2010	NM	886	46	3.5	56	13.80
	12/21/2010	7.28	852	25	4.52	33.6	11.77
	2/24/2011	6.94	857	65	4.32	28.0	11.78
	5/13/2011	7.53	810	45	7.92	29.3	13.12
	7/27/2011	7.47	880	136	4.80	25.8	13.00
	10/10/2011	7.13	999	74.4	7.19	3.35	13.06
	1/9/2012	6.64	999	192	5.62	6.84	11.74
4/9/2012	7.43	972	47	5.94	11.0	12.73	
MW-06s	12/9/2009	7.18	635	171	2.32	22.0	11.72
	3/18/2010	7.40	856	0	0.85	28.5	12.94
	5/17/2010	7.77	768	86	0.7	39	12.6
	9/10/2010	NM	1,254	116	0.9	47	12.70
	12/21/2010	7.13	979	-8	1.19	32.0	12.38
	2/18/2011	6.74	977	35	0.83	27.3	12.51
	5/10/2011	7.47	870	31	1.60	25.0	12.47
	7/27/2011	7.17	1,175	150	1.68	22.0	13.64
	10/5/2011	6.53	1,183	93.8	31.9*	0.50	13.60
	1/9/2012	7.01	988	193	1.53	5.66	11.95
4/3/2012	7.36	1,220	30	1.95	9.0	12.69	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-07s	12/10/2009	7.27	822	95	3.41	NM	10.43
	3/17/2010	7.20	770	-2	1.69	22.9	11.91
	5/17/2010	7.73	930	151	1.5	10	11.8
	9/10/2010	NM	833	109	3.2	39	13.00
	12/21/2010	7.13	846	15	2.80	35.0	12.45
	2/24/2011	6.90	871	92	2.68	25.9	11.95
	5/13/2011	7.41	703	38	6.20	24.8	13.30
	7/27/2011	7.44	806	138	4.15	26.3	13.73
	10/10/2011	7.16	708	79.5	5.67	4.40	14.77
	1/9/2012	7.10	858	182	4.03	1.35	12.22
	4/9/2012	7.33	912	19	3.58	9.5	13.12
MW-08s	12/10/2009	7.49	828	119	8.60	NM	10.91
MW-09s	12/9/2009	7.14	661	172	6.32	15.7	11.63
	3/18/2010	7.34	436	121	4.75	44.5	7.32
	5/18/2010	7.56	506	206	3.0	19	10.4
	9/17/2010	7.29	709	58	2.5	46.7	16.92
	2/25/2011	7.45	663	11	6.39	30	6.58
	5/11/2011	7.57	395	87	12.13*	24.6	9.48
MW-10s	12/9/2009	7.01	825	-1	6.16	144	9.99
	3/16/2010	7.28	816	-24	0.17	38.0	7.79
	5/12/2010	5.99	570	223	0.4	28	8.1
	9/3/2010	NM	925	-29	0.3	56	16.10
	12/16/2010	6.95	1,293	-53	0.18	49.5	10.40
	2/15/2011	6.85	1,251	-4	0.68	39.5	7.70
	5/9/2011	7.30	509	-20	0.22	38.6	7.71
	7/20/2011	7.24	878	-22	0.11	21.0	14.35
	10/4/2011	7.00	810	24.5	4.3*	2.00	14.88
	1/4/2012	6.77	754	109	0.21	24.9	9.65
	4/2/2012	7.20	785	-26	0.26	10.5	8.35
MW-10d	12/9/2009	6.98	1,150	6	1.69	0.88	10.05

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
Summary of Field Parameters in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-11s	12/9/2009	7.14	969	140	8.59	27.2	10.18
	3/15/2010	7.31	632	83	7.05	199	11.43
	5/14/2010	6.89	728	195	2.7	85	12.1
	9/3/2010	NM	828	109	5.4	98	14.50
	12/17/2010	6.71	1,093	108	3.51	51.9	11.00
	2/17/2011	7.04	863	104	5.18	49.5	11.86
	5/12/2011	7.28	691	57	9.48	45.5	12.63
	7/22/2011	7.06	878	96	6.62	29.0	13.52
	10/7/2011	7.11	1,021	109.6	51.6*	6.40	12.68
	1/4/2012	6.96	930	122	5.81	28.5	11.34
4/5/2012	7.24	1,220	64	7.35	24.3	11.95	
MW-12s	12/10/2009	6.34	906	165	8.03	9.80	10.51
	3/15/2010	7.40	965	80	6.61	39.4	10.12
	5/14/2010	7.11	2,000	200	2.7	10	10.6
	9/3/2010	NM	1,650	108	5.4	46	16.30
	12/14/2010	6.97	1,371	34	6.61	35.3	11.70
	2/14/2011	NM	1,228	41	7.72	27.5	10.87
	5/12/2011	7.23	2,100	37	9.25	27.3	11.73
	7/20/2011	6.89	1,580	149	6.69	24.5	13.80
	10/7/2011	7.21	1,016	84.0	59.0*	5.35	15.60
	1/4/2012	6.94	1,201	123	4.35	21.6	12.01
4/6/2012	6.97	1,142	40	6.06	9.3	10.43	
MW-12d	3/18/2010	7.14	1,780	-94	0.23	59.2	12.07
	5/14/2010	7.19	1,880	-46	0.2	15	12.2
	9/3/2010	NM	2,200	-93	0.3	110	15.60
	12/14/2010	6.96	2,250	-91	0.30	32.8	7.60
	2/14/2011	6.84	2,370	-79	0.24	25.3	11.10
	5/12/2011	7.14	2,450	-96	0.95	25.5	14.78
	7/20/2011	6.97	2,450	-62	0.13	21.0	14.36
	10/7/2011	7.12	1,568	31.0	17.5*	6.50	14.89
	1/4/2012	6.94	2,040	-50	0.11	22.0	10.96
4/6/2012	7.00	1,800	-75	0.70	9.7	11.77	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-13s	12/10/2009	6.51	1,264	122	3.26	9.70	11.24
	3/15/2010	7.05	1,760	75	2.38	44.0	10.87
	5/14/2010	7.00	2,810	87	1.5	10	11.4
	9/3/2010	NM	2,170	71	2.6	44	15.70
	12/14/2010	6.85	2,050	18	4.70	45.2	11.30
	2/14/2011	6.80	1,870	8	9.32	261	8.86
	5/12/2011	7.23	2,010	20	8.30	37	12.68
	7/20/2011	6.91	2,610	77	4.79	22.6	15.59
	10/10/2011	6.78	1,976	114.9	3.49	4.79	14.74
	1/4/2012	6.74	2,160	50	3.04	23.4	12.10
4/9/2012	6.93	2,240	164	6.52	9.0	10.30	
MW-14s	12/8/2009	7.04	1,251	52	1.26	9.44	11.69
	3/15/2010	7.39	610	-7	4.83	29.9	6.63
	5/12/2010	6.96	733	197	3.0	4.5	9.9
	9/3/2010	NM	1,338	57	0.5	35	19.50
	12/20/2010	6.56	2,020	54	0.70	30.2	9.25
	2/16/2011	7.02	1,373	146	4.15	25.9	6.62
	5/11/2011	7.39	844	45	6.49	24.0	11.80
	7/21/2011	7.11	912	48	0.80	18.0	19.55
	10/7/2011	6.94	1,215	124.8	14.7*	0.23	16.85
	1/4/2012	7.08	837	49	2.67	22.3	8.08
4/5/2012	7.25	667	14	3.46	9.5	9.13	
MW-14d	3/23/2010	7.29	1,151	30	1.18	73.6	11.70
	5/14/2010	7.44	1,324	95	0.9	65	12.9
	9/3/2010	NM	1,371	81	1.2	58	14.30
	12/16/2010	6.91	1,397	45	0.88	57.9	10.90
	2/16/2011	7.01	1,403	114	0.94	32.3	11.06
	5/9/2011	7.15	1,278	46	2.56	39.9	12.32
	7/21/2011	7.24	1,264	75	1.55	37.5	14.84
	10/4/2011	7.18	974	145.7	12.0*	10.5	11.28
	1/4/2012	7.03	1,223	64	1.63	28.4	9.80
4/2/2012	7.15	1,241	29	1.40	17.8	12.03	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-15s	12/10/2009	7.07	456	150	9.35	33.7	9.76
	3/15/2010	6.85	448	93	7.07	57.9	11.03
	5/14/2010	7.50	621	131	2.4	52	12.8
	9/8/2010	NM	895	129	5.5	59	12.54
	12/17/2010	7.14	743	82	4.18	44.0	10.69
	2/17/2011	7.01	662	98	4.71	39.0	11.26
	5/12/2011	7.20	720	48	5.83	25.0	11.95
	7/25/2011	7.04	1,043	123	4.92	20.0	13.24
	10/7/2011	6.95	622	129.4	48.7*	5.98	11.61
	1/5/2012	6.98	595	189	4.88	6.03	11.02
4/5/2012	7.20	741	54	4.03	12.9	11.71	
MW-16s	12/7/2009	NM	NM	NM	NM	NM	NM
	3/18/2010	NM	NM	NM	NM	NM	NM
	5/12/2010	NM	NM	NM	NM	NM	NM
	9/8/2010	NM	NM	NM	NM	NM	NM
	12/16/2010	NM	NM	NM	NM	NM	NM
2/15/2011	NM	NM	NM	NM	NM	NM	
MW-17s	12/7/2009	7.32	810	124	8.06	8.51	8.82
	3/18/2010	7.47	847	28	3.27	29.2	5.19
	5/12/2010	7.35	870	218	3.1	10	9.1
	9/8/2010	NM	1,136	115	4.6	58	15.34
	12/16/2010	7.25	903	28	5.88	59.2	7.74
	2/15/2011	7.35	1,028	15	10.07	43.3	5.10
	5/11/2011	7.39	890	47	6.31	29.6	9.72
	7/21/2011	7.02	1,119	146	6.80	19.4	14.80
	10/4/2011	6.93	816	117.0	50.5*	NM	14.05
1/5/2012	6.93	924	190	3.95	4.50	6.70	
4/2/2012	6.27	919	84	4.31	11.5	8.41	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
Summary of Field Parameters in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-18s	12/8/2009	7.31	1,043	56	4.52	79.2	11.59
	3/16/2010	6.08	732	107	1.14	97.7	11.82
	5/12/2010	7.82	1,990	208	2.3	10	11.3
	9/8/2010	NM	1,308	91	3.1	50	13.95
	12/20/2010	6.77	1,259	44	4.28	41.5	11.77
	2/17/2011	7.03	1,236	136	3.14	32.0	11.77
	5/9/2011	7.25	2,620	53	5.63	33.5	12.68
	7/22/2011	7.29	1,820	47	4.92	28.1	13.60
	10/5/2011	NM	1,164	110.8	33.2*	6.00	13.23
	1/5/2012	7.04	1,590	203	4.21	7.58	11.78
4/3/2012	7.29	1,840	38	5.65	32.0	11.56	
MW-19s	12/8/2009	6.82	1,065	53	2.73	15.6	12.37
	3/16/2010	7.15	895	6	1.95	20.2	12.66
	5/18/2010	6.63	971	150	0.6	10	11.6
	9/10/2010	NM	1,470	114	2.7	43	13.34
	12/20/2010	7.04	1,131	7	1.93	31.9	12.49
	2/18/2011	7.17	1,229	36	2.65	25.5	12.25
	5/10/2011	7.19	1,043	12	1.25	22.5	12.67
	7/25/2011	7.17	1,310	30	1.17	19.5	16.90
	10/5/2011	NM	990	-170.4	18.0*	0.50	14.10
	1/5/2012	6.89	1,302	194	2.53	1.50	11.89
4/3/2012	7.12	1,173	25	1.22	9.3	12.75	
MW-19d	12/8/2009	6.86	1,067	-84	0.71	66.6	10.99
	3/16/2010	7.00	913	-76	0.31	96.2	11.89
	5/12/2010	7.91	1,185	-30	0.4	23	11.7
	9/8/2010	NM	1,219	-103	0.2	80	15.75
	12/20/2010	7.18	1,162	-117	0.24	38.0	9.95
	2/18/2011	6.30	1,257	17	0.49	35.3	11.57
	5/10/2011	7.14	1,256	-120	0.26	64.2	12.78
	7/25/2011	7.20	1,293	-116	0.12	22.0	16.20
	10/5/2011	NM	985	-220	2.8*	0.50	15.10
	1/5/2012	7.09	1,041	-72	0.26	7.49	10.78
4/3/2012	7.22	1,143	-119	0.23	25.9	12.15	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-20s	12/10/2009	7.48	418	15	2.93	8.30	9.75
	3/17/2010	7.15	411	125	2.08	43.0	6.34
	5/18/2010	6.94	488	177	1.4	47	10.7
	9/10/2010	NM	512	109	1.0	42	18.03
	12/21/2010	7.04	553	94	1.11	35.7	9.63
	2/18/2011	7.58	599	34	1.60	29.7	7.17
	5/13/2011	7.47	550	29	5.98	26.9	10.20
	7/25/2011	7.45	487	38	2.48	19.9	17.50
	10/10/2011	7.14	478	57.2	1.65	4.86	17.25
	1/9/2012	7.22	528	204	3.06	3.25	9.15
4/9/2012	6.90	520	56	4.97	9.7	10.07	
MW-20d	12/10/2009	6.87	1,006	-41	0.82	0.77	11.18
	3/17/2010	6.98	928	-89	0.82	22.2	10.85
	5/18/2010	6.92	1,183	27	0.3	10	10.4
	9/10/2010	NM	1,184	-30	0.3	49	15.89
	12/21/2010	6.98	1,205	-110	0.19	34.7	11.08
	2/18/2011	7.38	1,216	-135	0.52	33.5	11.61
	5/13/2011	7.28	1,165	-118	0.26	37.0	12.70
	7/25/2011	7.24	1,155	-135	0.24	19.0	16.69
	10/10/2011	7.01	1,057	-73.0	1.30	0.50	14.87
	1/9/2012	6.98	1,106	-167	0.23	0.00	11.55
4/9/2012	7.21	1,127	-139	0.31	20.0	12.11	
MW-21	12/8/2009	7.12	1,049	36	4.43	15.7	11.30
	3/23/2010	7.29	1,002	41	3.48	24.9	12.81
	5/18/2010	7.15	1,134	220	1.8	8.0	12.2
	10/15/2010	6.91	1,160	180	4.2	29.3	13.03
	12/22/2010	7.11	1,084	21	5.00	34.3	11.87
	2/24/2011	6.99	1,243	-10	5.02	28.5	12.03
	5/11/2011	7.23	965	92	6.71	23.2	13.08
	7/28/2011	7.32	1,141	60	3.21	18.0	13.42
	10/6/2011	6.95	971	65.3	65.0*	0.39	13.18
	1/10/2012	6.90	1,105	103	3.94	3.00	12.31
4/4/2012	7.04	1,031	52	3.51	8.7	13.03	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-22	12/7/2009	5.73	1,220	190	1.75	4.85	9.62
	3/18/2010	7.37	1,010	-121	0.21	17.6	10.64
	5/18/2010	7.07	1,183	-7	0.3	9.2	9.2
	9/10/2010	NM	1,357	-114	0.2	41	11.12
	12/22/2010	7.00	1,304	-127	0.19	32.8	10.45
	2/24/2011	6.97	1,299	-139	0.38	33.2	10.03
	5/11/2011	7.24	1,066	-131	0.27	24.0	9.80
	7/21/2011	7.13	1,147	-107	0.16	22.7	11.25
	10/4/2011	6.72	981	-36.3	3.0*	4.00	10.90
	1/9/2012	6.95	1,163	-79	0.39	1.35	10.06
4/5/2012	6.63	1,156	-60	0.30	9.3	9.50	
MW-23	12/8/2009	6.63	1,520	-29	0.68	49.0	12.91
	3/16/2010	6.84	1,280	-76	0.25	86.5	10.97
	5/18/2010	7.02	1,600	18	0.2	10	10.6
	9/10/2010	NM	1,550	-87	0.2	44	16.15
	12/21/2010	6.99	1,540	-110	0.65	33.0	12.64
	2/18/2011	6.95	1,540	-127	0.30	37.4	12.23
	5/10/2011	7.17	1,424	-102	0.16	39.7	11.78
	7/25/2011	7.17	1,424	-98	0.10	23.0	13.85
	10/5/2011	7.00	1,050	-48.3	12.8*	4.0	15.92
	11/4/2011	5.64	1,709	NM	NM	4.94	14.70
1/9/2012	6.89	1,390	-77	0.24	3.00	13.12	
4/3/2012	7.10	1,413	-104	0.23	16.6	12.30	
MW-24s	12/8/2009	7.24	1,710	5	3.86	NM	13.10
	3/15/2010	7.49	1,142	-10	2.29	27.7	12.26
	5/12/2010	7.95	1,262	91	1.7	10	11.3
	9/8/2010	NM	1,495	54	3.2	43	16.10
	12/14/2010	6.76	1,308	152	2.04	32.5	10.85
	2/14/2011	NM	1,203	157	2.48	26.7	12.30
	5/9/2011	6.84	1,096	131	4.38	21.9	11.71
	7/19/2011	7.09	1,820	123	3.82	19.2	14.69
	10/4/2011	6.82	1,137	125.3	20.0*	1.00	14.66
	1/5/2012	7.10	1,087	70	3.81	3.78	13.33
4/2/2012	7.08	1,498	77	2.95	12.6	11.79	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-24d	12/8/2009	6.89	3,760	-65	0.58	NM	11.89
	3/15/2010	7.16	2,900	-73	0.73	30.4	12.57
	5/12/2010	7.63	3,600	-9	0.3	9.0	11.9
	9/8/2010	NM	3,360	114	1.4	44	17.3
	12/14/2010	6.76	4,140	-78	0.40	34.8	7.92
	2/14/2011	NM	4,050	-72	0.32	25.5	11.79
	5/9/2011	6.89	3,730	-75	0.22	24.5	13.19
	7/19/2011	6.92	3,910	-56	0.16	19.2	18.85
	10/4/2011	6.84	3,163	-3.0	2.9*	5.80	14.65
	1/5/2012	6.80	3,560	-53	0.23	0.00	11.85
4/2/2012	7.03	3,300	-76	0.39	15.0	11.96	
MW-25s	12/10/2009	7.08	743	71	0.93	31.3	11.01
	3/16/2010	7.09	830	38	1.49	23.8	11.69
	5/14/2010	7.72	1,066	118	0.8	52	11.8
	9/8/2010	NM	1,104	77	1.7	40	13.65
	12/22/2010	6.80	1,061	106	1.70	34.0	12.05
	2/24/2011	6.92	1,034	16	1.58	25.2	11.40
	5/13/2011	7.29	734	31	3.05	24.5	12.35
	7/28/2011	7.02	835	92	2.01	21.0	12.73
	10/10/2011	6.77	825	79.3	3.21	5.29	13.34
	1/5/2012	6.87	820	65	2.22	0.88	11.79
4/9/2012	7.11	877	65	3.98	14.8	11.92	
MW-26s	4/6/2010	6.09	1,116	140	0.31	16.2	13.08
	5/14/2010	7.81	1,024	-22	0.2	22	14.3
	9/8/2010	NM	1,128	-64	0.2	49	15.08
	12/17/2010	7.22	938	-86	0.15	31.0	11.06
	2/17/2011	6.37	951	91	0.75	63.5	12.29
	5/12/2011	7.01	953	-72	0.27	55.0	12.78
	7/25/2011	7.16	917	-76	0.21	19.5	15.85
	10/7/2011	6.99	1,005	-8.7	13.7*	2.67	12.55
	1/5/2012	6.93	1,264	-27	0.48	0.55	11.68
4/5/2012	5.96	942	88	0.23	11.5	12.60	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-27s	3/23/2010	7.38	1,198	-57	0.15	67.8	8.27
	5/17/2010	6.62	1,274	150	0.2	58	11.7
	9/9/2010	NM	1,660	-61	0.3	58	16.68
	12/20/2010	6.87	1,374	1	0.20	45.0	10.62
	2/16/2011	7.19	1,158	40	0.53	31.0	7.37
	5/9/2011	7.35	1,253	48	0.81	33.6	10.72
	7/21/2011	7.27	1,780	-34	0.16	29.0	18.90
	10/5/2011	6.10	1,268	8.4	2.3*	8.00	16.99
	1/6/2012	7.04	1,172	120	0.38	3.35	9.96
	4/3/2012	7.12	1,373	-31	0.24	12.6	9.71
MW-27d	3/23/2010	7.27	1,175	-108	0.21	23.9	12.79
	5/17/2010	6.90	1,429	127	0.3	3.0	12.7
	9/9/2010	NM	1,468	-12	0.4	35	12.89
	12/20/2010	7.01	1,510	-41	0.26	33.9	10.40
	2/16/2011	7.14	1,360	-102	0.29	30.4	12.45
	5/9/2011	7.26	1,363	-61	0.23	22.9	14.25
	7/22/2011	6.88	1,385	-41	0.36	20.0	15.10
	10/5/2011	6.23	1,231	3.0	3.3*	0.10	13.87
	1/6/2012	7.01	1,372	23	0.33	0.00	11.48
	4/3/2012	7.17	1,328	-20	0.84	9.6	12.03
MW-28s	3/23/2010	7.30	778	-1	1.93	22.2	11.50
	5/17/2010	7.48	1,260	148	1.5	10	12.1
	9/9/2010	NM	779	42	1.5	41	12.85
	12/17/2010	6.92	736	130	1.19	35.0	10.10
	2/16/2011	7.18	916	26	1.67	26.0	11.99
	5/12/2011	7.72	1,165	51	3.37	23.5	12.86
	7/22/2011	7.08	880	57	1.87	20.0	12.81
	10/7/2011	7.26	688	88.7	28.3*	2.84	13.08
	1/6/2012	7.12	833	99	2.05	0.55	11.87
4/6/2012	7.19	654	15	2.35	9.3	11.04	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-28d	3/23/2010	7.26	827	-81	0.31	31.9	11.41
	5/17/2010	7.38	926	148	0.5	16	13.2
	9/9/2010	NM	901	10	0.9	58	13.37
	12/17/2010	7.00	999	-129	0.15	34.9	10.20
	2/16/2011	7.26	936	-174	0.21	29.0	11.33
	5/12/2011	7.35	940	-144	0.24	39.5	14.75
	7/22/2011	7.10	967	-113	0.10	19.1	14.27
	10/7/2011	7.15	957	-53.3	11.8*	5.35	14.25
	1/6/2012	7.20	1,034	-101	0.32	8.68	10.85
	4/6/2012	7.23	1,029	-133	0.79	22.0	10.10
MW-29s	3/18/2010	7.05	2,820	-59	0.37	24.8	12.71
	5/17/2010	6.98	3,270	-16	0.2	18	12.8
	9/9/2010	NM	4,410	-107	0.3	35	16.30
	12/15/2010	6.61	6,020	-121	0.42	39.5	12.91
	2/15/2011	6.78	4,910	-241	0.34	33.9	12.65
	5/12/2011	6.78	3,900	-121	0.22	24.7	13.45
	7/20/2011	6.75	4,680	-80	0.15	23.0	15.55
	10/10/2011	6.30	5,620	-19.1	1.40	4.47	15.73
	1/6/2012	6.63	4,290	-220	0.28	1.50	14.52
	4/5/2012	6.90	4,250	-97	0.39	9.0	11.58
MW-29d	3/18/2010	7.24	1,182	-134	0.21	5,999	13.78
	5/17/2010	7.40	1,405	60	1.0	10	15.0
	9/9/2010	NM	1,437	6	0.6	35	19.35
	12/15/2010	6.99	1,570	-90	1.57	42.3	0.52
	2/15/2011	7.15	1,550	-202	0.30	1245	11.28
	5/12/2011	7.26	1,403	-54	6.65	40.5	21.01
	7/20/2011	7.03	1,482	-70	2.40	48.0	23.15
	10/10/2011	6.76	1,381	78.9	3.01	3.26	12.65
	1/6/2012	6.98	1,530	-42	1.30	0.00	11.76
4/6/2012	7.13	1,560	-131	1.69	23.0	6.85	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-30s	3/23/2010	7.03	2,120	-14	1.68	102	9.98
	5/17/2010	7.40	2,430	69	0.2	22	12.1
	9/9/2010	NM	1,840	-85	0.2	52	17.01
	12/16/2010	6.78	1,800	-95	0.34	51.0	13.60
	2/15/2011	7.01	1,740	-115	0.18	61.0	11.38
	5/13/2011	6.90	2,340	-34	0.40	30.0	11.25
	7/20/2011	6.94	1,780	-6	0.11	25.0	15.70
	10/10/2011	6.77	1,565	-8.3	1.21	5.74	16.60
	1/6/2012	6.82	2,450	5	0.28	5.00	13.58
	4/9/2012	6.89	2,040	-40	0.84	10.3	10.93
MW-30d	3/23/2010	6.92	1,670	-94	0.36	36.0	12.10
	5/17/2010	7.48	1,910	-5	0.2	44	13.6
	9/9/2010	NM	1,870	-98	0.2	52	16.35
	12/16/2010	6.88	1,830	-94	0.22	44.5	11.70
	2/15/2011	7.11	1,800	-146	0.78	40.3	12.60
	5/13/2011	7.03	1,740	-103	0.48	30.0	13.25
	7/20/2011	7.12	1,680	-88	0.18	28.9	16.40
	10/10/2011	6.87	1,546	-46.8	1.15	7.18	15.00
	1/6/2012	6.87	1,560	-68	0.23	0.00	13.90
	4/9/2012	7.01	1,570	-106	0.46	14.9	12.79
MW-31	6/18/2010	6.93	1,416	139	4.96	14.8	12.96
	9/17/2010	7.03	1,052	107	4.6	86.9	11.79
	12/22/2010	7.05	1,176	11	6.99	34.9	10.75
	2/24/2011	6.88	1,208	8	6.51	32.7	10.91
	5/11/2011	7.25	1,090	39	10.20	26.0	12.70
	7/21/2011	7.13	1,055	68	6.32	21.7	16.85
	10/4/2011	6.88	889	113.8	48.3*	4.08	12.10
	1/10/2012	6.91	1,102	128	5.95	0.00	11.36
4/5/2012	7.08	1,052	47	5.73	9.3	11.00	

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 2
 Summary of Field Parameters in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	pH	Conductivity	Redox Potential	Dissolved Oxygen	Turbidity	Temperature	
Units	S.U.	umhos/cm	mV	mg/L	NTU	°C	
MW-32s	9/17/2010	7.29	771	-20	0.31	46.8	17.52
	11/19/2010	7.08	800	-101	0.22	25.8	17.56
	12/28/2010	6.80	830	-62	0.24	31.5	17.20
	2/25/2011	7.14	868	-55	0.42	25.8	17.10
	5/10/2011	7.30	804	-85	0.64	21.7	17.22
	7/28/2011	7.40	804	-30	0.43	18.9	17.93
	10/6/2011	7.14	758	9.8	11.5*	1.00	17.32
	1/10/2012	7.02	819	-22	0.47	0.00	17.44
	4/4/2012	7.16	862	-20	0.42	15.0	16.66
MW-33s	9/17/2010	7.13	1,006	-95	0.48	39.2	16.55
	11/19/2010	6.79	1,059	-101	0.22	26.7	17.42
	12/22/2010	6.98	1,056	-128	0.30	33.4	17.55
	2/24/2011	7.00	991	-157	0.37	23.0	17.28
	5/10/2011	7.20	1,267	-100	1.31	24.4	16.23
	7/28/2011	7.26	1,188	-64	0.42	19.0	16.09
	10/6/2011	7.03	949	-51.3	12.0*	0.50	16.91
	1/9/2012	6.99	1,055	-70	0.28	0.50	17.91
	4/4/2012	7.06	1,005	-91	0.35	9.0	16.09
MW-34s	9/17/2010	7.40	562	21	3.83	44.2	16.02
	11/19/2010	7.22	580	27	4.30	30.0	16.07
	12/28/2010	7.08	585	21	5.68	32.5	15.70
	2/25/2011	7.40	630	-15	5.31	25.5	15.55
	5/10/2011	7.53	677	10	7.19	21.7	15.52
	7/28/2011	7.61	600	48	3.90	19.0	16.16
	10/6/2011	7.24	564	78	69.0*	4.85	15.80
	1/10/2012	7.13	652	98	4.97	5.28	15.59
	4/4/2012	7.32	647	25	4.95	8.0	14.68

Notes:

S.U. = standard pH units

umhos/cm = micromhos per centimeter

mV = millivolts

mg/L = milligrams per liter

NTU = nephelometric turbidity units

°C = degrees Celsius

* = Dissolved oxygen measurement recorded in percent of saturation, not mg/L

NM = not measured

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-12s (12-17')	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	1.4	<1.0	<1.0	<1.0
	12/30/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.4	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.0	<1.0	<1.0	<1.0
	9/3/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.6	<1.0	<1.0	<1.0
	12/14/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/14/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.6	<1.0	<1.0	<1.0
	7/20/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.4	<1.0	<1.0	<1.0
	10/7/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.9	<1.0	<1.0	<1.0
1/4/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	2.2	<1.0	<1.0	<1.0	
4/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.2	<1.0	<1.0	<1.0	
MW-12d (33-38')	3/18/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/3/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/14/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/20/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/7/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1/4/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
4/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.

Groundwater Screening Levels (GW_{SL}s) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_{SL}s) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.

4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.

5) Headspace present in the sample, results are approximate.

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-13s (13-18')	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/10/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/3/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/14/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/20/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/10/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1/4/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
4/9/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
MW-14s (4-9')	5/14/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/8/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/3/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/20/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/16/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/11/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/21/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/7/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1/4/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
4/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_{VI}SLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

- 1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.
- 2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21
- 3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.
- 4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.
- 5) Headspace present in the sample, results are approximate.

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-14d (37.5-42.5')	3/23/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/3/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/16/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/9/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/21/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/5/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
DUP-01 (MW-14d)	1/4/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	4/2/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/16/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/9/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/21/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-15s (30-35')	10/5/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	1/4/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	4/2/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/15/2009	NA	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/30/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/17/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
7/25/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
10/7/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
1/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
4/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_vSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.

4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.

5) Headspace present in the sample, results are approximate.

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-17s (3-8')	7/23/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/7/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/15/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/11/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/21/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/4/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
4/2/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
MW-18s (26-31')	12/8/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/16/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/20/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/17/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/9/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/22/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/5/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	1/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4/3/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.
 Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_vSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

- 1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.
- 2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21
- 3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.
- 4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.
- 5) Headspace present in the sample, results are approximate.

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-19s (25-30')	12/8/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.8	31	<1.0	<1.0
	1/13/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.2	2.3	36	<1.0
	3/16/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.1	1.7	36	<1.0
	5/18/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.6	32	<1.0
	9/10/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.2	1.8	33	<1.0
	12/20/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.8	37	<1.0
	2/18/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.1	1.8	41	<1.0
	5/10/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.5	28	<1.0
	7/25/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.0	1.4	27	<1.0
	10/5/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.1	1.7	28	<1.0
1/9/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.2	1.9	34	<1.0	
4/3/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.1	1.5	32	<1.0	
DUP-03 (MW-19s)	9/10/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.0	1.7	32	<1.0
DUP-02 (MW-19s)	2/18/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.1	1.8	39	<1.0
	5/10/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.6	29	<1.0
	7/25/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.1	1.4	27	<1.0
	10/5/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.1	1.6	28	<1.0
	1/9/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.2	1.8	34	<1.0
4/3/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	1.1	1.6	32	<1.0	
MW-19d (40-45')	12/8/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/16/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/20/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/18/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/10/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/25/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/5/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
4/3/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
DUP-01 (MW-19d)	5/12/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.
 Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_VSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

- 1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.
- 2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21
- 3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.
- 4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.
- 5) Headspace present in the sample, results are approximate.

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0	
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0	
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾	
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0	
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50	
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
MW-20s (8-13')	12/30/2009	<5.0	<5.0	48	4.0	9.6	<1.0	<1.0	150	71	2.9	<1.0
	1/13/2010	<5.0	<5.0	50	3.5	9.0	<1.0	<1.0	170	70	2.8	<1.0
	3/17/2010	<5.0	<5.0	51	3.8	9.4	<1.0	<1.0	160	64	3.2	<1.0
	5/18/2010	<10	<10	58	5.1	12	<2.0	<2.0	210	94	3.4	<2.0
	9/10/2010	<10	<10	34	4.2	9.7	<2.0	<2.0	230	110	3.8	<2.0
	12/21/2010	<10	<10	24	3.6	6.1	<2.0	<2.0	200	89	3.6	<2.0
	2/18/2011	<10	<10	19	3.3	5.5	<2.0	<2.0	190	93	3.5	<2.0
	5/13/2011	<10	<10	14	2.8	4.1	<2.0	<2.0	190	91	2.9	<2.0
	7/25/2011	<10	<10	6.5	<2.0	2.4	<2.0	<2.0	190	100	2.3	<2.0
	10/10/2011	<10	<10	5.8	<2.0	<2.0	<2.0	<2.0	190	110	3.1	<2.0
	1/9/2012	<5.0	<5.0	6.0	1.4	1.9	<1.0	<1.0	190	100	3.2	<1.0
4/9/2012	<5.0	<5.0	11	1.1	2.0	<1.0	<1.0	180	100	2.6	<1.0	
MW-20d (38.5-43.5')	12/30/2009	<5.0	<5.0	1.2	<1.0	86	<1.0	<1.0	1.9	<1.0	<1.0	3.5
	1/13/2010	<5.0	<5.0	<1.0	<1.0	94	<1.0	<1.0	<1.0	<1.0	<1.0	3.7
	3/17/2010	<5.0	<5.0	<1.0	<1.0	85	<1.0	<1.0	<1.0	<1.0	<1.0	4.4
	5/18/2010	<5.0	<5.0	<1.0	<1.0	120	<1.0	<1.0	<1.0	<1.0	<1.0	3.7
	9/10/2010	<5.0	<5.0	<1.0	<1.0	95	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/21/2010	<5.0	<5.0	<1.0	<1.0	200	<1.0	<1.0	<1.0	<1.0	<1.0	3.5
	2/18/2011	<10	<10	<2.0	<2.0	190	<2.0	<2.0	<2.0	<2.0	<2.0	3.2
	5/13/2011	<10	<10	<2.0	<2.0	170	<2.0	<2.0	<2.0	<2.0	<2.0	2.6
	7/25/2011	<5.0	<5.0	<1.0	<1.0	170	<1.0	<1.0	<1.0	<1.0	<1.0	2.6
	10/10/2011	<10	<10	<2.0	<2.0	200	<2.0	<2.0	<2.0	<2.0	<2.0	2.5
	1/9/2012	<5.0	<5.0	<1.0	<1.0	140	<1.0	<1.0	<1.0	<1.0	<1.0	6
4/9/2012	<5.0	<5.0	<1.0	<1.0	190	<1.0	<1.0	<1.0	1.0	<1.0	10	
DUP-03 (MW-20d)	5/18/2010	<5.0	<5.0	<1.0	<1.0	120	1.0	<1.0	<1.0	<1.0	3.7	

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and*

Groundwater Screening Levels (GW_vSLs) for Vapor Intrusion, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.

4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.

5) Headspace present in the sample, results are approximate.

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0	
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0	
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾	
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0	
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50	
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
MW-21 (28.5-33.5')	12/8/2009	<50	<50	31	<10	59	<10	<10	54	840	<10	<10
	1/13/2010	<50	<50	28	<10	62	<10	<10	56	730	<10	<10
	3/23/2010	<5.0	<5.0	33	2.2	81	7.5	<1.0	62	850	<1.0	<1.0
	5/18/2010	<50	<50	35	<10	89	<10	<10	63	830	<10	<10
	10/15/2010	<50	<50	26	<10	80	<10	<10	59	810	<10	<10
	12/22/2010	<50	<50	25	<10	69	<10	<10	55	730	<10	<10
	2/24/2011	<50	<50	25	<10	66	<10	<10	52	730	<10	<10
	5/11/2011 ⁽³⁾	<50	<50	24	<10	65	<10	<10	49	740	<10	<10
	7/28/2011	<50	<50	22	<10	77	<10	<10	54	1,000	<10	<10
	10/6/2011	<50	<50	22	<10	74	<10	<10	55	960	<10	<10
1/10/2012	<50	<50	27	<10	79	<10	<10	64	990	<10	<10	
4/4/2012	<50	<50	25	<10	81	<10	<10	55	980	<10	<10	
DUP-02 (MW-21)	3/23/2010	<5.0	<5.0	33	2.2	79	7.8	<1.0	61	810	<1.0	<1.0
DUP-03 (MW-21)	2/24/2011	<50	<50	24	<10	66	<10	<10	50	740	<10	<10
	5/11/2011 ⁽³⁾	<50	<50	24	<10	66	<10	<10	49	750	<10	<10
	7/28/2011	<50	<50	23	<10	78	<10	<10	57	1,000	<10	<10
	10/6/2011	<50	<50	21	<10	73	<10	<10	52	910	<10	<10
	1/10/2012	<50	<50	27	<10	85	<10	<10	66	1,000	<10	<10
4/4/2012	<50	<50	24	<10	81	<10	<10	61	970	<10	<10	
MW-22 (25-30')	12/7/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	10
	3/18/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	8.5
	5/18/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.0
	9/10/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.3
	12/22/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.0
	2/24/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.3
	5/11/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.4
	7/21/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.8
	10/4/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	6.2
1/9/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	8.4	
4/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	12	

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_vSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.

4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.

5) Headspace present in the sample, results are approximate.

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-23 (17-22')	12/8/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.2
	1/13/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	7.6
	3/16/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.0
	5/18/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	6.1
	9/10/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	9.0
	12/21/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	17
	2/18/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	18
	5/10/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	25
	7/25/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	23
	10/5/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	56
	11/4/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11
1/9/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	48	
4/3/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	85	
MW-24s (18.5'-23.5')	12/8/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/14/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/9/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/19/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/4/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	1/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4/2/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_{VI}SLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background Denotes concentrations above one or more criteria

- 1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.
- 2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21
- 3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.
- 4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.
- 5) Headspace present in the sample, results are approximate.

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-24d (39-44)	12/8/2009	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/14/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/9/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/19/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/4/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	1/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
4/2/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
MW-25s (20-25')	12/10/2009	<5.0	<5.0	1.7	<1.0	8.8	<1.0	<1.0	4.8	<1.0	<1.0
	3/16/2010	<5.0	<5.0	1.2	<1.0	<1.0	<1.0	<1.0	17	1.1	<1.0
	5/14/2010	<5.0	<5.0	1.2	<1.0	<1.0	<1.0	<1.0	18	1.0	<1.0
	9/8/2010	<5.0	<5.0	1.0	<1.0	<1.0	<1.0	<1.0	19	1.4	<1.0
	12/22/2010	<5.0	<5.0	1.2	<1.0	<1.0	<1.0	<1.0	26	2.4	<1.0
	2/24/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	19	2.2	<1.0
	5/13/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	21	2.2	<1.0
	7/28/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	19	2.5	<1.0
	10/10/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	20	2.8	<1.0
	1/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	20	3.0	<1.0
4/9/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	20	3.6	<1.0	
DUP-01 (MW-25s)	3/16/2010	<5.0	<5.0	1.3	<1.0	<1.0	<1.0	<1.0	18	1.0	<1.0

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.
 Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_vSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

- 1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.
- 2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21
- 3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.
- 4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.
- 5) Headspace present in the sample, results are approximate.

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-26s (28-33')	4/6/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/14/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/17/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/25/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/7/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-27s (7-12')	1/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	4/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.0	<1.0	<1.0
	9/9/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/20/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/16/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.4	<1.0	<1.0
	5/9/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.1	<1.0	<1.0
7/21/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
DUP-02 (MW-27s)	10/5/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	1/6/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-27d (37.5-42.5')	4/3/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/20/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/16/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/9/2011 ⁽³⁾	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/22/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
10/5/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_{VI}SLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

- 1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.
- 2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21
- 3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.
- 4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.
- 5) Headspace present in the sample, results are approximate.

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-28s (25-30')	3/23/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/16/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/22/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/7/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-28d (49-54')	3/23/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/16/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/22/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/7/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-29s (13-18')	3/18/2010	<5.0	<5.0	<1.0	<1.0	1.3	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<5.0	<1.0	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<5.0	<1.0	<1.0	1.4	<1.0	<1.0	<1.0	<1.0	<1.0
	12/15/2010	<5.0	<5.0	<1.0	<1.0	1.5	<1.0	<1.0	<1.0	<1.0	<1.0
	2/15/2011	<5.0	<5.0	<1.0	<1.0	1.7	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/20/2011	<5.0	<5.0	<1.0	<1.0	1.1	<1.0	<1.0	<1.0	<1.0	<1.0
	10/10/2011	<5.0	<5.0	<1.0	<1.0	1.3	<1.0	<1.0	<1.0	<1.0	<1.0
1/6/2012	<5.0	<5.0	<1.0	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	
4/5/2012	<5.0	<5.0	<1.0	<1.0	1.1	<1.0	<1.0	<1.0	<1.0	<1.0	

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.

Groundwater Screening Levels (GW_{SL}s) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_{SL}s) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.

4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.

5) Headspace present in the sample, results are approximate.

Table 3
Summary of Detected Volatile Organic Compounds in Groundwater
Former Tecumseh Products Company Site
Tecumseh, Michigan
Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
MW-29d (58.5-63.5')	3/18/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/15/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/15/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/12/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	7/20/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/10/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-30s (11-16')	1/6/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	4/5/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	2/15/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/13/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-30d (25.5-30.5')	7/20/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	10/10/2011	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	1/6/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	4/9/2012	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	5/17/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2010	<5.0	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.

Groundwater Screening Levels (GW_{SL}s) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_{SL}s) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

- 1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.
- 2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21
- 3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.
- 4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.
- 5) Headspace present in the sample, results are approximate.

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0	
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0	
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾	
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0	
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50	
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
MW-31 (33.3-38.3')	6/18/2010	<5.0	<5.0	14	<1.0	19	2.2	<1.0	20	180	<1.0	<1.0
	9/17/2010	<10	<10	<2.0	<2.0	15	<2.0	<2.0	48	220	<2.0	2.5
	12/22/2010 ⁽⁴⁾	<10	<10	16	<2.0	29	2.9	<2.0	27	260	<2.0	<2.0
	2/24/2011	<10	<10	16	<2.0	31	3.1	<2.0	26	300	<2.0	<2.0
	5/11/2011 ⁽³⁾	<10	<10	15	<2.0	24	3.0	<2.0	22	250	<2.0	<2.0
	7/21/2011	<5.0	<5.0	7.4	<1.0	14	1.2	<1.0	11	130	<1.0	<1.0
	10/4/2011	<5.0	<5.0	18	<1.0	40	3.4	<1.0	28	340	<1.0	<1.0
	1/10/2012	<10	<10	17	<2.0	35	3.1	<2.0	24	290	<2.0	<2.0
4/5/2012	<10	<10	16	<2.0	36	3.1	<2.0	24	290	<2.0	<2.0	
DUP-01 (MW-31)	6/18/2010	<5.0	<5.0	12	<1.0	19	2.3	<1.0	21	170	<1.0	<1.0
MW-32s (23-28')	9/17/2010	<100	<100	150	<20	270	26	<20	220	2,400	<20	<20
	11/18/2010	<100	<100	<20	<20	190	<20	<20	560	2,800	<20	<20
	12/28/2010	<100	<100	<20	<20	200	<20	<20	510	2,300	<20	<20
	2/25/2011	<100	<100	<20	<20	190	<20	<20	420	2,300	<20	<20
	5/10/2011 ⁽³⁾	<100	<100	<20	<20	170	<20	<20	380	2,300	<20	31
	7/28/2011	<100	<100	<20	<20	140	<20	<20	380	2,400	<20	<20
	10/6/2011	<100	<100	<20	<20	160	<20	<20	350	2,200	<20	<20
	1/10/2012	<100	<100	<20	<20	170	<20	<20	400	2,300	<20	<20
4/4/2012	<100	<100	<20	<20	130	<20	<20	340	2,200	<20	<20	
MW-33s (21-26')	9/17/2010	<5.0	<5.0	12	<1.0	13	<1.0	<1.0	<1.0	76	<1.0	64
	11/18/2010	<5.0	<5.0	14	<1.0	22	<1.0	<1.0	1.1	150	<1.0	56
	12/22/2010	<5.0	<5.0	14	<1.0	22	1.2	<1.0	1.0	130	<1.0	57
	2/24/2011	<5.0	<5.0	12	<1.0	20	1.0	<1.0	<1.0	110	<1.0	60
	5/10/2011 ⁽³⁾	<10	<10	11	<2.0	21	<2.0	<2.0	<2.0	220	<2.0	55
	7/28/2011	<10	<10	8.9	<2.0	18	<2.0	<2.0	<2.0	260	<2.0	22
	10/6/2011	<10	<10	11	<2.0	19	<2.0	<2.0	<2.0	220	<2.0	48
	1/9/2012 ⁽⁵⁾	<5.0	8.9	15	<1.0	20	1.0	<1.0	1.3	170	<1.0	51
4/4/2012	<5.0	5.6	17	<1.0	21	<1.0	<1.0	1.2	170	<1.0	48	

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_vSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Green background denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.

4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.

5) Headspace present in the sample, results are approximate.

Table 3
 Summary of Detected Volatile Organic Compounds in Groundwater
 Former Tecumseh Products Company Site
 Tecumseh, Michigan
 Second Quarter 2012

Analyte	2-Butanone	Chloroethane	1,1-Dichloroethane	1,1-Dichloroethene ⁽²⁾	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	
Residential DW Criteria	13,000	430	880	7.0	70	100	5.0	200	5.0	2,600	2.0	
Non-Residential DW Criteria	38,000	1,700	2,500	7.0	70	100	5.0	200	5.0	7,300	2.0	
GSI Criteria	2,200	1,100	740	130	620	1,500 ⁽¹⁾	60 ⁽¹⁾	89	200 ⁽¹⁾	NC	13 ⁽¹⁾	
Residential GWSLs for Vapor Intrusion	4.5E+06	NC	130	390	440	330	11	15,000	9.9	370	5.0	
Non-Residential GWSLs for Vapor Intrusion	1.9E+07	NC	670	1,600	1,800	1,400	55	63,000	42	1,600	50	
Groundwater Contact Criteria	2.4E+08	4.4E+05	2.4E+06	11,000	2.0E+05	2.2E+05	12,000	1.3E+06	22,000	1.1E+06	1,000	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	
DUP-01 (MW-33s)	11/18/2010	<5.0	<5.0	14	<1.0	23	<1.0	<1.0	1.2	150	<1.0	55
MW-34s (23-28')	9/17/2010	<100	<100	<20	<20	<20	<20	<20	1,600	1,100	<20	<20
	11/18/2010	<100	<100	<20	<20	<20	<20	<20	1,600	1,200	<20	<20
	12/28/2010	<50	<50	<10	13	<10	<10	<10	1,400	1,000	<10	<10
	2/25/2011	<50	<50	<10	<10	<10	<10	<10	1,100	900	<10	<10
	5/10/2011 ⁽³⁾	<50	<50	<10	<10	<10	<10	<10	1,200	970	<10	<10
	7/28/2011	<50	<50	<10	<10	<10	<10	<10	1,300	1,100	<10	<10
	10/6/2011	<50	<50	<10	<10	<10	<10	<10	1,200	1,000	<10	<10
	1/10/2012	<50	<50	<10	14	<10	<10	<10	1,500	1,100	<10	<10
4/4/2012	<50	<50	<10	<10	<10	<10	<10	1,400	1,200	<10	<10	

Notes:

Residential and Non-Residential Drinking Water (DW) Criteria, Groundwater Surface Water Interface (GSI) Criteria, and Groundwater Contact Criteria from MDEQ RRD Op Memo 1 Part 201 Generic Cleanup Criteria/Part 213 Risk Based Cleanup Levels, January 23, 2006, as amended March 25, 2011.

Groundwater Screening Levels (GWSLs) for Vapor Intrusion were calculated in accordance with the MDEQ Remediation and Redevelopment Division Program Redesign 2009 document titled *Background Document: Draft Proposed Vapor Intrusion Indoor Air Criteria (IAC), Soil Gas Criteria (SGC), and Groundwater Screening Levels (GW_vSLs) for Vapor Intrusion*, using both residential and non-residential exposure scenarios and the most recent chemical specific toxicity values accepted and/or published by the United States Environmental Protection Agency (USEPA) as of February 1, 2012.

ug/L = micrograms per liter

NC = No criteria

NA = Not analyzed

Bold font denotes concentrations detected above laboratory reporting limits

Denotes concentrations above one or more criteria

1) Criterion is not protective for surface water used as a drinking water source as described in footnote (X) of MDEQ Op Memo 1 Part 201, Attachment 1.

2) Compound may exhibit characteristic ignitability as defined in 40 C.F.R. § 261.21

3) The average temperature in this sample shipment exceeded the recommended temperature range. Sample results are approximate.

4) Quality control results for trichloroethene are outside the established control limits, the result is approximate.

5) Headspace present in the sample, results are approximate.

Table 4
 Summary of Monitored Natural Attenuation Parameters in Groundwater
 Tecumseh Products Company
 Tecumseh, Michigan
 Second Quarter 2012

Analyte Units		Chloride mg/L	Nitrate as Nitrogen mg/L	Sulfate mg/L	Iron II mg/L	Alkalinity mg/L	Total Organic Carbon mg/L
MW-01s	12/9/2009	34	3.0	20	0.31	NA	NA
	5/18/2010	31	3.3	18	0.027	NA	NA
	12/28/2010	20	2.5	16	0.023	NA	NA
	5/11/2011	50	2.8	23	0.031	NA	NA
	10/6/2011	70	3.1	22	0.041	NA	NA
	4/4/2012	30	2.3	19	0.044	NA	NA
MW-03s	12/8/2009	220	2.1	37	0.11	NA	NA
	5/18/2010	130	0.36	35	0.059	NA	NA
	12/22/2010	170	0.33	30	0.034	NA	NA
	5/10/2011	130	0.56	39	0.028	NA	NA
	10/6/2011	210	1.0	36	0.32	NA	NA
	4/4/2012	200	2.2	48	0.069	NA	NA
DUP-01 (MW-03s)	12/8/2009	220	2.1	37	0.12	NA	NA
MW-04s	12/9/2009	100	6.8	27	0.079	430	4.4
	5/18/2010	76	0.87	17	0.040	NA	NA
	12/22/2010	60	<0.050	9.5	<0.020	NA	NA
	5/11/2011	62	0.17	20	0.036	NA	NA
	10/6/2011	76	<0.050	8.5	0.13	NA	NA
	4/4/2012	75	1.5	25	<0.020	NA	NA
MW-06s	12/9/2009	60	3.0	40	1.6	NA	NA
	5/17/2010	35	7.5	37	0.027	NA	NA
	12/21/2010	86	5.7	53	<0.020	NA	NA
	5/10/2011	68	8.2	42	0.030	NA	NA
	10/5/2011	170	6.3	44	0.026	NA	NA
	4/3/2012	160	2.6	32	0.031	NA	NA
MW-09s	12/9/2009	63	1.8	24	0.23	NA	NA
	5/18/2010	13	1.4	8.9	0.053	NA	NA
	5/11/2011	5.9	1.2	5.7	0.046	NA	NA
MW-10s	5/12/2010	11	<0.050	26	0.048	NA	NA
	12/16/2010	180	<0.050	49	0.20	NA	NA
	5/9/2011	7.8	<0.050	28	0.028	NA	NA
	10/4/2011	97	<0.050	36	0.100	NA	NA
	4/2/2012	59	<0.050	29	0.044	NA	NA
MW-10d	12/9/2009	210	<0.050	44	0.48	NA	NA
MW-14s	12/8/2009	250	0.26	23	0.071	NA	NA
	5/12/2010	46	0.12	20	<0.020	NA	NA
	12/20/2010	410	0.24	26	0.032	NA	NA
MW-14d	5/9/2011	170	0.15	73	0.043	NA	NA
	10/5/2011	150	0.26	61	0.23	NA	NA
	4/2/2012	160	0.14	68	0.028	NA	NA
DUP-01 (MW-14d)	5/9/2011	170	0.16	72	<0.020	NA	NA
	10/5/2011	150	0.26	61	0.038	NA	NA
	4/2/2012	160	0.14	68	0.071	NA	NA

Notes:

mg/L = milligrams per liter

NA = Not Analyzed

bold font denotes concentrations detected above laboratory reporting limits

Table 4
Summary of Monitored Natural Attenuation Parameters in Groundwater
Tecumseh Products Company
Tecumseh, Michigan
Second Quarter 2012

Analyte		Chloride	Nitrate as Nitrogen	Sulfate	Iron II	Alkalinity	Total Organic Carbon
Units		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-17s	12/7/2009	88	<0.050	37	0.15	NA	NA
	5/12/2010	87	0.086	36	<0.02	NA	NA
	12/16/2010	95	<0.050	38	0.13	NA	NA
	5/11/2011	98	<0.050	39	0.062	NA	NA
	10/4/2011	91	0.051	40	0.062	NA	NA
	4/2/2012	95	<0.050	43	0.036	NA	NA
MW-18s	12/8/2009	140	1.9	47	0.44	NA	NA
	5/12/2010	370	2.0	47	<0.020	NA	NA
	12/20/2010	180	2.6	39	0.030	NA	NA
	5/9/2011	600	2.3	46	0.028	NA	NA
	10/5/2011	230	2.1	38	0.034	NA	NA
	4/3/2012	350	1.1	35	0.10	NA	NA
MW-19s	12/8/2009	140	2.9	32	0.073	380	1.0
	5/18/2010	100	1.4	38	0.064	NA	NA
	12/20/2010	120	3.0	32	<0.020	NA	NA
	5/10/2011	120	2.0	34	0.035	NA	NA
	10/5/2011	120	2.4	32	0.029	NA	NA
	4/3/2012	130	1.7	47	0.025	NA	NA
DUP-02 (MW-19s)	5/12/2010	120	<0.050	65	0.93	NA	NA
	5/9/2011	110	2.0	34	0.026	NA	NA
	10/5/2011	120	2.4	32	0.030	NA	NA
	4/3/2012	140	1.7	47	0.023	NA	NA
MW-19d	12/8/2009	150	<0.050	64	5.0	320	1.1
	5/12/2010	150	<0.050	64	1.0	NA	NA
	12/20/2010	140	<0.050	62	1.0	NA	NA
	5/10/2011	180	<0.050	61	1.4	NA	NA
	10/5/2011	130	<0.050	62	1.1	NA	NA
	4/3/2012	130	<0.050	62	1.1	NA	NA
MW-21	12/8/2009	150	0.66	46	0.11	NA	NA
	5/18/2010	150	0.55	38	0.060	NA	NA
	12/22/2010	110	0.81	41	0.020	NA	NA
	5/11/2011	110	0.57	34	<0.020	NA	NA
	10/6/2011	120	0.78	41	0.087	NA	NA
	4/4/2012	130	0.79	38	<0.020	NA	NA
DUP-03 (MW-21)	5/9/2011	110	0.61	34	0.024	NA	NA
MW-23	12/8/2009	300	<0.050	63	4.0	NA	NA
	5/18/2010	260	<0.050	59	2.4	NA	NA
	12/21/2010	240	<0.050	60	0.24	NA	NA
	5/10/2011	220	<0.050	56	1.2	NA	NA
	10/5/2011	210	<0.050	56	1.5	NA	NA
	4/3/2012	210	<0.050	60	1.1	NA	NA

Notes:

mg/L = milligrams per liter

NA = Not Analyzed

bold font denotes concentrations detected above laboratory reporting limits

Table 4
 Summary of Monitored Natural Attenuation Parameters in Groundwater
 Tecumseh Products Company
 Tecumseh, Michigan
 Second Quarter 2012

Analyte Units		Chloride mg/L	Nitrate as Nitrogen mg/L	Sulfate mg/L	Iron II mg/L	Alkalinity mg/L	Total Organic Carbon mg/L
MW-24s	12/8/2009	350	3.3	93	0.13	340	1.6
	5/12/2010	230	3.5	47	0.037	NA	NA
	12/14/2010	140	3.7	93	<0.020	NA	NA
	5/9/2011	110	1.4	46	0.029	NA	NA
	10/4/2011	200	2.8	75	0.028	NA	NA
	4/2/2012	190	3.3	180	<0.020	NA	NA
MW-24d	12/8/2009	1,100	<0.050	110	6.4	350	1.3
	5/12/2010	1,000	<0.050	100	2.0	NA	NA
	12/14/2010	1,100	<0.050	110	1.4	NA	NA
	5/9/2011	930	<0.050	110	1.6	NA	NA
	10/4/2011	910	<0.050	99	1.1	NA	NA
	4/2/2012	730	<0.050	97	0.70	NA	NA
MW-27s	5/17/2010	190	0.23	40	0.27	NA	NA
	12/20/2010	220	0.065	53	0.15	NA	NA
	5/9/2011	180	2.9	48	0.024	NA	NA
	10/5/2011	210	1.4	54	0.083	NA	NA
	4/3/2012	200	0.46	60	0.15	NA	NA
MW-27d	5/17/2010	220	0.59	62	0.047	NA	NA
	12/20/2010	240	0.39	67	0.13	NA	NA
	5/9/2011	200	0.45	63	0.20	NA	NA
	10/5/2011	230	0.31	66	0.22	NA	NA
	4/3/2012	190	0.30	62	0.037	NA	NA
MW-32s	12/28/2010	66	1.8	39	0.048	NA	NA
	5/10/2011	66	1.4	22	0.10	NA	NA
	10/6/2011	68	3.3	39	0.039	NA	NA
	4/4/2012	79	3.7	46	0.022	NA	NA
MW-33s	12/22/2010	93	3.7	7.4	0.95	NA	NA
	5/10/2011	160	13	26	0.35	NA	NA
	10/6/2011	94	2.9	18	0.57	NA	NA
	4/4/2012	94	8.1	24	0.46	NA	NA
MW-34s	12/28/2010	39	2.3	15	<0.020	NA	NA
	5/10/2011	59	3.5	24	0.028	NA	NA
	10/6/2011	46	1.4	13	0.14	NA	NA
	4/4/2012	46	4.1	24	<0.020	NA	NA

Notes:

mg/L = milligrams per liter

NA = Not Analyzed

bold font denotes concentrations detected above laboratory reporting limits


Technical Memorandum

Figures

Attached Xrefs: bm100110 (filled)
 Attached Images:
 Layout: FIG01 Surf Topo & Samples

Dwg Size: 1.54 Mb
 Plot Date: June 28, 2012
 Plot Time: 1:30 PM

F:\Tecumseh\004304\000102\2012\20 Rpt\004304.0001.02.01.dwg
 Drawing Name: STEHLE, DIANA H
 Operator Name: 0.386863
 Drawing Plot Scale:




LEGEND

- FORMER TECUMSEH PRODUCTS SITE BOUNDARY
- PARCEL BOUNDARY
- RAILROAD TRACKS (APPROXIMATE LOCATION)
- APPROXIMATE GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP
- PERIMETER / OFF-SITE INVESTIGATION SOIL BORING LOCATION AND NUMBER
- MONITORING WELL LOCATION AND NUMBER
- DECOMMISSIONED MONITORING WELL LOCATION AND NUMBER
- SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- SOIL GAS SAMPLE LOCATION AND NUMBER
- STORM WATER SEWER SAMPLE LOCATION AND NUMBER
- APPROXIMATE SURFACE WATER SAMPLE LOCATION
- FLOODPLAIN / WOODED WETLAND AREA
- PRB LOCATION
- FENCE LINE

NOTES

1. BASE MAP DEVELOPED FROM SITE PLAN PROVIDED BY THE CITY OF TECUMSEH, DRAWING NO. CITY.DWG, MARCH 2009.
2. GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S TOPOGRAPHIC QUADRANGLE MAP AND GROUND SURVEY DATA.



PROJECT: FORMER TECUMSEH PRODUCTS SITE TECUMSEH, MICHIGAN		
TITLE: SURFACE TOPOGRAPHY AND SAMPLE LOCATIONS		
DRAWN BY: SJL/DGS	SCALE: AS INDICATED	PROJ. NO. 004304.0001.02
CHECKED BY: SEM	DATE PRINTED:	FILE NO. 004304.0001.02.01.dwg
APPROVED BY: GC		FIGURE 1
DATE: JUNE 2012		




1540 Eisenhower Place
 Ann Arbor, MI 48108
 Phone: 734.971.7080
 Fax: 734.971.9022

Attached Xrefs: bm100110 (Filled)
 Attached Images:
 Layout: FIG02 VOCs

Dwg Size: 1.87 Mb
 Plot Date: June 28, 2012
 Plot Time: 2:05 PM

F:\Tecomseh\04304\000102\2012\20 Rpt\04304\0001.02.02.dwg
 Drawing Name: STEHLE, DIANA
 Operator Name: STEHLE, DIANA
 Drawing Plot Scale: 0.386863




LEGEND

- FORMER TECUMSEH PRODUCTS SITE BOUNDARY
- PARCEL BOUNDARY
- RAILROAD TRACKS (APPROXIMATE LOCATION)
- APPROXIMATE GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP
- PERIMETER / OFF-SITE INVESTIGATION SOIL BORING LOCATION AND NUMBER
- MONITORING WELL LOCATION AND NUMBER
- DECOMMISSIONED MONITORING WELL LOCATION AND NUMBER
- SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- SOIL GAS SAMPLE LOCATION AND NUMBER
- STORM WATER SEWER SAMPLE LOCATION AND NUMBER
- APPROXIMATE SURFACE WATER SAMPLE LOCATION
- FLOODPLAIN / WOODED WETLAND AREA
- PRB LOCATION
- FENCE LINE
- EXTENT OF VOCs ABOVE PART 201 DRINKING WATER CRITERIA
- EXTENT OF VOCs ABOVE PART 201 GSI CRITERIA

NOTES

1. BASE MAP DEVELOPED FROM SITE PLAN PROVIDED BY THE CITY OF TECUMSEH, DRAWING NO. CITY.DWG, MARCH 2009.
2. GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S TOPOGRAPHIC QUADRANGLE MAP AND GROUND SURVEY DATA.



PROJECT: FORMER TECUMSEH PRODUCTS SITE TECUMSEH, MICHIGAN			
TITLE: EXTENT OF VOCs ABOVE PART 201 CRITERIA			
DRAWN BY: SJL/DGS	SCALE: AS INDICATED	PROJ. NO. 004304.0001.02	<p align="center">FIGURE 2</p>
CHECKED BY: SEM	DATE PRINTED:	FILE NO. 004304.0001.02.02.dwg	
APPROVED BY: GC	DATE: JUNE 2012		




1540 Eisenhower Place
 Ann Arbor, MI 48108
 Phone: 734.971.7080
 Fax: 734.971.9022

Attached Xrefs: bm100110 (filled)
 Attached Images:
 Layout: FIG02.GW Cont Apr 2012

Dwg Size: 1.42 Mb
 Plot Date: June 28, 2012
 Plot Time: 2:02 PM

F:\Tecumseh\04304\000102\2012.20 Rpt\04304.0001.02.03.dwg
 Drawing Name: STEHLE, DIANA H
 Operator Name: 0.386863
 Drawing Plot Scale:


PLOT DATA
 Drawing Name: STEHLE, DIANA H
 Operator Name: 0.386863
 Drawing Plot Scale:



LEGEND

- FORMER TECUMSEH PRODUCTS SITE BOUNDARY
- PARCEL BOUNDARY
- RAILROAD TRACKS (APPROXIMATE LOCATION)
- APPROXIMATE GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S. TOPOGRAPHIC QUADRANGLE MAP
- PERIMETER / OFF-SITE INVESTIGATION SOIL BORING LOCATION AND NUMBER
- MONITORING WELL LOCATION AND NUMBER
- DECOMMISSIONED MONITORING WELL LOCATION AND NUMBER
- SOURCE AREA INVESTIGATION BORING LOCATION AND NUMBER
- STORM WATER SEWER SAMPLE LOCATION AND NUMBER
- APPROXIMATE SURFACE WATER SAMPLE LOCATION
- FLOODPLAIN / WOODED WETLAND AREA
- PRB LOCATION
- FENCE LINE
- 5 FOOT GROUNDWATER CONTOUR LINE
- 1 FOOT GROUNDWATER CONTOUR LINE
- GROUNDWATER FLOW DIRECTION
- GROUNDWATER ELEVATION

- NOTES**
1. BASE MAP DEVELOPED FROM SITE PLAN PROVIDED BY THE CITY OF TECUMSEH, DRAWING NO. CITY.DWG, MARCH 2009.
 2. GROUND TOPOGRAPHY BASED OFF 7.5 MINUTE U.S.G.S TOPOGRAPHIC QUADRANGLE MAP AND GROUND SURVEY DATA.
 3. MW-14S IS SCREENED IN A DIFFERENT, PERCHED, WATER BEARING UNIT THAN THE OTHER SHALLOW MONITORING WELLS ON-SITE. THE GROUNDWATER ELEVATION MEASURED AT MW-14D WAS USED TO DEVELOP GROUNDWATER CONTOURS, BECAUSE MW-14D IS SCREENED IN THE DEEPER WATER BEARING UNIT WHICH IS HYDRAULICALLY CONNECTED TO THE SITE.



PROJECT: **FORMER TECUMSEH PRODUCTS SITE
TECUMSEH, MICHIGAN**

TITLE: **GROUNDWATER CONTOUR MAP
APRIL 2012**

DRAWN BY: SJL/DGS	SCALE: AS INDICATED	PROJ. NO. 004304.0001.03
CHECKED BY: SEM	DATE PRINTED:	FILE NO. 004304.0001.02.03.dwg
APPROVED BY: GC		FIGURE 3
DATE: JUNE 2012		

1540 Eisenhower Place
Ann Arbor, MI 48108
Phone: 734.971.7080
Fax: 734.971.9022

Technical Memorandum

Attachment 1

Second Quarter 2012 Analytical Data

April 19, 2012

TRC Companies. - Ann Arbor Office
Attn: Ms. Stacy Metz
1540 Eisenhower Place
Ann Arbor, MI 48108

Project: Tecumseh Products

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report for the following work order(s) received by TriMatrix Laboratories:

Work Order	Received	Description
1204040	04/03/2012	Laboratory Services
1204065	04/04/2012	Laboratory Services
1204149	04/06/2012	Laboratory Services
1204228	04/11/2012	Laboratory Services

This report relates only to the sample(s) as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Program (NELAP) and/or one of the following certification programs:

ACLASS DoD-ELAP/ISO17025 (#ADE-1542); Arkansas DEP (#10-046-0); Florida DEP (#E87622-24); Georgia EPD (#E87622-24); Illinois DEP (#002841); Kansas DPH (#E-10302); Kentucky DEP (#0021); Louisiana DEP (#03068); Michigan DPH (#0034); Minnesota DPH (#367345); New York ELAP (#44950); North Carolina DNRE (#659); Texas CEQ (#T104704495-11-1); Virginia DCLS (#1239); Wisconsin DNR (#999472650); USDA Soil Import Permit (#P330-09-00163).

Any qualification or narration of results, including sample acceptance requirements and test exceptions to the above referenced programs, is presented in the Statement of Data Qualifications section of this report. Estimates of analytical uncertainties and certification documents for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,



Jennifer L. Rice
Project Chemist

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204040
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: TB-01	Sampled: 04/02/12 00:00
Lab Sample ID: 1204040-01	Sampled By: TML
Matrix: Water	Received: 04/03/12 09:00
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/06/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-01**
 Lab Sample ID: **1204040-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 00:00
 Sampled By: TML
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-01**
 Lab Sample ID: **1204040-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 00:00
 Sampled By: TML
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	101	87-122
	<i>Toluene-d8</i>	99	85-113
	<i>4-Bromofluorobenzene</i>	100	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24s**
 Lab Sample ID: **1204040-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 08:28
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24s**
 Lab Sample ID: **1204040-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 08:28
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24s**
 Lab Sample ID: **1204040-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 08:28
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>99</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>101</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>99</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>100</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204040
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-24d	Sampled: 04/02/12 09:39
Lab Sample ID: 1204040-03	Sampled By: J. Jasso
Matrix: Water	Received: 04/03/12 09:00
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/06/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24d**
 Lab Sample ID: **1204040-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 09:39
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-24d**
 Lab Sample ID: **1204040-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 09:39
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	100	87-122
	<i>Toluene-d8</i>	99	85-113
	<i>4-Bromofluorobenzene</i>	100	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-17s**
 Lab Sample ID: **1204040-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 11:34
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-17s**
 Lab Sample ID: **1204040-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 11:34
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-17s**
 Lab Sample ID: **1204040-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 11:34
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>101</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>101</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>99</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>100</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **WL-01**
 Lab Sample ID: **1204040-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 11:50
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **WL-01**
 Lab Sample ID: **1204040-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 11:50
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **WL-01**
 Lab Sample ID: **1204040-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 11:50
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/06/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	100	87-122
	<i>Toluene-d8</i>	99	85-113
	<i>4-Bromofluorobenzene</i>	99	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204040
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-10s	Sampled: 04/02/12 13:54
Lab Sample ID: 1204040-06	Sampled By: J. Jasso
Matrix: Water	Received: 04/03/12 09:00
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/07/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-10s**
 Lab Sample ID: **1204040-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 13:54
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-10s**
 Lab Sample ID: **1204040-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 13:54
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>100</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>101</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>99</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204040
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: Dup-01	Sampled: 04/02/12 00:00
Lab Sample ID: 1204040-07	Sampled By: J. Jasso
Matrix: Water	Received: 04/03/12 09:00
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/07/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **Dup-01**
 Lab Sample ID: **1204040-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 00:00
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **Dup-01**
 Lab Sample ID: **1204040-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 00:00
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>100</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>99</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>99</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>100</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204040
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-14d	Sampled: 04/02/12 16:00
Lab Sample ID: 1204040-08	Sampled By: J. Jasso
Matrix: Water	Received: 04/03/12 09:00
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/07/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14d**
 Lab Sample ID: **1204040-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 16:00
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14d**
 Lab Sample ID: **1204040-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204040**
 Description: Laboratory Services
 Sampled: 04/02/12 16:00
 Sampled By: J. Jasso
 Received: 04/03/12 09:00
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	99	87-122
	<i>Toluene-d8</i>	99	85-113
	<i>4-Bromofluorobenzene</i>	100	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204065
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: TB-02	Sampled: 04/03/12 00:00
Lab Sample ID: 1204065-01	Sampled By: TML
Matrix: Water	Received: 04/04/12 08:45
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/07/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-02**
 Lab Sample ID: **1204065-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 00:00
 Sampled By: TML
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-02**
 Lab Sample ID: **1204065-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 00:00
 Sampled By: TML
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	99	87-122
	<i>Toluene-d8</i>	99	85-113
	<i>4-Bromofluorobenzene</i>	100	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204065
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-27s	Sampled: 04/03/12 07:12
Lab Sample ID: 1204065-02	Sampled By: J. Jasso
Matrix: Water	Received: 04/04/12 08:45
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/07/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27s**
 Lab Sample ID: **1204065-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 07:12
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27s**
 Lab Sample ID: **1204065-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 07:12
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	100	87-122
	<i>Toluene-d8</i>	99	85-113
	<i>4-Bromofluorobenzene</i>	99	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204065
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-27d	Sampled: 04/03/12 07:52
Lab Sample ID: 1204065-03	Sampled By: J. Jasso
Matrix: Water	Received: 04/04/12 08:45
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/07/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27d**
 Lab Sample ID: **1204065-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 07:52
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-27d**
 Lab Sample ID: **1204065-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 07:52
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>101</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>100</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>99</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>98</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-18s**
 Lab Sample ID: **1204065-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 09:29
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-18s**
 Lab Sample ID: **1204065-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 09:29
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-18s**
 Lab Sample ID: **1204065-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 09:29
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>99</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>98</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>99</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204065
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-19d	Sampled: 04/03/12 11:42
Lab Sample ID: 1204065-05	Sampled By: J. Jasso
Matrix: Water	Received: 04/04/12 08:45
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/07/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204065
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-19d	Sampled: 04/03/12 11:42
Lab Sample ID: 1204065-05	Sampled By: J. Jasso
Matrix: Water	Received: 04/04/12 08:45
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/07/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19d**
 Lab Sample ID: **1204065-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 11:42
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	99	87-122
	<i>Toluene-d8</i>	100	85-113
	<i>4-Bromofluorobenzene</i>	98	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204065
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: Dup-02	Sampled: 04/03/12 00:00
Lab Sample ID: 1204065-06	Sampled By: J. Jasso
Matrix: Water	Received: 04/04/12 08:45
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/07/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **Dup-02**
 Lab Sample ID: **1204065-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 00:00
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	1.1	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	1.6	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	32	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204065
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: Dup-02	Sampled: 04/03/12 00:00
Lab Sample ID: 1204065-06	Sampled By: J. Jasso
Matrix: Water	Received: 04/04/12 08:45
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/07/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>102</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>100</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>100</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19s**
 Lab Sample ID: **1204065-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 12:55
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19s**
 Lab Sample ID: **1204065-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 12:55
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	1.1	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	1.5	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	32	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-19s**
 Lab Sample ID: **1204065-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 12:55
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>100</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>99</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>99</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-6s**
 Lab Sample ID: **1204065-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 14:02
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-6s**
 Lab Sample ID: **1204065-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 14:02
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	32	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-6s**
 Lab Sample ID: **1204065-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 14:02
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>101</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>99</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>99</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204065
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-23	Sampled: 04/03/12 15:57
Lab Sample ID: 1204065-09	Sampled By: J. Jasso
Matrix: Water	Received: 04/04/12 08:45
Unit: ug/L	Prepared: 04/06/12 By: DLV
Dilution Factor: 1	Analyzed: 04/07/12 By: DLV
QC Batch: 1204387	Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-23**
 Lab Sample ID: **1204065-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 15:57
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-23**
 Lab Sample ID: **1204065-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204387

Work Order: **1204065**
 Description: Laboratory Services
 Sampled: 04/03/12 15:57
 Sampled By: J. Jasso
 Received: 04/04/12 08:45
 Prepared: 04/06/12 By: DLV
 Analyzed: 04/07/12 By: DLV
 Analytical Batch: 2D09058

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	85	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	85-118
	<i>1,2-Dichloroethane-d4</i>	100	87-122
	<i>Toluene-d8</i>	100	85-113
	<i>4-Bromofluorobenzene</i>	98	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-03**
 Lab Sample ID: **1204149-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 00:00
 Sampled By: TML
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-03**
 Lab Sample ID: **1204149-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 00:00
 Sampled By: TML
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-03**
 Lab Sample ID: **1204149-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 00:00
 Sampled By: TML
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	100	87-122
	<i>Toluene-d8</i>	97	85-113
	<i>4-Bromofluorobenzene</i>	97	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-33s**
 Lab Sample ID: **1204149-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 06:31
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	5.6	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	17	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	21	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-33s**
 Lab Sample ID: **1204149-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 06:31
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	1.2	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	170	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-33s**
 Lab Sample ID: **1204149-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 06:31
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	48	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>101</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>101</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>98</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>97</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-32s**
 Lab Sample ID: **1204149-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 08:05
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromochloromethane	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	<20	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	130	20
156-60-5	trans-1,2-Dichloroethene	<20	20

Continued on next page

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-32s	Sampled: 04/04/12 08:05
Lab Sample ID: 1204149-03	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 20	Analyzed: 04/13/12 By: DLV
QC Batch: 1204663	Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	340	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	2200	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-32s**
 Lab Sample ID: **1204149-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 08:05
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<20	20
179601-23-1	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	85-118
	<i>1,2-Dichloroethane-d4</i>	101	87-122
	<i>Toluene-d8</i>	98	85-113
	<i>4-Bromofluorobenzene</i>	98	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-34s	Sampled: 04/04/12 09:29
Lab Sample ID: 1204149-04	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 10	Analyzed: 04/13/12 By: DLV
QC Batch: 1204663	Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	<10	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	<10	10
156-60-5	trans-1,2-Dichloroethene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-34s	Sampled: 04/04/12 09:29
Lab Sample ID: 1204149-04	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 10	Analyzed: 04/13/12 By: DLV
QC Batch: 1204663	Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	1400	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	1200	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-34s**
 Lab Sample ID: **1204149-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 09:29
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
179601-23-1	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	85-118
	<i>1,2-Dichloroethane-d4</i>	101	87-122
	<i>Toluene-d8</i>	97	85-113
	<i>4-Bromofluorobenzene</i>	97	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-3s**
 Lab Sample ID: **1204149-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 10:45
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromochloromethane	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	<20	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	1600	20
156-60-5	trans-1,2-Dichloroethene	84	20

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-3s**
 Lab Sample ID: **1204149-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 10:45
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	<20	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	20	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-3s**
 Lab Sample ID: **1204149-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 10:45
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	170	20
179601-23-1	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	102	87-122
	<i>Toluene-d8</i>	97	85-113
	<i>4-Bromofluorobenzene</i>	98	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-01**
 Lab Sample ID: **1204149-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 11:00
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-01**
 Lab Sample ID: **1204149-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 11:00
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-01**
 Lab Sample ID: **1204149-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 11:00
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>101</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>101</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>98</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>97</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-4s**
 Lab Sample ID: **1204149-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 50
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 11:43
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<1000	1000
107-13-1	Acrylonitrile	<100	100
71-43-2	Benzene	<50	50
108-86-1	Bromobenzene	<50	50
74-97-5	Bromochloromethane	<50	50
75-27-4	Bromodichloromethane	<50	50
75-25-2	Bromoform	<50	50
74-83-9	Bromomethane	<250	250
104-51-8	n-Butylbenzene	<50	50
135-98-8	sec-Butylbenzene	<50	50
98-06-6	tert-Butylbenzene	<50	50
75-15-0	Carbon Disulfide	<50	50
56-23-5	Carbon Tetrachloride	<50	50
108-90-7	Chlorobenzene	<50	50
75-00-3	Chloroethane	<250	250
67-66-3	Chloroform	<50	50
74-87-3	Chloromethane	<250	250
96-12-8	1,2-Dibromo-3-chloropropane	<250	250
124-48-1	Dibromochloromethane	<50	50
106-93-4	1,2-Dibromoethane	<50	50
74-95-3	Dibromomethane	<50	50
110-57-6	trans-1,4-Dichloro-2-butene	<50	50
95-50-1	1,2-Dichlorobenzene	<50	50
541-73-1	1,3-Dichlorobenzene	<50	50
106-46-7	1,4-Dichlorobenzene	<50	50
75-71-8	Dichlorodifluoromethane	<250	250
75-34-3	1,1-Dichloroethane	<50	50
107-06-2	1,2-Dichloroethane	<50	50
75-35-4	1,1-Dichloroethene	<50	50
156-59-2	cis-1,2-Dichloroethene	1600	50
156-60-5	trans-1,2-Dichloroethene	54	50

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-4s**
 Lab Sample ID: **1204149-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 50
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 11:43
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<50	50
10061-01-5	cis-1,3-Dichloropropene	<50	50
10061-02-6	trans-1,3-Dichloropropene	<50	50
100-41-4	Ethylbenzene	<50	50
60-29-7	Ethyl Ether	<250	250
591-78-6	2-Hexanone	<250	250
74-88-4	Iodomethane	<50	50
98-82-8	Isopropylbenzene	<50	50
99-87-6	4-Isopropyltoluene	<250	250
1634-04-4	Methyl tert-Butyl Ether	<250	250
75-09-2	Methylene Chloride	<250	250
78-93-3	2-Butanone (MEK)	<250	250
91-57-6	2-Methylnaphthalene	<250	250
108-10-1	4-Methyl-2-pentanone (MIBK)	<250	250
91-20-3	Naphthalene	<250	250
103-65-1	n-Propylbenzene	<50	50
100-42-5	Styrene	<50	50
630-20-6	1,1,1,2-Tetrachloroethane	<50	50
79-34-5	1,1,2,2-Tetrachloroethane	<50	50
127-18-4	Tetrachloroethene	<50	50
109-99-9	Tetrahydrofuran	<250	250
108-88-3	Toluene	<50	50
87-61-6	1,2,3-Trichlorobenzene	<250	250
120-82-1	1,2,4-Trichlorobenzene	<250	250
71-55-6	1,1,1-Trichloroethane	<50	50
79-00-5	1,1,2-Trichloroethane	<50	50
79-01-6	Trichloroethene	4300	50
75-69-4	Trichlorofluoromethane	<50	50
96-18-4	1,2,3-Trichloropropane	<50	50
95-63-6	1,2,4-Trimethylbenzene	<50	50
108-67-8	1,3,5-Trimethylbenzene	<50	50

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-4s**
 Lab Sample ID: **1204149-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 50
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 11:43
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	170	50
179601-23-1	Xylene, Meta + Para	<100	100
95-47-6	Xylene, Ortho	<50	50
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>100</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>102</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>98</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-1s**
 Lab Sample ID: **1204149-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 12:30
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<400	400
107-13-1	Acrylonitrile	<40	40
71-43-2	Benzene	<20	20
108-86-1	Bromobenzene	<20	20
74-97-5	Bromochloromethane	<20	20
75-27-4	Bromodichloromethane	<20	20
75-25-2	Bromoform	<20	20
74-83-9	Bromomethane	<100	100
104-51-8	n-Butylbenzene	<20	20
135-98-8	sec-Butylbenzene	<20	20
98-06-6	tert-Butylbenzene	<20	20
75-15-0	Carbon Disulfide	<20	20
56-23-5	Carbon Tetrachloride	<20	20
108-90-7	Chlorobenzene	<20	20
75-00-3	Chloroethane	<100	100
67-66-3	Chloroform	<20	20
74-87-3	Chloromethane	<100	100
96-12-8	1,2-Dibromo-3-chloropropane	<100	100
124-48-1	Dibromochloromethane	<20	20
106-93-4	1,2-Dibromoethane	<20	20
74-95-3	Dibromomethane	<20	20
110-57-6	trans-1,4-Dichloro-2-butene	<20	20
95-50-1	1,2-Dichlorobenzene	<20	20
541-73-1	1,3-Dichlorobenzene	<20	20
106-46-7	1,4-Dichlorobenzene	<20	20
75-71-8	Dichlorodifluoromethane	<100	100
75-34-3	1,1-Dichloroethane	<20	20
107-06-2	1,2-Dichloroethane	<20	20
75-35-4	1,1-Dichloroethene	<20	20
156-59-2	cis-1,2-Dichloroethene	38	20
156-60-5	trans-1,2-Dichloroethene	<20	20

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-1s**
 Lab Sample ID: **1204149-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 12:30
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<20	20
10061-01-5	cis-1,3-Dichloropropene	<20	20
10061-02-6	trans-1,3-Dichloropropene	<20	20
100-41-4	Ethylbenzene	<20	20
60-29-7	Ethyl Ether	<100	100
591-78-6	2-Hexanone	<100	100
74-88-4	Iodomethane	<20	20
98-82-8	Isopropylbenzene	<20	20
99-87-6	4-Isopropyltoluene	<100	100
1634-04-4	Methyl tert-Butyl Ether	<100	100
75-09-2	Methylene Chloride	<100	100
78-93-3	2-Butanone (MEK)	<100	100
91-57-6	2-Methylnaphthalene	<100	100
108-10-1	4-Methyl-2-pentanone (MIBK)	<100	100
91-20-3	Naphthalene	<100	100
103-65-1	n-Propylbenzene	<20	20
100-42-5	Styrene	<20	20
630-20-6	1,1,1,2-Tetrachloroethane	<20	20
79-34-5	1,1,2,2-Tetrachloroethane	<20	20
127-18-4	Tetrachloroethene	<20	20
109-99-9	Tetrahydrofuran	<100	100
108-88-3	Toluene	<20	20
87-61-6	1,2,3-Trichlorobenzene	<100	100
120-82-1	1,2,4-Trichlorobenzene	<100	100
71-55-6	1,1,1-Trichloroethane	480	20
79-00-5	1,1,2-Trichloroethane	<20	20
79-01-6	Trichloroethene	1900	20
75-69-4	Trichlorofluoromethane	<20	20
96-18-4	1,2,3-Trichloropropane	<20	20
95-63-6	1,2,4-Trimethylbenzene	<20	20
108-67-8	1,3,5-Trimethylbenzene	<20	20

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-1s**
 Lab Sample ID: **1204149-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 20
 QC Batch: 1204663

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 12:30
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16023

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<20	20
179601-23-1	Xylene, Meta + Para	<40	40
95-47-6	Xylene, Ortho	<20	20
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	102	85-118
	<i>1,2-Dichloroethane-d4</i>	102	87-122
	<i>Toluene-d8</i>	98	85-113
	<i>4-Bromofluorobenzene</i>	97	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-21**
 Lab Sample ID: **1204149-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 13:43
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	25	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	81	10
156-60-5	trans-1,2-Dichloroethene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-21	Sampled: 04/04/12 13:43
Lab Sample ID: 1204149-09	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 10	Analyzed: 04/13/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	55	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	980	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-21**
 Lab Sample ID: **1204149-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 13:43
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
179601-23-1	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>100</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>99</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>97</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **Dup-03**
 Lab Sample ID: **1204149-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 00:00
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<200	200
107-13-1	Acrylonitrile	<20	20
71-43-2	Benzene	<10	10
108-86-1	Bromobenzene	<10	10
74-97-5	Bromochloromethane	<10	10
75-27-4	Bromodichloromethane	<10	10
75-25-2	Bromoform	<10	10
74-83-9	Bromomethane	<50	50
104-51-8	n-Butylbenzene	<10	10
135-98-8	sec-Butylbenzene	<10	10
98-06-6	tert-Butylbenzene	<10	10
75-15-0	Carbon Disulfide	<10	10
56-23-5	Carbon Tetrachloride	<10	10
108-90-7	Chlorobenzene	<10	10
75-00-3	Chloroethane	<50	50
67-66-3	Chloroform	<10	10
74-87-3	Chloromethane	<50	50
96-12-8	1,2-Dibromo-3-chloropropane	<50	50
124-48-1	Dibromochloromethane	<10	10
106-93-4	1,2-Dibromoethane	<10	10
74-95-3	Dibromomethane	<10	10
110-57-6	trans-1,4-Dichloro-2-butene	<10	10
95-50-1	1,2-Dichlorobenzene	<10	10
541-73-1	1,3-Dichlorobenzene	<10	10
106-46-7	1,4-Dichlorobenzene	<10	10
75-71-8	Dichlorodifluoromethane	<50	50
75-34-3	1,1-Dichloroethane	24	10
107-06-2	1,2-Dichloroethane	<10	10
75-35-4	1,1-Dichloroethene	<10	10
156-59-2	cis-1,2-Dichloroethene	81	10
156-60-5	trans-1,2-Dichloroethene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: Dup-03	Sampled: 04/04/12 00:00
Lab Sample ID: 1204149-10	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 10	Analyzed: 04/13/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<10	10
10061-01-5	cis-1,3-Dichloropropene	<10	10
10061-02-6	trans-1,3-Dichloropropene	<10	10
100-41-4	Ethylbenzene	<10	10
60-29-7	Ethyl Ether	<50	50
591-78-6	2-Hexanone	<50	50
74-88-4	Iodomethane	<10	10
98-82-8	Isopropylbenzene	<10	10
99-87-6	4-Isopropyltoluene	<50	50
1634-04-4	Methyl tert-Butyl Ether	<50	50
75-09-2	Methylene Chloride	<50	50
78-93-3	2-Butanone (MEK)	<50	50
91-57-6	2-Methylnaphthalene	<50	50
108-10-1	4-Methyl-2-pentanone (MIBK)	<50	50
91-20-3	Naphthalene	<50	50
103-65-1	n-Propylbenzene	<10	10
100-42-5	Styrene	<10	10
630-20-6	1,1,1,2-Tetrachloroethane	<10	10
79-34-5	1,1,2,2-Tetrachloroethane	<10	10
127-18-4	Tetrachloroethene	<10	10
109-99-9	Tetrahydrofuran	<50	50
108-88-3	Toluene	<10	10
87-61-6	1,2,3-Trichlorobenzene	<50	50
120-82-1	1,2,4-Trichlorobenzene	<50	50
71-55-6	1,1,1-Trichloroethane	61	10
79-00-5	1,1,2-Trichloroethane	<10	10
79-01-6	Trichloroethene	970	10
75-69-4	Trichlorofluoromethane	<10	10
96-18-4	1,2,3-Trichloropropane	<10	10
95-63-6	1,2,4-Trimethylbenzene	<10	10
108-67-8	1,3,5-Trimethylbenzene	<10	10

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **Dup-03**
 Lab Sample ID: **1204149-10**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 10
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/04/12 00:00
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<10	10
179601-23-1	Xylene, Meta + Para	<20	20
95-47-6	Xylene, Ortho	<10	10
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>100</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>99</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>98</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-2s**
 Lab Sample ID: **1204149-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 07:15
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	<2.0	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	<2.0	2.0
156-59-2	cis-1,2-Dichloroethene	2.7	2.0
156-60-5	trans-1,2-Dichloroethene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-2s**
 Lab Sample ID: **1204149-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 07:15
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	3.5	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	3.4	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	210	2.0
75-69-4	Trichlorofluoromethane	<2.0	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-2s**
 Lab Sample ID: **1204149-11**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 07:15
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
179601-23-1	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>99</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>99</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>97</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-31**
 Lab Sample ID: **1204149-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 09:17
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<40	40
107-13-1	Acrylonitrile	<4.0	4.0
71-43-2	Benzene	<2.0	2.0
108-86-1	Bromobenzene	<2.0	2.0
74-97-5	Bromochloromethane	<2.0	2.0
75-27-4	Bromodichloromethane	<2.0	2.0
75-25-2	Bromoform	<2.0	2.0
74-83-9	Bromomethane	<10	10
104-51-8	n-Butylbenzene	<2.0	2.0
135-98-8	sec-Butylbenzene	<2.0	2.0
98-06-6	tert-Butylbenzene	<2.0	2.0
75-15-0	Carbon Disulfide	<2.0	2.0
56-23-5	Carbon Tetrachloride	<2.0	2.0
108-90-7	Chlorobenzene	<2.0	2.0
75-00-3	Chloroethane	<10	10
67-66-3	Chloroform	<2.0	2.0
74-87-3	Chloromethane	<10	10
96-12-8	1,2-Dibromo-3-chloropropane	<10	10
124-48-1	Dibromochloromethane	<2.0	2.0
106-93-4	1,2-Dibromoethane	<2.0	2.0
74-95-3	Dibromomethane	<2.0	2.0
110-57-6	trans-1,4-Dichloro-2-butene	<2.0	2.0
95-50-1	1,2-Dichlorobenzene	<2.0	2.0
541-73-1	1,3-Dichlorobenzene	<2.0	2.0
106-46-7	1,4-Dichlorobenzene	<2.0	2.0
75-71-8	Dichlorodifluoromethane	<10	10
75-34-3	1,1-Dichloroethane	16	2.0
107-06-2	1,2-Dichloroethane	<2.0	2.0
75-35-4	1,1-Dichloroethene	<2.0	2.0
156-59-2	cis-1,2-Dichloroethene	36	2.0
156-60-5	trans-1,2-Dichloroethene	3.1	2.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-31**
 Lab Sample ID: **1204149-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 09:17
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<2.0	2.0
10061-01-5	cis-1,3-Dichloropropene	<2.0	2.0
10061-02-6	trans-1,3-Dichloropropene	<2.0	2.0
100-41-4	Ethylbenzene	<2.0	2.0
60-29-7	Ethyl Ether	<10	10
591-78-6	2-Hexanone	<10	10
74-88-4	Iodomethane	<2.0	2.0
98-82-8	Isopropylbenzene	<2.0	2.0
99-87-6	4-Isopropyltoluene	<10	10
1634-04-4	Methyl tert-Butyl Ether	<10	10
75-09-2	Methylene Chloride	<10	10
78-93-3	2-Butanone (MEK)	<10	10
91-57-6	2-Methylnaphthalene	<10	10
108-10-1	4-Methyl-2-pentanone (MIBK)	<10	10
91-20-3	Naphthalene	<10	10
103-65-1	n-Propylbenzene	<2.0	2.0
100-42-5	Styrene	<2.0	2.0
630-20-6	1,1,1,2-Tetrachloroethane	<2.0	2.0
79-34-5	1,1,2,2-Tetrachloroethane	<2.0	2.0
127-18-4	Tetrachloroethene	<2.0	2.0
109-99-9	Tetrahydrofuran	<10	10
108-88-3	Toluene	<2.0	2.0
87-61-6	1,2,3-Trichlorobenzene	<10	10
120-82-1	1,2,4-Trichlorobenzene	<10	10
71-55-6	1,1,1-Trichloroethane	24	2.0
79-00-5	1,1,2-Trichloroethane	<2.0	2.0
79-01-6	Trichloroethene	290	2.0
75-69-4	Trichlorofluoromethane	<2.0	2.0
96-18-4	1,2,3-Trichloropropane	<2.0	2.0
95-63-6	1,2,4-Trimethylbenzene	<2.0	2.0
108-67-8	1,3,5-Trimethylbenzene	<2.0	2.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-31**
 Lab Sample ID: **1204149-12**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 2
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 09:17
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<2.0	2.0
179601-23-1	Xylene, Meta + Para	<4.0	4.0
95-47-6	Xylene, Ortho	<2.0	2.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>101</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>99</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>98</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>98</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-22	Sampled: 04/05/12 10:31
Lab Sample ID: 1204149-13	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 1	Analyzed: 04/14/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-22**
 Lab Sample ID: **1204149-13**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 10:31
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-22**
 Lab Sample ID: **1204149-13**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 10:31
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	12	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	101	87-122
	<i>Toluene-d8</i>	97	85-113
	<i>4-Bromofluorobenzene</i>	97	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-02**
 Lab Sample ID: **1204149-14**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 10:40
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-02**
 Lab Sample ID: **1204149-14**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 10:40
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **EB-02**
 Lab Sample ID: **1204149-14**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 10:40
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	100	87-122
	<i>Toluene-d8</i>	98	85-113
	<i>4-Bromofluorobenzene</i>	98	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-14s	Sampled: 04/05/12 11:30
Lab Sample ID: 1204149-15	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 1	Analyzed: 04/14/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14s**
 Lab Sample ID: **1204149-15**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 11:30
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-14s**
 Lab Sample ID: **1204149-15**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 11:30
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	100	87-122
	<i>Toluene-d8</i>	98	85-113
	<i>4-Bromofluorobenzene</i>	98	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-26s	Sampled: 04/05/12 13:07
Lab Sample ID: 1204149-16	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 1	Analyzed: 04/14/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-26s	Sampled: 04/05/12 13:07
Lab Sample ID: 1204149-16	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 1	Analyzed: 04/14/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-26s**
 Lab Sample ID: **1204149-16**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 13:07
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	99	87-122
	<i>Toluene-d8</i>	98	85-113
	<i>4-Bromofluorobenzene</i>	98	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-15s**
 Lab Sample ID: **1204149-17**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 14:35
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-15s**
 Lab Sample ID: **1204149-17**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 14:35
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-15s**
 Lab Sample ID: **1204149-17**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 14:35
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	99	87-122
	<i>Toluene-d8</i>	98	85-113
	<i>4-Bromofluorobenzene</i>	98	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-11s	Sampled: 04/05/12 15:54
Lab Sample ID: 1204149-18	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 1	Analyzed: 04/14/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-11s**
 Lab Sample ID: **1204149-18**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 15:54
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-11s**
 Lab Sample ID: **1204149-18**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 15:54
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>100</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>99</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>98</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>97</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-04**
 Lab Sample ID: **1204149-19**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 00:00
 Sampled By: TML
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-04**
 Lab Sample ID: **1204149-19**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 00:00
 Sampled By: TML
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-04**
 Lab Sample ID: **1204149-19**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 00:00
 Sampled By: TML
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/13/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>98</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>100</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>98</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>98</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-29s	Sampled: 04/05/12 06:43
Lab Sample ID: 1204149-20	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 1	Analyzed: 04/14/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	1.1	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29s**
 Lab Sample ID: **1204149-20**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 06:43
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29s**
 Lab Sample ID: **1204149-20**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 06:43
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	101	87-122
	<i>Toluene-d8</i>	98	85-113
	<i>4-Bromofluorobenzene</i>	97	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-29d	Sampled: 04/05/12 07:29
Lab Sample ID: 1204149-21	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 1	Analyzed: 04/14/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29d**
 Lab Sample ID: **1204149-21**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 07:29
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-29d**
 Lab Sample ID: **1204149-21**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 07:29
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	101	87-122
	<i>Toluene-d8</i>	98	85-113
	<i>4-Bromofluorobenzene</i>	98	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-28s	Sampled: 04/05/12 08:23
Lab Sample ID: 1204149-22	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 1	Analyzed: 04/14/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28s**
 Lab Sample ID: **1204149-22**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 08:23
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28s**
 Lab Sample ID: **1204149-22**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 08:23
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>101</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>100</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>98</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>97</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-28d	Sampled: 04/05/12 09:15
Lab Sample ID: 1204149-23	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 1	Analyzed: 04/14/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28d**
 Lab Sample ID: **1204149-23**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 09:15
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-28d**
 Lab Sample ID: **1204149-23**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 09:15
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	85-118
	<i>1,2-Dichloroethane-d4</i>	101	87-122
	<i>Toluene-d8</i>	99	85-113
	<i>4-Bromofluorobenzene</i>	97	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12s**
 Lab Sample ID: **1204149-24**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 10:11
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12s**
 Lab Sample ID: **1204149-24**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 10:11
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	1.2	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12s**
 Lab Sample ID: **1204149-24**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 10:11
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	100	85-118
	<i>1,2-Dichloroethane-d4</i>	100	87-122
	<i>Toluene-d8</i>	98	85-113
	<i>4-Bromofluorobenzene</i>	98	82-110

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204149
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-12d	Sampled: 04/05/12 11:24
Lab Sample ID: 1204149-25	Sampled By: J. Jasso
Matrix: Water	Received: 04/06/12 15:00
Unit: ug/L	Prepared: 04/13/12 By: DLV
Dilution Factor: 1	Analyzed: 04/14/12 By: DLV
QC Batch: 1204677	Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12d**
 Lab Sample ID: **1204149-25**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 11:24
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-12d**
 Lab Sample ID: **1204149-25**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/05/12 11:24
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	85-118
	<i>1,2-Dichloroethane-d4</i>	101	87-122
	<i>Toluene-d8</i>	99	85-113
	<i>4-Bromofluorobenzene</i>	96	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **Seep**
 Lab Sample ID: **1204149-26**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/03/12 15:40
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **Seep**
 Lab Sample ID: **1204149-26**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/03/12 15:40
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **Seep**
 Lab Sample ID: **1204149-26**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204677

Work Order: **1204149**
 Description: Laboratory Services
 Sampled: 04/03/12 15:40
 Sampled By: J. Jasso
 Received: 04/06/12 15:00
 Prepared: 04/13/12 By: DLV
 Analyzed: 04/14/12 By: DLV
 Analytical Batch: 2D16028

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>99</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>100</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>98</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>97</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-05**
 Lab Sample ID: **1204228-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 00:00
 Sampled By: TML
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-05**
 Lab Sample ID: **1204228-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 00:00
 Sampled By: TML
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **TB-05**
 Lab Sample ID: **1204228-01**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 00:00
 Sampled By: TML
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>97</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>103</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>96</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>94</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-13s**
 Lab Sample ID: **1204228-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 07:25
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-13s**
 Lab Sample ID: **1204228-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 07:25
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-13s**
 Lab Sample ID: **1204228-02**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 07:25
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	85-118
	<i>1,2-Dichloroethane-d4</i>	106	87-122
	<i>Toluene-d8</i>	96	85-113
	<i>4-Bromofluorobenzene</i>	95	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30s**
 Lab Sample ID: **1204228-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 09:20
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30s**
 Lab Sample ID: **1204228-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 09:20
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30s**
 Lab Sample ID: **1204228-03**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 09:20
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	102	85-118
	<i>1,2-Dichloroethane-d4</i>	107	87-122
	<i>Toluene-d8</i>	96	85-113
	<i>4-Bromofluorobenzene</i>	94	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30d**
 Lab Sample ID: **1204228-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 10:20
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30d**
 Lab Sample ID: **1204228-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 10:20
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	<1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-30d**
 Lab Sample ID: **1204228-04**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 10:20
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	102	85-118
	<i>1,2-Dichloroethane-d4</i>	106	87-122
	<i>Toluene-d8</i>	97	85-113
	<i>4-Bromofluorobenzene</i>	95	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20s**
 Lab Sample ID: **1204228-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 11:48
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	11	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	1.1	1.0
156-59-2	cis-1,2-Dichloroethene	2.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20s**
 Lab Sample ID: **1204228-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 11:48
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	180	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	100	1.0
75-69-4	Trichlorofluoromethane	2.6	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20s**
 Lab Sample ID: **1204228-05**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 11:48
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>104</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>105</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>96</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>94</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20d**
 Lab Sample ID: **1204228-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 12:45
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	190	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20d**
 Lab Sample ID: **1204228-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 12:45
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	1.0	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-20d**
 Lab Sample ID: **1204228-06**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 12:45
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	10	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	101	85-118
	<i>1,2-Dichloroethane-d4</i>	105	87-122
	<i>Toluene-d8</i>	96	85-113
	<i>4-Bromofluorobenzene</i>	94	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-7s**
 Lab Sample ID: **1204228-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 13:45
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-7s**
 Lab Sample ID: **1204228-07**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 13:45
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	1.3	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	12	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204228
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-7s	Sampled: 04/09/12 13:45
Lab Sample ID: 1204228-07	Sampled By: J. Jasso
Matrix: Water	Received: 04/11/12 17:50
Unit: ug/L	Prepared: 04/17/12 By: DLV
Dilution Factor: 1	Analyzed: 04/17/12 By: DLV
QC Batch: 1204787	Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	<i>102</i>	<i>85-118</i>
	<i>1,2-Dichloroethane-d4</i>	<i>108</i>	<i>87-122</i>
	<i>Toluene-d8</i>	<i>97</i>	<i>85-113</i>
	<i>4-Bromofluorobenzene</i>	<i>96</i>	<i>82-110</i>

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-5s**
 Lab Sample ID: **1204228-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 15:03
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-5s**
 Lab Sample ID: **1204228-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 15:03
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	5.7	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	<1.0	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	160	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-5s**
 Lab Sample ID: **1204228-08**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 15:03
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	103	85-118
	<i>1,2-Dichloroethane-d4</i>	108	87-122
	<i>Toluene-d8</i>	98	85-113
	<i>4-Bromofluorobenzene</i>	95	82-110

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-25s**
 Lab Sample ID: **1204228-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 16:15
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL
67-64-1	Acetone	<20	20
107-13-1	Acrylonitrile	<2.0	2.0
71-43-2	Benzene	<1.0	1.0
108-86-1	Bromobenzene	<1.0	1.0
74-97-5	Bromochloromethane	<1.0	1.0
75-27-4	Bromodichloromethane	<1.0	1.0
75-25-2	Bromoform	<1.0	1.0
74-83-9	Bromomethane	<5.0	5.0
104-51-8	n-Butylbenzene	<1.0	1.0
135-98-8	sec-Butylbenzene	<1.0	1.0
98-06-6	tert-Butylbenzene	<1.0	1.0
75-15-0	Carbon Disulfide	<1.0	1.0
56-23-5	Carbon Tetrachloride	<1.0	1.0
108-90-7	Chlorobenzene	<1.0	1.0
75-00-3	Chloroethane	<5.0	5.0
67-66-3	Chloroform	<1.0	1.0
74-87-3	Chloromethane	<5.0	5.0
96-12-8	1,2-Dibromo-3-chloropropane	<5.0	5.0
124-48-1	Dibromochloromethane	<1.0	1.0
106-93-4	1,2-Dibromoethane	<1.0	1.0
74-95-3	Dibromomethane	<1.0	1.0
110-57-6	trans-1,4-Dichloro-2-butene	<1.0	1.0
95-50-1	1,2-Dichlorobenzene	<1.0	1.0
541-73-1	1,3-Dichlorobenzene	<1.0	1.0
106-46-7	1,4-Dichlorobenzene	<1.0	1.0
75-71-8	Dichlorodifluoromethane	<5.0	5.0
75-34-3	1,1-Dichloroethane	<1.0	1.0
107-06-2	1,2-Dichloroethane	<1.0	1.0
75-35-4	1,1-Dichloroethene	<1.0	1.0
156-59-2	cis-1,2-Dichloroethene	<1.0	1.0
156-60-5	trans-1,2-Dichloroethene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-25s**
 Lab Sample ID: **1204228-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 16:15
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
78-87-5	1,2-Dichloropropane	<1.0	1.0
10061-01-5	cis-1,3-Dichloropropene	<1.0	1.0
10061-02-6	trans-1,3-Dichloropropene	<1.0	1.0
100-41-4	Ethylbenzene	<1.0	1.0
60-29-7	Ethyl Ether	<5.0	5.0
591-78-6	2-Hexanone	<5.0	5.0
74-88-4	Iodomethane	<1.0	1.0
98-82-8	Isopropylbenzene	<1.0	1.0
99-87-6	4-Isopropyltoluene	<5.0	5.0
1634-04-4	Methyl tert-Butyl Ether	<5.0	5.0
75-09-2	Methylene Chloride	<5.0	5.0
78-93-3	2-Butanone (MEK)	<5.0	5.0
91-57-6	2-Methylnaphthalene	<5.0	5.0
108-10-1	4-Methyl-2-pentanone (MIBK)	<5.0	5.0
91-20-3	Naphthalene	<5.0	5.0
103-65-1	n-Propylbenzene	<1.0	1.0
100-42-5	Styrene	<1.0	1.0
630-20-6	1,1,1,2-Tetrachloroethane	<1.0	1.0
79-34-5	1,1,2,2-Tetrachloroethane	<1.0	1.0
127-18-4	Tetrachloroethene	<1.0	1.0
109-99-9	Tetrahydrofuran	<5.0	5.0
108-88-3	Toluene	<1.0	1.0
87-61-6	1,2,3-Trichlorobenzene	<5.0	5.0
120-82-1	1,2,4-Trichlorobenzene	<5.0	5.0
71-55-6	1,1,1-Trichloroethane	20	1.0
79-00-5	1,1,2-Trichloroethane	<1.0	1.0
79-01-6	Trichloroethene	3.6	1.0
75-69-4	Trichlorofluoromethane	<1.0	1.0
96-18-4	1,2,3-Trichloropropane	<1.0	1.0
95-63-6	1,2,4-Trimethylbenzene	<1.0	1.0
108-67-8	1,3,5-Trimethylbenzene	<1.0	1.0

Continued on next page

ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
 Project: Tecumseh Products
 Client Sample ID: **MW-25s**
 Lab Sample ID: **1204228-09**
 Matrix: Water
 Unit: ug/L
 Dilution Factor: 1
 QC Batch: 1204787

Work Order: **1204228**
 Description: Laboratory Services
 Sampled: 04/09/12 16:15
 Sampled By: J. Jasso
 Received: 04/11/12 17:50
 Prepared: 04/17/12 By: DLV
 Analyzed: 04/17/12 By: DLV
 Analytical Batch: 2D18004

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL
75-01-4	Vinyl Chloride	<1.0	1.0
179601-23-1	Xylene, Meta + Para	<2.0	2.0
95-47-6	Xylene, Ortho	<1.0	1.0
Surrogates:		% Recovery	Control Limits
	<i>Dibromofluoromethane</i>	104	85-118
	<i>1,2-Dichloroethane-d4</i>	107	87-122
	<i>Toluene-d8</i>	97	85-113
	<i>4-Bromofluorobenzene</i>	95	82-110

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204387 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank

Unit: ug/L

Analyzed: 04/06/2012 By: DLV
Analytical Batch: 2D09058

Acetone			<20			--		20
Acrylonitrile			<2.0					2.0
Benzene			<1.0					1.0
Bromobenzene			<1.0					1.0
Bromochloromethane			<1.0					1.0
Bromodichloromethane			<1.0					1.0
Bromoform			<1.0					1.0
Bromomethane			<5.0					5.0
n-Butylbenzene			<1.0					1.0
sec-Butylbenzene			<1.0					1.0
tert-Butylbenzene			<1.0					1.0
Carbon Disulfide			<1.0			--		1.0
Carbon Tetrachloride			<1.0					1.0
Chlorobenzene			<1.0			--		1.0
Chloroethane			<5.0					5.0
Chloroform			<1.0					1.0
Chloromethane			<5.0					5.0
1,2-Dibromo-3-chloropropane			<5.0					5.0
Dibromochloromethane			<1.0					1.0
1,2-Dibromoethane			<1.0					1.0
Dibromomethane			<1.0					1.0
trans-1,4-Dichloro-2-butene			<1.0					1.0
1,2-Dichlorobenzene			<1.0					1.0
1,3-Dichlorobenzene			<1.0					1.0
1,4-Dichlorobenzene			<1.0			--		1.0
Dichlorodifluoromethane			<5.0					5.0
1,1-Dichloroethane			<1.0					1.0
1,2-Dichloroethane			<1.0					1.0
1,1-Dichloroethene			<1.0					1.0
cis-1,2-Dichloroethene			<1.0					1.0
trans-1,2-Dichloroethene			<1.0					1.0
1,2-Dichloropropane			<1.0					1.0
cis-1,3-Dichloropropene			<1.0					1.0
trans-1,3-Dichloropropene			<1.0					1.0
Ethylbenzene			<1.0			--		1.0
Ethyl Ether			<5.0					5.0

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204387 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 04/06/2012 By: DLV
 Analytical Batch: 2D09058

Unit: ug/L

2-Hexanone			<5.0					5.0
Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0			--		5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			9.6			--		5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0			--		5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0					5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0

Surrogates:

<i>Dibromofluoromethane</i>				99	85-118			
<i>1,2-Dichloroethane-d4</i>				100	87-122			
<i>Toluene-d8</i>				98	85-113			
<i>4-Bromofluorobenzene</i>				100	82-110			

Laboratory Control Sample

Analyzed: 04/06/2012 By: DLV
 Analytical Batch: 2D09058

Unit: ug/L

Benzene		40.0	41.6	104	84-119	--	20	1.0
---------	--	------	-------------	-----	--------	----	----	-----

Continued on next page

QUALITY CONTROL REPORT
Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204387 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Laboratory Control Sample (Continued)

 Analyzed: 04/06/2012 By: DLV
 Analytical Batch: 2D09058

Unit: ug/L

Chlorobenzene		40.0	40.9	102	84-118	--	20	1.0
1,1-Dichloroethene		40.0	42.0	105	77-123	--	20	1.0
Toluene		40.0	41.5	104	85-118	--	20	1.0
Trichloroethene		40.0	43.1	108	82-119	--	20	1.0

Surrogates:

<i>Dibromofluoromethane</i>				100	85-118			
<i>1,2-Dichloroethane-d4</i>				101	87-122			
<i>Toluene-d8</i>				101	85-113			
<i>4-Bromofluorobenzene</i>				99	82-110			

Matrix Spike 1204065-02 MW-27s

 Analyzed: 04/07/2012 By: DLV
 Analytical Batch: 2D09058

Unit: ug/L

Benzene	<1.0	40.0	43.5	109	80-129	--	9	1.0
Chlorobenzene	<1.0	40.0	41.6	104	80-121	--	8	1.0
1,1-Dichloroethene	<1.0	40.0	43.6	109	74-134	--	11	1.0
Toluene	<1.0	40.0	43.5	109	79-129	--	9	1.0
Trichloroethene	0.450	40.0	44.1	109	75-127	--	10	1.0

Surrogates:

<i>Dibromofluoromethane</i>				101	85-118			
<i>1,2-Dichloroethane-d4</i>				99	87-122			
<i>Toluene-d8</i>				103	85-113			
<i>4-Bromofluorobenzene</i>				99	82-110			

Matrix Spike Duplicate 1204065-02 MW-27s

 Analyzed: 04/07/2012 By: DLV
 Analytical Batch: 2D09058

Unit: ug/L

Benzene	<1.0	40.0	44.1	110	80-129	1	9	1.0
Chlorobenzene	<1.0	40.0	42.2	106	80-121	1	8	1.0
1,1-Dichloroethene	<1.0	40.0	45.0	113	74-134	3	11	1.0
Toluene	<1.0	40.0	43.9	110	79-129	0.9	9	1.0
Trichloroethene	0.450	40.0	44.7	111	75-127	1	10	1.0

Surrogates:

<i>Dibromofluoromethane</i>				101	85-118			
<i>1,2-Dichloroethane-d4</i>				98	87-122			
<i>Toluene-d8</i>				102	85-113			
<i>4-Bromofluorobenzene</i>				100	82-110			

QC Batch: 1204663 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank

 Analyzed: 04/13/2012 By: DLV
 Analytical Batch: 2D16023

Unit: ug/L

Acetone			<20					20
---------	--	--	-----	--	--	--	--	----

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204663 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 04/13/2012 By: DLV
 Analytical Batch: 2D16023

Unit: ug/L

Acrylonitrile			<2.0					2.0
Benzene			<1.0					1.0
Bromobenzene			<1.0					1.0
Bromochloromethane			<1.0					1.0
Bromodichloromethane			<1.0					1.0
Bromoform			<1.0					1.0
Bromomethane			<5.0					5.0
n-Butylbenzene			<1.0					1.0
sec-Butylbenzene			<1.0					1.0
tert-Butylbenzene			<1.0					1.0
Carbon Disulfide			<1.0			--		1.0
Carbon Tetrachloride			<1.0					1.0
Chlorobenzene			<1.0					1.0
Chloroethane			<5.0					5.0
Chloroform			<1.0					1.0
Chloromethane			<5.0					5.0
1,2-Dibromo-3-chloropropane			<5.0					5.0
Dibromochloromethane			<1.0					1.0
1,2-Dibromoethane			<1.0					1.0
Dibromomethane			<1.0					1.0
trans-1,4-Dichloro-2-butene			<1.0					1.0
1,2-Dichlorobenzene			<1.0					1.0
1,3-Dichlorobenzene			<1.0					1.0
1,4-Dichlorobenzene			<1.0			--		1.0
Dichlorodifluoromethane			<5.0					5.0
1,1-Dichloroethane			<1.0					1.0
1,2-Dichloroethane			<1.0					1.0
1,1-Dichloroethene			<1.0					1.0
cis-1,2-Dichloroethene			<1.0					1.0
trans-1,2-Dichloroethene			<1.0					1.0
1,2-Dichloropropane			<1.0					1.0
cis-1,3-Dichloropropene			<1.0					1.0
trans-1,3-Dichloropropene			<1.0					1.0
Ethylbenzene			<1.0			--		1.0
Ethyl Ether			<5.0					5.0
2-Hexanone			<5.0					5.0

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204663 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 04/13/2012 By: DLV
 Analytical Batch: 2D16023

Unit: ug/L

Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0			--		5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			8.8			--		5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0			--		5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0					5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0
1,2,3-Trichloropropane			<1.0					1.0
1,2,4-Trimethylbenzene			<1.0					1.0
1,3,5-Trimethylbenzene			<1.0					1.0
Vinyl Chloride			<1.0					1.0
Xylene, Meta + Para			<2.0					2.0
Xylene, Ortho			<1.0					1.0

Surrogates:

<i>Dibromofluoromethane</i>	96	85-118
<i>1,2-Dichloroethane-d4</i>	92	87-122
<i>Toluene-d8</i>	95	85-113
<i>4-Bromofluorobenzene</i>	97	82-110

Laboratory Control Sample

Analyzed: 04/13/2012 By: DLV
 Analytical Batch: 2D16023

Unit: ug/L

Benzene	40.0	39.4	99	84-119	--	20	1.0
---------	------	-------------	----	--------	----	----	-----

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204663 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Laboratory Control Sample (Continued)

Analyzed: 04/13/2012 By: DLV
Analytical Batch: 2D16023

Unit: ug/L

Chlorobenzene	40.0	38.7	97	84-118	--	20	1.0
1,1-Dichloroethene	40.0	40.4	101	77-123	--	20	1.0
Toluene	40.0	38.3	96	85-118	--	20	1.0
Trichloroethene	40.0	37.6	94	82-119	--	20	1.0

Surrogates:

<i>Dibromofluoromethane</i>	97	85-118
<i>1,2-Dichloroethane-d4</i>	91	87-122
<i>Toluene-d8</i>	99	85-113
<i>4-Bromofluorobenzene</i>	99	82-110

QC Batch: 1204677 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank

Analyzed: 04/13/2012 By: DLV
Analytical Batch: 2D16028

Unit: ug/L

Acetone	<20	20	
Acrylonitrile	<2.0	2.0	
Benzene	<1.0	1.0	
Bromobenzene	<1.0	1.0	
Bromochloromethane	<1.0	1.0	
Bromodichloromethane	<1.0	1.0	
Bromoform	<1.0	1.0	
Bromomethane	<5.0	5.0	
n-Butylbenzene	<1.0	1.0	
sec-Butylbenzene	<1.0	1.0	
tert-Butylbenzene	<1.0	1.0	
Carbon Disulfide	<1.0	--	1.0
Carbon Tetrachloride	<1.0	1.0	
Chlorobenzene	<1.0	1.0	
Chloroethane	<5.0	5.0	
Chloroform	<1.0	1.0	
Chloromethane	<5.0	5.0	
1,2-Dibromo-3-chloropropane	<5.0	5.0	
Dibromochloromethane	<1.0	1.0	
1,2-Dibromoethane	<1.0	1.0	
Dibromomethane	<1.0	1.0	
trans-1,4-Dichloro-2-butene	<1.0	1.0	
1,2-Dichlorobenzene	<1.0	1.0	

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204677 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 04/13/2012 By: DLV
 Analytical Batch: 2D16028

Unit: ug/L

1,3-Dichlorobenzene			<1.0					1.0
1,4-Dichlorobenzene			<1.0			--		1.0
Dichlorodifluoromethane			<5.0					5.0
1,1-Dichloroethane			<1.0					1.0
1,2-Dichloroethane			<1.0					1.0
1,1-Dichloroethene			<1.0					1.0
cis-1,2-Dichloroethene			<1.0					1.0
trans-1,2-Dichloroethene			<1.0					1.0
1,2-Dichloropropane			<1.0					1.0
cis-1,3-Dichloropropene			<1.0					1.0
trans-1,3-Dichloropropene			<1.0					1.0
Ethylbenzene			<1.0			--		1.0
Ethyl Ether			<5.0					5.0
2-Hexanone			<5.0					5.0
Iodomethane			<1.0					1.0
Isopropylbenzene			<1.0					1.0
4-Isopropyltoluene			<5.0					5.0
Methyl tert-Butyl Ether			<5.0					5.0
Methylene Chloride			<5.0			--		5.0
2-Butanone (MEK)			<5.0					5.0
2-Methylnaphthalene			<5.0					5.0
4-Methyl-2-pentanone (MIBK)			<5.0					5.0
Naphthalene			<5.0					5.0
n-Propylbenzene			<1.0					1.0
Styrene			<1.0					1.0
1,1,1,2-Tetrachloroethane			<1.0					1.0
1,1,2,2-Tetrachloroethane			<1.0					1.0
Tetrachloroethene			<1.0					1.0
Tetrahydrofuran			<5.0					5.0
Toluene			<1.0					1.0
1,2,3-Trichlorobenzene			<5.0					5.0
1,2,4-Trichlorobenzene			<5.0					5.0
1,1,1-Trichloroethane			<1.0					1.0
1,1,2-Trichloroethane			<1.0					1.0
Trichloroethene			<1.0					1.0
Trichlorofluoromethane			<1.0					1.0

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204677 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Unit: ug/L

Analyzed: 04/13/2012 By: DLV
Analytical Batch: 2D16028

1,2,3-Trichloropropane	<1.0	1.0
1,2,4-Trimethylbenzene	<1.0	1.0
1,3,5-Trimethylbenzene	<1.0	1.0
Vinyl Chloride	<1.0	1.0
Xylene, Meta + Para	<2.0	2.0
Xylene, Ortho	<1.0	1.0

Surrogates:

<i>Dibromofluoromethane</i>	99	85-118
<i>1,2-Dichloroethane-d4</i>	99	87-122
<i>Toluene-d8</i>	97	85-113
<i>4-Bromofluorobenzene</i>	99	82-110

Laboratory Control Sample

Unit: ug/L

Analyzed: 04/13/2012 By: DLV
Analytical Batch: 2D16028

Benzene	40.0	41.3	103	84-119	--	20	1.0
Chlorobenzene	40.0	40.4	101	84-118	--	20	1.0
1,1-Dichloroethene	40.0	41.8	104	77-123	--	20	1.0
Toluene	40.0	40.6	102	85-118	--	20	1.0
Trichloroethene	40.0	40.1	100	82-119	--	20	1.0

Surrogates:

<i>Dibromofluoromethane</i>	100	85-118
<i>1,2-Dichloroethane-d4</i>	99	87-122
<i>Toluene-d8</i>	101	85-113
<i>4-Bromofluorobenzene</i>	101	82-110

Matrix Spike 1204149-12 MW-31

Unit: ug/L

Analyzed: 04/14/2012 By: DLV
Analytical Batch: 2D16028

Benzene	<2.0	80.0	84.2	105	80-129	--	9	2.0
Chlorobenzene	<2.0	80.0	82.2	103	80-121	--	8	2.0
1,1-Dichloroethene	<2.0	80.0	82.4	103	74-134	--	11	2.0
Toluene	<2.0	80.0	83.0	104	79-129	--	9	2.0
Trichloroethene	293	80.0	367	93	75-127	--	10	2.0

Surrogates:

<i>Dibromofluoromethane</i>	101	85-118
<i>1,2-Dichloroethane-d4</i>	100	87-122
<i>Toluene-d8</i>	101	85-113

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204677 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Matrix Spike (Continued) 1204149-12 MW-31
Unit: ug/L

Analyzed: 04/14/2012 By: DLV
Analytical Batch: 2D16028

Surrogates (Continued):

4-Bromofluorobenzene 101 82-110

Matrix Spike Duplicate 1204149-12 MW-31
Unit: ug/L

Analyzed: 04/14/2012 By: DLV
Analytical Batch: 2D16028

Benzene	<2.0	80.0	85.5	107	80-129	2	9	2.0
Chlorobenzene	<2.0	80.0	82.9	104	80-121	0.8	8	2.0
1,1-Dichloroethene	<2.0	80.0	85.4	107	74-134	4	11	2.0
Toluene	<2.0	80.0	83.8	105	79-129	1	9	2.0
Trichloroethene	293	80.0	372	99	75-127	1	10	2.0

Surrogates:

Dibromofluoromethane 100 85-118

1,2-Dichloroethane-d4 98 87-122

Toluene-d8 100 85-113

4-Bromofluorobenzene 101 82-110

QC Batch: 1204787 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank
Unit: ug/L

Analyzed: 04/17/2012 By: DLV
Analytical Batch: 2D18004

Acetone			<20			--		20
Acrylonitrile			<2.0					2.0
Benzene			<1.0					1.0
Bromobenzene			<1.0					1.0
Bromochloromethane			<1.0					1.0
Bromodichloromethane			<1.0					1.0
Bromoform			<1.0					1.0
Bromomethane			<5.0			--		5.0
n-Butylbenzene			<1.0					1.0
sec-Butylbenzene			<1.0			--		1.0
tert-Butylbenzene			<1.0					1.0
Carbon Disulfide			<1.0			--		1.0
Carbon Tetrachloride			<1.0					1.0
Chlorobenzene			<1.0					1.0
Chloroethane			<5.0			--		5.0
Chloroform			<1.0					1.0
Chloromethane			<5.0			--		5.0

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204787 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Analyzed: 04/17/2012 By: DLV
 Analytical Batch: 2D18004

Unit: ug/L

1,2-Dibromo-3-chloropropane	<5.0	5.0	
Dibromochloromethane	<1.0	1.0	
1,2-Dibromoethane	<1.0	1.0	
Dibromomethane	<1.0	1.0	
trans-1,4-Dichloro-2-butene	<1.0	1.0	
1,2-Dichlorobenzene	<1.0	--	1.0
1,3-Dichlorobenzene	<1.0	--	1.0
1,4-Dichlorobenzene	<1.0	--	1.0
Dichlorodifluoromethane	<5.0	5.0	
1,1-Dichloroethane	<1.0	1.0	
1,2-Dichloroethane	<1.0	1.0	
1,1-Dichloroethene	<1.0	1.0	
cis-1,2-Dichloroethene	<1.0	1.0	
trans-1,2-Dichloroethene	<1.0	1.0	
1,2-Dichloropropane	<1.0	1.0	
cis-1,3-Dichloropropene	<1.0	1.0	
trans-1,3-Dichloropropene	<1.0	1.0	
Ethylbenzene	<1.0	1.0	
Ethyl Ether	<5.0	5.0	
2-Hexanone	<5.0	5.0	
Iodomethane	4.3	--	1.0
Isopropylbenzene	<1.0	1.0	
4-Isopropyltoluene	<5.0	--	5.0
Methyl tert-Butyl Ether	<5.0	5.0	
Methylene Chloride	<5.0	--	5.0
2-Butanone (MEK)	<5.0	--	5.0
2-Methylnaphthalene	<5.0	--	5.0
4-Methyl-2-pentanone (MIBK)	<5.0	--	5.0
Naphthalene	<5.0	--	5.0
n-Propylbenzene	<1.0	1.0	
Styrene	<1.0	1.0	
1,1,1,2-Tetrachloroethane	<1.0	1.0	
1,1,2,2-Tetrachloroethane	<1.0	1.0	
Tetrachloroethene	<1.0	1.0	
Tetrahydrofuran	<5.0	5.0	
Toluene	<1.0	1.0	

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204787 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Method Blank (Continued)

Unit: ug/L Analyzed: 04/17/2012 By: DLV
Analytical Batch: 2D18004

1,2,3-Trichlorobenzene			<5.0			--	5.0	
1,2,4-Trichlorobenzene			<5.0			--	5.0	
1,1,1-Trichloroethane			<1.0				1.0	
1,1,2-Trichloroethane			<1.0				1.0	
Trichloroethene			<1.0				1.0	
Trichlorofluoromethane			<1.0				1.0	
1,2,3-Trichloropropane			<1.0				1.0	
1,2,4-Trimethylbenzene			<1.0			--	1.0	
1,3,5-Trimethylbenzene			<1.0				1.0	
Vinyl Chloride			<1.0				1.0	
Xylene, Meta + Para			<2.0				2.0	
Xylene, Ortho			<1.0				1.0	

Surrogates:

<i>Dibromofluoromethane</i>				97	85-118			
<i>1,2-Dichloroethane-d4</i>				100	87-122			
<i>Toluene-d8</i>				94	85-113			
<i>4-Bromofluorobenzene</i>				93	82-110			

Laboratory Control Sample

Unit: ug/L Analyzed: 04/17/2012 By: DLV
Analytical Batch: 2D18004

Benzene		40.0	40.6	101	84-119	--	20	1.0
Chlorobenzene		40.0	39.8	99	84-118	--	20	1.0
1,1-Dichloroethene		40.0	41.7	104	77-123	--	20	1.0
Toluene		40.0	40.7	102	85-118	--	20	1.0
Trichloroethene		40.0	40.6	102	82-119	--	20	1.0

Surrogates:

<i>Dibromofluoromethane</i>				99	85-118			
<i>1,2-Dichloroethane-d4</i>				100	87-122			
<i>Toluene-d8</i>				100	85-113			
<i>4-Bromofluorobenzene</i>				101	82-110			

Matrix Spike 1204228-05 MW-20s

Unit: ug/L Analyzed: 04/17/2012 By: DLV
Analytical Batch: 2D18004

Benzene	<1.0	40.0	41.8	105	80-129	--	9	1.0
Chlorobenzene	<1.0	40.0	41.3	103	80-121	--	8	1.0
1,1-Dichloroethene	1.09	40.0	42.9	105	74-134	--	11	1.0

Continued on next page

QUALITY CONTROL REPORT

Volatile Organic Compounds by EPA Method 8260B (Continued)

Analyte	Sample Conc.	Spike Qty.	Result	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	--------------	----------------	-----	------------	----

QC Batch: 1204787 (Continued) 5030B Aqueous Purge & Trap/USEPA-8260B

Matrix Spike (Continued) 1204228-05 MW-20s

Analyzed: 04/17/2012 By: DLV

Unit: ug/L

Analytical Batch: 2D18004

Toluene	<1.0	40.0	42.7	107	79-129	--	9	1.0
Trichloroethene	103	40.0	138	89	75-127	--	10	1.0

Surrogates:

<i>Dibromofluoromethane</i>				103	85-118			
<i>1,2-Dichloroethane-d4</i>				105	87-122			
<i>Toluene-d8</i>				102	85-113			
<i>4-Bromofluorobenzene</i>				102	82-110			

Matrix Spike Duplicate 1204228-05 MW-20s

Analyzed: 04/17/2012 By: DLV

Unit: ug/L

Analytical Batch: 2D18004

Benzene	<1.0	40.0	42.7	107	80-129	2	9	1.0
Chlorobenzene	<1.0	40.0	41.6	104	80-121	0.7	8	1.0
1,1-Dichloroethene	1.09	40.0	44.3	108	74-134	3	11	1.0
Toluene	<1.0	40.0	42.8	107	79-129	0.2	9	1.0
Trichloroethene	103	40.0	141	95	75-127	2	10	1.0

Surrogates:

<i>Dibromofluoromethane</i>				102	85-118			
<i>1,2-Dichloroethane-d4</i>				103	87-122			
<i>Toluene-d8</i>				101	85-113			
<i>4-Bromofluorobenzene</i>				102	82-110			



STATEMENT OF DATA QUALIFICATIONS

All analyses have been validated and comply with our Quality Control Program.
No Qualification is required.



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. **140571**

For Lab Use Only
Cart 4

VOA Pack/Repl
28 White
Receipt Log No.
39-2
Project Chemist

Client Name
TRC
Address
1540 Eisenhower Place
Civ. State zip
Ann Arbor MI 48108
Phone/Fax 734-971-7060 734-971-9001
Email

Project Name
Former Trench Site Product
Client Project No. / P.O. No.
Invoice To
 Client
 Other (comments)
Contact/Report To
Stacy Math

Analyses Requested
Pg. 1 of 1


Container Type (corresponds to Container Packing List)	D	O	A	A	A	A
VOC 8260						
Iron II Chloride Sulfate Dinitrate						

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	C	G	R	M	P	B	Matrix	Number of Containers Submitted	Trial	Sample Comments
03		01	TRIP Blank 01										DI	1	1	
01		02	MW-24S		4/21/12	0832							LOW	5	5	
		03	MW-24D			0939							LOW	5	5	
		04	MW-17S			1134							LOW	5	5	
		05	WCL-01			1150							X SW	3	3	
		06	MW-10S			1354							LOW	5	5	
		07	MW-01										LOW	5	5	
		08	MW-14D										LOW	5	5	

Sampled By (print) JANE JASS
 Sampler's Signature Jane Jass
 Contaminant TRC
 How Shipped? Hand Carrier FedEx
 Tracking No. _____
 1. Requisitioned By Jane Jass Date 4/21/12 Time 17:15
 2. Received By _____ Date _____ Time _____
 3. Requisitioned By _____ Date _____ Time _____
 4. Received By _____ Date _____ Time _____
 5. Received By _____ Date _____ Time _____

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST

 TRIMATRIX LABORATORIES	Client TRC	Work Order #: 1204020		
	Receipt Record Page/Line # 39-2	New / Add To	Project Chemist	Sample #
Recorded by (Initials/Date) Ln 4/3/12	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other	Qty Received 1	<input checked="" type="checkbox"/> IR Gun (#202) Thermometer Used <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> Other (#_____)	<input type="checkbox"/> See Additional Cooler Information Form

Cooler #	Time	Cooler #	Time	Cooler #	Time	Cooler #	Time					
Client	0900											
Custody Seals:		Custody Seals:		Custody Seals:		Custody Seals:						
<input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		<input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		<input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		<input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact						
Coolant Location:		Coolant Location:		Coolant Location:		Coolant Location:						
Dispersed / Top / Middle / Bottom OO		Dispersed / Top / Middle / Bottom		Dispersed / Top / Middle / Bottom		Dispersed / Top / Middle / Bottom						
Coolant/Temperature Taken Via:		Coolant/Temperature Taken Via:		Coolant/Temperature Taken Via:		Coolant/Temperature Taken Via:						
<input type="checkbox"/> Loose ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		<input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		<input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		<input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers						
Alternate Temperature Taken Via:		Alternate Temperature Taken Via:		Alternate Temperature Taken Via:		Alternate Temperature Taken Via:						
<input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		<input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		<input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		<input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container						
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C				
Temp Blank: 6.5		Temp Blank:		Temp Blank:		Temp Blank:		Temp Blank:				
TB location: Representative / Not Representative			TB location: Representative / Not Representative			TB location: Representative / Not Representative			TB location: Representative / Not Representative			
1	5.4	-	5.4	1			1					
2	4.4	-	4.4	2			2					
3	4.1	-	4.1	3			3					
Average °C			4.6	Average °C			Average °C			Average °C		
<input type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?			
<input checked="" type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?			

If any shaded areas checked, complete Sample Receiving Non-Conformance and/or Inventory Form

Paperwork Received		Check Sample Preservation	
Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> Chain of Custody record(s)? If No, Initiated By _____ Received for Lab Signed/Date/Time? <input type="checkbox"/> Shipping document? <input checked="" type="checkbox"/> Other	N/A <input checked="" type="checkbox"/>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Average sample temperature $\leq 6^\circ$ C? Was thermal preservation required? If "No", Project Chemist Approval Initials: _____ If "Yes" Completed Non Con Cooler - Cont Inventory Form? Completed Sample Preservation Verification Form? Samples chemically preserved correctly? If "No", added orange tag? <input checked="" type="checkbox"/> Received pre-preserved VOC soils? <input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄
COC Information		Check for Short Hold-Time Prep/Analyses	
<input checked="" type="checkbox"/> TriMatrix COC	<input type="checkbox"/> Other _____	<input type="checkbox"/> Bacteriological	<input type="checkbox"/> Air Bags
COC ID Numbers: 140571		<input type="checkbox"/> EnCores / Methanol Pre-Preserved	<input type="checkbox"/> Formaldehyde/Aldehyde
Check COC for Accuracy		<input type="checkbox"/> Green-tagged containers	<input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)
Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> Analysis Requested?	AFTER HOURS ONLY: COPIES OF COC TO LAB AREA(S) <input type="checkbox"/> NONE RECEIVED <input type="checkbox"/> RECEIVED, COCs TO LAB(S)	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Sample ID matches COC?		
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Sample Date and Time matches COC?		
<input checked="" type="checkbox"/>	<input type="checkbox"/> Container type completed on COC?		
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> All container types indicated are received?		
Sample Condition Summary		Notes	
N/A	Yes <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Trip Blank received <input type="checkbox"/> Trip Blank not listed on COC	
	No <input checked="" type="checkbox"/> Broken containers/lids?	<input type="checkbox"/> Cooler Received (Date/Time) 4/3/12 0900 <input type="checkbox"/> Paperwork Delivered (Date/Time) 4/3/12 0919	
	<input checked="" type="checkbox"/> Missing or incomplete labels?	<input type="checkbox"/> ≤ 1 Hour Goal Met? Yes	
	<input checked="" type="checkbox"/> Illegible information on labels?		
	<input checked="" type="checkbox"/> Low volume received?		
	<input checked="" type="checkbox"/> Inappropriate or non-Trimatrix containers received?		
	<input checked="" type="checkbox"/> VOC vials / TOX containers have headspace?		
	<input type="checkbox"/> Extra sample locations / containers not listed on COC?		

Log In Forms - Receiving_Log-In_Checklist

revision: 3.4



5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. **140573**

Analyses Requested

Pg. 1 of 1

For Lab Use Only

VOA Rack/Tray: 232 490 W.
Receipt Log No.: 41-5
Project Chemist: [Blank]

Client Name: TRC
Address: 1540 Eisenhower Place
City/State/Zip: Ann Arbor MI 48106
Phone/Fax: 734 971 2050 / 734 911 9001
Email: [Blank]

Project Name: Former Truaxland Product
Client Project No./P.O. No.: [Blank]
Invoice To: Client Other (comments)
Contract/Report To: Stacy Matz

Container Type (corresponds to Container Packing List)

VOC 6260	1

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	C	D	R	A	B	Matrix	Number of Containers Submitted	Total	Sample Comments
03		01	Trip Blank 03	2011								DI	1	1	
02		02	MW-275		4/30/11	6:12						+	3	3	
02		02	MW-275 ms thms			6:12						+	5	5	
01		03	MW-27D			07:53						+	3	3	
		04	MW 18s			09:04						+	3	3	
		05	MW-19D			11:49						+	3	3	
		06	DWAD-02			12:58						+	3	3	
		07	MW-19s			14:09						+	3	3	
		08	MW-18s			15:57						+	3	3	
		09	MW 23									+	3	3	

Sampled By (print): **Jaiver Sasso**
 Sampled By (signature): [Signature]
 Company: **TRC**
 How Shipped? **Hand** Carrier: **TRC**
 Tracking No.: [Blank]
 1. Requested By: **Jaiver Sasso** Date: **4/30/11** Time: **17:00**
 2. Received By: [Blank] Date: [Blank] Time: [Blank]
 3. Subsampled By: [Blank] Date: [Blank] Time: [Blank]
 4. Returned to Lab By: [Blank] Date: **4/12/12** Time: **08:45**

WHITE COPY - REPORT

YELLOW COPY - LABORATORY

PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST



Client: TRC	New / Add To: _____	Work Order #: 1204005
Receipt Record Page/Line #: 41-5	Project Chemist: _____	Sample #: _____

Recorded by (initials/date): LR 4/4/12	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other	Qty Received: 1	<input checked="" type="checkbox"/> IR Gun (#202) Thermometer Used <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> Other (# _____)	<input type="checkbox"/> See Additional Cooler Information Form
--	--	---------------------------	---	---

Cooler #	Time	Cooler #	Time	Cooler #	Time	Cooler #	Time
2618							
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact	
Coolant Location: Dispersed / Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom	
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers	
Alternate Temperature Taken Via: <input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container	
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C
Temp Blank: _____	-	4.2	Temp Blank: _____	_____	_____	Temp Blank: _____	_____
TB location: <input checked="" type="checkbox"/> Representative / <input type="checkbox"/> Not Representative		TB location: <input type="checkbox"/> Representative / <input type="checkbox"/> Not Representative		TB location: <input type="checkbox"/> Representative / <input type="checkbox"/> Not Representative		TB location: <input type="checkbox"/> Representative / <input type="checkbox"/> Not Representative	
1	4.6	-	4.6			1	
2	4.5	-	4.5			2	
3	5.2	-	5.2			3	
Average °C			4.8	Average °C			_____
<input checked="" type="checkbox"/> Cooler ID on COC?		<input type="checkbox"/> Cooler ID on COC?		<input type="checkbox"/> Cooler ID on COC?		<input type="checkbox"/> Cooler ID on COC?	
<input checked="" type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> VOC Trip Blank received?	

If **any** shaded areas checked, complete Sample Receiving Non-Conformance and/or Inventory Form

Paperwork Received

Yes	No	<input checked="" type="checkbox"/> Chain of Custody record(s)? If No, Initiated By _____
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Received for Lab Signed/Date/Time?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Shipping document?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other _____

COC Information

<input checked="" type="checkbox"/> TriMatrix COC	<input type="checkbox"/> Other _____
COC ID Numbers: 140573	

Check Sample Preservation

N/A	Yes	No	<input checked="" type="checkbox"/> Average sample temperature ≤6° C?
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Was thermal preservation required?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	If "No", Project Chemist Approval Initials: _____	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	If "Yes" Completed Non Con Cooler - Cont Inventory Form?	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Completed Sample Preservation Verification Form?	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Samples chemically preserved correctly?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	If "No", added orange tag?	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> MeOH	<input type="checkbox"/> Na ₂ SO ₄

Check COC for Accuracy

Yes	No	<input type="checkbox"/> Analysis Requested?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Sample ID matches COC?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Sample Date and Time matches COC?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Container type completed on COC?
<input checked="" type="checkbox"/>	<input type="checkbox"/>	All container types indicated are received?

Check for Short Hold-Time Prep/Analyses

<input type="checkbox"/> Bacteriological	AFTER HOURS ONLY: COPIES OF COC TO LAB AREA(S) <input checked="" type="checkbox"/> NONE RECEIVED <input type="checkbox"/> RECEIVED, COCS TO LAB(S)
<input type="checkbox"/> Air Bags	
<input type="checkbox"/> EnCores / Methanol Pre-Preserved	
<input type="checkbox"/> Formaldehyde/Aldehyde	
<input type="checkbox"/> Green-tagged containers	
<input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)	

Sample Condition Summary

N/A	Yes	No	<input type="checkbox"/> Broken containers/lids?
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Missing or incomplete labels?
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Illegible information on labels?
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Low volume received?
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Inappropriate or non-TriMatrix containers received?
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	VOC vials / TOX containers have headspace?
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Extra sample locations / containers not listed on COC?

Notes

<input checked="" type="checkbox"/> Trip Blank received			<input type="checkbox"/> Trip Blank not listed on COC		
Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)				
4/4/12 0845	4/4/12 0924			<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No

Analyses Requested

Pg. 1 of 2

VOA Recept/Tray
30X 438-B
Receipt Log No. 4/6-23
Project Chemical STR
Work Order No. 1204149

Client Name TRC
Address 1340 Eisenhower Pkwy
City, State Zip Ann Arbor MI 48106
Phone/Fax 734-971-7060 734-971-9000
Email

Project Name Former Tecumseh Pkwy
Client Project No. / P.O. No.
Invoice To Client Other (comments)
Contact/Report to Stacy Metz

Container Type (corresponds to Container Packing List)
VOC E 260
D
VOC E 260

- PRESERVATIVES
- A NONE pH<7
 - B HNO₃ pH<2
 - C H₂SO₄ pH<2
 - D 1+1 HCl pH<2
 - E NaOH pH>12
 - F Zn/acNaOH pH>9
 - G MeOH
 - H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	C	D	E	F	G	H	Matrix	Number of Containers Submitted	Total	Sample Comments
03		01	Trip Blank 03	TR	2023								Kew	1	1	
01		02	MW-33s			0631							Kew	3	3	
		03	MW-32s			0605							Kew	3	3	
		04	MW-34s			0909							Kew	3	3	
		05	MW-3s			1011							Kew	3	3	
		06	E.B. G1			1102							Kew	3	3	
		07	MW-4s			1143							Kew	3	3	
		08	MW-1s			1202							Kew	3	3	
		09	MW-21			1313							Kew	3	3	
		10	Duo-03										Kew	3	3	

Sampled By (print) SAJIA JASSI
Sample's Signature [Signature]
Company TRC

How Shipped? Hand Carried
Tracking No.

1 Requisitioned By [Signature] Date 4/5/11 Time 1320
2 Received By [Signature] Date 4/5/11 Time 1320

1 Requisitioned By [Signature] Date 4/6/12 Time 1500
2 Received By [Signature] Date 4/6/12 Time 1500

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

For Lab Use Only		Client Name		Project Name		COC No.					
YOC Receipt/Receipt Log No. BOY 438-B		Tec	T.P.C								
Project Chemist J.R.		Address 1540 Eisenhour Place	Client Project No. / P.O. No.	Invoice To <input checked="" type="checkbox"/> Client	Other (comments)						
Work Order No. 1204149		City, State Zip Ann Arbor MI 48106	Contract/Report To Stacy Metz								
		Phone/Fax 734-971 2600 734-971 2605									
		Email									
Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	Matrix	Number of Containers Submitted	Sample Comments		
		01	MW-2c	3624	4/14	07K	16w +	3			
		02	MW-31			09T	16w +	3			
			MW-31 ms msis			09T	16w +	3			
		01	MW-22			1031	16w +	3			
			E.B. 02			1046	16w +	3			
			MW-14			1130	16w +	3			
			MW-2es			1307	16w +	3			
			MW-15s			1435	16w +	3			
			MW-11s			1524	16w +	3			
Comments											
Sampled By (print) Saivir Jasse											
Sample's Signature [Signature]											
Company Tec											
How Shipped? <input checked="" type="checkbox"/> Carried											
Tracking No.											
1. Requested By [Signature]		Date 4/15/11		Time 1730		2. Received By [Signature]		Date 4-12-11		Time 1500	
3. Requested For Use By [Signature]		Date 4/16/11		Time 1500							

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

VQA Reask/Tray
EDX 450-B
46-23

Client Name
Tec

Project Name
TIPC

Address
1540 Eisenhower Place
Ann Arbor MI 48106

Client Project No. / P.O. No.

Work Order No.
204149

Invoice To
 Client
 Other (comments)

Contact/Report To
Stacy Metc

Container Type (corresponds to Container Packing List)

VOC 8960

- PRESERVATIVES
- A NONE pH<7
 - B HNO₃ pH<2
 - C H₂SO₄ pH<2
 - D 1+1 HCl pH<2
 - E NaOH pH>12
 - F ZnAc/NaOH pH>9
 - G MeOH
 - H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	Matrix	Number of Containers Submitted	Sample Comments
03		19	TIP Blank 04				D5	1	
01		20	MW-29S		4/15/12	6493	XGW+	3	
		21	MW-29D		0729	0729	+GW+	3	
		22	MW-28S		0823	0823	+GW+	3	
		23	MW-28N		0915	0915	+GW+	3	
		24	MW-12S		1011	1011	+GW+	3	
		25	MW-12D		1124	1124	+GW+	3	

Sampled By (cont)
Dawn Jase

Sampler's Signature
[Signature]

Company
TTC

How Shipped? Carrier

Tracking No.

1 Requisitioned By
[Signature] 4/6/12 1300

2 Received By
[Signature] 4/6/12 1300

3 Requisitioned By
[Signature] 4/6/12 1500

Comments

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

Analyses Requested

Pg. 1 of 1

For Lab Use Only
Cart # 3
VQA Field Tray # 45-21
Receipt Log No. # 45-21
Project Chemical # 57R
Work Order No. # 1204149

Client Name: TRC ENVIRONMENTAL
Address: 1540 EISENHOWER BLVD
City, State Zip: ANN ARBOR, MI 48108
Phone/Fax: 734.971.17080
Email: SHEL@TRCENVIRONMENTAL.COM

Project Name: TPC
Client Project No. / P.O. No.: 35702
Invoice to: Client
 Other (comments)
Contact/Report to: STACY METZ

Container Type (corresponds to Container Packing List):
1 15 3
VOCS
Fe + Mn (dissolved)
Sulfate

- ← PRESERVATIVES
- A NONE pH<7
 - B HNO₃ pH<2
 - C H₂SO₄ pH<2
 - D 1+1 HCl pH<2
 - E NaOH pH<12
 - F ZnAc₂/HCl pH<9
 - G MeOH
 - H Other (note below)

Schedule	Metro Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	C	D	R	S	Metro	Number of Containers Submitted	Total	Sample Comments
			PRB-135		4/3/12	1421					X	1	1	
			PRB-145		4/3/12	1519					X	1	1	
			Seep		4/3/12	1540					X	2	2	Level in GC on this sample
			PRB-135		4/3/12	1421					X	3	3	
			PRB-145		4/3/12	1519					X	3	3	

Sampled By (print): JAVIE HOFFMAN
Sample's Signature: *Javie Hoffman*
Company: *TRC*


How Shipped? Tracking No. Hand Carrier

1. Returned By: *Javie Hoffman* Date: 4/6/12 Time: 1300
2. Received By: *Javie Hoffman* Date: 4/6/12 Time: 1300
3. Returned by: *Javie Hoffman* Date: 4/6/12 Time: 1500
4. Reported for Lab by: *Javie Hoffman* Date: 4/6/12 Time: 1500

Comments: Metals were not field filtered. Will need to be filtered in the lab.

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST

		Client: <u>TRC</u>		Work Order #: <u>1204149</u>	
		Receipt Record Page/Line #: <u>46-23</u>		Project Chemist: _____ Sample #: _____	
Recorded by (initials/date): <u>DW 4/6/12</u>		<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other _____		Qty Received: <u>1</u> <input checked="" type="checkbox"/> IR Gun (#202) Thermometer Used <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> See Additional Cooler Information Form <input type="checkbox"/> Other (# _____)	

Cooler #	Time	Cooler #	Time	Cooler #	Time	Cooler #	Time
<u>112624</u>	<u>17:48</u>						

Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact			Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact			Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact			Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		
Coolant Location: <input checked="" type="checkbox"/> Dispersed / Top / Middle / Bottom			Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom			Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom			Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom		
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers			Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers			Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers			Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		
Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container			Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container			Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container			Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank:			Temp Blank:			Temp Blank:			Temp Blank:		
TB location: Representative / Not Representative			TB location: Representative / Not Representative			TB location: Representative / Not Representative			TB location: Representative / Not Representative		
1	<u>5.8</u>	<u>0</u>	<u>5.8</u>			1			1		
2	<u>3.9</u>	<u>0</u>	<u>3.9</u>			2			2		
3	<u>3.6</u>	<u>0</u>	<u>3.6</u>			3			3		
Average °C			Average °C			Average °C			Average °C		
<input checked="" type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?		
<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance and/or Inventory Form

Paperwork Received Yes No <input checked="" type="checkbox"/> <input type="checkbox"/> Chain of Custody record(s)? If No, Initiated By _____ <input checked="" type="checkbox"/> Received for Lab Signed/Date/Time? <input type="checkbox"/> Shipping document? <input type="checkbox"/> Other _____	Check Sample Preservation N/A Yes No <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Average sample temperature ≤6 °C? <input checked="" type="checkbox"/> Was thermal preservation required? If "No", Project Chemist Approval Initials: _____ If "Yes" Completed Non Con Cooler - Cont Inventory Form? <input type="checkbox"/> Completed Sample Preservation Verification Form? <input type="checkbox"/> Samples chemically preserved correctly? If "No", added orange tag? <input type="checkbox"/> Received pre-preserved VOC soils? <input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄
COC Information <input checked="" type="checkbox"/> TriMatrix COC <input type="checkbox"/> Other _____ COC ID Numbers: <u>140574, 140575, 140576</u>	Check for Short Hold-Time Prep/Analyses <input type="checkbox"/> Bacteriological <input type="checkbox"/> Air Bags <input type="checkbox"/> EnCores / Methanol Pre-Preserved <input type="checkbox"/> Formaldehyde/Aldehyde <input type="checkbox"/> Green-tagged containers <input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)
Check COC for Accuracy Yes No <input checked="" type="checkbox"/> <input type="checkbox"/> Analysis Requested? <input checked="" type="checkbox"/> <input type="checkbox"/> Sample ID matches COC? <input checked="" type="checkbox"/> <input type="checkbox"/> Sample Date and Time matches COC? <input type="checkbox"/> Container type completed on COC? <input type="checkbox"/> All container types indicated are received?	Sample Condition Summary N/A Yes No <input type="checkbox"/> <input checked="" type="checkbox"/> Broken containers/lids? <input type="checkbox"/> <input checked="" type="checkbox"/> Missing or incomplete labels? <input type="checkbox"/> <input checked="" type="checkbox"/> Illegible information on labels? <input type="checkbox"/> <input checked="" type="checkbox"/> Low volume received? <input type="checkbox"/> <input checked="" type="checkbox"/> Inappropriate or non-TriMatrix containers received? <input type="checkbox"/> <input checked="" type="checkbox"/> VOC vials / TOX containers have headspace? <input type="checkbox"/> <input checked="" type="checkbox"/> Extra sample locations / containers not listed on COC?
Notes <input checked="" type="checkbox"/> Trip Blank received <input type="checkbox"/> Trip Blank not listed on COC Cooler Received (Date/Time) Paperwork Delivered (Date/Time) ≤1 Hour Goal Met? <u>DW 4/6/12</u> <u>DW 4/6/12</u> Yes / No	

- A NONE pH<7
- B HNO₃ pH<2
- C H₂SO₄ pH<2
- D 1+1 HCl pH<2
- E NaOH pH>12
- F ZnAc2/NaOH pH>9
- G MeOH
- H Other (note below)


For Lab Use Only		Client Name		Project Name						
VOA Rack/Tray 335, 520-R	Client Name TRC	Project Name TRC		Client Project No. / P.O. No.						
Receipt Log No. 4-27	Address 1550 Eisenhower Pkwy	City, State Zip Ann Arbor MI 48108		Invoice To <input checked="" type="checkbox"/> Client <input type="checkbox"/> Other (comments)						
Project Channel ZZR	Phone/Fax 734-971-7600 / 734-971-9800	Contact/Report To Stacy Metz								
Work Order No. 1204228										
Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	Matrix	Number of Containers Submitted	Total	Sample Comments
03	01	01	TRC-05 Fryp Blender	TRC 2104		07:25	K6w+	1	3	
01	02	02	MW-13s			09:06	K6w+	1	3	
01	03	03	MW-30s			10:20	K6w+	1	3	
01	04	04	MW-30D			11:45	K6w+	1	3	
02	05	05	MW-20s			11:46	K6w+	1	3	
01	06	06	MW-20s mstmsD			12:45	K6w+	1	3	
01	07	07	MW-7s			13:41	K6w+	1	3	
01	08	08	MW-5s			15:03	K6w+	1	3	
01	09	09	MW-25s			16:15	K6w+	1	3	
<p>Sampled By (print) <u>SAV SASS-</u></p> <p>How Shipped? <u>Carrier</u> Hand <u>Carrier</u></p> <p>Tracking No. _____</p> <p>Company <u>TRC</u></p> <p>1. Released By <u>[Signature]</u> Date <u>4/11/12</u> Time <u>17:41</u></p> <p>2. Received By _____ Date _____ Time _____</p> <p>3. Returned By <u>[Signature]</u> Date <u>4-11-12</u> Time <u>17:50</u></p> <p>4. Delivered to by <u>[Signature]</u> Date <u>4/11/12</u> Time <u>17:50</u></p>										

WHITE COPY - REPORT

YELLOW COPY - LABORATORY

PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST

		Client: <u>TRC</u>		Work Order #: <u>1204228</u>	
Receipt Record Page/Line #: <u>4-37</u>		New / Add To		Project Chemist:	
Sample #:		<input type="checkbox"/> Cooler		Qty Received: <u>1</u>	
Recorded by (initials/date): <u>JN 4/11/12</u>		<input type="checkbox"/> Box		<input checked="" type="checkbox"/> IR Gun (#202)	
<input type="checkbox"/> Other		Thermometer Used		<input type="checkbox"/> Digital Thermometer (#54)	
<input type="checkbox"/> Other (# _____)		<input type="checkbox"/> See Additional Cooler Information Form			

Cooler #	Time	Cooler #	Time	Cooler #	Time
<u>TR2104</u>	<u>2350</u>				
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact	
Coolant Location: <input checked="" type="checkbox"/> Dispersed / Top / Middle / Bottom		Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom		Coolant Location: <input type="checkbox"/> Dispersed / Top / Middle / Bottom	
Coolant/Temperature Taken Via: <input checked="" type="checkbox"/> Loose Ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers	
Alternate Temperature Taken Via: <input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container	
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
Temp Blank: <u>0</u>	<u>2.2</u>	<u>2.2</u>	Temp Blank:		
TB location: Representative / Not Representative		TB location: Representative / Not Representative		TB location: Representative / Not Representative	
1	<u>3.3</u>	<u>0</u>	<u>3.3</u>		
2	<u>4.0</u>	<u>0</u>	<u>4.0</u>		
3	<u>5.2</u>	<u>0</u>	<u>5.2</u>		
Average °C		Average °C		Average °C	
<u>4.2</u>					
<input checked="" type="checkbox"/> Cooler ID on COC? <input checked="" type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?		<input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?	

If any shaded areas checked, complete Sample Receiving Non-Conformance and/or Inventory Form

Paperwork Received Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> <input checked="" type="checkbox"/> Chain of Custody record(s)? If No, Initiated By _____ <input checked="" type="checkbox"/> Received for Lab Signed/Date/Time? <input type="checkbox"/> Shipping document? <input type="checkbox"/> Other _____	Check Sample Preservation N/A <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> <input checked="" type="checkbox"/> Average sample temperature $\leq 6^{\circ}$ C? <input type="checkbox"/> Was thermal preservation required? If "No", Project Chemist Approval Initials: _____ <input type="checkbox"/> If "Yes" Completed Non Con Cooler - Cont Inventory Form? <input type="checkbox"/> Completed Sample Preservation Verification Form? <input checked="" type="checkbox"/> Samples chemically preserved correctly? If "No", added orange tag? <input type="checkbox"/> Received pre-preserved VOC soils? <input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄						
COC Information <input checked="" type="checkbox"/> TriMatrix COC <input type="checkbox"/> Other _____ COC ID Numbers: <u>140577</u>	Check for Short Hold-Time Prep/Analyses <input type="checkbox"/> Bacteriological <input type="checkbox"/> Air Bags <input type="checkbox"/> EnCores / Methanol Pre-Preserved <input type="checkbox"/> Formaldehyde/Aldehyde <input type="checkbox"/> Green-tagged containers <input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)						
Check COC for Accuracy Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> <input type="checkbox"/> Analysis Requested? <input type="checkbox"/> Sample ID matches COC? <input type="checkbox"/> Sample Date and Time matches COC? <input checked="" type="checkbox"/> Container type completed on COC? <input type="checkbox"/> All container types indicated are received?	Notes <input checked="" type="checkbox"/> Trip Blank received <input type="checkbox"/> Trip Blank not listed on COC <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Cooler Received (Date/Time)</td> <td>Paperwork Delivered (Date/Time)</td> <td>≤ 1 Hour Goal Met?</td> </tr> <tr> <td><u>JN 4/11/12</u></td> <td><u>JN 4/11/12</u></td> <td>Yes / No</td> </tr> </table>	Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤ 1 Hour Goal Met?	<u>JN 4/11/12</u>	<u>JN 4/11/12</u>	Yes / No
Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤ 1 Hour Goal Met?					
<u>JN 4/11/12</u>	<u>JN 4/11/12</u>	Yes / No					
Sample Condition Summary N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> <input type="checkbox"/> Broken containers/lids? <input type="checkbox"/> Missing or incomplete labels? <input type="checkbox"/> Illegible information on labels? <input type="checkbox"/> Low volume received? <input type="checkbox"/> Inappropriate or non-TriMatrix containers received? <input type="checkbox"/> VOC vials / TOX containers have headspace? <input type="checkbox"/> Extra sample locations / containers not listed on COC?							

April 19, 2012

TRC Companies. - Ann Arbor Office
Attn: Ms. Stacy Metz
1540 Eisenhower Place
Ann Arbor, MI 48108

Project: Tecumseh Products

Dear Ms. Stacy Metz,

Enclosed is a copy of the laboratory report for the following work order(s) received by TriMatrix Laboratories:

Work Order	Received	Description
1204039	04/03/2012	Laboratory Services
1204066	04/04/2012	Laboratory Services
1204101	04/05/2012	Laboratory Services


This report relates only to the sample(s) as received. Test results are in compliance with the requirements of the National Environmental Laboratory Accreditation Program (NELAP) and/or one of the following certification programs:

ACLASS DoD-ELAP/ISO17025 (#ADE-1542); Arkansas DEP (#10-046-0); Florida DEP (#E87622-24); Georgia EPD (#E87622-24); Illinois DEP (#002841); Kansas DPH (#E-10302); Kentucky DEP (#0021); Louisiana DEP (#03068); Michigan DPH (#0034); Minnesota DPH (#367345); New York ELAP (#44950); North Carolina DNRE (#659); Texas CEQ (#T104704495-11-1); Virginia DCLS (#1239); Wisconsin DNR (#999472650); USDA Soil Import Permit (#P330-09-00163).

Any qualification or narration of results, including sample acceptance requirements and test exceptions to the above referenced programs, is presented in the Statement of Data Qualifications section of this report. Estimates of analytical uncertainties and certification documents for the test results contained within this report are available upon request.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,



Jennifer L. Rice
Project Chemist



ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office** Work Order: **1204039**
Project: Tecumseh Products Description: Laboratory Services
Client Sample ID: **MW-24s** Sampled: 04/02/12 08:28
Lab Sample ID: **1204039-01** Sampled By: J. Jasso
Matrix: Water Received: 04/03/12 09:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	190	2.0	mg/L	2	SM 4500-Cl E 20th	04/04/12 09:20	LMA	1204146
*Iron, Ferrous	<0.020	0.020	mg/L	1	SM 3500-Fe B 20th	04/04/12 16:56	HLB	1204722
*Nitrogen, Nitrate	3.3	0.50	mg/L	10	SM 4500-NO3 F 20th	04/03/12 14:12	CAC	1204133
Sulfate	180	50	mg/L	10	ASTM D516-90 (02)	04/06/12 09:31	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204039
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-24d	Sampled: 04/02/12 09:39
Lab Sample ID: 1204039-02	Sampled By: J. Jasso
Matrix: Water	Received: 04/03/12 09:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	730	10	mg/L	10	SM 4500-Cl E 20th	04/04/12 09:39	LMA	1204146
*Iron, Ferrous	0.70	0.10	mg/L	5	SM 3500-Fe B 20th	04/04/12 16:57	HLB	1204722
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	04/03/12 13:59	CAC	1204133
Sulfate	97	25	mg/L	5	ASTM D516-90 (02)	04/06/12 09:31	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office** Work Order: **1204039**
Project: Tecumseh Products Description: Laboratory Services
Client Sample ID: **MW-17s** Sampled: 04/02/12 11:34
Lab Sample ID: **1204039-03** Sampled By: J. Jasso
Matrix: Water Received: 04/03/12 09:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	95	1.0	mg/L	1	SM 4500-Cl E 20th	04/04/12 08:54	LMA	1204146
*Iron, Ferrous	0.036	0.020	mg/L	1	SM 3500-Fe B 20th	04/04/12 16:57	HLB	1204722
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	04/03/12 14:00	CAC	1204133
Sulfate	43	10	mg/L	2	ASTM D516-90 (02)	04/06/12 09:35	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client:	TRC Companies. - Ann Arbor Office	Work Order:	1204039
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-10s	Sampled:	04/02/12 13:54
Lab Sample ID:	1204039-04	Sampled By:	J. Jasso
Matrix:	Water	Received:	04/03/12 09:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	59	1.0	mg/L	1	SM 4500-Cl E 20th	04/04/12 08:54	LMA	1204146
*Iron, Ferrous	0.044	0.020	mg/L	1	SM 3500-Fe B 20th	04/04/12 16:58	HLB	1204722
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	04/03/12 14:02	CAC	1204133
Sulfate	29	5.0	mg/L	1	ASTM D516-90 (02)	04/06/12 08:52	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office** Work Order: **1204039**
Project: Tecumseh Products Description: Laboratory Services
Client Sample ID: **Dup-01** Sampled: 04/02/12 00:00
Lab Sample ID: **1204039-05** Sampled By: J. Jasso
Matrix: Water Received: 04/03/12 09:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	160	2.0	mg/L	2	SM 4500-Cl E 20th	04/04/12 09:21	LMA	1204146
*Iron, Ferrous	0.071	0.020	mg/L	1	SM 3500-Fe B 20th	04/04/12 16:58	HLB	1204722
Nitrogen, Nitrate	0.14	0.050	mg/L	1	SM 4500-NO3 F 20th	04/03/12 14:03	CAC	1204133
Sulfate	68	10	mg/L	2	ASTM D516-90 (02)	04/06/12 09:35	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client:	TRC Companies. - Ann Arbor Office	Work Order:	1204039
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-14d	Sampled:	04/02/12 16:00
Lab Sample ID:	1204039-06	Sampled By:	J. Jasso
Matrix:	Water	Received:	04/03/12 09:00

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	160	2.0	mg/L	2	SM 4500-Cl E 20th	04/04/12 09:21	LMA	1204146
*Iron, Ferrous	0.028	0.020	mg/L	1	SM 3500-Fe B 20th	04/04/12 16:59	HLB	1204722
Nitrogen, Nitrate	0.14	0.050	mg/L	1	SM 4500-NO3 F 20th	04/03/12 14:04	CAC	1204133
Sulfate	68	10	mg/L	2	ASTM D516-90 (02)	04/06/12 09:35	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client:	TRC Companies. - Ann Arbor Office	Work Order:	1204066
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-27s	Sampled:	04/03/12 07:12
Lab Sample ID:	1204066-01	Sampled By:	J. Jasso
Matrix:	Water	Received:	04/04/12 08:45

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	200	5.0	mg/L	5	SM 4500-Cl E 20th	04/06/12 08:41	LMA	1204283
*Iron, Ferrous	0.15	0.020	mg/L	1	SM 3500-Fe B 20th	04/04/12 17:00	HLB	1204722
Nitrogen, Nitrate	0.46	0.050	mg/L	1	SM 4500-NO3 F 20th	04/04/12 14:49	CAC	1204201
Sulfate	60	10	mg/L	2	ASTM D516-90 (02)	04/06/12 09:35	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office** Work Order: **1204066**
Project: Tecumseh Products Description: Laboratory Services
Client Sample ID: **MW-27d** Sampled: 04/03/12 07:52
Lab Sample ID: **1204066-02** Sampled By: J. Jasso
Matrix: Water Received: 04/04/12 08:45

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	190	5.0	mg/L	5	SM 4500-Cl E 20th	04/06/12 08:41	LMA	1204283
*Iron, Ferrous	0.037	0.020	mg/L	1	SM 3500-Fe B 20th	04/04/12 17:02	HLB	1204722
Nitrogen, Nitrate	0.30	0.050	mg/L	1	SM 4500-NO3 F 20th	04/04/12 14:52	CAC	1204201
Sulfate	62	10	mg/L	2	ASTM D516-90 (02)	04/06/12 09:39	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office**
Project: Tecumseh Products
Client Sample ID: **MW-18s**
Lab Sample ID: **1204066-03**
Matrix: Water

Work Order: **1204066**
Description: Laboratory Services
Sampled: 04/03/12 09:29
Sampled By: J. Jasso
Received: 04/04/12 08:45

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	350	5.0	mg/L	5	SM 4500-Cl E 20th	04/06/12 08:44	LMA	1204283
*Iron, Ferrous	0.10	0.020	mg/L	1	SM 3500-Fe B 20th	04/04/12 17:02	HLB	1204722
Nitrogen, Nitrate	1.1	0.25	mg/L	5	SM 4500-NO3 F 20th	04/04/12 15:28	CAC	1204201
Sulfate	35	10	mg/L	2	ASTM D516-90 (02)	04/06/12 09:39	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office** Work Order: **1204066**
Project: Tecumseh Products Description: Laboratory Services
Client Sample ID: **MW-19d** Sampled: 04/03/12 11:42
Lab Sample ID: **1204066-04** Sampled By: J. Jasso
Matrix: Water Received: 04/04/12 08:45

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	130	2.0	mg/L	2	SM 4500-Cl E 20th	04/06/12 08:44	LMA	1204283
*Iron, Ferrous	1.1	0.10	mg/L	5	SM 3500-Fe B 20th	04/04/12 17:02	HLB	1204722
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	04/04/12 14:55	CAC	1204201
Sulfate	62	10	mg/L	2	ASTM D516-90 (02)	04/06/12 09:41	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client:	TRC Companies. - Ann Arbor Office	Work Order:	1204066
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	Dup-02	Sampled:	04/03/12 00:00
Lab Sample ID:	1204066-05	Sampled By:	J. Jasso
Matrix:	Water	Received:	04/04/12 08:45

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	140	2.0	mg/L	2	SM 4500-Cl E 20th	04/06/12 08:44	LMA	1204283
*Iron, Ferrous	0.023	0.020	mg/L	1	SM 3500-Fe B 20th	04/04/12 17:03	HLB	1204722
Nitrogen, Nitrate	1.7	0.25	mg/L	5	SM 4500-NO3 F 20th	04/04/12 15:29	CAC	1204201
Sulfate	47	10	mg/L	2	ASTM D516-90 (02)	04/06/12 11:15	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204066
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-19s	Sampled: 04/03/12 12:55
Lab Sample ID: 1204066-06	Sampled By: J. Jasso
Matrix: Water	Received: 04/04/12 08:45

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	130	2.0	mg/L	2	SM 4500-Cl E 20th	04/06/12 08:44	LMA	1204283
*Iron, Ferrous	0.025	0.020	mg/L	1	SM 3500-Fe B 20th	04/04/12 17:03	HLB	1204722
Nitrogen, Nitrate	1.7	0.25	mg/L	5	SM 4500-NO3 F 20th	04/04/12 15:30	CAC	1204201
Sulfate	47	10	mg/L	2	ASTM D516-90 (02)	04/06/12 11:15	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: TRC Companies. - Ann Arbor Office	Work Order: 1204066
Project: Tecumseh Products	Description: Laboratory Services
Client Sample ID: MW-6s	Sampled: 04/03/12 14:02
Lab Sample ID: 1204066-07	Sampled By: J. Jasso
Matrix: Water	Received: 04/04/12 08:45

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	160	2.0	mg/L	2	SM 4500-Cl E 20th	04/06/12 08:51	LMA	1204283
*Iron, Ferrous	0.031	0.020	mg/L	1	SM 3500-Fe B 20th	04/04/12 17:05	HLB	1204722
Nitrogen, Nitrate	2.6	0.25	mg/L	5	SM 4500-NO3 F 20th	04/04/12 15:32	CAC	1204201
Sulfate	32	5.0	mg/L	1	ASTM D516-90 (02)	04/06/12 10:58	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client:	TRC Companies. - Ann Arbor Office	Work Order:	1204066
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-23	Sampled:	04/03/12 15:57
Lab Sample ID:	1204066-08	Sampled By:	J. Jasso
Matrix:	Water	Received:	04/04/12 08:45

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	210	5.0	mg/L	5	SM 4500-Cl E 20th	04/06/12 08:51	LMA	1204283
*Iron, Ferrous	1.1	0.10	mg/L	5	SM 3500-Fe B 20th	04/04/12 17:05	HLB	1204722
Nitrogen, Nitrate	<0.050	0.050	mg/L	1	SM 4500-NO3 F 20th	04/04/12 14:59	CAC	1204201
Sulfate	60	10	mg/L	2	ASTM D516-90 (02)	04/06/12 11:15	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office** Work Order: **1204101**
Project: Tecumseh Products Description: Laboratory Services
Client Sample ID: **MW-33s** Sampled: 04/04/12 06:31
Lab Sample ID: **1204101-01** Sampled By: J. Jasso
Matrix: Water Received: 04/05/12 08:15

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	94	1.0	mg/L	1	SM 4500-Cl E 20th	04/06/12 08:24	LMA	1204283
*Iron, Ferrous	0.46	0.040	mg/L	2	SM 3500-Fe B 20th	04/05/12 15:54	HLB	1204724
Nitrogen, Nitrate	8.1	1.2	mg/L	25	SM 4500-NO3 F 20th	04/05/12 16:35	CAC	1204261
Sulfate	24	5.0	mg/L	1	ASTM D516-90 (02)	04/06/12 11:01	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office** Work Order: **1204101**
Project: Tecumseh Products Description: Laboratory Services
Client Sample ID: **MW-32s** Sampled: 04/04/12 08:05
Lab Sample ID: **1204101-02** Sampled By: J. Jasso
Matrix: Water Received: 04/05/12 08:15

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	79	1.0	mg/L	1	SM 4500-Cl E 20th	04/06/12 08:24	LMA	1204283
*Iron, Ferrous	0.022	0.020	mg/L	1	SM 3500-Fe B 20th	04/05/12 15:53	HLB	1204724
Nitrogen, Nitrate	3.7	0.25	mg/L	5	SM 4500-NO3 F 20th	04/05/12 16:39	CAC	1204261
Sulfate	46	10	mg/L	2	ASTM D516-90 (02)	04/06/12 11:36	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client:	TRC Companies. - Ann Arbor Office	Work Order:	1204101
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-34s	Sampled:	04/04/12 09:29
Lab Sample ID:	1204101-03	Sampled By:	J. Jasso
Matrix:	Water	Received:	04/05/12 08:15

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	46	1.0	mg/L	1	SM 4500-Cl E 20th	04/06/12 08:24	LMA	1204283
*Iron, Ferrous	<0.020	0.020	mg/L	1	SM 3500-Fe B 20th	04/05/12 15:54	HLB	1204724
Nitrogen, Nitrate	4.1	0.25	mg/L	5	SM 4500-NO3 F 20th	04/05/12 16:40	CAC	1204261
Sulfate	24	5.0	mg/L	1	ASTM D516-90 (02)	04/06/12 11:01	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office** Work Order: **1204101**
Project: Tecumseh Products Description: Laboratory Services
Client Sample ID: **MW-3s** Sampled: 04/04/12 10:45
Lab Sample ID: **1204101-04** Sampled By: J. Jasso
Matrix: Water Received: 04/05/12 08:15

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	200	5.0	mg/L	5	SM 4500-Cl E 20th	04/06/12 08:51	LMA	1204283
*Iron, Ferrous	0.069	0.020	mg/L	1	SM 3500-Fe B 20th	04/05/12 15:54	HLB	1204724
Nitrogen, Nitrate	2.2	0.25	mg/L	5	SM 4500-NO3 F 20th	04/05/12 16:41	CAC	1204261
Sulfate	48	10	mg/L	2	ASTM D516-90 (02)	04/06/12 11:36	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office** Work Order: **1204101**
Project: Tecumseh Products Description: Laboratory Services
Client Sample ID: **MW-1s** Sampled: 04/04/12 12:30
Lab Sample ID: **1204101-05** Sampled By: J. Jasso
Matrix: Water Received: 04/05/12 08:15

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	30	1.0	mg/L	1	SM 4500-Cl E 20th	04/06/12 08:24	LMA	1204283
*Iron, Ferrous	0.044	0.020	mg/L	1	SM 3500-Fe B 20th	04/05/12 15:56	HLB	1204724
Nitrogen, Nitrate	2.3	0.25	mg/L	5	SM 4500-NO3 F 20th	04/05/12 16:45	CAC	1204261
Sulfate	19	5.0	mg/L	1	ASTM D516-90 (02)	04/06/12 11:04	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client:	TRC Companies. - Ann Arbor Office	Work Order:	1204101
Project:	Tecumseh Products	Description:	Laboratory Services
Client Sample ID:	MW-21	Sampled:	04/04/12 13:43
Lab Sample ID:	1204101-06	Sampled By:	J. Jasso
Matrix:	Water	Received:	04/05/12 08:15

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	130	2.0	mg/L	2	SM 4500-Cl E 20th	04/06/12 08:51	LMA	1204283
*Iron, Ferrous	<0.020	0.020	mg/L	1	SM 3500-Fe B 20th	04/05/12 15:57	HLB	1204724
Nitrogen, Nitrate	0.79	0.050	mg/L	1	SM 4500-NO3 F 20th	04/05/12 16:28	CAC	1204261
Sulfate	38	10	mg/L	2	ASTM D516-90 (02)	04/06/12 11:36	LMA	1204310

*See Statement of Data Qualifications



ANALYTICAL REPORT

Client: **TRC Companies. - Ann Arbor Office** Work Order: **1204101**
Project: Tecumseh Products Description: Laboratory Services
Client Sample ID: **MW-4s** Sampled: 04/04/12 11:43
Lab Sample ID: **1204101-07** Sampled By: J. Jasso
Matrix: Water Received: 04/05/12 08:15

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Analyte	Analytical Result	RL	Unit	Dilution Factor	Method	Date Time Analyzed	By	QC Batch
Chloride	75	1.0	mg/L	1	SM 4500-Cl E 20th	04/06/12 08:24	LMA	1204283
*Iron, Ferrous	<0.020	0.020	mg/L	1	SM 3500-Fe B 20th	04/05/12 15:53	HLB	1204724
Nitrogen, Nitrate	1.5	0.25	mg/L	5	SM 4500-NO3 F 20th	04/05/12 16:42	CAC	1204261
Sulfate	25	5.0	mg/L	1	ASTM D516-90 (02)	04/06/12 08:46	LMA	1204311

*See Statement of Data Qualifications

QUALITY CONTROL REPORT

Physical/Chemical Parameters by EPA/APHA/ASTM Methods

QC Type	Sample Conc.	Spike Qty.	Result	Unit	Spike % Rec.	Control Limits	RPD	RPD Limits	RL
---------	--------------	------------	--------	------	--------------	----------------	-----	------------	----

Analyte: Chloride/SM 4500-Cl E 20th

QC Batch: 1204146 (General Inorganic Prep) Analyzed: 04/04/2012 By: LMA

Method Blank			<1.0	mg/L					1.0
Laboratory Control Sample		50.0	49.7	mg/L	99	90-106		20	1.0

QC Batch: 1204283 (General Inorganic Prep) Analyzed: 04/06/2012 By: LMA

Method Blank			<1.0	mg/L					1.0
Laboratory Control Sample		50.0	48.1	mg/L	96	90-106		20	1.0

1204066-01 [MW-27s]

Matrix Spike	201	50.0	248	mg/L	94	72-123		20	5.0
Matrix Spike Duplicate	201	50.0	248	mg/L	93	72-123	0.3	20	5.0

Analyte: Iron, Ferrous/SM 3500-Fe B 20th

QC Batch: 1204722 (Method-Specific Preparation) Analyzed: 04/04/2012 By: HLB

Method Blank			<0.020	mg/L					0.020
Laboratory Control Sample		0.320	0.335	mg/L	105	80-120		20	0.020

1204066-01 [MW-27s]

Matrix Spike	0.153	0.320	0.461	mg/L	96	68-131		20	0.020
Matrix Spike Duplicate	0.153	0.320	0.452	mg/L	94	68-131	2	20	0.020

QC Batch: 1204724 (Method-Specific Preparation) Analyzed: 04/05/2012 By: HLB

Method Blank			<0.020	mg/L					0.020
Laboratory Control Sample		0.320	0.343	mg/L	107	80-120		20	0.020

1204101-05 [MW-1s]

Matrix Spike	0.0436	0.320	0.378	mg/L	105	68-131		20	0.020
Matrix Spike Duplicate	0.0436	0.320	0.379	mg/L	105	68-131	0.3	20	0.020

Analyte: Nitrogen, Nitrate/SM 4500-NO3 F 20th

QC Batch: 1204133 (General Inorganic Prep) Analyzed: 04/03/2012 By: CAC

Method Blank			<0.050	mg/L					0.050
Laboratory Control Sample		0.500	0.490	mg/L	98	90-110		20	0.050

1204039-01 [MW-24s]

Matrix Spike	3.30	5.00	6.97	mg/L	73	90-110		20	0.50
--------------	------	------	-------------	------	----	--------	--	----	------

Continued on next page

QUALITY CONTROL REPORT

Physical/Chemical Parameters by EPA/APHA/ASTM Methods (Continued)

QC Type	Sample Conc.	Spike Qty.	Result	Unit	Spike % Rec.	Control Limits	RPD	RPD Limits	RL	
Analyte: Nitrogen, Nitrate/SM 4500-NO3 F 20th (Continued)										
QC Batch: 1204133 (Continued) (General Inorganic Prep)						Analyzed: 04/03/2012				By: CAC
1204039-01 [MW-24s]										
Matrix Spike Duplicate	3.30	5.00	7.57	mg/L	85	90-110	8	20	0.50	
QC Batch: 1204201 (General Inorganic Prep)						Analyzed: 04/04/2012				By: CAC
1204066-01 [MW-27s]										
Method Blank			<0.050	mg/L					0.050	
Laboratory Control Sample		0.500	0.479	mg/L	96	90-110		20	0.050	
Matrix Spike	0.464	0.500	0.978	mg/L	103	90-110		20	0.050	
Matrix Spike Duplicate	0.464	0.500	0.969	mg/L	101	90-110	0.9	20	0.050	
QC Batch: 1204261 (General Inorganic Prep)						Analyzed: 04/05/2012				By: CAC
1204101-01 [MW-33s]										
Method Blank			<0.050	mg/L					0.050	
Laboratory Control Sample		0.500	0.518	mg/L	104	90-110		20	0.050	
Matrix Spike	8.10	12.5	19.7	mg/L	93	90-110		20	1.2	
Matrix Spike Duplicate	8.10	12.5	21.6	mg/L	108	90-110	9	20	1.2	
Analyte: Sulfate/ASTM D516-90 (02)										
QC Batch: 1204310 (General Inorganic Prep)						Analyzed: 04/06/2012				By: LMA
1204066-01 [MW-27s]										
Method Blank			<1.0	mg/L					1.0	
Laboratory Control Sample		20.0	19.7	mg/L	99	88-116		20	1.0	
Matrix Spike	60.0	20.0	78.3	mg/L	92	55-151		20	5.0	
Matrix Spike Duplicate	60.0	20.0	78.4	mg/L	92	55-151	0.2	20	5.0	
QC Batch: 1204311 (General Inorganic Prep)						Analyzed: 04/06/2012				By: LMA
1204066-01 [MW-27s]										
Method Blank			<1.0	mg/L					1.0	
Laboratory Control Sample		20.0	21.0	mg/L	105	88-116		20	1.0	

STATEMENT OF DATA QUALIFICATIONS
Physical/Chemical Parameters by EPA/APHA/ASTM Methods

Qualification: The MS and/or MSD recovery was outside the control limit. The non-spiked sample result is considered estimated.

Analysis: SM 4500-NO3 F 20th

Sample/Analyte: 1204039-01 MW-24s Nitrogen, Nitrate

Qualification: Ferrous iron is unstable and easily changes to the ferric form in solutions in contact with air. Determination should be done in the field at the time of collection. Because analysis was performed in the lab, the reported value may not be representative.

Analysis: SM 3500-Fe B 20th

Sample/Analyte:	1204039-01	MW-24s	Iron, Ferrous
	1204039-02	MW-24d	Iron, Ferrous
	1204039-03	MW-17s	Iron, Ferrous
	1204039-04	MW-10s	Iron, Ferrous
	1204039-05	Dup-01	Iron, Ferrous
	1204039-06	MW-14d	Iron, Ferrous
	1204066-01	MW-27s	Iron, Ferrous
	1204066-02	MW-27d	Iron, Ferrous
	1204066-03	MW-18s	Iron, Ferrous
	1204066-04	MW-19d	Iron, Ferrous
	1204066-05	Dup-02	Iron, Ferrous
	1204066-06	MW-19s	Iron, Ferrous
	1204066-07	MW-6s	Iron, Ferrous
	1204066-08	MW-23	Iron, Ferrous
	1204101-01	MW-33s	Iron, Ferrous
	1204101-02	MW-32s	Iron, Ferrous
	1204101-03	MW-34s	Iron, Ferrous
	1204101-04	MW-3s	Iron, Ferrous
	1204101-05	MW-1s	Iron, Ferrous
	1204101-06	MW-21	Iron, Ferrous
	1204101-07	MW-4s	Iron, Ferrous

VOA Pack/Tray
Cart 4
Receipt Log No. 39-2
Project Chemical

Client Name
TRC
Address
1540 Eisenhower Pkce
Ahn Arbor MI 48108
City, State, Zip
Phone/Fax 734 971 7080 734 971 9003
Email

Project Name
Former Tannery Precinct
Client Project No. / P.O. No.
Invoice To
 Client
 Other (Comments)
Contact/Report To
Stacy Mule

Container Type (corresponds to Container Packing List)
VOC 8260
Iron II
chloride
sulfate
Ditrate

- PRESERVATIVES
- A NONE pH-7
 - B HNO₃ pH-2
 - C H₂SO₄ pH-2
 - D 1+1 HCl pH-2
 - E NaOH pH-12
 - F ZnAc/NaOH pH-9
 - G MeOH
 - H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	Matrix			Number of Containers Submitted	Total	Sample Comments
							C	M	A			
X		01	Trip Blank 01				DI	X	1	1		
		02	MW-245		9/12/10	0835	+LOW	X	1	1		
		03	MW-24D			0939	+LOW	X	1	1		
		04	MW-17s			1134	+LOW	X	1	1		
		05	WCL-01			1152	X SW	X	1	1		
		06	MW-10s			1354	+LOW	X	1	1		
		07	MW-01				+LOW	X	1	1		
		08	MW-14D				+LOW	X	1	1		

Sampled By (print) Jair Jase

Sample's Signature Jair Jase

Company TRC

How Shipped? Federal

Tracking No.

1. Requisitioned By Jair Jase Date 9/12/10 Time 1715


2. Received By _____ Date _____ Time _____

3. Requisitioned By _____ Date _____ Time _____

3. Received for Testing _____ Date 9/12/10 Time 0900

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST

		Client: <u>TRC</u> Receipt Record Page/Line #: <u>39-2</u>	Work Order #: <u>1204039</u> New / Add To Project Chemist: _____ Sample #: _____																																																																																				
Recorded by (initials/date): <u>Ln 4/3/12</u>		<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other	Qty Received: <u>1</u> <input checked="" type="checkbox"/> IR Gun (#202) <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> Other (# _____) <input type="checkbox"/> See Additional Cooler Information Form																																																																																				
Cooler # <u>Client</u> Time <u>0900</u> Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact Coolant Location: Dispersed / Top / Middle / Bottom <u>OO</u> Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers Alternate Temperature Taken Via: <input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container	Cooler # _____ Time _____ Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact Coolant Location: Dispersed / Top / Middle / Bottom Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container	Cooler # _____ Time _____ Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact Coolant Location: Dispersed / Top / Middle / Bottom Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container	Cooler # _____ Time _____ Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact Coolant Location: Dispersed / Top / Middle / Bottom Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container																																																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Recorded °C</th> <th>Correction Factor °C</th> <th>Actual °C</th> </tr> <tr> <td>Temp Blank: -</td> <td>-</td> <td>6.5</td> </tr> <tr> <td colspan="3">TB location: Representative / Not Representative</td> </tr> <tr> <td>1</td> <td>5.4</td> <td>5.4</td> </tr> <tr> <td>2</td> <td>4.4</td> <td>4.4</td> </tr> <tr> <td>3</td> <td>4.1</td> <td>4.1</td> </tr> <tr> <td colspan="2" style="text-align: center;">Average °C</td> <td>4.6</td> </tr> </table> <input type="checkbox"/> Cooler ID on COC? <input checked="" type="checkbox"/> VOC Trip Blank received?	Recorded °C	Correction Factor °C	Actual °C	Temp Blank: -	-	6.5	TB location: Representative / Not Representative			1	5.4	5.4	2	4.4	4.4	3	4.1	4.1	Average °C		4.6	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Recorded °C</th> <th>Correction Factor °C</th> <th>Actual °C</th> </tr> <tr> <td>Temp Blank:</td> <td></td> <td></td> </tr> <tr> <td colspan="3">TB location: Representative / Not Representative</td> </tr> <tr> <td>1</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> </tr> <tr> <td colspan="2" style="text-align: center;">Average °C</td> <td></td> </tr> </table> <input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?	Recorded °C	Correction Factor °C	Actual °C	Temp Blank:			TB location: Representative / Not Representative			1			2			3			Average °C			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Recorded °C</th> <th>Correction Factor °C</th> <th>Actual °C</th> </tr> <tr> <td>Temp Blank:</td> <td></td> <td></td> </tr> <tr> <td colspan="3">TB location: Representative / Not Representative</td> </tr> <tr> <td>1</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> </tr> <tr> <td colspan="2" style="text-align: center;">Average °C</td> <td></td> </tr> </table> <input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?	Recorded °C	Correction Factor °C	Actual °C	Temp Blank:			TB location: Representative / Not Representative			1			2			3			Average °C			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Recorded °C</th> <th>Correction Factor °C</th> <th>Actual °C</th> </tr> <tr> <td>Temp Blank:</td> <td></td> <td></td> </tr> <tr> <td colspan="3">TB location: Representative / Not Representative</td> </tr> <tr> <td>1</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> </tr> <tr> <td colspan="2" style="text-align: center;">Average °C</td> <td></td> </tr> </table> <input type="checkbox"/> Cooler ID on COC? <input type="checkbox"/> VOC Trip Blank received?	Recorded °C	Correction Factor °C	Actual °C	Temp Blank:			TB location: Representative / Not Representative			1			2			3			Average °C		
Recorded °C	Correction Factor °C	Actual °C																																																																																					
Temp Blank: -	-	6.5																																																																																					
TB location: Representative / Not Representative																																																																																							
1	5.4	5.4																																																																																					
2	4.4	4.4																																																																																					
3	4.1	4.1																																																																																					
Average °C		4.6																																																																																					
Recorded °C	Correction Factor °C	Actual °C																																																																																					
Temp Blank:																																																																																							
TB location: Representative / Not Representative																																																																																							
1																																																																																							
2																																																																																							
3																																																																																							
Average °C																																																																																							
Recorded °C	Correction Factor °C	Actual °C																																																																																					
Temp Blank:																																																																																							
TB location: Representative / Not Representative																																																																																							
1																																																																																							
2																																																																																							
3																																																																																							
Average °C																																																																																							
Recorded °C	Correction Factor °C	Actual °C																																																																																					
Temp Blank:																																																																																							
TB location: Representative / Not Representative																																																																																							
1																																																																																							
2																																																																																							
3																																																																																							
Average °C																																																																																							
If any shaded areas checked, complete Sample Receiving Non-Conformance and/or Inventory Form																																																																																							
Paperwork Received Yes No <input checked="" type="checkbox"/> <input type="checkbox"/> Chain of Custody record(s)? If No, Initiated By _____ <input checked="" type="checkbox"/> Received for Lab Signed/Date/Time? <input type="checkbox"/> Shipping document? <input type="checkbox"/> Other		Check Sample Preservation N/A Yes No <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Average sample temperature ≤6° C? <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Was thermal preservation required? If "No", Project Chemist Approval Initials: _____ <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> if "Yes" Completed Non Con Cooler - Cont Inventory Form? <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Completed Sample Preservation Verification Form? <input checked="" type="checkbox"/> <input type="checkbox"/> Samples chemically preserved correctly? if "No", added orange tag? <input type="checkbox"/> <input checked="" type="checkbox"/> Received pre-preserved VOC soils? <input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄																																																																																					
COC Information <input checked="" type="checkbox"/> TriMatrix COC <input type="checkbox"/> Other _____ COC ID Numbers: <u>140571</u>		Check for Short Hold-Time Prep/Analyses <input type="checkbox"/> Bacteriological <input type="checkbox"/> Air Bags <input type="checkbox"/> EnCores / Methanol Pre-Preserved <input type="checkbox"/> Formaldehyde/Aldehyde <input type="checkbox"/> Green-tagged containers <input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)																																																																																					
Check COC for Accuracy Yes No <input checked="" type="checkbox"/> <input type="checkbox"/> Analysis Requested? <input checked="" type="checkbox"/> <input type="checkbox"/> Sample ID matches COC? <input checked="" type="checkbox"/> <input type="checkbox"/> Sample Date and Time matches COC? <input checked="" type="checkbox"/> <input type="checkbox"/> Container type completed on COC? <input checked="" type="checkbox"/> <input type="checkbox"/> All container types indicated are received?		AFTER HOURS ONLY: COPIES OF COC TO LAB AREA(S) <input type="checkbox"/> NONE RECEIVED <input type="checkbox"/> RECEIVED, COCs TO LAB(S)																																																																																					
Sample Condition Summary N/A Yes No <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> Broken containers/lids? <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> Missing or incomplete labels? <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> Illegible information on labels? <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> Low volume received? <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> Inappropriate or non-TriMatrix containers received? <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> VOC vials / TOX containers have headspace? <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> Extra sample locations / containers not listed on COC?		Notes <input checked="" type="checkbox"/> Trip Blank received <input type="checkbox"/> Trip Blank not listed on COC <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Cooler Received (Date/Time)</th> <th>Paperwork Delivered (Date/Time)</th> <th>≤1 Hour Goal Met?</th> </tr> <tr> <td><u>4/3/12 0900</u></td> <td><u>4/3/12 0919</u></td> <td style="text-align: center;">(Yes) No</td> </tr> </table>		Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?	<u>4/3/12 0900</u>	<u>4/3/12 0919</u>	(Yes) No																																																																														
Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?																																																																																					
<u>4/3/12 0900</u>	<u>4/3/12 0919</u>	(Yes) No																																																																																					

Log In Forms - Receiving_Log-In_Checklist

revision: 3.4

Client <i>TRC</i>	Work Order # <i>1204039</i>
Receipt Log # <i>39-2</i>	Completed By (initials/date) <i>LR 4/3/12</i>
Project Chemist	

COC ID # <i>140571</i>				Adjusted by: _____ Date: _____	DO NOT ADJUST pH FOR THESE CONTAINER TYPES		
Container Type	5 / 23	4	13	<i>24</i>	3	6	15
Tag Color	Lt. Blue	Blue	Brown	<i>White</i>	Green	Red	Red Stripe
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	<i>HCL</i>	None	HNO ₃	HNO ₃
Expected pH	<i>>12</i>	<i><2</i>	<i><2</i>	<i><2</i>	<i>6-8</i>	<i><2</i>	<i><2</i>
COC Line #1							
COC Line #2				✓	✓		
COC Line #3				✓	✓		
COC Line #4				✓	✓		
COC Line #5							
COC Line #6				✓	✓		
COC Line #7				✓	✓		
COC Line #8				✓	✓		
COC Line #9							
COC Line #10							

Ph Strip Lot # <input checked="" type="checkbox"/> HC133115 <input type="checkbox"/>

Aqueous Samples: For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

Comments							
----------	--	--	--	--	--	--	--

COC ID #				Adjusted by: _____ Date: _____	DO NOT ADJUST pH FOR THESE CONTAINER TYPES		
Container Type	5	4	13		3	6	15
Tag Color	Lt. Blue	Blue	Brown		Green	Red	Red Stripe
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄		None	HNO ₃	HNO ₃
Expected pH	<i>>12</i>	<i><2</i>	<i><2</i>		<i>-7</i>	<i><2</i>	<i><2</i>
COC Line #1							
COC Line #2							
COC Line #3							
COC Line #4							
COC Line #5							
COC Line #6							
COC Line #7							
COC Line #8							
COC Line #9							
COC Line #10							

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5	NaOH
500	2.5
1000	5.0
Container Type 4	H ₂ SO ₄
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13	H ₂ SO ₄
500	2.5

Comments							
----------	--	--	--	--	--	--	--

For Lab Use Only
Cart # 13

Client Name: TRC
Address: 1540 Eisenhower Place
City, State, Zip: Ann Arbor MI 48106
Phone/Fax: 734-971-2050 / 734-971-9003
Email: [blank]

Project Name: Former Truconsul Product
Client Project No. / P.O. No.: [blank]
Invoice to: Client Other (comments)
Contact/Report to: Stacy Math

Analyses Requested

<input checked="" type="checkbox"/>	Chloride
<input checked="" type="checkbox"/>	Nitrate
<input checked="" type="checkbox"/>	Sulfate
<input checked="" type="checkbox"/>	Iron II
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	


Preservatives:
A NONE pH<7
B HNO₃ pH<2
C H₂SO₄ pH<2
D 1+1 HCl pH<2
E NaOH pH>12
F Zinc/Ascorbic pH<9
G MeOH
H Other (note below)

Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	Matrix	Number of Containers Submitted				Total	Sample Comments
						A	B	C	D		
01	MW-27s	2618	4/3/12	0712	Low	+	+	+	+	4	1
02	MW-27s msdmsd Trip Blank 03			0711	Low	+	+	+	+	4	1
03	MW-18s			0722	Low	+	+	+	+	4	1
04	MW-191D			0929	Low	+	+	+	+	4	1
05	DUP-02			1144	Low	+	+	+	+	4	1
06	MW-19s			1257	Low	+	+	+	+	4	1
07	MW-18s			1402	Low	+	+	+	+	4	1
08	MW-23			1557	Low	+	+	+	+	4	1

Sampled By (print): SAVER JASSI
Sample's Signature: [Signature]
How Shipped? Hand Carried
Tracking No.: Fadet
Date: 4/3/12
Time: 1200
Date: 4/4/12
Time: 0845

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST

		Client: <u>TRC</u>		Work Order #: <u>1204066</u>	
		Receipt Record Page/Line #: <u>41-4</u>		New / Add To	Project Chemist
Recorded by (initials/date): <u>LC 4/4/12</u>		<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other		Qty Received: <u>1</u> <input checked="" type="checkbox"/> IR Gun (#202) Thermometer Used <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> See Additional Cooler Information Form <input type="checkbox"/> Other (# _____)	

Cooler #	Time	Cooler #	Time	Cooler #	Time	Cooler #	Time
<u>2618</u>	<u>0906</u>						
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact	
Coolant Location: Dispersed / <input checked="" type="checkbox"/> Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom	
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose ice / Avg 2-3 containers <input type="checkbox"/> Bagged ice / Avg 2-3 containers <input type="checkbox"/> Blue ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers	
Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container	
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C
		<u>4.2</u>					
Temp Blank:			Temp Blank:			Temp Blank:	
TB location: Representative / Not Representative			TB location: Representative / Not Representative			TB location: Representative / Not Representative	
1	<u>4.6</u>	<u>-</u>	1			1	
2	<u>4.5</u>	<u>-</u>	2			2	
3	<u>5.2</u>	<u>-</u>	3			3	
Average °C		<u>4.8</u>	Average °C			Average °C	
<input checked="" type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?	
<input checked="" type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?	

If any shaded areas checked, complete Sample Receiving Non-Conformance and/or Inventory Form

Paperwork Received Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> <input checked="" type="checkbox"/> Chain of Custody record(s)? If No, Initiated By _____ Received for Lab Signed/Date/Time? <input type="checkbox"/> Shipping document? <input checked="" type="checkbox"/> Other _____ COC Information <input checked="" type="checkbox"/> TriMatrix COC <input type="checkbox"/> Other _____ COC ID Numbers: <u>140570</u>	Check Sample Preservation N/A Yes No <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Average sample temperature ≤6° C? <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> Was thermal preservation required? If "No", Project Chemist Approval Initials: _____ If "Yes" Completed Non Con Cooler - Cont Inventory Form? Completed Sample Preservation Verification Form? <input checked="" type="checkbox"/> <input type="checkbox"/> Samples chemically preserved correctly? If "No", added orange tag? <input checked="" type="checkbox"/> <input type="checkbox"/> Received pre-preserved VOC soils? <input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄						
Check COC for Accuracy Yes No <input checked="" type="checkbox"/> <input type="checkbox"/> Analysis Requested? <input checked="" type="checkbox"/> <input type="checkbox"/> Sample ID matches COC? <input checked="" type="checkbox"/> <input type="checkbox"/> Sample Date and Time matches COC? Container type completed on COC? <input checked="" type="checkbox"/> <input type="checkbox"/> All container types indicated are received?	Check for Short Hold-Time Prep/Analyses <input type="checkbox"/> Bacteriological <input type="checkbox"/> Air Bags <input type="checkbox"/> EnCores / Methanol Pre-Preserved <input type="checkbox"/> Formaldehyde/Aldehyde <input checked="" type="checkbox"/> <input type="checkbox"/> Green-tagged containers <input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab) <div style="border: 1px solid black; padding: 5px; margin-top: 5px; width: fit-content;"> AFTER HOURS ONLY: COPIES OF COC TO LAB AREA(S) <input type="checkbox"/> NONE RECEIVED <input checked="" type="checkbox"/> RECEIVED, COCs TO LAB(S) </div>						
Sample Condition Summary N/A Yes No <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Broken containers/lids? <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Missing or incomplete labels? <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Illegible information on labels? <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Low volume received? <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Inappropriate or non-TriMatrix containers received? <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> VOC vials / TOX containers have headspace? <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Extra sample locations / containers not listed on COC?	Notes <input checked="" type="checkbox"/> Trip Blank received <input type="checkbox"/> Trip Blank not listed on COC <table style="width:100%; border: none;"> <tr> <td style="border: none;">Cooler Received (Date/Time)</td> <td style="border: none;">Paperwork Delivered (Date/Time)</td> <td style="border: none;">≤1 Hour Goal Met?</td> </tr> <tr> <td style="border: none;"><u>4/4/12 0845</u></td> <td style="border: none;"><u>4/4/12 0919</u></td> <td style="border: none;"><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</td> </tr> </table>	Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?	<u>4/4/12 0845</u>	<u>4/4/12 0919</u>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Cooler Received (Date/Time)	Paperwork Delivered (Date/Time)	≤1 Hour Goal Met?					
<u>4/4/12 0845</u>	<u>4/4/12 0919</u>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					

Log In Forms.xls - Receiving_Log-in_Checklist

revision: 3.4

SAMPLE PRESERVATION VERIFICATION FORM

page ___ of ___

Client <i>TRC</i>	Work Order # <i>1204066</i>
Receipt Log # <i>41-4</i>	Project Chemist
Completed By (initials/date) <i>LR 4/4/12</i>	

COC ID # <i>140570</i>				Adjusted by: _____	DO NOT ADJUST pH FOR THESE CONTAINER TYPES		
Date: _____							
Container Type	5 / 23	4	13	<i>24</i>	3	6	15
Tag Color	Lt. Blue	Blue	Brown	<i>white</i>	Green	Red	Red Stripe
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄	<i>HCl</i>	None	HNO ₃	HNO ₃
Expected pH	>12	<2	<2	<2	6-8	<2	<2
COC Line #1				✓	✓		
COC Line #2				✓	✓		
COC Line #3							
COC Line #4				✓	✓		
COC Line #5				✓	✓		
COC Line #6				✓	✓		
COC Line #7				✓	✓		
COC Line #8				✓	✓		
COC Line #9				✓	✓		
COC Line #10				✓	✓		
Comments							

Ph Strip Lot #
<input checked="" type="checkbox"/> HC133115
<input type="checkbox"/>

Aqueous Samples: For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

COC ID #				Adjusted by: _____	DO NOT ADJUST pH FOR THESE CONTAINER TYPES		
Date: _____							
Container Type	5	4	13		3	6	15
Tag Color	Lt. Blue	Blue	Brown		Green	Red	Red Stripe
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄		None	HNO ₃	HNO ₃
Expected pH	>12	<2	<2		~7	<2	<2
COC Line #1							
COC Line #2							
COC Line #3							
COC Line #4							
COC Line #5							
COC Line #6							
COC Line #7							
COC Line #8							
COC Line #9							
COC Line #10							
Comments							

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5	NaOH
500	2.5
1000	5.0
Container Type 4	H ₂ SO ₄
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13	H ₂ SO ₄
500	2.5

Analyses Requested

Pg. ___ of ___

For Lab Use Only
Cart **9**
VQA Rec'd/Tray **-**
Receipt Log No. **43-2**
Project Channel **TRC**
Work Order No. **1204101**

Client Name **TRC**
Address **1540 Eisenhower Place**
City/State/Zip **Ann Arbor MI 48106**
Phone/Fax **734-971-7060 734-971-9001**
Email

Project Name **Former Tecumseh District**
Client Project No. / P.O. No.
Invoice To Client Other (comments)
Contact/Report To **Stacy Metz**

Container Type (corresponds to Container Packing List)
VOCE260
IRON II
Chloride
Nitrate
Sulfate

- RESERVATIVES
- A NONE pH<7
 - B HNO₃ pH<2
 - C H₂SO₄ pH<2
 - D 1:1 HCl pH<2
 - E NaOH pH>12
 - F ZnAc/NaOH pH>9
 - G MeOH
 - H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Collector ID	Sample Date	Sample Time	Matrix	Number of Containers Submitted	Total	Sample Comments
		01	MW-33s		4/4/13	0807	K GW	+	2	
		02	MW-33as				+ GW	+	2	
		03	MW-34s				+ GW	+	2	
		04	MW-3s				+ GW	+	2	
		07-05	MW-4s				+ GW	+	2	
		05-06	MW-1s				+ GW	+	2	
		06-07	MW-a1				+ GW	+	2	

Sampled By (print) **Stacy Metz**
Sampler's Signature **[Signature]**
Company **TRC**

How Shipped? **FedEx** Hand **FedEx** Carrier **FedEx**
Tracking No. _____

1. Requisition By **[Signature]** Date **4/4/13** Time **1545**
2. Received By _____ Date _____ Time _____
3. Received For Lab By **[Signature]** Date **4-5-13** Time **0815**

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

SAMPLE RECEIVING / LOG-IN CHECKLIST

Client <u>TRC</u>	Work Order #: <u>1204101</u>
Receipt Record Page/Line # <u>43-2</u>	New / Add To <input type="checkbox"/> Project Chemist <input type="checkbox"/> Sample #s <input type="checkbox"/>

Recorded by (initials/date) <u>WC 4.5.12</u>	<input checked="" type="checkbox"/> Cooler <input type="checkbox"/> Box <input type="checkbox"/> Other	Qty Received <u>1</u>	<input checked="" type="checkbox"/> IR Gun (#202) <input type="checkbox"/> Digital Thermometer (#54) <input type="checkbox"/> Other (# _____)	Thermometer Used <input type="checkbox"/> See Additional Cooler Information Form <input type="checkbox"/>
--	--	---------------------------------	---	---

Cooler #	Time	Cooler #	Time	Cooler #	Time	Cooler #	Time	
<u>Tr 2395</u>	<u>0845</u>							
Custody Seals: <input checked="" type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		Custody Seals: <input type="checkbox"/> None <input type="checkbox"/> Present / Intact <input type="checkbox"/> Present / Not Intact		
Coolant Location: Dispersed / <input checked="" type="checkbox"/> Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom		Coolant Location: Dispersed / Top / Middle / Bottom		
Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input checked="" type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		Coolant/Temperature Taken Via: <input type="checkbox"/> Loose Ice / Avg 2-3 containers <input type="checkbox"/> Bagged Ice / Avg 2-3 containers <input type="checkbox"/> Blue Ice / Avg 2-3 containers <input type="checkbox"/> None / Avg 2-3 containers		
Alternate Temperature Taken Via: <input checked="" type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		Alternate Temperature Taken Via: <input type="checkbox"/> Temperature Blank (TB) <input type="checkbox"/> 1 Container		
Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C	Recorded °C	Correction Factor °C	Actual °C
		<u>2.1</u>						
Temp Blank: <input type="checkbox"/>			Temp Blank: <input type="checkbox"/>			Temp Blank: <input type="checkbox"/>		
TB location: <input checked="" type="checkbox"/> Representative / <input type="checkbox"/> Not Representative			TB location: <input type="checkbox"/> Representative / <input type="checkbox"/> Not Representative			TB location: <input type="checkbox"/> Representative / <input type="checkbox"/> Not Representative		
1	<u>3.5</u>	<u>3.5</u>	1			1		
2	<u>3.4</u>	<u>3.4</u>	2			2		
3	<u>3.9</u>	<u>3.9</u>	3			3		
Average °C		<u>3.6</u>	Average °C			Average °C		
<input type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?			<input type="checkbox"/> Cooler ID on COC?		
<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?			<input type="checkbox"/> VOC Trip Blank received?		

If any shaded areas checked, complete Sample Receiving Non-Conformance and/or Inventory Form

Paperwork Received Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> <input checked="" type="checkbox"/> Chain of Custody record(s)? If No, Initiated By _____ <input checked="" type="checkbox"/> Received for Lab Signed/Date/Time? <input checked="" type="checkbox"/> Shipping document? <input checked="" type="checkbox"/> Other _____	Check Sample Preservation N/A <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> <input checked="" type="checkbox"/> Average sample temperature ≤6° C? <input checked="" type="checkbox"/> Was thermal preservation required? If "No", Project Chemist Approval Initials: _____ <input checked="" type="checkbox"/> If "Yes" Completed Non Con Cooler - Cont Inventory Form? <input checked="" type="checkbox"/> Completed Sample Preservation Verification Form? <input checked="" type="checkbox"/> Samples chemically preserved correctly? If "No", added orange tag? <input type="checkbox"/> Received pre-preserved VOC soils? <input type="checkbox"/> MeOH <input type="checkbox"/> Na ₂ SO ₄
--	---

COC Information <input checked="" type="checkbox"/> TriMatrix COC <input type="checkbox"/> Other _____ COC ID Numbers: <u>140572</u>	Check for Short Hold-Time Prep/Analyses <input type="checkbox"/> Bacteriological <input type="checkbox"/> Air Bags <input type="checkbox"/> EnCores / Methanol Pre-Preserved <input type="checkbox"/> Formaldehyde/Aldehyde <input checked="" type="checkbox"/> Green-tagged containers <input type="checkbox"/> Yellow/White-tagged 1L ambers (SV Prep-Lab)
---	---

Check COC for Accuracy Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> <input checked="" type="checkbox"/> Analysis Requested? <input checked="" type="checkbox"/> Sample ID matches COC? <input checked="" type="checkbox"/> Sample Date and Time matches COC? <input checked="" type="checkbox"/> Container type completed on COC? <input checked="" type="checkbox"/> All container types indicated are received?	Notes <input type="checkbox"/> Trip Blank received <input type="checkbox"/> Trip Blank not listed on COC Cooler Received (Date/Time) <u>4.5.12 0815</u> Paperwork Delivered (Date/Time) <u>4.5.12 0850</u> ≤1 Hour Goal Met? <input checked="" type="checkbox"/> Yes / No
---	--

Sample Condition Summary N/A <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> <input checked="" type="checkbox"/> Broken containers/lids? <input checked="" type="checkbox"/> Missing or incomplete labels? <input checked="" type="checkbox"/> Illegible information on labels? <input checked="" type="checkbox"/> Low volume received? <input checked="" type="checkbox"/> Inappropriate or non-TriMatrix containers received? <input checked="" type="checkbox"/> VOC vials / TOX containers have headspace? <input checked="" type="checkbox"/> Extra sample locations / containers not listed on COC?	Notes <input type="checkbox"/> Trip Blank received <input type="checkbox"/> Trip Blank not listed on COC Cooler Received (Date/Time) <u>4.5.12 0815</u> Paperwork Delivered (Date/Time) <u>4.5.12 0850</u> ≤1 Hour Goal Met? <input checked="" type="checkbox"/> Yes / No
--	--

SAMPLE PRESERVATION VERIFICATION FORM

page ___ of ___

Client Tre	Work Order # 1204101
Receipt Log # 43-2	Completed By (initials/date) WC 45-12
Project Chemist	

COC ID # 140572				Adjusted by: _____ Date: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Container Type	5 / 23	4	13	23	3	6	15				
Tag Color	Lt. Blue	Blue	Brown		Green	Red	Red Stripe				
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄		None	HNO ₃	HNO ₃				
Expected pH	>12	<2	<2	<2	6-8	<2	<2				
COC Line #1				✓	✓						
COC Line #2				✓	✓						
COC Line #3				✓	✓						
COC Line #4				✓	✓						
COC Line #5				✓	✓						
COC Line #6				✓	✓						
COC Line #7				✓	✓						
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Ph Strip Lot #	<input checked="" type="checkbox"/> HC133115
	<input type="checkbox"/>

Aqueous Samples: For each sample and container type, check the box if pH is acceptable. If pH is not acceptable for any sample container, record pH in box, and note on Sample Receiving Checklist and on Sample Receiving Non-Conformance Form. If approved by Project Chemist, add acid or base to the sample to achieve the correct pH. Add up to, but do not exceed 2x the volume initially added at container prep (see table below for initial volumes used). Add orange pH tag to sample container and record information requested. Record adjusted pH on this form. Do not adjust pH for container types 3, 6, and 15.

COC ID #				Adjusted by: _____ Date: _____				DO NOT ADJUST pH FOR THESE CONTAINER TYPES			
Container Type	5	4	13		3	6	15				
Tag Color	Lt. Blue	Blue	Brown		Green	Red	Red Stripe				
Preservative	NaOH	H ₂ SO ₄	H ₂ SO ₄		None	HNO ₃	HNO ₃				
Expected pH	>12	<2	<2		-7	<2	<2				
COC Line #1											
COC Line #2											
COC Line #3											
COC Line #4											
COC Line #5											
COC Line #6											
COC Line #7											
COC Line #8											
COC Line #9											
COC Line #10											
Comments											

Container Size (mL)	Original Vol. of Preservative (mL)
Container Type 5	NaOH
500	2.5
1000	5.0
Container Type 4	H ₂ SO ₄
125	0.5
250	1.0
500	2.0
1000	4.0
Container Type 13	H ₂ SO ₄
500	2.5

Technical Memorandum

Attachment 2 Data Validation Report

Laboratory Data Validation

April 2012 Groundwater Monitoring Event Former Tecumseh Products Company Site Tecumseh, Michigan

Forty groundwater samples, two surface water samples, and three field duplicates were collected between April 2nd and 9th, 2012, in addition to five trip blanks and two equipment rinsate blanks. These samples were analyzed by Trimatrix Laboratories, located in Grand Rapids, Michigan. The samples were analyzed for volatile organic analytes by USEPA Method 8260B following protocols specified in the Quality Assurance Project Plan (QAPP) for the former Tecumseh Products Company (TPC) site in Tecumseh, Michigan. TRC performed a validation of the laboratory data. The following sections summarize the data validation procedure and the results of the validation.

Validation Procedure

The analytical data were validated using the USEPA National Functional Guidelines for Organic Data Review (USEPA, 2008). The data validation included a review of the spike, duplicate, and blank results from the laboratory, as well as verification that the sample holding times were met. TRC reviewed additional QC information to check for appropriate matrix performance using the analytical method specified by the laboratory. The procedures TRC used to evaluate data in general included the following items:

- Checked technical holding times for analyses and sample receipt temperature;
- Reviewed QC data for blanks, matrix spikes, laboratory duplicates, and laboratory control samples;
- Determined field precision from blind field duplicate data; and
- Assessed the usability of the data.

The data validation report addresses the following items:

- Usability of the data if QC results suggest potential problems with all or some of the data;
- Potential sample contamination due to blank contributions; and
- Actions regarding specific QC criteria exceedences.

TRC reviewed internal standard areas and retention times, method blanks, project-specific matrix spike and matrix spike duplicate (MS/MSD) recoveries, field and laboratory duplicate relative percent differences (RPDs), Laboratory Control Sample (LCS) recoveries, holding times, and temperature.

Findings

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable. The procedures specified in the methods were implemented, and the data packages were found to contain all of the deliverables necessary for validation of the analytical data. The discussion that follows describes the QA/QC results and evaluation.

- The laboratory met technical holding times for all samples. Samples were sent to the lab in four shipments. The sample temperatures met QC limits upon receipt in all shipments.
- Surrogate recoveries met QC limits.
- Internal standard areas and retention times were reviewed and found to be within acceptable QC limits.
- The laboratory performed an LCS with each analytical batch. LCS recoveries were within the laboratory control limits.
- Contaminants were not detected in the trip blanks or in the equipment rinsate blanks. Contaminants were not detected in the method blanks, with the following exceptions:
 - 2-Methylnaphthalene was detected in batches 1204387 and 1204663 at 9.6 µg/L and 8.8 µg/L, respectively. 2-Methylnaphthalene was not detected in any sample from either batch; therefore, no flags were assigned.
 - Iodomethane was detected in batch 1204787 at 4.3 µg/L. Iodomethane was not detected in any sample from that batch; therefore, no flags were assigned.
- Three field duplicate samples were collected. DUP-01 corresponded with sample MW-14d, DUP-02 corresponded with sample MW-19s, and DUP-03 corresponded with sample MW-21. No constituents were detected in DUP-01/MW-14d; therefore RPDs were not calculated from that data set. Calculated RPDs for the remaining samples were within QC limits. There were no laboratory duplicates.
- MS/MSD analyses were performed at a frequency of at least one per twenty samples in three batches. MS/MSD analyses were performed on samples MW-27s, MW-31, and MW-20s. Recoveries and RPDs were within QC limits for each MS/MSD.

Prepared by: Jennifer Meek

Reviewed by: Terry Hertz